MARKSUSA

2022/2023
Price List

Mortise Locksets

Cylindrical, Tubular & Electronic Access Control Locksets

Exit Devices

LIFETIME WARRANTY
MARKSUSA

January 2022

1-800-645-9445 • Fax 631-225-6136 • ©2022 MARKS USA

MORTISE LOCKSET PRICE LIST • *EFFECTIVE SEPTEMBER 2016*

TABLE OF CONTENTS

Required Information 7
Backset 7
Door Thickness 7
Handing 7
Mounts & Displays 7
Mortise Lock Trim Information 8
Leverset/Knobset Trim 8
How To Order Mortise Locksets & Handlesets 9-11
How To Order Instructions & Examples 10
1. Series 10
2. Plates/Roses/Handlesets 10
3. Knob/Lever 10
4. Mortise Functions 10
5. Finishes 10
6. Options 11
Plate Designs 12-23
Classic - CL 12-13
Capitol - CP 14-15
Crown - CR 16-17
Drake - DR 18-19
New Yorker - NY 20-21
Towne - TN 22-23
Rose Designs 22-23
Rose with Ring - RR 22-23
Plain Rose - RW 22-23
Small Rose with Ring - RQ 22-23
Small Rose - RS 22-23
Square Rose - RX 22-23
Square Rose - RK 22-23
Square Rose - RL 22-23
Ornamental Iron 24-24
Series 21 Unilock™ 24
Series 22 24
Series 9215 Unilock™ 24
Series 9225 24
THINLINE® Series 2750 24
Knob & Lever Kits 25
Accessories 25
Cylinders 25

1-800-645-9445 • Fax 631-225-6136 •

©2022 MARKS USA

MORTISE LOCKSET PRICE LIST

Mortise Parts & Trim 26-36
Mortise Lock Bodies Series 4 & 45 26
Mortise Lock Bodies Series 5 & 55 27
Mortise Lock Bodies Series 6 & 8 28
Mortise Lock Bodies Series 7 & 9 29
Mortise Deadlocks Series 31, 2, 3, 5 & 55 30
Mortise Lockset Functions 31-32
Mortise Lock Parts: Knob/Lever Rose Kits 33
Mortise Lock Parts: Dummy Cylinder, Collars & Turnpieces, Strikes, Spindles 34
Trim Lock Parts: Plate/Rose Design 35
Trim Lock Parts: Knob/Lever Design 36

CYLINDRICAL & TUBULAR LOCKSET PRICE LIST

How To Order Cylindrical Locksets 37
How To Order Example For Cylindrical Locksets 37
1. Series 37
2. Cylindrical Functions 37
3. Finishes 37
4. Options 37
Cylindrical Locksets 38-41
80 Line Grade 1 Cylindrical Knobsets 38
10 Line Grade 2 Cylindrical Knobsets 39
95 Line Grade 1 Cylindrical Survivor Series Leversets 40
75 Line Grade 2 Cylindrical Survivor Series Leversets 41
Cylindrical Lock Accessories 42
Latches, Strikes, Spacer Rings, Etc. 42
Cylinders, Cylindrical Lock Tailpieces, Cylindrical IC Core Tailpieces. 43
How to order example for Cylindrical Lock Cylinders & Tailpieces 43
Cylindrical Knob/Lever Functions 44
How To Order Tubular Locksets 45
How To Order Example For Tubular Locksets 45
1. Series 45
2. Roses 45
3. Knob/Lever 45
4. Tubular Function. 45
5. Finishes 45
6. Options 45
Tubular Knob & Lever Functions 45
Rose Designs. 46
Rose with Ring - RR. 46
Plain Rose - RW. 46
Small Rose with Ring - RQ. 46
Small Rose - RS. 46
Square Rose - RX 46
Square Rose - RK 46
Square Rose - RL. 46
Residential Interior Tubular Locksets. 47
150 Series American Lever *(tubular leversets for interior use)* 47
250 Series Crescent Lever *(tubular leversets for interior use)*. 47
450 Series Titan Lever *(tubular leversets for interior use)* 47
Tubular Lockset Accessories 48
Strikes, Latches, Support Housing 48
Turnpieces 48
Latches & Cylindrical Cartridge 48
How To Order For Defender Locksets 49
How To Order Example For Defender Locksets 49
1. Series 49
2. Tubular Functions. 49
3. Finishes 49
Deadbolt/Deadlatch Functions. 49

1-800-645-9445 • Fax 631-225-6136 • ©2022 MARKS USA

CYLINDRICAL & TUBULAR LOCKSET PRICE LIST

Defender Series Tubular Deadbolts & Cylindrical Cartridge Deadlatches 50
130 Series Grade 1 Defender Tubular Deadbolts 50
145 Series Grade 1 Defender Cylindrical Cartridge Deadlatches 50
Defender Series Accessories 51
Strikes, Latches & Spacers 51
Latches & Cylindrical Cartridge 51
Tailpieces & Cylinders 51
i-Qwik/i-Que Electronic Access Control Locksets 52-54
i-Qwik LITE^2 Series Electronic Access Control & How To Order Example 52
i-Qwik/i-Que Series Options 53
i-Qwik/i-Que Series Accessories, Tailpieces & Cams 54
Request To EXit (REX) Leversets & Electrified Locksets 55-56
Request To EXit (REX) Cylindrical Grade 1 Leversets (EA195, EA295, EA395 & EA495) 55
How To Order Example For REX Leversets 55
195, 295, 395 & 495 Series Grade 1 Electrified Cylindrical Leversets 56
5 Series Grade 1 Electrified Mortise Lockset 56
Gate Locks 57
Swinging Gate Locks 57
Sliding Gate Locks 57
Parts 57
Custom Lockset Division 58-60
Series HA113 Housing Authority Mortise Lockset 58
Series LA318GJ Maximum Security Mortise Lockset 59
Series BE101 & LA118 60
Institutional Life Safety Mortise Locksets 61-65
Series 195BH D-Lig Slide Cylindrical Lockset 61
Series 5BH D-Lig Slide Mortise Lockset 62
Series 195SS Institutional Life Safety Cylindrical Lever Lockset 63
Series 5SS55 & 5SS19 Institutional Life Safety Mortise Knob & Lever Locksets 64
Series 180SS Institutional Life Safety Cylindrical Knobsets & Locksets 65
Series 31SS55 Institutional Life Safety Mortise Deadlock 65
Hospital Locksets 66
Series 180PD Cylindrical Push/Pull Paddlesets 66
Series 5PD & 55PD Mortise Push/Pull Paddlesets 66
Mortise Lock Cylinders, Parts & Cams 67
Cylinders, IC Core Cylinder Housings, Cylinder Cams 67
How To Order For Mortise Lock Cylinders 67
KEYS & KEYING 68
HI-SECURITY™ Cylinders 69-74
HI-SECURITY™ Cylinders: NON-UL 69
HI-SECURITY™ Cylinders: UL 437 70
Security-Mate™ Cylinders, Special Application Cylinders 71
How To Order HI-SECURITY™ Cylinders and Keys 72
Keys, Cams & Tailpieces 73
Parts List 74

1-800-645-9445 • Fax 631-225-6136 • ©2022 MARKS USA

DOOR CLOSERS & PANIC DEVICES PRICE LIST

Exit Devices 75-80
Series M9900 Exit Device - Rim Mount 75
Series M9900 VR Exit Device - Surface Vertical Rod 75
Series M9900 Exterior Trim 76
Series M8800 Exit Device 76
Series M195 77
Series M99 Night Latch Trim 77
Electric Latch Retraction with Simultaneous Dogging 78
Exit Alarm 78
Electric Dogging 79
Delayed Egress 70
M9900 LITE 80

ArchiTech™ SERIES NETWORX LOCKS

ArchiTech™ Series Networx Locks. 81-85
ArchiTech Series Features and Specifications 81
ArchiTech Series Cylindrical Locksets. 82
How to Order ArchiTech Cylindrical Locksets 82
ArchiTech Series Mortise Locksets 83
How to Order ArchiTech Mortise Locksets 84
ArchiTech Series Networx Options 85

Marks USA Antimicrobial Finish: Peace of mind for your hardware application when protected against GERMS and MOLD using Stericoat AM. Marks USA antimicrobial finish is recommended for hospitals, assisted living facilities, schools and childcare facilities. **Use Code - AM**

Lifetime Mechanical Limited Warranty: MARKS USA warrants that its products are free from defects in materials and workmanship. This warranty is limited to the lifetime of the door on which our lock is installed. In the event our product does not conform to this warranty, MARKS USA will repair or replace the product free of charge. This warranty does not cover defects or damage arising from improper installation, lack of or improper maintenance, improper storage, shipping and handling, ordinary wear and tear, misuse, abuse, accident, unauthorized service, or use with unauthorized non-MARKS products or parts. We reserve the right to make changes in materials, components or manufacturing methods. Liability under all warranties expressed or implied is limited to replacement of the defective goods. This warranty does not cover nor provide for the reimbursement or payment of incidental or consequential damages. Additionally, the company will not warrant ANSI A156.2 Grade 2 lever product installed in educational facilities and student housing.

2 Year Electronic Limited Warranty: MARKS USA warrants to the original purchaser that its products are free from defects in materials and workmanship so long as they occupy the premises.

In the event our product does not conform to this warranty, MARKS USA will repair or replace the product free of charge at its sole discretion. This warranty does not cover defects or damage arising from improper installation, lack of or improper maintenance, improper storage, shipping and handling, improper application or specification, ordinary wear and tear, misuse, abuse, accident, improper voltage, unauthorized service, or use with unauthorized non-MARKS products or parts. We reserve the right to make changes in materials, components or manufacturing methods. Liability under all warranties expressed or implied is limited to replacement of the defective goods. This warranty does not cover nor provide for the reimbursement or payment of incidental or consequential damages or any shipping charges related to exercising of this warranty.

Lifetime Finish Limited Warranty: MARKS USA Locksets with the "3E" finish will be warranted to the original user against tarnishing as long as the user occupies the residential premises upon which the lockset was originally installed. Locksets with this finish, used in commercial applications will be limited to two years. This warranty does not cover scratches, abrasion, abused or misused products. Upon return of a defective product to Marks USA, we will, at our sole discretion, either replace the product or refund the purchase price in exchange for the product.

Due to climatic conditions, chemical or abrasive actions, other finishes are excluded from this warranty. This warranty does not cover nor provide for the reimbursement or payment of incidental or consequential damages arising from the sale of the product.

TERMS & CONDITIONS:

TERMS: Net 30

FREIGHT: Prices are F.O.B. Amityville, New York. Freight allowed on shipments over $7000 net invoice value within Continental U.S.

RETURNED GOODS: Goods may not be returned without a Returned Goods Authorization (RGA) and are subject to a restocking charge. RGA label must be on all cartons.

MINIMUM CHARGE: Orders for less than $250 net invoice are subject to a $25 handling charge.

MINIMUM SALES VOLUME: The company reserves the right to discontinue direct sales to any customer who does not meet the minimum annual sales requirements during any 12 month period. Minimum annual sales volume is determined on the basis of accepted orders during each applicable year. All orders are acknowledged. It is the customers responsibility to check accuracy of the acknowledgment when received.

ArchiTech, Networx, iLock, LocDown, LifeSaver and Hi-Security are trademarks of Marks USA, a division of NAPCO Security Technologies. All other trademarks listed are properties of their respective companies.

Effective January 2022. All prices published are suggested list prices in US Dollars. Some specifications are preliminary and subject to change without prior notice. Not responsible for typographical errors.

Marks USA is a Division of Napco Security Technologies, Inc. (NASDAQ:NSSC) © Marks USA, 12.21

BACKSET - Required Information



DOOR THICKNESS - Required Information

STANDARD DOOR THICKNESS RANGE:

Mortise locksets: 1-3/4"
Cylindrical locksets: 1-5/8" through 1-7/8"
Ornamental locksets: 1" through 1-1/4"
Tubular locksets: 1-3/8" through 1-3/4"
Other door thickness: **Consult factory**

SPECIFY:

Door thickness (A)
Lock location (B)



HANDING - Required Information

All locksets supplied 1/2 (LH) and 1/2 (RH) unless otherwise specified





MOUNTS & DISPLAYS AVAILABLE, CONSULT FACTORY

1RW78N/26D

1PDN/32D

1RR57N/15

5DR72FD/26

5RW96LF/26D-A21

MORTISE LOCK TRIM INFORMATION

LEVERSET/KNOBSET TRIM



ENTRANCE
Cylinder/Turnpiece



ENTRANCE
Double Cylinder



OFFICE/CLASSROOM



PRIVACY



EXTERIOR/PATIO



DUMMY TRIM
Both sides
*Dummy cylinder optional (F17)

1-800-645-9445 • Fax 631-225-6136 • ©2022 MARKS USA

How To Order Mortise Locksets & Handlesets

1. Select type of lockset.
2. See corresponding pages in the catalogues for information regarding this type of lock.
3. Create the part number for your lock by selecting the information from fields 1 through 6.
   Please note dummy trim is Series "0".
4. Options must be listed in Alpha - Numeric order.
5. Note that if Part Number is over 15 characters, it becomes a special number with the option field *1.
   (Your options will then be listed separately.)
   Please note the standard (default) features of each lock - they do not need to be selected in the options section.
6. Please indicate keying detail or special instructions on each item ordered.
7. Door Templates are available on the website @ www.marksusa.com/support/templates

How To Order Example *for Mortise Locksets*	**7**	**NY**	**10**	**A**	**/**	**3**	**—**	**G3**
	1. Lock Series	***2. Plate/Rose Design***	***3. Knob/Lever Design***	***4. Marks Function***	***Slash***	***5. Finish***	***Dash***	***6. Options***

How To Order Example *for Rose Design*	**5**	**RW**	**92**	**N**	**/**	**10B**	**—**	**D1**
	1. Lock Series	***2. Plate/Rose Design***	***3. Knob/Lever Design***	***4. Marks Function***	***Slash***	***5. Finish***	***Dash***	***6. Options***

How To Order Example *for Ornamental Iron*	**9215**	**AC**	**/**	**15**	**—**	**G3**
	1. Series	***2. Marks Function***	***Slash***	***3. FInish***	***Dash***	***4. Options***

How To Order Example *for Mortise Lock Bodies*	**55**	**JM**	**/**	**26D**	**—**	**T**
	1. Series	***2. Marks Function***	***Slash***	***3. FInish***	***Dash***	***4. Options***

How To Order Mortise Locksets & Handlesets

1 SERIES

Dummy Trim	0
Dummy Trim Handlesets Only	00
Mortise Locks	4, 45, 5, 55, 6, 7, 8, 9
Mortise Deadlocks	31, 2, 3

2 PLATES/ROSES/HANDLESETS

PLATES		***DESIGN***
Barrier		BA
Classic		CL
Capitol		CP
Crown		CR
Drake		DR
Davos		DV
Madison		MA
New Yorker		NY
School		LA
Towne		TN
ROSES		***DESIGN***
9602-R	Rose with ring 2-9/16" dia.	RR
9602	Plain rose 2-9/16" dia.	RW
5602-R	Small rose with ring 2-1/4" dia.	RQ
5602	Small rose 2-1/4" dia.	RS
7602	Square rose 2-9/16"	RX
7607	Square forged rose 2-9/16"	RK
HANDLESETS		***DESIGN***
Crown		CR
Towne		TN

3 KNOB/LEVER

KNOBS	***DESIGN***	
1153	Round, wrought	10
1253	Ball, wrought	20
9631	Ball, forged	30
9609	Eclipse, forged	60
LEVERS	***DESIGN***	
5642	Stanhope	44
5657	Brompton	55
5662	Monaco	57
5672	Towne	72
5677	Maxwell	77
5678	Omni	78
5682	Plaza	82
5683	Dayton	83
5686	Crescent	86
5692	American	92
5696	Titan	96

4 MORTISE FUNCTIONS

MARKS FUNCTION:

KEYED SINGLE CYLINDER, NO DEADBOLT		***ANSI #***
D	OFFICE/VEST.	
DW	VESTIBULE	
E	OFFICE	F04
EW	STOREROOM	F07
EX	EXIT	F31
J	CLASSROOM	F05
JM	HOSPITAL	F06
JR	HOSPITAL	F06
GL	INST PRIVACY	F26
EN	STOREROOM	
DN	STOREROOM	
EL	ELECTRICALLY LOCKED	
EU	ELECTRICALLY UNLOCKED	
KEYED SINGLE CYLINDER, WITH DEADBOLT		***ANSI #***
A	ENTRANCE	F08, F10
B	ENTRANCE	F21
F	DORMITORY	F12
FS	DORMITORY	
FW	DORMITORY	F13
FD	APARTMENT	F20
H	HOTEL	F15
LH	SPECIAL PRIVACY	
KEYED DOUBLE CYLINDER, NO DEADBOLT		***ANSI #***
G	ENTRANCE	F09
GC	INTRUDER LATCHBOLT	F32
GG	CLASSROOM SECURITY	
GR	CLASSROOM SECURITY w/ HOLDBACK	
WW	INSTITUTION	F30
KEYED DOUBLE CYLINDER, WITH DEADBOLT		***ANSI #***
AC	ENTRANCE	F35
C	STOREROOM	F14
FC	INTRUDER DEADBOLT	F34
FA	DORMITORY	F11
FX	DORMITORY	F33
SO	STOREROOM	F25
KEYLESS		***ANSI #***
N	PASSAGE	F01
L	BATHROOM	F02
LF	PRIVACY	F19
LJ	PRIVACY	F22
DUMMY TRIM		***ANSI #***
DI	DUMMY TRIM INSIDE	
DO	DUMMY TRIM OUTSIDE	
DT	FULL DUMMY TRIM	

5 FINISH

MARKS		***ANSI #***
US 3	Polished Brass, Clear Coated	605
US 3E	Polished Brass "PVD"	605E
US 4	Satin Brass, Clear Coated	606, 606E
US 5	Antique Brass, Clear Coated	609, 609E
US 10E	Satin Bronze "PVD"	612E
US 10	Satin Bronze, Clear Coated	612
US 10B	Dark Bronze, Clear Coated	613E
US 14	Bright Nickel Plating, Clear Coated	614
US 15	Satin Nickel	619, 619E
US 19	Flat Black, Powder Coated	622, 622E
US 20A	Dark Oxidized Statuary Bronze, Clear Coated	624
US 26	Polished Chrome, Plated	625
US 26D	Satin Chrome, Plated	626
US 26E	Satin Chrome, Powder Coat	626E
US 32	Polished Stainless Steel	629
US 32D	Satin Stainless Steel	630
AM	**Antimicrobial Finish**	**AM, +40**

FINISH DESIGNATIONS

Split Finish Designation

Marks USA Antimicrobial finish - **Code: AM**

Split Finish: Exterior one finish/interior one finish

designate by an "X"
Ex: 4TN57A/3Ex15-F3

Exterior trim 3E Interior Trim US 15

Combination Finish Designation

Combination Finish:

Alternating different finishes on same side of trim designate by

a "/" between finishes
Ex: 4TN57A/3E/15-F3
Exterior and Interior trim 3E
US 15 cylinder, turnpiece & lever.

FOR ADDITIONAL DESIGNS, ASK FOR THE CUSTOM LOCK DIVISION CATALOG OR VISIT OUR WEBSITE @ WWW.MARKSUSA.COM

1-800-645-9445 • Fax 631-225-6136 • ©2022 MARKS USA

How To Order Mortise Locksets & Handlesets

6 OPTIONS

LOCK FRONT	CODE	PRICE
1-1/16" x 8"	Q	28
1-1/16" x 5-5/8"	R	29
1-1/16" x 7-5/8"	T	29
1-1/4" x 10"	U	112
1-1/16" x 7-3/4"	V	28
1" x 7-1/8"	W	NC
1-1/4" x 8"	X	26
1-1/4" x 8-5/8"	Y	112
1" x 8"	Z	26
TRIM MODIFICATIONS	**CODE**	**PRICE**
Tactile knob/lever, coated ext. only	A1	62
Emergency coinkey	A2	29
Tamper-proof screws	A3	15
Tactile knob/lever, knurled	A4	62
Hotel indicator	A6	45
Pinned knob	A7	36
Mushroom knob	A9	6
Engraved	A11	73
Concealed cylinder	A12	28
Dummy trim sub-assembly	A13	—
Coinkey w/ escutcheon plate	A14	72
Coinkey w/ rose	A15	72
Occupancy Indicator	A17	93
Tactile knob/lever, coated int. & ext.	A18	126
BE 1-1/2" thick door adapter plate	A19	80
"Tear Drop" occupancy indicator	A21	81
Crescent Lever	A22	NC
Square trim	A23	30
- Square collar	A23C	+11
- Square turnpiece	A23T	+11
Small emergency hole	A24	NC
SS55 Knob on EXT or INT (specify)	A25	43
Plaza Lever	A26	NC
Recessed Pull (one side)	A28	73
Exposed Rose Screws	A29	NC
Engraved and Filled	A30	83
Inside Knob on Lever	A31	36
No inside turnpiece	A32	NC
LOCK BODY *Red, Green, BCC, Ind.*	**CODE**	**PRICE**
Lever override guard - outside*	B1	45
Lever override guard - both sides*	B2	64
Hardened pins - deadbolt	B3	19
Lever springs	B4	20
Pin and lever springs	B5	38
Hollow spacer	B6	19
8 mm hubs on square	B7	19
Turnpiece hub on square	B8	12
With deadbolt	B9	19
Boxed Lock Body	B10	NC
Lever spring outside only	B11	NC
Lever spring inside only	B12	NC

DOOR THICKNESS	CODE	PRICE
50 mm (2")	D1	NC
57 mm (2-1/4")	D2	45
60 mm (2-3/8")	D3	45
1-3/4"	D4	NC
1-3/8"	D5	NC
1" - 1-1/4"	D6	NC
2" - 2-1/4"	D7	45
1-1/4" - 1-1/2"	D8	NC
Over 3"	D9	667
63.5 mm (2-1/2")	D10	72
75 mm (3")	D11	93
72 mm (2-13/16")	D12	93
2-3/4"-3"	D14	309
LATCH	**CODE**	**PRICE**
Solid latch	E1	21
Hold open latch	E2	38
Auxiliary latch	E3	36
2-3/4" backset, 1-1/8" x 2-1/4" face	E4	11
2-3/8" backset, 1" x 2-1/4" face	E6	NC
TRIM CHANGES	**CODE**	**PRICE**
Lead lined	F1	335
Large inside plate	F2	36
Less inside trim**	F4	NC
Less outside trim**	F5	NC
For 1-1/2" bore	F6	21
Adjustable spring collars	F10	6
Corbin 6 pin IC core	F12	33
Corbin 7 pin IC core	F13	35
Yale 6 pin IC core	F14	24
Yale 7 pin IC core	F15	24
Less outside knob/lever	F16	
Dummy cylinder	F17	45
Less outside trim w/ custom escutcheon**	F18	NC
Schlage 6 pin IC core	F19	24
Sargent IC core	F20	24
Medeco IC core large format	F21	24
IQ lead lined	F22	428
Rigid Lever	F23	NC
ASSA IC Core	F24	22
Blank Inside Plate/Lever	F25	NC
Blank Outside Plate/Lever	F26	NC
Yale 6 pin IC core w/ captivated tail	F27	NC
Yale 7 pin IC core w/ captivated tail	F28	NC
Screwless Inside Escutcheon	F29	31
CYLINDER	**CODE**	**PRICE**
IC core housing - 7 Pin	G1	NC
Special optional keyway	G2	38
Less cylinder	G3	Deduct 16
MARKS "C" keyway	G5	17
IC core housing w/9271 Collar - 6 Pin	G6	NC
IC core housing, Schlage large format (FOR MORTISE ONLY)	G7	82

ELECTRIFIED	CODE	PRICE
24V	H1	
12V	H2	
Electrically locked	H9	
Electrically unlocked	H10	
STRIKE	**CODE**	**PRICE**
4-7/8" ASA strike	S1	14
Straight lip strike	S2	4
2-3/4" "T" strike	S3	NC
3-5/8" x 1-1/4" Security strike	S4	12
2-1/4" Curved lip strike	S5	NC
4-7/8" Strikes: 1 Left / 1 Right	S6	14
Strike with 1-1/2" lip	S7	17
Radius corner strike	S8	NC
4035-1 strike	S9	NC
ELECTRONICS	**CODE**	**PRICE**
Sensor array package: REX & key switch	W1	330
Hard wired	W5	27
Request to exit switch	W10	140
Key sensor	W11	165
Titan lever	W12	20
Request to EXit switch, key sensor & bolt sensor	W13	494
(W13 option for mortise locksets)		
Bolt sensor	W14	165
Latch sensor	W15	165
REX + Latch sensor	W16	330
MISC	**CODE**	**PRICE**
Please read special comments regarding line item.	#	

*** Not available in CP plate design.**
**** Consult factory before ordering.**

CLASSIC PLATE DESIGN CL

BHMA CERTIFIED	ANSI-A156.13 • Grade 1 3 Hour Fire Rating	c UL us LISTED	Series 5 • 2-3/4" Backset Series 55 • 2-1/2" Backset	
	Standard Features		**KNOBS**	**LEVERS**
	• Thru-bolted screwless knob/lever plate assemblies • Independent spring loaded captivated spindles • Reversible mortise lock 2-1/2" or 2-3/4" backset • Lever support springs • Lock front: 1-1/4" x 8" • Dimensions: Ext: 8" H x 2-1/2" W, Int: 8" H x 2-1/2" W • Cylinder: MARKS "C" keyway, 6 pin w/ 2 keys • Height: 7/32"		**10, 20**	**031, 44, 55, 57, 72, 77, 78, 82, 83, 86, 92, 96**
			FINISH GROUPS	
MARKS #	**FUNCTION**	**ANSI #**	**32D**	**32D**
KEYED SINGLE CYLINDER, NO DEADBOLT				
D	OFFICE VEST.		**643.40**	**794.31**
DW	VESTIBULE			
E	OFFICE	F04		
EW	STOREROOM	F07		
J	CLASSROOM	F05		
JM, JR	HOSPITAL	F06		
GL	INSTIT. PRIVACY	F26		
EL	ELECTRICALLY LOCKED		**975.80**	**1125.69**
EU	ELECTRICALLY UNLOCKED			
KEYED SINGLE CYLINDER, WITH DEADBOLT				
A	ENTRANCE	F08, F10	**657.67**	**808.58**
B	ENTRANCE	F21		
F	DORMITORY	F12		
FS	DORMITORY			
FW	DORMITORY	F13		
FD	APARTMENT	F20	**722.93**	**872.82**
H	HOTEL	F15		
LH	SPECIAL PRIVACY			
KEYED DOUBLE CYLINDER, NO DEADBOLT				
G	APARTMENT	F09	**693.36**	**843.25**
GC	INTRUDER LATCHBOLT	F32		
GG	CLASSROOM SECURITY			
GR	CLASSROOM SECURITY w/HOLDBACK			
WW	INSTITUTIONAL	F30		
KEYED DOUBLE CYLINDER, WITH DEADBOLT				
AC	ENTRANCE	F35	**693.36**	**843.25**
C	STOREROOM	F14		
FC	INTRUDER DEADBOLT	F34		
FA	DORMITORY	F11		
FX	DORMITORY	F33		
KEYLESS				
N	PASSAGE	F01	**540.41**	**691.32**
L	BATHROOM	F02	**659.71**	**809.60**
LF	PRIVACY	F19		
LJ	PRIVACY	F22	**595.47**	**745.36**
EX	EXIT	F31	**595.47**	**745.36**
DUMMY TRIM				
DI	DUMMY TRIM INSIDE		**272.25**	**346.68**
DO	DUMMY TRIM OUTSIDE			
DT	FULLY DUMMY		**541.43**	**692.34**

KNOBS & LEVERS ARE PACKED 6 PER CASE

NOTE: Split designs and/or finishes are priced at the highest design and/or finish • Special finishes, consult factory

FOR ADDITIONAL DESIGNS, ASK FOR THE CUSTOM LOCK DIVISION CATALOG OR VISIT OUR WEBSITE @ WWW.MARKSUSA.COM

1-800-645-9445 • Fax 631-225-6136 • ©2022 MARKS USA

CLASSIC Plate Design CL

ANSI-A156.13 • Grade 2			Series 7 • 2-3/4" Backset Series 9 • 2-1/2" Backset	
Standard Features			**KNOBS**	**LEVERS**
• Thru-bolted screwless knob/lever plate assemblies • Independent spring loaded captivated spindles • Reversible mortise lock 2-1/2" or 2-3/4" backset • Lever support springs • Lock front Series 7: 1-1/4" x 8", Series 9: 1-1/16" x 7-5/8" • Dimensions: Ext: 8" H x 2-1/2" W, Int: 8" H x 2-1/2" W • Cylinder: MARKS "C" keyway, 6 pin w/ 2 keys			**10, 20**	**031, 44, 55, 57, 72, 77, 78, 82, 83, 86, 92, 96**
			FINISH GROUPS	
MARKS #	**FUNCTION**	**ANSI #**	**32D**	**32D**
KEYED SINGLE CYLINDER, NO DEADBOLT				
D	OFFICE VEST.		**609.75**	**760.66**
DW	VESTIBULE			
KEYED SINGLE CYLINDER, WITH DEADBOLT				
A	ENTRANCE	F08, F10	**625.04**	**774.93**
B	ENTRANCE	F21		
F	DORMITORY	F12		
FS	DORMITORY			
FW	DORMITORY	F13		
KEYED DOUBLE CYLINDER, WITH DEADBOLT				
AC	ENTRANCE	F35	**660.73**	**810.62**
C	STOREROOM	F14		
FX	DORMITORY	F33		
KEYLESS				
N	PASSAGE	F01	**506.76**	**657.67**
L	BATHROOM	F02	**626.06**	**775.95**
LF	PRIVACY	F19		
DUMMY TRIM				
DI	DUMMY TRIM INSIDE		**272.25**	**346.68**
DO	DUMMY TRIM OUTSIDE			
DT	FULLY DUMMY		**541.43**	**692.34**

KNOBS & LEVERS ARE PACKED 6 PER CASE

NOTE: Split designs and/or finishes are priced at the highest design and/or finish • Special finishes, consult factory

KNOBS

Round Knob 10

Ball Knob 20

LEVERS

Stanhope Lever 44

Copa Lever 031

Brompton Lever 55

Monaco Lever 57
Specify handing

Towne Lever 72

Maxwell Lever 77

Omni Lever 78

Plaza Lever 82
Specify handing

Dayton Lever 83
Specify handing

Crescent Lever 86

American Lever 92

Titan Lever 96

1-800-645-9445 • Fax 631-225-6136 • ©2022 MARKS USA

CAPITOL PLATE DESIGN CP

BHMA CERTIFIED	ANSI-A156.13 • Grade 1 3 Hour Fire Rating	c UL us LISTED	Series 5 • 2-3/4" Backset Series 55 • 2-1/2" Backset			
	Standard Features		**KNOBS**		**LEVERS**	
	• Thru-bolted screwless knob/lever plate assemblies • Independent spring loaded captivated spindles • Reversible mortise lock 2-1/2" or 2-3/4" backset • Lever support springs • Lock front: 1-1/4" x 8" • Dimensions: Ext: 8-1/2" H x 2-3/4" W, Int: 8-1/2" H x 2-3/4" W • Cylinder: MARKS "C" keyway, 6 pin w/ 2 keys • Concealed 5 pin cylinder (option A12) • Thickness: 1/8"		**10, 20**		**031, 44, 55, 57, 72, 77, 78, 82, 83, 86, 92, 96**	**031, 82, 83, 86, 92, 96**
			FINISH GROUPS			
MARKS #	**FUNCTION**	**ANSI #**	**3, 32D**	**10, 10B**	**3, 32D**	**10, 10B**
KEYED SINGLE CYLINDER, NO DEADBOLT						
D	OFFICE VEST.		**669.91**	**708.65**	**819.80**	**862.62**
DW	VESTIBULE					
E	OFFICE	F04				
EW	STOREROOM	F07				
J	CLASSROOM	F05				
JM, JR	HOSPITAL	F06				
GL	INSTIT. PRIVACY	F26				
EL	ELECTRICALLY LOCKED		**1002.31**	**1041.06**	**1152.20**	**1190.95**
EU	ELECTRICALLY UNLOCKED					
KEYED SINGLE CYLINDER, WITH DEADBOLT						
A	ENTRANCE	F08, F10	**684.18**	**723.95**	**835.09**	**873.84**
B	ENTRANCE	F21				
F	DORMITORY	F12				
FS	DORMITORY					
FW	DORMITORY	F13				
FD	APARTMENT	F20	**748.42**	**787.17**	**899.33**	**939.09**
H	HOTEL	F15				
LH	SPECIAL PRIVACY					
KEYED DOUBLE CYLINDER, NO DEADBOLT						
G	APARTMENT	F09	**720.89**	**759.64**	**870.78**	**909.53**
GC	INTRUDER LATCHBOLT	F32				
GG	CLASSROOM SECURITY					
GR	CLASSROOM SECURITY w/HOLDBACK					
WW	INSTITUTIONAL	F30				
KEYED DOUBLE CYLINDER, WITH DEADBOLT						
AC	ENTRANCE	F35	**720.89**	**759.64**	**870.78**	**909.53**
C	STOREROOM	F14				
FC	INTRUDER DEADBOLT	F34				
FA	DORMITORY	F11				
FX	DORMITORY	F33				
KEYLESS						
N	PASSAGE	F01	**567.94**	**606.69**	**718.85**	**757.60**
L	BATHROOM	F02	**686.22**	**724.97**	**836.11**	**874.86**
LF	PRIVACY	F19				
LJ	PRIVACY	F22	**623.00**	**661.75**	**772.89**	**811.64**
EX	EXIT	F31	**623.00**	**661.75**	**772.89**	**811.64**
DUMMY TRIM						
DI	DUMMY TRIM INSIDE		**283.46**	**303.85**	**358.92**	**379.31**
DO	DUMMY TRIM OUTSIDE					
DT	FULLY DUMMY		**567.94**	**607.71**	**719.87**	**758.62**

KNOBS & LEVERS ARE PACKED 6 PER CASE

NOTE: Split designs and/or finishes are priced at the highest design and/or finish • Special finishes, consult factory

FOR ADDITIONAL DESIGNS, ASK FOR THE CUSTOM LOCK DIVISION CATALOG OR VISIT OUR WEBSITE @ WWW.MARKSUSA.COM

1-800-645-9445 • Fax 631-225-6136 • ©2022 MARKS USA

CAPITOL Plate Design CP

ANSI-A156.13 • Grade 2

Series 7 • 2-3/4" Backset
Series 9 • 2-1/2" Backset

Standard Features

- Thru-bolted screwless knob/lever plate assemblies
- Independent spring loaded captivated spindles
- Reversible mortise lock 2-1/2" or 2-3/4" backset • Lever support springs
- Lock front Series 7: 1-1/4" x 8", Series 9: 1-1/16" x 7-5/8"
- Dimensions: Ext: 8-1/2" H x 2-3/4" W, Int: 8-1/2" H x 2-3/4" W
- Cylinder: MARKS "C" keyway, 6 pin w/ 2 keys
- Concealed 5 pin cylinder (option A12)

MARKS #	FUNCTION	ANSI #	KNOBS 10, 20 — FINISH GROUPS 3, 32D	KNOBS 10, 20 — FINISH GROUPS 10,10B	LEVERS 031, 44, 55, 57, 72, 77, 78, 82, 83, 86, 92, 96 — FINISH GROUPS 3, 32D	LEVERS 031, 82, 83, 86, 92, 96 — FINISH GROUPS 10, 10B
KEYED SINGLE CYLINDER, NO DEADBOLT						
D	OFFICE VEST.		**636.26**	**375.01**	**786.15**	**826.93**
DW	VESTIBULE					
KEYED SINGLE CYLINDER, WITH DEADBOLT						
A	ENTRANCE	F08, F10	**651.55**	**690.30**	**801.44**	**840.19**
B	ENTRANCE	F21				
F	DORMITORY	F12				
FS	DORMITORY					
FW	DORMITORY	F13				
KEYED DOUBLE CYLINDER, WITH DEADBOLT						
AC	ENTRANCE	F35	**687.24**	**725.99**	**873.13**	**875.88**
C	STOREROOM	F14				
FX	DORMITORY	F33				
KEYLESS						
N	PASSAGE	F01	**534.30**	**573.04**	**685.20**	**723.95**
L	BATHROOM	F02	**652.57**	**691.32**	**802.46**	**841.21**
LF	PRIVACY	F19				
DUMMY TRIM						
DI	DUMMY TRIM INSIDE		**283.46**	**303.85**	**358.92**	**379.31**
DO	DUMMY TRIM OUTSIDE					
DT	FULLY DUMMY		**567.94**	**607.71**	**719.87**	**758.62**

KNOBS & LEVERS ARE PACKED 6 PER CASE

NOTE: Split designs and/or finishes are priced at the highest design and/or finish • Special finishes, consult factory

KNOBS

Round Knob 10

Ball Knob 20

LEVERS

Stanhope Lever 44

Copa Lever 031

Brompton Lever 55

Monaco Lever 57
Specify handing

Towne Lever 72

Maxwell Lever 77

Omni Lever 78

Plaza Lever 82
Specify handing

Dayton Lever 83
Specify handing

Crescent Lever 86

American Lever 92

Titan Lever 96

CROWN PLATE DESIGN CR

BHMA CERTIFIED	ANSI-A156.13 • Grade 1 3 Hour Fire Rating	c UL us LISTED	Series 5 • 2-3/4" Backset Series 55 • 2-1/2" Backset						
	Standard Features		**KNOBS**				**LEVERS**		
	• Thru-bolted screwless knob/lever plate assemblies • Independent spring loaded captivated spindles • Reversible mortise lock 2-1/2" or 2-3/4" backset • Lever support springs • Lock front: 1-1/4" x 8" • Dimensions: Ext: 8-1/2" H x 2" W, Int: 8-1/2" H x 2" W • Cylinder: MARKS "C" keyway, 6 pin w/ 2 keys • Concealed 5 pin cylinder (option A12) • Height: 13/32" • Square Edges		**10, 20**		**30, 60**		**031, 44, 55, 57, 72, 77, 78, 82, 83, 86, 92, 96**		**031, 82, 83, 86, 92, 96**
			FINISH GROUPS						
MARKS #	**FUNCTION**	**ANSI #**	**3, 26D, 32D**	**10, 10B, 32**	**3E, 15, 26D**	**10, 10B, 14**	**3E, 15, 26D**	**10, 10B, 14, 19E, 26**	**32, 32D**
KEYED SINGLE CYLINDER, NO DEADBOLT									
D	OFFICE VEST.		**692.34**	**731.09**	**735.17**	**773.91**	**797.36**	**874.86**	**836.11**
DW	VESTIBULE								
E	OFFICE	F04							
EW	STOREROOM	F07							
J	CLASSROOM	F05							
JM, JR	HOSPITAL	F06							
GL	INSTIT. PRIVACY	F26							
EL	ELECTRICALLY LOCKED		**1023.73**	**1063.49**	**1065.53**	**1090.00**	**1113.45**	**1190.95**	**1150.20**
EU	ELECTRICALLY UNLOCKED								
KEYED SINGLE CYLINDER, WITH DEADBOLT									
A	ENTRANCE	F08, F10	**706.62**	**745.36**	**748.42**	**787.17**	**811.64**	**889.13**	**850.39**
B	ENTRANCE	F21							
F	DORMITORY	F12							
FS	DORMITORY								
FW	DORMITORY	F13							
FD	APARTMENT	F20	**729.05**	**767.79**	**771.87**	**810.62**	**834.07**	**911.56**	**872.82**
H	HOTEL	F15							
LH	SPECIAL PRIVACY								
KEYED DOUBLE CYLINDER, NO DEADBOLT									
G	APARTMENT	F09	**738.22**	**776.97**	**780.03**	**818.78**	**842.23**	**920.74**	**881.99**
GC	INTRUDER LATCHBOLT	F32							
GG	CLASSROOM SECURITY								
GR	CLASSROOM SECURITY w/HOLDBACK								
WW	INSTITUTIONAL	F30							
KEYED DOUBLE CYLINDER, WITH DEADBOLT									
AC	ENTRANCE	F35	**738.22**	**776.97**	**780.03**	**818.78**	**842.23**	**920.74**	**881.99**
C	STOREROOM	F14							
FC	INTRUDER DEADBOLT	F34							
FA	DORMITORY	F11							
FX	DORMITORY	F33							
KEYLESS									
N	PASSAGE	F01	**594.45**	**633.20**	**637.28**	**675.01**	**699.48**	**776.97**	**738.22**
L	BATHROOM	F02	**706.62**	**745.36**	**748.42**	**787.17**	**811.64**	**889.13**	**850.39**
LF	PRIVACY	F19							
LJ	PRIVACY	F22	**646.46**	**686.22**	**689.28**	**728.03**	**751.48**	**829.99**	**791.25**
EX	EXIT	F31							
DUMMY TRIM									
DI	DUMMY TRIM INSIDE		**296.72**	**319.15**	**321.19**	**340.56**	**352.80**	**410.92**	**372.17**
DO	DUMMY TRIM OUTSIDE								
DT	FULLY DUMMY		**599.55**	**638.30**	**642.38**	**681.12**	**704.58**	**782.07**	**743.32**

KNOBS & LEVERS ARE PACKED 6 PER CASE

NOTE: Split designs and/or finishes are priced at the highest design and/or finish • Special finishes, consult factory

FOR ADDITIONAL DESIGNS, ASK FOR THE CUSTOM LOCK DIVISION CATALOG OR VISIT OUR WEBSITE @ WWW.MARKSUSA.COM

1-800-645-9445 • Fax 631-225-6136 • ©2022 MARKS USA

CROWN Plate Design CR

ANSI-A156.13 • Grade 2	Series 7 • 2-3/4" Backset Series 9 • 2-1/2" Backset					
Standard Features	**KNOBS**			**LEVERS**		
• Thru-bolted screwless knob/lever plate • Independent spring loaded captivated spindles • Reversible mortise lock 2-1/2" or 2-3/4" backset • Lever support springs • Lock front Series 7: 1-1/4" x 8", Series 9: 1-1/16" x 7-5/8" • Dimensions: Ext: 8-1/2" H x 2" W, Int: 8-1/2" H x 2" W • Cylinder: MARKS "C" keyway, 6 pin w/ 2 keys • Concealed 5 pin cylinder (option A12)	**10, 20**		**30, 60**	**031, 44, 55, 57, 72, 77, 78, 82, 83, 86, 92, 96**		**031, 82, 83, 86, 92,96**
	FINISH GROUPS					

MARKS #	FUNCTION	ANSI #	3, 26D, 32D	10, 10B, 32	3E, 15, 26D	10, 10B, 14, 26	3E, 15	10, 10B, 14, 19E	32, 32D
KEYED SINGLE CYLINDER, NO DEADBOLT									
D	OFFICE VEST.		**659.71**	**698.46**	**701.52**	**740.26**	**763.72**	**841.21**	**802.46**
DW	VESTIBULE								
KEYED SINGLE CYLINDER, WITH DEADBOLT									
A	ENTRANCE	F08, F10	**672.97**	**711.71**	**715.79**	**754.54**	**777.99**	**855.48**	**816.74**
B	ENTRANCE	F21							
F	DORMITORY	F12							
FS	DORMITORY								
KEYED DOUBLE CYLINDER, WITH DEADBOLT									
AC	ENTRANCE	F35	**704.58**	**743.32**	**746.38**	**785.13**	**809.60**	**887.09**	**848.35**
C	STOREROOM	F14							
FX	DORMITORY	F33							
KEYLESS									
N	PASSAGE	F01	**560.81**	**599.55**	**603.63**	**642.38**	**665.83**	**743.32**	**704.58**
L	BATHROOM	F02	**670.97**	**711.71**	**715.79**	**755.56**	**777.99**	**855.48**	**816.74**
LF	PRIVACY	F19							
DUMMY TRIM									
DI	DUMMY TRIM INSIDE		**293.72**	**319.15**	**321.19**	**340.56**	**352.80**	**410.92**	**372.17**
DO	DUMMY TRIM OUTSIDE								
DT	FULLY DUMMY		**599.55**	**638.30**	**642.38**	**681.12**	**704.58**	**782.07**	**743.32**

KNOBS & LEVERS ARE PACKED 6 PER CASE

NOTE: Split designs and/or finishes are priced at the highest design and/or finish • Special finishes, consult factory

KNOBS

Round Knob 10

Ball Knob 20

Ball Knob 30

Eclipse Knob 60

LEVERS

Stanhope Lever 44

Copa Lever 031

Brompton Lever 55

Monaco Lever 57
Specify handing

Towne Lever 72

Maxwell Lever 77

Omni Lever 78

Plaza Lever 82
Specify handing

Dayton Lever 83
Specify handing

Crescent Lever 86

American Lever 92

Titan Lever 96

FOR ADDITIONAL DESIGNS, ASK FOR THE CUSTOM LOCK DIVISION CATALOG OR VISIT OUR WEBSITE @ WWW.MARKSUSA.COM

1-800-645-9445 • Fax 631-225-6136 • ©2022 MARKS USA

DRAKE Plate Design DR

Standard Features

- Thru-bolted screwless knob/lever plate
- Independent spring loaded captivated spindles
- Reversible mortise lock 2-1/2" or 2-3/4" backset
- Lever support springs
- Lock front: 1-1/4" x 8"
- Dimensions: Ext: 11" H x 2-1/2" W, Int: 11" H x 2-1/2" W
- Cylinder: MARKS "C" keyway, 6 pin w/ 2 keys
- Concealed 5 pin cylinder (option A12)
- Height: 13/32" • Square Edges

BHMA CERTIFIED | ANSI-A156.13 • Grade 1 | 3 Hour Fire Rating | c UL us LISTED

Series 5 • 2-3/4" Backset
Series 55 • 2-1/2" Backset

MARKS #	FUNCTION	ANSI #	KNOBS 10, 20 — FINISH GROUPS: 3, 26D, 32D	KNOBS 10, 20 — 10, 10B, 32	KNOBS 30, 60 — 3E, 15, 26D	KNOBS 30, 60 — 10, 10B, 14	LEVERS 031, 44, 55, 57, 72, 77, 78, 82, 83, 86, 92, 96 — 3E, 15, 26D	LEVERS 031, 44, 55, 57, 72, 77, 78, 82, 83, 86, 92, 96 — 10E, 10B, 14, 19E, 26	LEVERS 031, 82, 83, 86, 92, 96 — 32, 32D
KEYED SINGLE CYLINDER, NO DEADBOLT									
D	OFFICE VEST.		764.74	803.48	807.56	846.31	869.76	947.25	908.51
DW	VESTIBULE								
E	OFFICE	F04							
EW	STOREROOM	F07							
J	CLASSROOM	F05							
JM, JR	HOSPITAL	F06							
GL	INSTIT. PRIVACY	F26							
EL	ELECTRICALLY LOCKED		1096.12	1134.87	1138.95	1161.38	1185.85	1263.34	1224.60
EU	ELECTRICALLY UNLOCKED								
KEYED SINGLE CYLINDER, WITH DEADBOLT									
A	ENTRANCE	F08, F10	779.01	817.76	820.82	860.58	884.03	961.53	922.78
B	ENTRANCE	F21							
F	DORMITORY	F12							
FS	DORMITORY								
FW	DORMITORY	F13							
FD	APARTMENT	F20	801.44	840.19	843.25	883.01	905.45	983.96	945.21
H	HOTEL	F15							
LH	SPECIAL PRIVACY								
KEYED DOUBLE CYLINDER, NO DEADBOLT									
G	APARTMENT	F09	810.62	849.37	852.42	891.17	914.62	993.14	953.37
GC	INTRUDER LATCHBOLT	F32							
GG	CLASSROOM SECURITY								
GR	CLASSROOM SECURITY w/HOLDBACK								
WW	INSTITUTIONAL	F30							
KEYED DOUBLE CYLINDER, WITH DEADBOLT									
AC	ENTRANCE	F35	810.62	849.37	852.42	891.17	914.62	993.14	953.37
C	STOREROOM	F14							
FC	INTRUDER DEADBOLT	F34							
FA	DORMITORY	F11							
FX	DORMITORY	F33							
KEYLESS									
N	PASSAGE	F01	665.85	705.60	708.65	747.40	771.87	849.37	810.62
L	BATHROOM	F02	779.01	817.76	820.82	860.58	884.03	961.53	922.78
LF	PRIVACY	F19							
LJ	PRIVACY	F22	719.87	758.62	761.68	800.42	823.87	902.39	863.64
EX	EXIT	F31							
DUMMY TRIM									
DI	DUMMY TRIM INSIDE		336.48	355.86	356.88	377.27	388.49	447.63	408.88
DO	DUMMY TRIM OUTSIDE								
DT	FULLY DUMMY		671.95	710.69	713.75	754.54	776.97	854.46	815.72

KNOBS & LEVERS ARE PACKED 6 PER CASE

NOTE: Split designs and/or finishes are priced at the highest design and/or finish • Special finishes, consult factory

FOR ADDITIONAL DESIGNS, ASK FOR THE CUSTOM LOCK DIVISION CATALOG OR VISIT OUR WEBSITE @ WWW.MARKSUSA.COM

1-800-645-9445 • Fax 631-225-6136 • ©2022 MARKS USA

DRAKE Plate Design DR

ANSI-A156.13 • Grade 2

Series 7 • 2-3/4" Backset
Series 9 • 2-1/2" Backset

Standard Features

- Thru-bolted screwless knob/lever plate
- Independent spring loaded captivated spindles
- Reversible mortise lock 2-1/2" or 2-3/4" backset
- Lever support springs
- Lock front Series 7: 1-1/4" x 8", Series 9: 1-1/16" x 7-5/8"
- Dimensions: Ext: 11" H x 2-1/2" W, Int: 11" H x 2-1/2" W
- Cylinder: MARKS "C" keyway, 6 pin w/ 2 keys
- Concealed 5 pin cylinder (option A12)

MARKS #	FUNCTION	ANSI #	KNOBS 10, 20	KNOBS 30, 60	LEVERS 031, 44, 55, 57, 72, 77, 78, 82, 83, 86, 92, 96	LEVERS 031, 82, 83, 86, 92, 96
			FINISH GROUPS			
			3, 26D, 32D	10, 10B, 32	3E, 15, 26D	10, 10B, 14	3E, 15, 26D	10E, 10B, 14, 19E, 26, 32	32D
KEYED SINGLE CYLINDER, NO DEADBOLT									
D	OFFICE VEST.		733.13	770.85	773.91	812.66	836.11	913.60	874.86
DW	VESTIBULE								
KEYED SINGLE CYLINDER, WITH DEADBOLT									
A	ENTRANCE	F08, F10	745.36	784.11	787.17	827.95	850.39	927.90	889.13
B	ENTRANCE	F21							
F	DORMITORY	F12							
FS	DORMITORY								
KEYED DOUBLE CYLINDER, WITH DEADBOLT									
AC	ENTRANCE	F35	776.97	815.72	818.78	858.54	881.99	959.49	920.74
C	STOREROOM	F14							
FX	DORMITORY	F33							
KEYLESS									
N	PASSAGE	F01	633.20	671.95	675.01	714.77	738.22	815.72	776.97
L	BATHROOM	F02	745.36	784.11	787.17	827.95	850.39	928.90	889.13
LF	PRIVACY	F19							
DUMMY TRIM									
DI	DUMMY TRIM INSIDE		336.48	355.86	356.88	377.27	388.49	447.63	408.88
DO	DUMMY TRIM OUTSIDE								
DT	FULLY DUMMY		671.95	700.50	714.77	754.54	776.97	854.46	815.72

KNOBS & LEVERS ARE PACKED 6 PER CASE

NOTE: Split designs and/or finishes are priced at the highest design and/or finish • Special finishes, consult factory

KNOBS

Round Knob 10

Ball Knob 20

Ball Knob 30

Eclipse Knob 60

LEVERS

Stanhope Lever 44

Copa Lever 031

Brompton Lever 55

Monaco Lever 57
Specify handing

Towne Lever 72

Maxwell Lever 77

Omni Lever 78

Plaza Lever 82
Specify handing

Dayton Lever 83
Specify handing

Crescent Lever 86

American Lever 92

Titan Lever 96

1-800-645-9445 • Fax 631-225-6136 • ©2022 MARKS USA

NEW YORKER PLATE DESIGN NY

BHMA CERTIFIED | ANSI-A156.13 • Grade 1 | 3 Hour Fire Rating | c UL us LISTED | Series 5 • 2-3/4" Backset | Series 55 • 2-1/2" Backset

Standard Features

- Thru-bolted screwless knob/lever plate assemblies
- Independent spring loaded captivated spindles
- Reversible mortise lock 2-1/2" or 2-3/4" backset
- Lever support springs
- Lock front: 1-1/4" x 8"
- Dimensions: Ext: 10" H x 2-3/4" W, ∗*Int: 7" H x 2-1/4" W*
- Cylinder: MARKS "C" keyway, 6 pin w/ 2 keys
- Thickness: 1/4"

MARKS #	FUNCTION	ANSI #	KNOBS 10, 20 — FINISH GROUPS 3	KNOBS 10, 20 — 26D	KNOBS 30, 60 — 3	KNOBS 30, 60 — 26D	LEVERS 031, 44, 55, 57, 72, 77, 78, 82, 83, 86, 92, 96 — 3	LEVERS 031, 44, 55, 57, 72, 77, 78, 82, 83, 86, 92, 96 — 26D
KEYED SINGLE CYLINDER, NO DEADBOLT								
D	OFFICE VEST.							
DW	VESTIBULE							
E	OFFICE	F04						
EW	STOREROOM	F07	**440.49**	**480.25**	**497.59**	**536.33**	**541.43**	**582.22**
J	CLASSROOM	F05						
JM, JR	HOSPITAL	F06						
GL	INSTIT. PRIVACY	F26						
EL	ELECTRICALLY LOCKED		**805.52**	**846.31**	**864.66**	**903.41**	**908.51**	**948.27**
EU	ELECTRICALLY UNLOCKED							
KEYED SINGLE CYLINDER, WITH DEADBOLT								
A	ENTRANCE	F08, F10						
B	ENTRANCE	F21						
F	DORMITORY	F12	**457.82**	**494.53**	**515.94**	**554.69**	**559.79**	**599.55**
FS	DORMITORY							
FW	DORMITORY	F13						
FD	APARTMENT	F20						
H	HOTEL	F15	**483.31**	**523.08**	**540.41**	**580.18**	**586.30**	**626.06**
LH	SPECIAL PRIVACY							
KEYED DOUBLE CYLINDER, NO DEADBOLT								
G	APARTMENT	F09						
GC	INTRUDER LATCHBOLT	F32						
GG	CLASSROOM SECURITY		**429.49**	**541.43**	**550.61**	**589.36**	**594.45**	**634.22**
GR	CLASSROOM SECURITY w/HOLDBACK							
WW	INSTITUTIONAL	F30						
KEYED DOUBLE CYLINDER, WITH DEADBOLT								
AC	ENTRANCE	F35						
C	STOREROOM	F14						
FC	INTRUDER DEADBOLT	F34	**429.49**	**541.43**	**550.61**	**589.36**	**594.45**	**634.22**
FA	DORMITORY	F11						
FX	DORMITORY	F33						
KEYLESS								
N	PASSAGE	F01	**326.29**	**366.05**	**384.41**	**423.15**	**428.25**	**468.02**
L	BATHROOM	F02	**457.82**	**494.53**	**515.94**	**554.69**	**559.79**	**599.55**
LF	PRIVACY	F19						
LJ	PRIVACY	F22	**387.47**	**427.23**	**445.59**	**484.33**	**489.43**	**530.22**
EX	EXIT	F31						
DUMMY TRIM								
DI	DUMMY TRIM INSIDE		**167.22**	**186.60**	**196.79**	**215.15**	**220.24**	**260.01**
DO	DUMMY TRIM OUTSIDE							
DT	FULLY DUMMY		**333.42**	**373.19**	**390.52**	**429.27**	**434.37**	**476.18**

KNOBS & LEVERS ARE PACKED 6 PER CASE

NOTE: Split designs and/or finishes are priced at the highest design and/or finish • Special finishes, consult factory

∗ Large interior plate available (10" H x 2-3/4" W)

FOR ADDITIONAL DESIGNS, ASK FOR THE CUSTOM LOCK DIVISION CATALOG OR VISIT OUR WEBSITE @ WWW.MARKSUSA.COM

1-800-645-9445 • Fax 631-225-6136 • ©2022 MARKS USA

NEW YORKER Plate Design NY

KNOBS	Round Knob 10	Ball Knob 20	Ball Knob 30	Eclipse Knob 60
LEVERS	Stanhope Lever 44	Copa Lever 031	Brompton Lever 55	Monaco Lever 57 Specify handing
	Towne Lever 72	Maxwell Lever 77	Omni Lever 78	Plaza Lever 82 Specify handing
	Dayton Lever 83 Specify handing	Crescent Lever 86	American Lever 92	Titan Lever 96

ROSE Design RR, RW, RQ, RS, RX*, RK*, RL*

BHMA CERTIFIED | ANSI-A156.13 • Grade 1 | 3 Hour Fire Rating | c UL us LISTED | Series 5 • 2-3/4" Backset | Series 55 • 2-1/2" Backset



Standard Features

- Thru-bolted screwless knob/lever rose assemblies
- Independent spring loaded captivated spindles
- Reversible mortise lock 2-1/2" or 2-3/4" backset
- Lever support springs
- Lock front: 1-1/4" x 8"
- Cylinder: MARKS "C" keyway, 6 pin w/ 2 keys

			KNOBS			LEVERS			
			10, 20	30, 60		031, 44, 55, 57, 72, 77, 78, 82, 83, 86, 92, 96			82, 83, 86, 92, 96
			FINISH GROUPS						
MARKS #	FUNCTION	ANSI #	3, 32D	3E, 15	26, 10B	3, 4, 15, 26D	14, 26, 32	10E, 10B, 19E	32D
KEYED SINGLE CYLINDER, NO DEADBOLT									
D	OFFICE VEST.								
DW	614								
E	OFFICE	F04							
EW	STOREROOM	F07	588.34	649.52	688.26	626.06	664.81	703.56	626.06
J	CLASSROOM	F05							
JM, JR	HOSPITAL	F06							
GL	INSTIT. PRIVACY	F26							
EL	ELECTRICALLY LOCKED		919.72	980.90	1019.65	957.45	996.20	1023.73	957.45
EU	ELECTRICALLY UNLOCKED								
KEYED SINGLE CYLINDER, WITH DEADBOLT									
A	ENTRANCE	F08, F10							
B	ENTRANCE	F21							
F	DORMITORY	F12	601.59	663.79	702.54	640.34	679.08	706.62	640.34
FS	DORMITORY								
FW	DORMITORY	F13							
FD	APARTMENT	F20							
H	HOTEL	F15	625.04	686.22	724.97	662.77	701.52	729.05	662.77
LH	SPECIAL PRIVACY								
KEYED DOUBLE CYLINDER, NO DEADBOLT									
G	APARTMENT	F09							
GC	INTRUDER LATCHBOLT	F32							
GG	CLASSROOM SECURITY		633.20	694.38	734.15	670.93	709.67	738.22	670.93
GR	CLASSROOM SECURITY w/HOLDBACK								
WW	INSTITUTIONAL	F30							
KEYED DOUBLE CYLINDER, WITH DEADBOLT									
AC	ENTRANCE	F35							
C	STOREROOM	F14							
FC	INTRUDER DEADBOLT	F34	633.20	694.38	734.15	670.93	709.67	738.22	670.93
FA	DORMITORY	F11							
FX	DORMITORY	F33							
KEYLESS									
N	PASSAGE	F01	456.80	582.22	620.97	574.06	613.83	620.97	574.06
L	BATHROOM	F02	601.59	663.79	702.54	640.34	679.08	706.62	640.34
LF	PRIVACY	F19							
LJ	PRIVACY	F22	541.43	603.63	642.38	580.18	618.93	646.46	580.18
EX	EXIT	F31							
DUMMY TRIM									
DI	DUMMY TRIM INSIDE		123.38	151.93	172.32	141.73	161.10	221.24	141.73
DO	DUMMY TRIM OUTSIDE								
DT	FULLY DUMMY		243.70	304.87	344.64	281.42	320.17	348.72	281.42

KNOBS & LEVERS ARE PACKED 6 PER CASE

NOTE: Split designs and/or finishes are priced at the highest design and/or finish • Special finishes, consult factory

F17 Dummy Cylinder: Add $44.00

***Square Rose RX: Add $30 / *Square Rose RZ: Add $70 / *Square Rose RK: Add $100**

FOR ADDITIONAL DESIGNS, ASK FOR THE CUSTOM LOCK DIVISION CATALOG OR VISIT OUR WEBSITE @ WWW.MARKSUSA.COM

1-800-645-9445 • Fax 631-225-6136 • ©2022 MARKS USA

ROSE Design RR, RW, RQ, RS, RX*, RK*, RL*



ANSI-A156.13 • Grade 2

Series 7 • 2-3/4" Backset
Series 9 • 2-1/2" Backset

Standard Features

- Thru-bolted screwless knob/lever rose assemblies
- Independent spring loaded captivated spindles
- Reversible mortise lock 2-1/2" or 2-3/4" backset
- Lever support springs
- Lock front Series 7: 1-1/4" x 8"; Series 9: 1-1/16" x 7-5/8"
- Cylinder: MARKS "C" keyway, 6 pin w/ 2 keys

MARKS #	FUNCTION	ANSI #	KNOBS 10, 20	KNOBS 30, 60	LEVERS 031, 44, 55, 57, 72, 77, 78, 82, 83, 86, 92, 96	LEVERS 82, 83, 86, 92, 96
			FINISH GROUPS			
			3, 32D	3E, 15	26, 10B	3, 4, 15, 26D	14, 26, 32	10E, 10B, 19E	32D
KEYED SINGLE CYLINDER, NO DEADBOLT									
D	OFFICE VEST.		554.69	615.87	654.44	592.41	631.16	659.71	529.41
DW	VESTIBULE								
KEYED SINGLE CYLINDER, WITH DEADBOLT									
A	ENTRANCE	F08, F10	568.96	630.14	668.89	606.69	645.44	682.14	606.69
B	ENTRANCE	F21							
F	DORMITORY	F12							
FS	DORMITORY								
FW	DORMITORY	F13							
KEYED DOUBLE CYLINDER, WITH DEADBOLT									
AC	ENTRANCE	F35	599.55	661.75	700.50	637.28	676.03	704.58	637.28
C	STOREROOM	F14							
FX	DORMITORY	F33							
KEYLESS									
N	PASSAGE	F01	456.80	517.98	556.73	494.53	533.28	560.81	494.53
L	BATHROOM	F02	568.96	630.14	668.89	606.99	708.65	672.97	606.69
LF	PRIVACY	F19							
DUMMY TRIM									
DI	DUMMY TRIM INSIDE		123.38	151.93	172.32	141.73	161.10	174.36	141.73
DO	DUMMY TRIM OUTSIDE								
DT	FULLY DUMMY		243.70	304.87	344.64	281.42	320.17	348.72	281.42

KNOBS & LEVERS ARE PACKED 6 PER CASE

NOTE: Split designs and/or finishes are priced at the highest design and/or finish • Special finishes, consult factory

***Square Rose RX: Add $30 / *Square Rose RZ: Add $70 / *Square Rose RK: Add $100**

KNOBS

Round Knob 10



Ball Knob 20

Ball Knob 30

Eclipse Knob 60

LEVERS

Stanhope Lever 44

Copa Lever 031

Brompton Lever 55

Monaco Lever 57
Specify handing

Towne Lever 72

Maxwell Lever 77

Omni Lever 78

Plaza Lever 82
Specify handing

Dayton Lever 83
Specify handing

Crescent Lever 86

American Lever 92

Titan Lever 96

ROSES

RR: 2-9/16" dia.

RW: 2-9/16" dia.

RQ: 2-1/4" dia.

RS: 2-1/4" dia.

RX: 2-1/2" sq.

RK: 2-1/2" sq.

RL: 2-1/2" sq.



Ornamental Iron

Series 21 Unilock™



Series 9215 Unilock™



THINLINE® Series 2750 for 1" doors



Series 22



Series 9225



Standard Features		SERIES 21 UNILOCK™ SERIES 22			SERIES 9215 UNILOCK™ SERIES 9225		
• Door thickness: 1" • Series 9 lock body, Backset: 2-1/2" • Reversible mortise lock 1" bolt, 1/2" latch projection • Lock front Series 7: 1-1/4" x 8"; Series 9: 1-1/16" x 7-5/8" • Thru-bolted solid brass trim assemblies • Spring loaded captivated spindles • Cylinder: Marks "A" keyway, 5 pin w/ 2 keys; keyed alike-6		FINISH GROUPS					
MARKS #	**FUNCTION**	**3**	**10B**	**5, 26D**	**3**	**10B**	**5, 26D**
KEYED SINGLE CYLINDER, WITH DEADBOLT							
DW	SINGLE CYL. PANIC PROOF	**326.24**	**389.61**	**347.36**	**435.38**	**491.71**	**457.68**
F	SINGLE CYL. PANIC PROOF						
FW	SINGLE CYL. PANIC PROOF						
KEYED DOUBLE CYLINDER, WITH DEADBOLT							
AC	ENTRANCE	**289.86**	**356.75**	**310.99**	**400.17**	**457.68**	**421.30**
DUMMY TRIM							
DT	FULL DUMMY	**193.63**	**267.56**	**207.71**	**310.99**	**376.70**	**326.24**
ORNAMENTAL IRON LOCKSETS ARE PACKED 6 PER CASE							

Standard Features		SERIES 2750 THINLINE®		
• Thru-bolted solid brass trim assemblies • Spring loaded captivated spindles • Reversible mortise lock 1" backset • 1" bolt, 1/2" latch projection • Cylinder: Marks "A" keyway, 5 pin w/ 2 keys; keyed alike - 6		FINISH GROUPS		
MARKS #	**FUNCTION**	**3**	**10B**	**5, 26D**
KEYED WITH DEADBOLT				
B	ENTRANCE CYLINDER x TURNPIECE	**242.92**	**306.29**	**273.43**
C	ENTRANCE DOUBLE CYLINDER			
DUMMY TRIM				
DT	FULL DUMMY	**146.69**	**204.19**	**170.16**
ORNAMENTAL IRON LOCKSETS PACKED 6 PER CASE				

OPTIONS - Series 2750	CODE	PRICE
For 1-3/4" doors	D4	**NC**
Marks "C" keyway	G5	**16**

OPTIONS	CODE	PRICE
Lock Front: 1" x 7-1/8" standard	W	**NC**
Mushroom knob interior; 1-7/8" prj.	A9	**5**
For 1-3/4" doors	D4	**NC**
Adjustable spring collars	F10	**5**

How To Order Example for Ornamental Iron Locksets

9215	C	/	10B	-	D4
1. Lock Series	*2. Marks Function*	*Slash*	*3. Finish*	*Dash*	*4. Options*

LOCK SERIES (Pgs. 49 & 50)

❒ 21 ❒ 2750
❒ 22 ❒ 9215

MARKS FUNCTION (Pgs. 57-58)

___ B ___ AC
___ C ___ DT
___ F ___ DW

FINISH (Pg. 10)

❒ 3 ❒ 10B
❒ 5 ❒ 26D

OPTIONS

❒ Special

Specify
• Keying • Handing
• Door Thickness

FOR ADDITIONAL DESIGNS, ASK FOR THE CUSTOM LOCK DIVISION CATALOG OR VISIT OUR WEBSITE @ WWW.MARKSUSA.COM

1-800-645-9445 • Fax 631-225-6136 • ©2022 MARKS USA

Ornamental Iron

Knob & Lever Kits















PART #	DESCRIPTION	FUNCTION	FINISH GROUPS			
			3	4	10B	5, 26D
K21AC	Ext./Int. UNILOCK™ knob/plate kit	AC	143.17	—	186.59	158.43
K21AC-M	Ext./Int. UNILOCK™ knob/plate kit (Mushroom Int.)	AC	160.77	—	192.46	165.47
K21F	Ext./Int. UNILOCK™ knob/plate kit assemblies	F	171.34	—	206.54	179.55
K21F-M	Ext./Int. UNILOCK™ knob/plate kit (Mushroom Int.)	F	177.20	—	213.58	186.59
K2750	LEVER PLATE TRIM SET		171.34	—	221.80	194.81
2600B	Thinline lock body, latch, deadbolt **US 4 & 26D ONLY - Strike not included**		—	142.00	221.80	194.81
K9215AC	Ext./Int. UNILOCK™ lever/plate kit assemblies	AC	215.93	—	255.83	228.84
K9215F	Ext./Int. UNILOCK™ lever/plate kit assemblies	F	215.93	—	280.47	253.48
A9214-M	UNILOCK™ mushroom knob/plate (w/cylinder hole)	AC	79.80	—	111.49	83.32
K9217-M	UNILOCK™ mushroom knob/plate (w/turnpiece)	F	139.65	—	170.16	143.17
K22	Ext./Int. knob/rose kit 1" thru 1-3/4" door		83.32	—	127.91	100.92
K22-M	Ext./Int. knob/rose kit (mushroom int.)		91.54	—	133.78	106.79
K9225	Ext./Int. lever/rose kit		211.24	—	248.79	221.80

Accessories





PART #	DESCRIPTION	FINISH GROUPS		
		NO FINISH	3	5, 26D
K9117	Turnpiece kit	—	55.16	58.68
A9223-M	Interior knob/rose assembly (mushroom knob)	—	46.94	55.16
9273	Spring collar, 7/16" high	—	14.08	14.08
9275	Mortise spacer, wrought brass, 1/8" high	—	7.04	—
A9276	Collar, wrought brass w/insert, 1/2" high	—	24.64	24.64
9277	Plastic spacer ring, 1/16"	1.17	—	—
2635	Curved lip strike, solid brass	—	28.16	17.60
2638	Flat strike, solid brass, no lip	—	17.60	8.21

Cylinders







PART #	DESCRIPTION	FINISH GROUPS	
		3	5, 26D
2122-A	5 Pin mortise cylinder, "A" keyway, 15/16"	77.42	81.19
2621-A	Cylinder x turnpiece unit, "A" keyway	126.51	139.73
2622-A	double cylinder unit, "A" keyway	90.64	113.26
2122-C	5 Pin mortise cylinder, "C" keyway	77.42	81.19
2621-C	Cylinder x turnpiece unit, "C" keyway	126.51	139.73
2622-C	double cylinder unit, "C" keyway	90.64	113.29

Mortise Lock Bodies
Autoreverse Series

GRADE 1
MORTISE LOCKS EXCEEDS
BHMA
SPECIFICATIONS

Series 5



Series 55



OPTIONS	CODE	PRICE
1-1/16" x 7-5/8" front	T	**28**
1-1/16" x 7-3/4" front	V	**28**
1-1/16" x 8" front	Q	**28**
Lever override guard outside (Series 5)	B1	**45**
Lever override guard both sides	B2	**64**
Lever support springs w- 5/16" hubs	B4	**20**
Hubs with hollow spacer (Series 55)	B6	**19**
Turnpiece hub on square	B8	**12**
Screws with Dust Box	B10	**NC**
Solid latch for electric strike	E1	**21**
Hold open latch	E2	**38**
Lead-lined mortise lock	F1	**335**
4-7/8" Strikes: 1 Left / 1 Right	S6	**14**
Request to exit switch (Series 5)	W10	**140**

CYLINDER CAMS REQUIRED	
Locks w/o deadbolt	2101 Straight Cam
Locks w/deadbolt	2102 Cloverleaf Cam
G function (ext. only)	2106 "G" Cam
G function (int. only)	2105 "J" Cam
J function	2105 "J" Cam

*** 55 Series Lock Bodies are not available in autoreverse and electrified functions EL and EU.**



Standard Features

- Backset: 5 Series 2-3/4"; 55 Series 2-1/2"
- Bolt throw: Stainless steel full 1" throw
- Latch throw: 3/4" (anti-friction)
- Auxiliary latch: 1/2" throw
- Case: Stamped steel .090 thick., Zinc dichromate finish
- Front: 1-1/4" x 8", Adjustable bevel
- Hubs: Steel, 9/32" on diamond 5/16" on square w/security separator

Grade 1 for Knobs & Levers
Series 5 • 2-3/4" Backset
Series 55 • 2-1/2" Backset

BHMA CERTIFIED — c UL us LISTED

FINISH GROUPS

MARKS #	FUNCTION	ANSI #	3, 32D	10, 10B, 32
KEYED SINGLE CYLINDER, NO DEADBOLT				
D	OFFICE / VESTIBULE		**323.23**	**423.15**
DW	VESTIBULE			
E, Q, QH	OFFICE	F04		
K	OFFICE	F04		
EW	STOREROOM	F07		
J	CLASSROOM	F05		
JM, JR	HOSPITAL (HOLDBACK)	F06		
GL	INST. PRIVACY	F26		
MT	ArchiTech		**1168.52**	**1190.95**
EL*	**ELECTRICALLY LOCKED***		**885.05**	**904.43**
EU*	**ELECTRICALLY UNLOCKED***			
KEYED SINGLE CYLINDER, WITH DEADBOLT				
A	ENTRANCE	F08, F10	**339.54**	**357.90**
B	ENTRANCE	F21		
F	DORMITORY	F12		
FS	DORMITORY			
FW	DORMITORY	F13		
FD	APARTMENT	F20	**364.01**	**383.39**
AD		F27		
H	HOTEL	F15		
LH	SPEC. PRIVACY			
KEYED DOUBLE CYLINDER, NO DEADBOLT				
G	ENTRANCE	F09	**372.17**	**390.52**
GC	INTRUDER LATCHBOLT	F32		
GG	CLASSROOM SECURITY			
GR	CLASSROOM SECURITY w/HOLDBACK			
WW	INSTITUTION	F30		
KEYED DOUBLE CYLINDER, WITH DEADBOLT				
AC	ENTRANCE	F35	**372.17**	**390.52**
C	STOREROOM	F14		
FC	INTRUDER DEADBOLT	F34		
FA	DORMITORY	F11		
FX	DORMITORY	F33		
KEYLESS				
N	PASSAGE	F01	**266.13**	**284.48**
L	BATHROOM	F02	**339.54**	**357.90**
LF	PRIVACY	F19		
LJ	PRIVACY	F19		
EX	EXIT	F31		

MORTISE LOCK BODIES ARE PACKED 6 PER CASE

*** Electrified Functions 5 SERIES ONLY; 2-3/4" Backset ONLY:**
100% Duty Cycle 24V/DC, 12V/DC Optional supplied with bridge rectifier (350 ma)

FOR ADDITIONAL DESIGNS, ASK FOR THE CUSTOM LOCK DIVISION CATALOG OR VISIT OUR WEBSITE @ WWW.MARKSUSA.COM

1-800-645-9445 • Fax 631-225-6136 • ©2022 MARKS USA

Mortise Lock Bodies

Series 6



Series 8



OPTIONS	CODE	PRICE
1-1/16" x 7-5/8" front	T	**28**
1-1/4" x 10" front, (A function, US 4 only), no mounting holes	U	**112**
1" x 7-1/8" front, (US 4 only)	W	**NC**
1-1/4" x 8" front	X	**26**
1-1/4" x 8-5/8" front (A function, US 4 only)	Y	**112**
Screws with Dust Box	B10	**NC**
Solid latch for electric strike	E1	**21**
4-7/8" Strikes: 1 Left / 1 Right	S6	**14**
Front 1" x 8"	Z	**26**

CYLINDER CAMS REQUIRED	
All Functions	2101 Straight Cam

Series 6 — **Standard Features**

- Backset: 2-3/4"
- Bolt throw: Cast alloy full 1" throw
- Latch throw: 5/8" (anti-friction)
- Case: High pressure cast Zamac, baked enamel finish
- Front: 1-1/4" x 8", Flat or 3° bevel
- Hubs: 9/32" (7.2mm) on square

Series 8 — **Standard Features**



- Backset: 2-1/2"
- Bolt throw: Cast alloy full 1" throw
- Latch throw: Solid brass 1/2" throw, reversible
- Case: High pressure cast Zamac, baked enamel finish
- Front: 1-1/16" x 7-5/8", Flat or 3° bevel
- Hubs: 9/32" on square

Grade 2 for Handlesets

Series 6
2-3/4" Backset
Series 8
2-1/2" Backset

MARKS #	FUNCTION	ANSI #	FINISH GROUPS 3, 32D	FINISH GROUPS 10, 10B, 32
KEYED SINGLE CYLINDER, NO DEADBOLT				
DW	VESTIBULE		**328.33**	**346.68**
KEYED SINGLE CYLINDER, WITH DEADBOLT				
A	ENTRANCE	F08, F10	**341.58**	**358.92**
B	ENTRANCE	F21		
F	DORMITORY	F12		
KEYED DOUBLE CYLINDER, WITH DEADBOLT				
AC	ENTRANCE	F35	**357.90**	**376.25**
C	STORE DOOR "B BODY"	F25		
SO	STORE DOOR	F25		

MORTISE LOCK BODIES ARE PACKED 6 PER CASE

Mortise Lock Bodies

Series 7



Series 9



OPTIONS	CODE	PRICE
1-1/16" x 7-5/8" front	T	**28**
1-1/4" x 10" front, (A function, US 4 only), no mounting holes	U	**112**
1" x 7-1/8" front, (US 4 only)	W	**NC**
1-1/4" x 8" front	X	**26**
1-1/4" x 8-5/8" front (A function, US 4 only)	Y	**112**
1-1/16" x 8"	T	
Pin and lever springs	B5	**38**
Screws with Dust Box	B10	**NC**
Solid latch for electric strike	E1	**21**
4-7/8" Strikes: 1 Left / 1 Right	S6	**14**
Front 1" x 8"	Z	**26**

CYLINDER CAMS REQUIRED

All functions — 2101 Straight Cam

Series 7 — **Standard Features**



- Backset: 2-3/4"
- Bolt throw: Cast alloy full 1" throw
- Latch throw: 5/8" (anti-friction)
- Case: High pressure cast Zamac, baked enamel finish
- Front: 1-1/4" x 8", Flat or 3° bevel
- Hubs: 9/32" on square steel, w/ security separator

Series 9 — **Standard Features**



- Backset: 2-1/2"
- Bolt throw: Cast alloy full 1" throw
- Latch throw: Solid brass 1/2" throw, reversible
- Case: High pressure cast Zamac, baked enamel finish
- Front: 1-1/16" x 7-5/8", Flat or 3° bevel
- Hubs: 9/32" on square steel, w/ security separator

Grade 2 for

Knobs & Levers
Series 7
2-3/4" Backset
Series 9
2-1/2" Backset

MARKS #	FUNCTION	ANSI #	FINISH GROUPS 3, 32D	FINISH GROUPS 10, 10B, 32
KEYED SINGLE CYLINDER, NO DEADBOLT				
D	OFFICE / VESTIBULE		**290.60**	**308.95**
DW	VESTIBULE			
KEYED SINGLE CYLINDER, WITH DEADBOLT				
A	ENTRANCE	F08, F10	**306.91**	**323.23**
B	ENTRANCE	F21		
F	DORMITORY	F12		
FS	DORMITORY			
FW	DORMITORY	F13		
KEYED DOUBLE CYLINDER, WITH DEADBOLT				
AC	ENTRANCE	F35	**338.52**	**355.86**
C	STOREROOM	F14		
FA	DORMITORY	F11		
FX	DORMITORY	F33		
KEYLESS				
N	PASSAGE	F01	**233.50**	**250.83**
L	BATHROOM	F02	**306.91**	**323.23**
LF	PRIVACY	F19		

MORTISE LOCK BODIES ARE PACKED 6 PER CASE

FOR ADDITIONAL DESIGNS, ASK FOR THE CUSTOM LOCK DIVISION CATALOG OR VISIT OUR WEBSITE @ WWW.MARKSUSA.COM

1-800-645-9445 • Fax 631-225-6136 • ©2022 MARKS USA

Mortise Deadlocks

Series 31



OPTIONS	CODE	PRICE
Security Strike: 4-7/8" x 1-1/4"	S4	**12**



Standard Features

- Backset: Series 31: 2-3/4"
- Bolt throw: 1" stainless steel with hardened roll pins
- Case: Stamped Steel, Grade 1
- Front: 1-1/16" x 4-5/8" adjustable bevel
- Cylinder: Solid brass cylinder, 6-pin, "C" keyway, 2 keys
- Strike: #4035 (**Included**) 1-1/8" x 3-1/8"
- Strike: #4035-1 (Optional) 1-1/8" x 3-1/2"

Series 31 2-3/4" Backset

BHMA CERTIFIED — c UL us LISTED

MARKS #	FUNCTION	ANSI #	FINISH GROUPS 3, 26D	FINISH GROUPS 3E, 10, 10B, 26, 32
—	LOCK ONLY	—	**189.65**	**308.95**
K, 31K	CYLINDER x TURNPIECE	E06071	**250.83**	**323.23**
L, 31L	COMMUNICATING SINGLE CYL.	E06081	**224.32**	**355.86**
M, 31M	DOUBLE CYLINDER	E06061	**253.89**	**250.83**
S, 31S	CLASSROOM (Specify Handing)	E06091	**284.48**	**323.23**
X, 31X	TURNPIECE ONLY		**200.87**	**390.52**

MORTISE LOCK BODIES ARE PACKED 6 PER CASE

Series 2 & 3



OPTIONS	CODE	PRICE
1-1/16" x 5-5/8" front	R	**29**



Standard Features

- Backset: Series 2: 2-1/2"; Series 3: 2-3/4"
- Bolt throw: 1"
- Case: High pressure cast
- Front: 1-1/16" x 4-5/8" flat or 3° bevel
- Cylinder: Solid brass cylinder, 6-pin, "C" keyway, 2 keys
- Strike: #4035 Included

Series 2 • 2-1/2" Backset
Series 3 • 2-3/4" Backset

MARKS #	FUNCTION	ANSI #	FINISH GROUPS 3, 26D	FINISH GROUPS 3E, 10, 10B, 26, 32
—	LOCK ONLY	—	**133.57**	**157.03**
K, 2K, 3K	CYLINDER x TURNPIECE	E06071	**197.77**	**216.17**
L, 2L, 3L	COMMUNICATING SINGLE CYL.	E06081	**171.30**	**195.77**
M, 2M, 3M	DOUBLE CYLINDER	E06061	**205.97**	**227.38**
S, 2S, 3S	CLASSROOM (Specify Handing)	E06091	**225.34**	**253.89**
X, 2X, 3X	TURNPIECE ONLY		**143.77**	**165.18**

MORTISE LOCK BODIES ARE PACKED 6 PER CASE

Series 5



Series 55





Standard Features

- Backset: Series 5: 2-3/4"; Series 55: 2-1/2"
- Bolt throw: Stainless steel full 1" throw
- Case: Stamped steel .090 thick, Zinc dichromate finish
- Front: 1-1/4" x 8" Adjustable bevel

Series 5 • 2-3/4" Backset
Series 55 • 2-1/2" Backset

BHMA CERTIFIED

MARKS #	FUNCTION	ANSI #	FINISH GROUPS 3, 26D	FINISH GROUPS 3E, 10, 10B, 32
T, 5T	DOUBLE CYLINDER	F16	**382.37**	**395.62**
P, 5P	CYLINDER x TURNPIECE	F17	**350.76**	**374.21**
S, 5S	**SINGLE CYLINDER***	F18	**323.23**	**348.72**
SC, 5SC	**CLASSROOM***	F29	**374.21**	**395.62**

MORTISE LOCK BODIES ARE PACKED 6 PER CASE
***NOTE: Specify handing on "S" and "SC" functions**

OPTIONS	CODE	PRICE
1-1/16" x 7-5/8" front	T	**28**
1-1/16" x 7-3/4" front	V	**28**
1" x 1/16" x 8"	Q	**28**
Lead lined mortise lock	F1	**335**

Mortise Lockset Functions

ANSI #	TYPE	MARKS FUNCTION
F01	Non-Keyed	N
F02	Non-Keyed	L
F04	Single Cylinder	E
F05	Single Cylinder	J
F06	Single Cylinder	JM
F06	Single Cylinder	JR
F07	Single Cylinder	EW
F08	Single Cylinder	A
F09	Double Cylinder	G
F10	Single Cylinder	A
F11	Double Cylinder	FA
F12	Single Cylinder	F
F13	Single Cylinder	FW
F14	Double Cylinder	C
F15	Single Cylinder	H
F16	Deadbolt	T
F17	Deadbolt	P
F18	Deadbolt	S
F19	Non-Keyed	LF
F20	Single Cylinder	FD
F21	Single Cylinder	B
F22	Non-Keyed	LJ
F24	Double Cylinder	G
F25	Double Cylinder	C
F25	Double Cylinder	SO
F26	Single Cylinder	GL
F27	Auto Deadbolt	AD
F29	Deadbolt	SC
F30	Double Cylinder	WW
F31	Non-Keyed	EX
F32	Double Cylinder	GC
F33	Double Cylinder	FX
F34	Double Cylinder	FC
F35	Double Cylinder	AC

SINGLE CYLINDER FUNCTIONS

ANSI #	Cam	Strike	Marks Function I/S O/S
F04: OFFICE Latch by knob/lever either side except when outside knob/lever locked by stop-button in front; then by key outside. Auxiliary latch deadlocks latch. Inside always open.	2101	5036	 E
F04: OFFICE Latch by knob/lever either side except when outside knob/lever locked by turn piece inside; then by key outside. Auxiliary latch deadlocks latch. Inside always open.	2105	5036	K
F05: CLASSROOM Latch by knob/lever either side except when outside knob/lever locked by key. When locked, latch bolt retracted by key. Inside always open. Auxiliary latch deadlocks latch.	2105	5036	J
F06: HOLDBACK "A" Latch by knob/lever either side except when outside knob/lever locked or unlocked by key. Auxiliary latch deadlocks latch. Inside always open. Inside knob/lever unlocks outside lever. Latch bolt can be locked in retracted position by locking inside hub. Can be used with blank outside trim.	2105	5036	 JM
F06: HOLDBACK "B" Latch by knob/lever either side except when outside knob/lever locked or unlocked by key. Auxiliary latch deadlocks latch. Inside always open. Inside knob/lever will not unlock outside knob/lever. Latch bolt can be locked in retracted position by locking outside hub. Can not be used with blank outside trim.	2105	5036	JR
F07: STOREROOM Latch by knob/lever inside, key outside. Outside knob/lever always rigid. Auxiliary latch deadlocks latch. Inside always open.	2101	5036	EW
F08, F10: ENTRANCE Latch by knob/lever either side except when outside locked by stop-button; then by key outside, knob/lever inside. Deadbolt by key outside, turnpiece inside. Deadbolt deadlocks latch.	2102	9035	A
F12: DORMITORY Latch by knob/lever either side except when outside knob/lever locked by stop-button or projected deadbolt. Deadbolt by turnpiece inside. Inside knob/lever retracts latch and deadbolt simultaneously, leaving outside locked. Deadbolt deadlocks latch.	2102	9035	F
F13: DORMITORY Latch by knob/lever either side except when projected deadbolt locks outside knob/lever and deadlocks latch. Deadbolt and latch by key outside. Deadbolt by turnpiece inside. Inside knob/lever retracts latch and deadbolt simultaneously, automatically unlocking outside knob/lever.	2102	9035	FW
F15: HOTEL Inside knob/lever always free, outside rigid. Latch by knob/lever inside, key outside. (When deadbolt projected by turnpiece all keys are shut out except emergency key). Inside knob/lever retracts deadbolt and latch simultaneously. Auxiliary latch or deadbolt deadlocks latch. Indicator available.	2102	5035	H
F20: APARTMENT Latch by knob/lever either side except when outside locked by stop-button or projected deadbolt. Latch deadlocked by auxiliary latch or deadbolt. Deadbolt and latch by key outside. Deadbolt by turnpiece inside. Inside knob/lever retracts latch & deadbolt simultaneously, leaving outside locked.	2102	5035	 FD

SINGLE CYLINDER FUNCTIONS

ANSI #	Cam	Strike	Marks Function I/S O/S
F21: ENTRANCE Latch by knob/lever either side. Deadbolt by key outside, turnpiece inside. Deadbolt deadlocks latch.	2102	9035	 B
F26: INSTITUTIONAL PRIVACY Latch by knob/lever either side except when outside knob/lever locked by inside turn piece. Latch deadlocked by auxiliary latch. Key outside opens latch. When outside locked, inside knob/lever retracts latch, automatically unlocking outside knob/lever.	I/S 2101 2105	5036	 GL
F27: Auto Deadbolt Depressing auxiliary latch projects deadbolt and deadlocks latch. Remains locked even if auxiliary latch is extended. Inside knob/lever retracts both bolts simultaneously. When outside is locked, both bolts are retracted by override key with outside knob/lever.	2101	5035	 AD
OFFICE VESTIBULE: Latch by knob/lever either side except when outside knob/lever locked by stop-button in front; then by key outside.	2101	9035	D
VESTIBULE: Latch by knob/lever inside, key outside. Outside knob/lever always rigid.	2101	9035	 DW
DORMITORY: Latch by knob/lever inside. Outside knob/lever always rigid. Deadbolt and latch by key outside. Deadbolt by turnpiece inside. When deadbolt is projected, latch is deadlocked. Inside knob/lever retracts latch and deadbolt simultaneously.	2102	9035	 FS
SPECIAL PRIVACY: Inside knob/lever always free, outside rigid. Latch by knob/lever inside, key outside. Deadbolt by turnpiece inside, emergency release outside. Inside knob/lever retracts deadbolt and latch simultaneously. Auxiliary latch deadlocks latch.	2102	5035	LH
STOREROOM: Latch by thumbpiece inside. Key outside.	2101	9035	 DN
STOREROOM: Latch by thumbpiece or knob/lever inside. Key outside. Auxiliary latch deadlocks latch.	2101	5036	 EN

ELECTRIFIED FUNCTIONS

ANSI #	Cam	Strike	Marks Function I/S O/S
ELECTRICALLY LOCKED (Fail Safe): Outside always locked electrically. Open by key outside, switch or loss of power. Auxiliary latch deadlocks latch. Inside always open.	2101	5036	 EL
ELECTRICALLY UNLOCKED (Fail Secure): Outside always locked until unlocked by key or electrically energized. Auxiliary latch deadlocks latch. Inside always open.	2101	5036	 EU

FOR ADDITIONAL DESIGNS, ASK FOR THE CUSTOM LOCK DIVISION CATALOG OR VISIT OUR WEBSITE @ WWW.MARKSUSA.COM
1-800-645-9445 • Fax 631-225-6136 • ©2022 MARKS USA

Mortise Lockset Functions

DOUBLE CYLINDER FUNCTIONS

ANSI #	Cam	Strike	Marks Function
F09: ENTRANCE Latch by knob/lever either side except when outside knob/lever locked by key inside, latch retracted by key outside. Outside remains locked. Auxiliary latch deadlocks latch.	I/S 2101 2106	5036	I/S O/S G
F11: DORMITORY Latch by knob/lever either side except when outside knob/lever locked by stop-button or projected deadbolt. Deadbolt by key either side. Inside knob/lever retracts latch and deadbolt simultaneously leaving outside locked. Deadbolt deadlocks latch.	I/S 2102	9035	FA
F14: STOREROOM Latch by knob/lever either side. Deadbolt by key either side. Deadbolt deadlocks latch.	I/S 2102	9035	C
F24: APARTMENT HANDLE Latch by thumbpiece either side except when outside is locked by key inside. When outside is locked, latch retracted by key outside or thumbpiece inside. Auxiliary latch deadlocks latch.	I/S 2101 2106	5036	G
F25: STOREROOM "B" Body Latch by thumbpiece either side. Deadbolt by key either side.	I/S 2102	9035	C
F25: STOREROOM Latch by thumbpiece either side except when outside thumbpiece locked by stop-button in front; then by key outside. Deadbolt by key both sides. Deadbolt deadlocks latch.	I/S 2102	9035	SO
F30: INSTITUTION Both knob/levers rigid. Auxiliary latch deadlocks latch. Latch by key either side.	I/S 2101	5036	WW
F32: INTRUDER LATCH BOLT Latch by knob/lever either side except when outside knob/lever is locked from inside or outside by key. Latch operated by key from inside or outside. Auxiliary latch, deadlocks latch. Inside always open.	I/S 2105	5036	GC
CLASSROOM SECURITY Latch bolt retracted by knob/lever from either side unless outside is locked by key from either side. Auxiliary latch deadlocks latch bolt when door is locked. Inside knob/lever is always free for immediate egress.	I/S 2101	5036	GG
CLASSROOM SECURITY Latch by lever either side except when outside lever is locked or unlocked by key from either side. With outside locked, exterior key will retract the latch allowing the outside to remain locked. Inside always free for egress. Auxiliary latch deadlocks latch.	I/S 2101 2105	5036	GJ
CLASSROOM SECURITY w/HOLDBACK Latch bolt retracted by knob/lever from either side unless outside is locked by key from either side. When locked, latch bolt retracted by key outside or knob/lever inside. Auxiliary latch deadlocks latch bolt when door is locked. Depress inside knob/lever and turn key 360° for holdback feature. Inside knob/lever always free for immediate egress.	I/S 2101 2105	5036	GR
F33: DORMITORY Latch by knob/lever either side except when projected deadbolt locks outside knob/lever and deadlocks latch. Deadbolt and latch by key either side. Inside knob/lever retracts latch and deadbolt simultaneously, automatically unlocking outside knob/lever.	I/S 2102	9035	FX
F33: DORMITORY Latch by knob/lever either side except when projected deadbolt locks outside knob/lever and deadlocks latch. Deadbolt and latch by key either side. Inside knob/lever retracts latch and deadbolt simultaneously, automatically unlocking outside knob/lever.	I/S 2102	5035	FC

DOUBLE CYLINDER FUNCTIONS (Con't)

ANSI #	Cam	Strike	Marks Function
F35: STORE DOOR Latch by knob/lever either side except when outside knob/lever locked by stop-button in front; then by key outside. Deadbolt by key either side. Deadbolt deadlocks latch.	I/S 2102	9035	AC

NON-KEYED FUNCTIONS

ANSI #	Strike	Marks Function
F01: PASSAGE Latch by knob/lever either side.	9035	I/S O/S N
F02:BATHROOM* Latch by knob/lever either side. Deadbolt by turnpiece inside. Deadbolt deadlocks latch. To unlock from outside, remove emergency button, insert emergency key in access hole and turn. Optional coinkey assembly available.	9035	L
F19: PRIVACY* Latch by knob/lever either side except when projected deadbolt locks outside knob/lever and deadlocks latch. Deadbolt by turnpiece inside. Inside knob/lever retracts latch and deadbolt simultaneously, automatically unlocking outside knob/lever. To unlock from outside,remove emergency button, insert emergency key in access hole and turn. Optional coinkey assembly available.	9035	LF
F22: PRIVACY Latch by knob/lever either side except when outside knob/lever is locked by inside turnpiece. Turning inside knob/lever or closing door unlocks outside lever. To unlock from outside, remove emergency button, insert emergency key in access hole and turn. Optional coinkey assembly available.	9035	LJ
F31: EXIT Latch by knob/lever inside, no trim outside. Auxiliary latch deadlocks latch. None removable blank trim: F26 option	5036	EX

DEADBOLT FUNCTIONS

	Cam	Strike	
F16: DEADLOCK Deadbolt by key either side.	I/S 2102 2102	9035	T
F17: DEADLOCK Deadbolt by key outside and turnpiece inside.	2102	9035	P
F18: DEADLOCK Deadbolt by key one side only.	2102	9035	S
F29: DEADLOCK Deadbolt by key outside. Inside turnpiece will retract but will not project deadbolt.	2102	9035	SC
DEADLOCK Latch by knob/lever either side. Deadbolt by key either side; latch remained unlocked at all times. Note: With this function deadbolt protrusion is 13/16	2102	9035	CT

DEADLOCK FUNCTIONS

E06072: CYLINDER BY TURNPIECE Deadbolt by inside turnpiece or outside key.	2102	K
E06082: COMMUNICATING SINGLE CYLINDER* Deadbolt by key from one side only.	2102	L
E06062: DOUBLE CYLINDER Deadbolt by key either side.	2102	M
E06092: CLASSROOM Deadbolt by outside key. Turnpiece will retract but not project deadbolt.	2102	S
TURNPIECE Deadbolt by inside turnpiece.	2102	X

PRIVACY INDICATOR AVAILABLE

Mortise Lockset Parts RK, RL

ROSES	RR: 2-9/16" dia.	RW: 2-9/16" dia.	RQ: 2-1/4" dia.	RS: 2-1/4" dia.	RX: 2-1/2" sq.	*RK: 2-1/2" sq.	*RL: 2-1/2" sq.
					Wrought	Forged	 Forged

Knob / Rose Kits


KRW10


KRS20


KRR30


KRQ60


K-TEMP

ROSE WITH RING	PLAIN ROSE	SMALL ROSE W/RING	SMALL ROSE	DESCRIPTION	FINISH GROUPS 3	3E	10, 10B	15	26	32D	ROSE RK*
KRR10	KRW10	KRQ10	KRS10	Round knob/ball assembly	201	—	—	—	—	201	+130
KRR20	KRW20	KRQ20	KRS20	Ball knob/ball assembly							
KRR30	KRW30	KRQ30	KRS30	Ball knob/ball assembly	—	218	259	283	293	—	
KRR60	KRW60	KRQ60	KRS60	Eclipse knob/ball assembly							
					NO FINISH						
K-TEMP				Temporary Trim	69.34						
K-TEMP-G3				Temporary Trim less cyl	53.02						
Complete knob/rose assemblies both sides (includes spindles).											

Lever / Rose Kits

* Specify handing

KRR44

KRQ55


KRW78


KRW92


KRW031


KRW72


KRS82


KRW83*


KRR57*


KRW77


KRW86


KRW96

PART #		DESCRIPTION	FINISH GROUPS 3E	4	26D	15	10, 10B, 10E,26	32D	ROSE RK*	ROSE RL*
ROSE WITH RING RR	SMALL ROSE WITH RING RQ	Complete lever/rose assemblies both sides (includes spindles).								
KRR44	KRQ44	Stanhope lever/rose kit	218.20	327.31	327.31	327.31	327.31	—	+111 FOR ALL FINISHES	+36 FOR ALL FINISHES
KRR57	KRQ57	Monaco lever/rose kit	218.20	327.31	327.31	327.31	—	—		
KRR55	KRQ55	Brompton lever/rose kit	218.20	327.31	327.31	327.31	—	—		
PLAIN ROSE RW	SMALL ROSE RS	Complete lever/rose assemblies both sides (includes spindles).							ROSE RK *	ROSE RL: *
KRW031	KRS031	Copa lever/rose kit	327.31	327.31	—	327.31	327.31	327.31	+111 FOR ALL FINISHES	+36 FOR ALL FINISHES
KRW72	KRS72	Towne lever/rose kit	327.31	327.31	327.31	327.31	371.15	—		
KRW77	KRS77	Maxwell lever/rose kit	327.31	327.31	327.31	327.31	371.15	348.72		
KRW78	KRS78	Omni lever/rose kit	327.31	327.31	327.31	327.31	371.15	348.72		
KRW82	KRS82	Plaza lever/rose kit	327.31	327.31	327.31	327.31	371.15	348.72		
KRW83	KRS83	Dayton lever/rose kit	327.31	327.31	327.31	327.31	371.15	348.72		
KRW86	KRS86	Crescent lever/rose kit	327.31	327.31	327.31	327.31	371.15	—		
KRW92	KRS92	American lever/rose kit	327.31	327.31	327.31	327.31	371.15	348.72		
KRW96	KRS96	Titan lever/rose kit	327.31	327.31	327.31	327.31	371.15	348.72		

FOR ADDITIONAL DESIGNS, ASK FOR THE CUSTOM LOCK DIVISION CATALOG OR VISIT OUR WEBSITE @ WWW.MARKSUSA.COM

1-800-645-9445 • Fax 631-225-6136 • ©2022 MARKS USA

Mortise Lockset Parts

Dummy Cylinder, Collars & Turnpieces



PART #	DESCRIPTION	FINISH GROUPS					
		3E	3, 26D	4	10, 10B, 26	32	32D
1604	Emergency hole cover	—	11.96	—	—	—	—
9271	Tapered collar, solid brass, 5/16" high	38.27	267.88	—	28.70	33.48	28.70
9273	Spring collar, 7/16" high	—	17.94	—	—	—	—
9275	Mortise spacer, wrought brass, 1/8" high	—	10.76	—	—	—	—
9277	Plastic spacer ring, 1/16"	8.37	—	—	—	—	—
9279	Tapered collar, wrought brass, 3/8" high	26.31	20.33	—	26.31	22.72	20.33
S8516	Dummy cylinder, inside	50.23	50.23	—	50.23	—	—
S8519	Dummy cylinder, outside	50.23	50.23	—	50.23	—	—
A1605	Emergency coinkey	84.91	77.73	77.73	77.73	—	—
A7271	Square cylinder collar, 1-3/4" x 5/16"	51.42	44.25	—	44.25	44.25	44.25
A7615	Occupancy indicator	—	—	—	—	—	64.58
A7616	Square Turnpiece Rose	92.08	70.56	92.08	81.32	81.32	81.32
A9276	Collar, wrought brass w/insert, 1/2" high	—	26.31	—	35.88	35.88	35.88
A9624	Hotel indicator plate ass'y for rose trim	110.02	81.32	—	87.30	—	—
A9119	Occupancy indicator plate ass'y for rose trim	—	125.57	—	—	—	—
A9615	Turnpiece	78.93	56.21	78.93	66.97	78.93	66.97

Strikes



*** For extended lip consult factory.**



TYPE	PART #	A	B	C*	D	FINISH GROUPS	
						S3	3, 10, 10B, 32, 32D
No Lip	4035	1-1/8"	3-1/8"	—	—	9	17
	4035-1	1-1/8"	3-1/2"	3-1/2"	2-1/2"		
	9038	1-1/8"	4-7/8"	—	2-1/2"	10	—
	3135	1-1/4"	4-7/8"	—	—	—	22
Curved Lip	5035 †	1-1/4"	4-7/8"	1-1/4"	4-1/8"	—	24
	5036 †	1-1/4"	4-7/8"	1-1/4"	4-1/8"	—	24
	9035	1-1/4"	4-7/8"	1-1/4"	4-1/8"	9	24
	9035-1.5	1-1/4"	4-7/8"	1-1/2"	4-1/8"	—	37
Straight Lip	5035M †	1-1/4"	4-7/8"	7/8"	4-1/8"	—	29
	5036M †	1-1/4"	4-7/8"	7/8"	4-1/8"	—	29
	9035M	1-1/4"	4-7/8"	7/8"	4-1/8"	—	29
Dust Box	9036	Dust box for 9038 strike, plastic				9	—
	4036	Dust box for 4035 strike, plastic				7	—

† Specify handing.
Extended lip strikes from 1-1/4" - 2", Add $16.

***Extended lip strikes over 2", consult factory.**

Spindles



PART #	DESCRIPTION	
9287	2-1/2" LONG, HOOK SPINDLE, 2 PIECE	17.94
9289	4-3/4" LONG, SWIVEL SPINDLE	17.94
A5611	SPINDLE/SPRING ASSEMBLY FOR LEVERS, 5/16", 1" L	17.94
A5613	SPINDLE/SPRING ASSEMBLY FOR LEVERS, 5/16", 1-5/8" L	17.94
A5685-BE	CAM/SPINDLE SPRING ASSEMBLY EXTERIOR	28.70
A5684-BE	CAM/SPINDLE SPRING ASSEMBLY INTERIOR	28.70

Trim Lock Parts

How to Order Example for Knob & Lever Assemblies					
DR	**02**	**–**	**30**	**/**	**15**
1. Plate/Rose Design	*2. Trim Description*	*Dash*	*3. Knob/Lever Design*	*Slash*	*4. Finish*

PLATE/ROSE DESIGN

- ❒ BA
- ❒ CL
- ❒ CP
- ❒ CR
- ❒ DR
- ❒ DV
- ❒ GC
- ❒ MA
- ❒ NY
- ❒ NS
- ❒ TN
- ❒ RR
- ❒ RW
- ❒ RQ
- ❒ RS
- ❒ RX

TRIM DESCRIPTION

- ❒ 01 Outside knob/lever/cylinder
- ❒ 02 Inside knob/lever/turnpiece
- ❒ 03 Inside knob/lever/cylinder
- ❒ 04 Inside knob/lever only
- ❒ 05 Outside cylinder only
- ❒ 06 Outside knob/lever /emergency coinkey
- ❒ 07 Outside hotel
- ❒ 08 Outside knob/lever only

KNOB DESIGN

- ❒ 10
- ❒ 20
- ❒ 30
- ❒ 60

LEVER DESIGN

- ❒ 44
- ❒ 55
- ❒ 57
- ❒ 72
- ❒ 77
- ❒ 78
- ❒ 82
- ❒ 83
- ❒ 86
- ❒ 92
- ❒ 96
- ❒ 031

FINISH

- ❒ 3
- ❒ 3E
- ❒ 4
- ❒ 10
- ❒ 10B
- ❒ 15
- ❒ 26
- ❒ 26D
- ❒ 32D
- ❒ Special

Trim Lock Parts

PLATE/ROSE DESIGN		3	3E	10	10B	15	26D	32D
CLASSIC CL		**98.06**	**—**	**98.06**	**98.06**	**—**	**99.26**	**116.00**
CAPITOL CP		**159.05**	**—**	**156.66**	**126.66**	**126.66**	**—**	**145.90**
CROWN CR		**21.53**	**—**	**229.61**	**229.61**	**200.91**	**200.91**	**200.91**
DRAKE DR		**242.76**	**—**	**264.29**	**264.29**	**242.76**	**242.76**	**251.14**
SCHOOL LA		**—**	**—**	**—**	**—**	**—**	**—**	**229.61**

FOR ADDITIONAL DESIGNS, ASK FOR THE CUSTOM LOCK DIVISION CATALOG OR VISIT OUR WEBSITE @ WWW.MARKSUSA.COM
1-800-645-9445 • Fax 631-225-6136 • ©2022 MARKS USA

TRIM LOCK PARTS

PLATE/ROSE DESIGN		3	3E	10	10B	15	26D	32D
NEW YORKER NY 10" PLATE		56.21	—	—	—	—	69.36	—
NEW YORKER NS 7" PLATE		41.86	—	—	—	—	56.24	—
2-9/16" DIA. ROSE W-RING RR		132.74	173.40	160.25	160.25	147.09	132.74	132.74
2-9/16" DIA. PLAIN ROSE RW		132.74	173.40	160.25	160.25	147.09	132.74	132.74
2-1/4" DIA. SMALL ROSE W-RING RQ		132.74	173.40	160.25	160.25	147.09	132.74	132.74
2-1/4" DIA. SMALL ROSE RS		132.74	173.40	160.25	160.25	147.09	132.74	132.74
2-1/2" SQ. SQUARE ROSE RX		132.74	173.40	160.25	160.25	147.09	132.74	132.74
2-1/2" SQ. SQUARE ROSE RK		222.43	260.70	247.55	247.55	235.59	222.43	222.43
SQUARE TURNPIECE ROSE A7616	OUTSIDE / INSIDE	227.22	275.05	261.90	261.90	261.90	236.78	236.78
		72.95	92.08	81.32	81.32	81.32	81.32	81.32
2-1/2" SQ. SQUARE ROSE RL		236.78	275.05	261.90	261.90	248.74	236.78	236.78

Trim Lock Parts

Knob / Lever Design

KNOB/LEVER		FINISH GROUPS								
		3	3E	4	10	10B	15	26	26D	32D
ROUND KNOB	10	118.39	—	—	144.70	144.70	—	144.70	144.70	118.39
BALL KNOB	20	118.39	—	—	144.70	144.70	—	144.70	144.70	118.39
BALL KNOB	30	—	200.91	—	144.70	—	252.33	252.33	—	—
ECLIPSE KNOB	60	—	200.91	—	—	—	252.33	245.16	252.33	—
STANHOPE LEVER	44	—	241.57	241.57	265.49	265.49	241.57	265.49	241.57	236.78
COPA LEVER	031	200.91	241.57	241.57	265.49	265.49	241.57	265.49	241.57	—
MONACO LEVER	57	—	241.57	241.57	265.49	265.49	241.57	265.49	241.57	—
BROMPTON LEVER	55	—	241.57	241.57	265.49	265.49	241.57	265.49	241.57	—
TOWNE LEVER	72	200.91	241.57	241.57	265.49	265.49	241.57	265.49	241.57	—
MAXWELL LEVER	77	200.91	241.57	241.57	265.49	265.49	241.57	265.49	241.57	236.78
OMNI LEVER	78	200.91	241.57	241.57	265.49	265.49	241.57	265.49	241.57	—
PLAZA LEVER	82	200.91	241.57	241.57	265.49	265.49	241.57	265.49	241.57	236.78
DAYTON LEVER	83	200.91	241.57	241.57	265.49	265.49	241.57	265.49	241.57	241.57
CRESCENT LEVER	86	200.91	241.57	241.57	265.49	265.49	241.57	265.49	241.57	236.78
AMERICAN LEVER	92	200.91	241.57	241.57	265.49	265.49	241.57	265.49	241.57	236.78
TITAN LEVER	96	200.91	241.57	241.57	265.49	265.49	241.57	265.49	241.57	236.78

FOR ADDITIONAL DESIGNS, ASK FOR THE CUSTOM LOCK DIVISION CATALOG OR VISIT OUR WEBSITE @ WWW.MARKSUSA.COM
1-800-645-9445 • Fax 631-225-6136 • ©2022 MARKS USA

How To Order Cylindrical Locksets

How To Order Example for Cylindrical Locksets					
195	**N**	**/**	**26D**	**—**	**G3**
1. Lockset Series	*2. Marks Function*	*Slash*	*3. Finish*	*Dash*	*4. Options*

1 SERIES

Cylindrical Locksets:	110, 110R, 210, 210R, 180, 180R, 280, 280R, 175, 175R, 195, 195R, 295, 295R, 495, 495R

2 CYLINDRICAL FUNCTIONS

MARKS #	#	FUNCTION	ANSI
N	—	PASSAGE	F75
L	—	PRIVACY	F76
LK	—	HOSPITAL/PRIVACY	F76 MOD.
P	—	PATIO	F77
DC	RDC	COMMUNICATING	F80
A	RA	ENTRY	F81
B	RB	ENTRY	F82A
AQ	—	EXIT	F83
S	RS	CLASSROOM	F84
F	RF	STOREROOM	F86
DW	RDW	INSTITUTION	F87
DA	RDA	VESTIBULE	F88
FQ	—	EXIT	F89
T	RT	CORRIDOR	F90
TK	—	HOSPITAL/PRIVACY	F90 MOD.
GB	RGB	STORE DOOR *(95 SERIES ONLY)*	F91
BS	—	SERVICE STATION LOCK	F92
H	—	HOTEL	F93
AB	RAB	ENTRANCE	F109
DB	RDB	CLASSRM. INTRUDER	F110
NB	—	COMMUNICATING PASSAGE	F111
FB		COMMUNICATING STOREROOM	F112
SB	RSB	COMMUNICATING CLASSROOM	F113
FEL	RFEL	ELECTRONICALLY LOCKED	
FEU	RFEU	ELECTRONICALLY UNLOCKED	
DUMMY TRIM			
DO		DUMMY TRIM OUTSIDE	
DT		FULL DUMMY	

3 FINISH

MARKS #		ANSI #
US 3	Polished Brass, Clear Coated	605
US 4	Satin Brass, Clear Coated	606, 606E
US 10	Satin Bronze, Clear Coated	612E
US 10B	Dark Bronze, Clear Coated	613E
US 26	Polished Chrome, Plated	625
US 26D	Satin Chrome, Plated	626
US 32	Polished Stainless Steel	629
US 32D	Satin Stainless Steel	630

4 OPTIONS

TRIM MODIFICATIONS	CODE	PRICE
Tactile knob/lever, coated ext. only	A1	62
Tactile knob/lever, knurled	A4	62
Tactile knob/lever, coated int. & ext.	A18	126
DOOR THICKNESS	**CODE**	**PRICE**
2" (50 mm)	D1	NC
2-1/4" (57mm)	D2	75
Over 2-3/8" - 4"	D9	667
LATCH	**CODE**	**PRICE**
2-3/4" backset, 1-1/8" x 2-1/4" face	E4	NC
2-3/8" backset, 1" x 2-1/4" face	E6	NC
2-3/4" backset, 9/16" throw, Gr. 1, UL Listed	E7	48
5" backset, 9/16" throw, Gr. 1	E9	48
3-3/4" backset, 9/16" throw, Gr. 1	E10	48
2-3/8" backset, 1-1/8" x 2-1/4" face	E11	13
2-3/4" backset, 1" x 2-1/4" face	E12	13
TRIM CHANGES	**CODE**	**PRICE**
Yale conventional	F7	24
Sargent conventional cylinder	F8	24
Corbin conventional cylinder	F9	24
Corbin 6 pin IC core	F12	35
Corbin 7 pin IC core	F13	35
Yale 6 pin IC core	F14	24
Yale 7 pin IC core	F15	24
Schlage 6 pin IC core	F19	24
Sargent IC core	F20	24
Medeco IC core large format	F21	24
CYLINDER	**CODE**	**PRICE**
Special optional keyway	G2	38
Less cylinder	G3	Deduct 15
STRIKE	**CODE**	**PRICE**
4-7/8" ASA strike	S1	14
2-3/4" "T" strike	S3	NC

80 LINE GRADE 1 CYLINDRICAL KNOBSETS

BHMA CERTIFIED	ANSI-A156.2 • Grade 1 3 Hour Fire Rating	c UL us LISTED	Series 180/180R • 2-3/4" Backset Series 280/280R • 2-3/4" Backset

80 Series Knobsets Shown Below

Standard Features

- Backset: 2-3/4"
- Latch #1834, Front: 1-1/8" x 2-1/4"
- Throw: 9/16"; Stainless steel nose
- Knobs: 2-1/4" dia. (180) round; 2-3/16" dia. (280) ball
- Roses: Adjustable both sides; Steel reinforced 2-3/4" dia.
- Strike: #1135, 4-7/8" ASA curved lip strike
- Door thickness: 1-5/8" to 1-7/8"
- Cylinder: MARKS "C" keyway, 6 pin w/ 2 keys

MARKS #		FUNCTION	ANSI #	FINISH GROUPS	
COMM. CYL.	IC CORE CYL.*			3, 32D	10, 10B, 32
N	—	PASSAGE	F75	**455.78**	**496.57**
L	—	PRIVACY	F76	**459.86**	**500.65**
P	—	PATIO	F77	**459.86**	**500.65**
DC	RDC	COMMUNICATING	F80	**533.28**	**574.06**
A	RA	ENTRY	F81	**484.33**	**525.12**
B	RB	ENTRY	F82A	**484.33**	**525.12**
AB	RAB	ENTRY	F109	**484.33**	**525.12**
AQ	—	EXIT	F83	**471.08**	**512.88**
S	RS	CLASSROOM	F84	**484.33**	**525.12**
F	RF	STOREROOM	F86	**484.33**	**525.12**
DW	RDW	INSTITUTION	F87	**533.28**	**574.06**
DA	RDA	VESTIBULE	F88	**533.28**	**574.06**
FQ	—	EXIT	F89	**471.08**	**512.88**
TK	—	HOSPITAL/PRIVACY MOD.	F90	**496.57**	**536.33**
BS	RBS	SERVICE STATION LOCK	F92	**497.59**	**537.35**
537.35	—	DUMMY TRIM OUTSIDE	—	**275.30**	**295.70**
DT	—	FULL DUMMY TRIM	—	**379.31**	**420.09**
NB	—	COMMUNICATING PASSAGE	F111	**418.06**	**439.47**
FB	RFB	COMMUNICATING STOREROOM	F112	**480.25**	**500.65**
SB	RSB	COMMUNICATING CLASSROOM	F113	**480.25**	**500.65**

KNOBS ARE PACKED 12 PER CASE

NOTE: Split designs and/or finishes are priced at the highest design and/or finish • Special finishes, consult factory

• IC Core Models: Tailpieces included, core not included

❖ IC Core Models in **US3 Finish: Add $42.00 to list price**

OPTIONS	CODE	PRICE
For 2" doors	D1	NC
For 2-1/4" doors	D2	77
2-3/8" backset, 1" x 2-1/4" face	E6	NC
5" backset, 9/16" throw, Gr. 1	E9	48
3-3/4" backset, 9/16" throw, Gr. 1	E10	48
Less cylinder	G3	Deduct 16
2-3/4" "T" strike	S3	NC

180 Series Knobset Shown Below



280 Series Knobset Shown Below



★Standard & HI-SECURITY™ IC Core Models:
Interchangeable Core models for 6 or 7 pin cores (not included).
Accepts: Marks, Marks HI-SECURITY™, Medeco®, KeyMark™, Falcon, Schlage® small format & Best®. **IC Core Tailpieces ARE Included.**

FOR ADDITIONAL DESIGNS, ASK FOR THE CUSTOM LOCK DIVISION CATALOG OR VISIT OUR WEBSITE @ WWW.MARKSUSA.COM

1-800-645-9445 • Fax 631-225-6136 • ©2022 MARKS USA

10 LINE GRADE 2 CYLINDRICAL KNOBSETS

BHMA CERTIFIED	ANSI-A156.2 • Grade 2 Plus 3 Hour Fire Rating	c UL us LISTED	Series 110/110R • 2-3/8" Backset Series 210/210R • 2-3/8" Backset

10 Series Knobsets Shown Below



Standard Features

- Backset: 2-3/8"
- Latch #1138, Front: 1" x 2-1/4"; Throw: 1/2"; Stainless steel nose
- Knobs: 2-1/4" dia. (110) round; 2-3/16" dia. (210) ball
- Roses: Adjustable both sides; Steel reinforced 2-3/4" dia.
- Strike: #1136, 2-3/4" "T" strike
- Door thickness: 1-5/8" to 1-7/8"
- Cylinder: MARKS "C" keyway, 6 pin w/ 2 keys

MARKS #		FUNCTION	ANSI #	FINISH GROUPS	
COMM. CYL.	IC CORE CYL.*			3, 32D	10, 10B, 32
N	—	PASSAGE	F75	**153.97**	**196.79**
L	—	PRIVACY	F76	**184.56**	**225.34**
P	—	PATIO	F77	**184.56**	**228.40**
DC	RDC	COMMUNICATING	F80	**246.75**	**288.56**
A	RA	ENTRY	F81	**218.20**	**258.99**
B	RB	ENTRY	F82A	**218.20**	**258.99**
AB	RAB	ENTRY	F109	**218.20**	**258.99**
AQ	—	EXIT	F83	**203.93**	**244.72**
S	RS	CLASSROOM	F84	**218.20**	**258.99**
F	RF	STOREROOM	F86	**218.20**	**258.99**
DW	RDW	INSTITUTION	F87	**247.77**	**289.58**
DA	RDA	VESTIBULE	F88	**247.77**	**289.58**
FQ	—	EXIT	F89	**203.93**	**244.72**
DO	—	DUMMY TRIM OUTSIDE	—	**161.10**	**181.50**
DT	—	FULL DUMMY TRIM	—	**169.26**	**209.03**
NB	—	COMMUNICATING PASSAGE	F111	**165.18**	**185.58**
FB	RFB	COMMUNICATING STOREROOM	F112	**231.46**	**255.93**
SB	RSB	COMMUNICATING CLASSROOM	F113	**231.46**	**255.93**

KNOBS ARE PACKED 12 PER CASE

NOTE: Split designs and/or finishes are priced at the highest design and/or finish • Special finishes, consult factory

• IC Core Models: Tailpieces included, core not included

❖ IC Core Models in **US3 Finish: Add $42.00 to list price**

OPTIONS	CODE	PRICE
For 2" doors	D1	NC
For 2-1/4" doors	D2	77
2-3/4" backset, 1-1/8" x 2-1/4" face	E4	NC
2-3/4" backset, 9/16" throw, Gr. 1, UL Listed	E7	96
Solid latch for electric strike	E9	97
3-3/4" backset, 9/16" throw, Gr. 1	E10	96
Less cylinder	G3	Deduct 16
4-7/8" ASA strike with curved lip	S1	14

110 Series Knobset Shown Below



210 Series Knobset Shown Below



★Standard & HI-SECURITY™ IC Core Models:
Interchangeable Core models for 6 or 7 pin cores (not included).
Accepts: Marks, Marks HI-SECURITY™, Medeco®, KeyMark™, Falcon, Schlage® small format & Best®. **IC Core Tailpieces ARE Included.**

95 LINE GRADE 1 CYLINDRICAL SURVIVOR LEVERSETS

BHMA CERTIFIED

ANSI-A156.2 • Grade 1
3 Hour Fire Rating

c UL us LISTED

SURVIVOR SERIES
Series 195/195R, 295/295R, 495/495R • 2-3/4" Backset

95 Series Leversets Shown Below

Standard Features

- Backset 2-3/4"
- Latch #1834, Front: 1-1/8" x 2-1/4"; Throw: 9/16"; Stainless steel nose
- Levers: Solid cast Zamac; w/ 1/2" return (except 395 & 495)
- Roses: Thru-bolted, 3-7/16" dia., spring loaded 2-#10 thru-bolts
- Strike: #1135, 4-7/8" ASA curved lip strike
- Door thickness: 1-5/8" to 1-7/8"; ***For 1-3/8" door use K1904 spacer***

Cylinder: MARKS "C" keyway, 6 pin w/ 2 keys

MARKS #		FUNCTION	ANSI #	FINISH GROUPS	
COMM. CYL.	IC CORE CYL.*			3, 26D	4, 10, 10B, 26
N	—	PASSAGE	F75	**436.41**	**521.04**
L	—	PRIVACY	F76	**460.88**	**550.61**
LK	—	HOSPITAL/PRIVACY	F76 MOD.	**491.47**	**579.16**
P	—	PATIO	F77	**455.78**	**544.79**
DC	RDC	COMMUNICATING	F80	**529.20**	**614.85**
A	RA	ENTRY	F81	**480.25**	**567.94**
B	RB	ENTRY	F82A	**480.25**	**567.94**
AB	RAB	ENTRY	F109	**480.25**	**567.94**
AQ	—	EXIT	F83	**465.98**	**555.71**
S	RS	CLASSROOM	F84	**480.25**	**567.94**
F	RF	STOREROOM	F86	**480.25**	**567.94**
DW	RDW	INSTITUTION	F87	**529.20**	**614.85**
DA	RDA	VESTIBULE	F88	**529.20**	**614.85**
FQ	—	EXIT	F89	**465.98**	**555.71**
T	RT	CORRIDOR	F90	**491.47**	**579.16**
TK	—	HOSPITAL/PRIVACY	F90 MOD.	**455.78**	**544.49**
GB	RGB	STORE DOOR	F91	**652.57**	**711.71**
BS	RBS	SERVICE STATION LOCK	F92	**491.47**	**579.16**
H	—	HOTEL	F93	**540.41**	**626.06**
DB	RDB	CLASSROOM INTRUDER	F110	**583.24**	**671.95**
DO	—	DUMMY TRIM OUTSIDE	—	**271.23**	**356.88**
DT	—	FULL DUMMY TRIM	—	**387.47**	**475.16**
NB	—	COMMUNICATING PASSAGE	F111	**411.94**	**497.59**
FB	RFB	COMMUNICATING STOREROOM	F112	**484.33**	**560.81**
SB	RSB	COMMUNICATING CLASSROOM	F113	**484.33**	**560.81**
FEL	RFEL	**ELECTRICALLY LOCKED***	—	**701.52**	**790.23**
FEU	RFEU	**ELECTRICALLY UNLOCKED***	—	**701.52**	**790.23**

Marks USA Antimicrobial Finish Available - Option Code: AM - Add $40 ***LEVERS ARE PACKED 6 PER CASE***

NOTE: Split designs and/or finishes are priced at the highest design and/or finish • Special finishes, consult factory

***ELECTRIFIED FUNCTIONS: 100% Duty Cycle 24V AC/DC, supplied with bridge rectifier : EU - 210 ma; EL - 125 ma** • IC Core Models: Tailpieces included, core not included

OPTIONS	CODE	PRICE - 195	295	495
For 2" doors	D1	**NC**	**NC**	**NC**
For 2-1/4" doors	D2	**77**	**77**	**Call**
Over 2-1/4" - 4" thickness	D9	**667**	**667**	**667**
2-3/8" backset, 1" x 2-1/4" face	E6	**NC**	**NC**	**NC**
5" backset, 9/16" throw, Gr. 1	E9	**48**	**48**	**48**
3-3/4" backset, 9/16" throw, Gr. 1	E10	**48**	**48**	**48**
Less cylinder	G3	**Deduct 16**	**-16**	**-16**
2-3/4" "T" strike	S3	**NC**	**NC**	**NC**
AMERICAN LEVER ONLY Accepts:				
Yale conventional cylinder	F7	**24**	**24**	**—**
Sargent conventional cylinder	F8	**24**	**24**	**—**
Corbin conventional cylinder	F9	**24**	**24**	**—**
Corbin 6 pin IC core	F12	**35**	**35**	**—**
Corbin 7 pin IC core	F13	**35**	**—**	**—**
Yale 6 pin IC core	F14	**24**	**24**	**—**
Yale 7 pin IC core	F15	**24**	**—**	**—**
Schlage 6 pin IC core	F19	**24**	**24**	**—**
Sargent IC core	F20	**24**	**24**	**—**
AMERICAN & CRESCENT LEVER ONLY Accepts:				
Medeco IC core large format	F21	**24**	**24**	**—**

195 Series Leverset Shown Below



295 Series Leverset Shown Below



495 Series Leverset Shown Below



★ **Standard & HI-SECURITY™ IC Core Models:** Interchangeable Core models for 6 or 7 pin cores (not included). **Accepts:** Marks, Marks HI-SECURITY™, Medeco®, KeyMark™, Falcon, Schlage® small format & Best®. **IC Core Tailpieces ARE Included.**

FOR ADDITIONAL DESIGNS, ASK FOR THE CUSTOM LOCK DIVISION CATALOG OR VISIT OUR WEBSITE @ WWW.MARKSUSA.COM

1-800-645-9445 • Fax 631-225-6136 • ©2022 MARKS USA

75 LINE GRADE 2 CYLINDRICAL SURVIVOR LEVERSETS

BHMA CERTIFIED

ANSI-A156.2 • Grade 2 Plus
3 Hour Fire Rating

c UL us LISTED

SURVIVOR SERIES
Series 175/175R, 275/275R, 475/475R • 2-3/4" Backset

75 Series Leverset Shown Below



Standard Features

- Backset: 2-3/4"
- Latch #1134, Front: 1-1/8" x 2-1/4"; Throw: 1/2"; Stainless steel nose
- Levers: Solid cast Zamac; w/ 1/2" return (except 475)
- Roses: Thru-bolted, 3-1/4" dia., spring loaded 2-#10 thru-bolts
- Strike: #1145, ASA strike
- Door thickness: 1-5/8" to 1-7/8"; ***For 1-3/8" door use K1904 spacer***
- Cylinder: MARKS "C" keyway, 6 pin w/ 2 keys

MARKS #		FUNCTION	ANSI #	175	275, 475	175, 275, 475
COMM. CYL.	IC CORE CYL.*			26D	26D	3, 4, 10, 10B, 26
N	—	PASSAGE	F75	**200.12**	**217.33**	**238.14**
L	—	PRIVACY	F76	**241.14**	**259.15**	**279.16**
P	—	PATIO	F77	**215.13**	**233.14**	**253.15**
DC	RDC	COMMUNICATING	F80	**285.17**	**303.18**	**323.19**
A	RA	ENTRY	F81	**241.14**	**259.15**	**279.16**
B	RB	ENTRY	F82A	**241.14**	**259.15**	**279.16**
AB	RAB	ENTRY	F109	**241.14**	**259.15**	**279.16**
AQ	—	EXIT	F83	**231.14**	**248.15**	**279.16**
S	RS	CLASSROOM	F84	**241.14**	**259.15**	**279.16**
F	RF	STOREROOM	F86	**241.14**	**259.15**	**279.16**
DW	RDW	INSTITUTION	F87	**289.17**	**309.18**	**330.19**
DA	RDA	VESTIBULE	F88	**291.17**	**309.18**	**330.19**
FQ	—	EXIT	F89	**231.14**	**248.15**	**279.16**
T	RT	CORRIDOR	F90	**252.15**	**270.16**	**290.17**
BS	RBS	SERVICE STATION LOCK	F92	**252.15**	**270.16**	**290.17**
H	—	HOTEL	F93	**305.18**	**322.19**	**343.20**
DO	—	DUMMY TRIM OUTSIDE	—	**82.05**	**99.06**	**121.07**
DT	—	FULL DUMMY TRIM	—	**167.10**	**184.11**	**205.12**
NB	—	COMMUNICATING PASSAGE	F111	**175.10**	**190.11**	**205.12**
FB	RFB	COMMUNICATING STOREROOM	F112	**253.15**	**262.15**	**273.16**
SB	RSB	COMMUNICATING CLASSROOM	F113	**253.15**	**262.16**	**273.16**

OPTIONS	CODE	PRICE - 175	275	475
2-3/8" backset, 1" x 2-1/4" face	E6	**NC**	**NC**	**NC**
2-3/4" backset, 9/16" throw, Gr. 1, UL Listed	E7	**48**	**48**	**96**
5" backset, 9/16" throw, Gr. 1	E9	**48**	**48**	**96**
3-3/4" backset, 9/16" throw, Gr. 1	E10	**48**	**48**	**96**
Less cylinder	G3	**Deduct 16**	**-16**	**-16**
2-3/4" T strike	S3	**NC**	**NC**	**NC**
AMERICAN LEVER ONLY Accepts:				
Yale conventional cylinde	F7	**24**	**24**	**—**
Sargent conventional cylinder	F8	**24**	**24**	**—**
Corbin conventional cylinder	F9	**24**	**24**	**—**
Corbin 6 pin IC core	F12	**35**	**35**	**—**
Corbin 7 pin IC core	F13	**35**	**—**	**—**
Yale 6 pin IC core	F14	**24**	**24**	**—**
Yale 7 pin IC core	F15	**24**	**24**	**—**
Schlage 6 pin IC core	F19	**24**	**24**	**—**
Sargent IC core	F20	**24**	**24**	**—**
AMERICAN & CRESCENT LEVER ONLY Accepts:				
Medeco IC core large format	F21	**24**	**24**	**—**

175 Series Leverset Shown Below



275 Series Leverset Shown Below



475 Series Leverset Shown Below



★ **Standard & HI-SECURITY™ IC Core Models:** Interchangeable Core models for 6 or 7 pin cores (not included). **Accepts:** Marks, Marks HI-SECURITY™, Medeco®, KeyMark™, Falcon, Schlage® small format & Best®. **IC Core Tailpieces ARE Included.**

Cylindrical Lock Accessories

Latches, Strikes, Etc.



Grade 2
1/2" Throw

LATCH	THROW	Backset: 2-3/8" Front: 1" x 2-1/4"	Backset: 2-3/4" Front: 1-1/8" x 2-1/4"	FUNCTION	FINISH GROUPS		
					26D	3, 32D	10, 10B
GRADE 2	1/2"	1138A	1134A	ENTRANCE	—	53.85	65.77
		1138L	1134L	PRIVACY	—	39.46	53.81
		1138N	1134N	PASSAGE	—	39.46	53.81
		1138P	1134P	PATIO	—	53.81	65.77
GRADE 1	9/16"	—	1834A	ENTRANCE	—	110.02	119.59
		—	1834L	PRIVACY	—	92.08	110.02
		—	1834N	PASSAGE	—	92.08	110.02
		—	1834P	PATIO	—	92.08	110.02



1135 1136 1136-M



1997 1835 1855
1904 K2804 1901

PART	#	DESCRIPTION	FINISH GROUPS	
			3, 32D	10, 10B
STRIKES	1135	4-7/8" ASA strike, curved lip	27.51	27.51
	P1136	2-3/4" "T" strike w/dust box, curved lip	16.74	26.31
	1136-M	2-3/4" "T" strike w/dust box, straight lip	17.94	27.51
SURVIVOR SERIES ALUMINUM SPACER RINGS	K1904	For 1-3/8" door (2 per set), 3-7/16" dia.	47.84	59.79
KNOB SPACER RINGS	K2804	For 1-3/8" door (2 per set), 2-3/4" dia.	47.84	60.99
PART	**#**	**DESCRIPTION**	**NO FINISH**	
EXTENSION LINK *For use with 2-3/4" Grade 1 backset latch*	1835	3-3/4"	39.46	
	1855	5"		
	1855-P	5" (Grade 1; L, P functions only)		
BRIDGE RECTIFIER	1901	Bridge rectifier 24 V AC/DC (no finish)	59.79	
CYLINDER RETAINER	1997	Lever handle cylinder retainer	7.18	
INSTALLATION TOOL	J295	175/195 installation drill jig	229.61	



J190

FOR ADDITIONAL DESIGNS, ASK FOR THE CUSTOM LOCK DIVISION CATALOG OR VISIT OUR WEBSITE @ WWW.MARKSUSA.COM
1-800-645-9445 • Fax 631-225-6136 • ©2022 MARKS USA

Cylindrical Lock Accessories

Cylinders



Conventional Cylinder



IC Core Cylinder (Will Fit Best® Housings)

FOR KEYS & KEYING, SEE PAGE 68

Specify Tailpiece; *Tailpiece Not Included.*

	PART #	DESCRIPTION	PRICE
	1982	6 Pin, w/2 nickel-silver keys	**41.86**
	R1182	6 Pin core, uncombinated	**52.62**
*	R1183	7 Pin core, uncombinated	**52.62**
*	RA1182	6 Pin core, combinated	**77.73**
*	RA1183	7 Pin core, combinated	**77.73**
*	RC1182	6 Pin core, construction core	**55.01**
*	RC1187	Plastic core turnknob	**9.57**

*** Consult Factory on pricing of IC Cores when ordered with Locksets.**

Cylindrical Lock Tailpieces

1903

1903S

1903-L

1903S-L

F1903-C



F1903S-C

PART #	CODE	FUNCTION	CYLINDER	PRICE
1903	9	AB, B, DA (ext.), DW, F, FEL, FEU	MARKS 1982	**8.37**
1903S	S9	S, DA (int.), DB, DC, SB, T		
1903-L	L9	AB, B, DA (ext.), DW, F, FEL, FEU	Arrow PK 100C, Ilco 705, Lori 1539, Sargent 13-3266, Abloy, ASSA 65673, 65691	**8.37**
1903S-L	SL9	S, DA (int.), DB, DC, SB, T		
F1903-C	—	AB, B, DA (ext.), DW, F, FEL, FEU	Schlage 23-001, Primus, Corbin-Russwin 2000-034	**8.37**
F1903S-C	—	S, DA (int.), DB, DC, SB, T		

Cylindrical IC Core Tailpieces



HR1984



HR1984S



HR1984-G



HR1984S-G

AR1989-Y

AR1989S-Y

AR1999-M

AR1999S-M



F1903C-F19



F1903S-F19

R1981

R1983

For Keying information see Pages 68

PART #	CODE	FUNCTION	CORE	PRICE
HR1984	R1	AB, B, DA (ext.), DW, F, FEU, FEL	6 or 7 pin Marks, KSP, Best®, Falcon, Medeco®, Keymark™, Sargent®, Schlage® Small Format	**8.37**
HR1984S	RS	S, DA (int.), DB, DC, SB, T		
HR1984-G	RG9	AB, B, DA (ext.), DW, F, FEU, FEL	6 or 7 pin Corbin	**8.37**
HR1984S-G	RSG	S, DA (int.), DB, DC, SB, T		
AR1989-Y	9MY	AB, B, DA (ext.), DW, F, FEU, FEL	6 or 7 pin Yale	**10.76**
AR1989S-Y	9SY	S, DA (int.), DB, DC, SB, T		
AR1999-M	9M	AB, B, DA (ext.), DW, F, FEU, FEL	Medeco®	**10.76**
AR1999S-M	9SM	S, DA (int.), DB, DC, SB, T	Medeco®	**10.76**
F1903C-F19	—	AB, DW, F	6 pin Schlage® Large Format	**10.76**
F1903S-F19	—	S, DA, DB, DC, SB, T		
R1981	Spacer			**8.37**
R1983	Security Disc			**8.37**

Cylindrical Knob/Lever Functions

ANSI# CODE	MARKS FUNCTION	ANSI# CODE	MARKS FUNCTION	ANSI# CODE	MARKS FUNCTION	ANSI# CODE	MARKS FUNCTION
F75	N	F82A	B	F89	FQ	F109	AB
F76	L	F83	AQ	F90	T	F110	DB
F76 (MOD.)	LK	F84	S	F90 (MOD.)	TK	F111	NB
F77	P	F86	F	F91 (95 Series Leverset ONLY)	GB	F112	
F80	DC	F87	DW	F92	BS	FB	
F81	A	F88	DA	F93	H	F113	SB

ANSI # CODE	Marks Function I/S O/S	
F75 PASSAGE: Latch by knob/lever either side.		N
F76 PRIVACY: Latch by knob/lever either side unless outside knob/lever locked by push-button from inside. Outside unlocks by turning inside knob/lever, outside emergency turn or closing door.		L
F76 (MOD.) HOSPITAL/PRIVACY: Latch by knob/lever either side unless outside knob/lever locked by push-button from inside. Outside unlocks by turning inside knob/lever, outside turn or closing door. Emergency turn-knob A5 option.		LK
F77 PATIO: Deadlocking latch by knob/lever either side unless outside knob/lever locked by push-button inside. Unlocks by turning inside knob/lever or closing door.		P
F80 COMMUNICATING: Key both sides. Locks or unlocks either knob/lever independent of the other. Deadlocking latch.		DC
F81 ENTRY: Deadlocking latch bolt by knob/lever either side except when outside locked by turn-button inside. When outside locked, key outside or knob/lever inside opens lock. Turn-button operated manually.		A
F82A ENTRY: Deadlocking latch by knob/lever either side. Outside locked by push-button inside. When outside locked by push-button inside, key opens lock, unlocks push-button. Inside knob/lever always opens latch. Closing door does not release push-button.		B
F83 EXIT: Deadlocking latch by knob/lever either side except when outside locked by turn-button inside. Inside knob/lever always opens latch. Turn-button operated manually.		AQ
F84 CLASSROOM: Deadlocking latch by knob/lever inside. Outside knob/lever locked or unlocked by key.		S
F86 STOREROOM: Deadlocking latch by knob/lever inside, key outside. Outside knob/lever always locked.		F
F87 INSTITUTION: Both knob/levers always locked. Deadlocking latch by key both sides.		DW
F88 VESTIBULE: Deadlocking latch by knob/lever either side, except when outside knob/lever locked by key inside. Key outside retracts deadlocking latch. Inside always open.		DA
F89 EXIT: Deadlocking latch by knob/lever inside. Outside always locked.		FQ
F90 CORRIDOR: Deadlocking latch by knob/lever either side unless outside locked by key or inside push-button. Unlock by key, turning inside knob/lever or closing door.		T

ANSI # CODE	Marks Function I/S O/S	
F90 (MOD.) HOSPITAL/PRIVACY: Deadlocking latch by knob/lever either side unless outside locked by knob/lever or inside push-button. Unlock by turn-knob, turning inside knob/lever or closing door. Emergency turn-knob A5 option.		TK
F91 STORE DOOR (95 Series Leverset ONLY): Deadlocking latch by knob/lever either side except when both knob/levers are locked by key from either side.		GB
F92 SERVICE STATION LOCK: Deadlocking latch by knob/lever either side unless outside locked by key or inside push-button. Unlock by key, turning inside knob/lever or closing door, except when slotted push-button is turned in locked position. Inside knob/lever always opens latch.		BS
F93 HOTEL: Deadlocking latch by knob/lever inside. Outside knob/lever always locked. Inside push-button projects indicator on cylinder face shutting out all keys except emergency key. Turning inside knob/lever or closing door releases push-button.		H
F109 ENTRY: Outside locked by pushing turn-button inside. Key outside opens lock. Rotating inside knob/lever releases button and outside knob/lever. By pushing and turning inside button, outside knob/lever remains locked. Deadlocking latch.		AB
F110 CLASSROOM INTRUDER: Deadlocking latch by knob/lever either side, except when outside locked by key inside. Key outside locks or unlocks outside. Inside always open		DB
DUMMY TRIM: Outside only, rigid.		DO
DUMMY TRIM: Both sides, rigid.		DT
F111 COMMUNICATING PASSAGE: Blank outside. Deadlocking latch by knob/lever inside.		NB
F112 COMMUNICATING STOREROOM: Blank outside. Deadlocking latch by key only. Knob/lever always locked.		FB
F113 COMMUNICATING CLASSROOM: Blank outside. Inside knob/lever locked or unlocked by key. Deadlocking latch.		SB
ELECTRICALLY LOCKED - FEL (Fail Safe): Outside always locked electrically. Open by key outside, switch or loss of power. Deadlocking latch by lever inside. **Lever only.**		FEL
ELECTRICALLY UNLOCKED - FEU (Fail Secure): Outside always locked until unlocked by key or electrically energized. Deadlocking latch by lever inside. **Lever only.**		FEU

FOR ADDITIONAL DESIGNS, ASK FOR THE CUSTOM LOCK DIVISION CATALOG OR VISIT OUR WEBSITE @ WWW.MARKSUSA.COM

1-800-645-9445 • Fax 631-225-6136 • ©2022 MARKS USA

How To Order Tubular Locksets

How To Order Example for Tubular Locksets

1	RW	92	N	/	32D	—	S3
1. Lockset Series	*2. Rose Design*	*3. Knob/Lever*	*4. Marks Function*	*Slash*	*5. FInish*	*Dash*	*6. Options*

1 SERIES

Tubular Locksets	1
Cylindrical Cartridge	1

2 ROSES

ROSES		DESIGN
9602-R	Rose with ring 2-9/16" dia.	RR
9602	Plain rose 2-9/16" dia.	RW
5602-R	Small rose with ring 2-1/4" dia.	RQ
5602	Small rose 2-1/4" dia.	RS
7602	Square rose 2-9/16" square	RX
7607	Square forged rose 2-9/16" square	RK

3 KNOB/LEVER

KNOBS		DESIGN
1153	Round, wrought	10
1253	Ball, wrought	20
9631	Ball, forged	30
9609	Eclipse, forged	60
LEVERS		**DESIGN**
SF031	Copa	031
5642	Palace	42
5657	Monaco	57
5662	Royale	62
5672	Towne	72
5677	Maxwell	77
5678	Omni	78
5682	Plaza	82
5683	Dayton	83
5686	Crescent	86
5692	American	92
5696	Titan	96

4 TUBULAR FUNCTIONS

MARKS #		ANSI #
TUBULAR LOCKSETS		
N	PASSAGE	F75
L	PRIVACY	F76
NB	COMMUNICATING	F111
DI	DUMMY TRIM INSIDE	
DO	DUMMY TRIM OUTSIDE	
DT	FULL DUMMY	

5 FINISH

MARKS		ANSI #
US 3	Polished Brass, Clear Coated	605
US 3E	Polished Brass "PVD"	605E
US 4	Satin Brass, Clear Coated	606, 606E
US10	Satin Bronze, Clear Coated	612E
US 10B	Dark Bronze, Clear Coated	613E
US15	Satin Nickel	619, 619E
US 26	Polished Chrome, Plated	625
US 26D	Satin Chrome, Plated	626
US 32	Polished Stainless Steel	629
US 32D	Satin Stainless Steel	630

6 OPTIONS

TRIM MODIFICATIONS	CODE	PRICE
Tactile knob/lever, coated ext. only	A1	62
Tactile knob/lever, knurled	A4	62
Tactile knob/lever, coated int. & ext.	A18	126
DOOR THICKNESS	**CODE**	**PRICE**
1-3/4"	D4	NC
1-3/8"	D5	NC
LATCH	**CODE**	**PRICE**
2-3/4" backset, 1-1/8" x 2-1/4" face	E4	11
2-3/4" backset, 9/16" throw, Gr. 1, UL Listed With Cylindrical Cartridge*	**E7**	110
2-3/8" backset, 1-1/8" x 2-1/4" face	E11	14
2-3/4" backset, 1 x 2-1/4" face	E12	14
Adjustable latch 1-1/8" x 2-1/4" face	E13	11
TRIM CHANGES	**CODE**	**PRICE**
For 1-1/2" bore	F6	18
STRIKE	**CODE**	**PRICE**
4-7/8" ASA strike	S1	14
2-3/4" "T" strike	S3	NC
3-5/8" Security strike	S4	12
2-1/4" Curved lip strike	S5	NC

* E7 Option Available: 2-3/8", 2-3/4", 3-3/4" & 5" Backset, for N Function ONLY.

Tubular Knob/Lever Functions

ANSI # CODE	Marks Function I/S	O/S	
F75 PASSAGE: Latch by knob/lever either side.			N
F76 PRIVACY: Latch by knob/lever either side unless outside knob/lever locked by push-button from inside. Outside unlocks by turning inside knob/lever, outside emergency turn or closing door.			L
F111 COMMUNICATING: Blank outside. Deadlocking latch by knob/lever inside.			NB

ANSI # CODE	Marks Function I/S	O/S	
DUMMY TRIM INSIDE: Dummy trim inside ONLY.			DI
DUMMY TRIM OUTSIDE: Dummy trim outside ONLY.			DO
FULL DUMMY TRIM: Dummy trim both sides.			DT

1-800-645-9445 • Fax 631-225-6136 • ©2022 MARKS USA

ROSE Design RR, RW, RQ, RS, RX*, RK*, RL*



ANSI-A156 • Grade 2

Standard Features

- Backset: 2-3/8", 2-3/4" optional
- Front: 1" x 2-1/4"
- Thru-bolted screwless knob/lever rose
- Concealed mounting screws
- Lever support springs
- Independent spring loaded captivated spindles
- Strike: 2-1/4" full curved lip
- Latch support housing
- Door thickness: 1-3/8" to 1-3/4"
- Privacy function - interior with automatic release

Series 1 • 2-3/8" Backset

KNOBS		LEVERS	
10, 20	30, 60	031, 44, 55, 57, 72, 77, 78, 82, 83, 86, 92, 96	82, 83, 86, 92, 96, 031

MARKS #	FUNCTION	ANSI #	FINISH GROUPS 3, 32D	3E, 15	10B, 26	3E, 4, 15, 26D	10E, 10B, 19E 14, 26	32, 32D
KEYLESS								
N	PASSAGE	F75	246.75	315.07	353.82	331.39	371.15	319.15
L	PRIVACY	F76	257.97	326.29	366.05	342.60	382.37	330.37
NB	COMMUNICATING	F111	302.84	404.80	342.60	320.17	358.92	309.85
DUMMY TRIM								
DI	DUMMY TRIM INSIDE		115.22	148.87	222.28	159.06	177.42	150.91
DO	DUMMY TRIM OUTSIDE							
DT	FULLY DUMMY		230.44	298.76	337.50	315.07	353.82	302.84

KNOBS & LEVERS ARE PACKED 16 PER CASE

NOTE: Split designs and/or finishes are priced at the highest design and/or finish • Special finishes, consult factory

***Square Rose RX: Add $30 / *Square Rose RZ: Add $70 / *Square Rose RK: Add $100**

KNOBS

Round Knob 10

Ball Knob 20

Ball Knob 30

Eclipse Knob 60

LEVERS

Stanhope Lever 44

Copa Lever 031

Brompton Lever 55

Monaco Lever 57
Specify handing

Towne Lever 72

Maxwell Lever 77

Omni Lever 78

Plaza Lever 82
Specify handing

Dayton Lever 83
Specify handing

Crescent Lever 86

American Lever 92

Titan Lever 96

ROSES

RR: 2-9/16" dia.

RW: 2-9/16" dia.

RQ: 2-1/4" dia.

RS: 2-1/4" dia.

RX: 2-1/2" sq.

RK: 2-1/2" sq.

RL: 1-1/2" sq.



OPTIONS	CODE	PRICE	NOTE
1-3/8" door thickness	D5	NC	
2-3/4" backset, 1-1/8" x 2-1/4" face	E4	5	
2-3/4" backset, 9/16" throw, Gr. 1, UL Listed WITH CYLINDRICAL CARTRIDGE *	**E7**	**50**	**N Function Only**
2-3/8" backset, 1-1/8" x 2-1/4" face	E11	6	
2-3/4" backset, 1" x 2-1/4" face	E12	6	
4-7/8" ASA strike	S1	6	
2-3/4" "T" strike	S3	NC	
US 26 Interior	x26	11	83, 92, 96 Only

*** E7 Option Available: 2-3/8", 2-3/4", 3-3/4" & 5" Backset, for N Function ONLY.**

FOR ADDITIONAL DESIGNS, ASK FOR THE CUSTOM LOCK DIVISION CATALOG OR VISIT OUR WEBSITE @ WWW.MARKSUSA.COM

1-800-645-9445 • Fax 631-225-6136 • ©2022 MARKS USA

INTERIOR TUBULAR LOCKSETS

***NEW!* 60 Series, Stainless Steel, Commercial Locksets**

Standard Features

- Latch Face: 1" x 2-1/4" standard
- Roses: 2-9/16" diameter
- Backset: 2-3/4" with 2-3/4" T-strike with square corners
- Backset: 2-3/8" with 2-1/4", radius corner full lip strike, option E6, N/C
- Door thickness: 1-3/8" to 1-3/4"
- Privacy Function with kick-off latch

MARKS #	FUNCTION	ANSI #	FINISH GROUPS (160, 260 & 360)
			32D
N	PASSAGE	F75	**146.83**
L	PRIVACY	F76	**158.05**
DO	DUMMY TRIM OUTSIDE	—	**73.41**

LEVERS ARE PACKED 9 PER CASE **Additional finishes, consult factory**

160 Series Finishes:32D	260 Series Finishes: 32D	360 Series Finishes: 32D
		

Tubular Lockset Accessories

Strikes, Latches, Support Housing


1631

1536


1145


1634


1636

1634N
1638N


1636

1634L
1638L


1648N

PART #	DESCRIPTION	BACKSET FRONT	FINISH GROUPS		
			NO FINISH	3, 26	10, 10B, 32
1631	Support housing	—	**11.96**	**—**	**—**
1536	"T" Strike, 2-3/4" curved lip	—	**—**	**11.96**	**19.13**
1145	4-7/8"ASA strike	—	**—**	**14.35**	**26.31**
1634	Tubular deadbolt	2-3/4"	**—**	**127.96**	**136.33**
1636	Strike, 2-1/4" full curved lip	—	**—**	**11.96**	**19.13**
1634N	Passage latch w/ strike	2-3/4"	**—**	**90.89**	**116.00**
1634L	Privacy latch w/ strike	1" x 2-1/4"	**—**	**108.83**	**120.78**
1638N	Passage latch w/ strike	2-3/8"	**—**	**58.60**	**74.14**
1638L	Privacy latch w/ strike	1" x 2-1/4"	**—**	**74.14**	**88.50**

Turnpieces

SKA03

SKA015

1351

8101P

5108

A7616

PART #	DESCRIPTION	FINISH GROUPS					
		3E	3	26D	4	10, 10B, 26	32D
SKA03	Turnpiece	**—**	**—**	**—**	**—**	**—**	**101.65**
SKA015	Turnpiece	**87.30**	**66.97**	**66.97**	**87.30**	**77.73**	**—**
1351	Turnpiece	**—**	**—**	**89.69**	**—**	**—**	**—**
8101P	Turnpiece	**74.14**	**52.62**	**52.62**	**74.14**	**63.38**	**63.38**
5108	Turnpiece	**—**	**—**	**89.69**	**—**	**—**	**—**
A7616	Turnpiece	**87.30**	**66.97**	**66.97**	**87.30**	**77.73**	**77.73**

Latches & Cylindrical Cartridge


1834


A1430
Cylindrical Cartridge

NOTE: Cylindrical Cartridge is for use with E7* Option ONLY.

LATCH	THROW	Backset 2-3/8"; Front 1" x 2-1/4"	Backset 2-3/4"; Front 1-1/8" x 2-1/4"	FUNCTION	FINISH GROUPS	
					3, 32D	10, 10B
GRADE 2	1/2"	1138A	1134A	ENTRANCE	**52.62**	**39.46**
GRADE 1	9/16"	—	1834A	ENTRANCE	**110.62**	**70.56**

PART #	DESCRIPTION	NO FINISH
A1430	Cylindrical Cartridge	**77.73**

FOR ADDITIONAL DESIGNS, ASK FOR THE CUSTOM LOCK DIVISION CATALOG OR VISIT OUR WEBSITE @ WWW.MARKSUSA.COM
1-800-645-9445 • Fax 631-225-6136 • ©2022 MARKS USA

How To Order Defender Locksets

How To Order Example for Defender Locksets					
145	K	/	32D	—	D1
1. Lockset Series	*2. Marks Function*	*Slash*	*3. Finish*	*Dash*	*4. Options* Specify: Keying, Handing & Door Thickness

1 SERIES

Defender Tubular Deadbolt Locksets	130, 130R
Defender Cylindrical Cartridge Deadlatch Locksets	145, 145R

2 TUBULAR FUNCTIONS

DEADBOLT/DEADLATCHES (* indicates IC Core)			130 Series	145 Series
K	RK*	CYLINDER x TURNPIECE	E0151	E01101
KK	RKK*	CYLINDER x KNOB		
L	RL*	COMM. SINGLE CYLINDER	E0161	E0131
KL	RKL*	CYLINDER x LEVER		E01101
M	RM*	DOUBLE CYLINDER	E0141	E01111
S	RS*	CLASSROOM	E0171	
X		TURNPIECE	E0191	E01121

3 FINISH

MARKS		ANSI #
US 3	Polished Brass, Clear Coated	605
US10	Satin Bronze, Clear Coated	612E
US 10B	Dark Bronze, Clear Coated	613E
US 26D	Satin Chrome, Plated	626
US 32	Polished Stainless Steel	629
US 32D	Satin Stainless Steel	630

4 OPTIONS

TRIM MODIFICATIONS	CODE	PRICE
Tactile knob/lever, coated ext. only	A1	62
Tactile knob/lever, knurled	A4	62
Tactile knob/lever, coated int. & ext.	A18	126
DOOR THICKNESS	**CODE**	**PRICE**
50 mm (2")	D1	NC
57 mm (2-1/4")	D2	53
1-1/4" - 1-1/2"	D8	NC
LATCH	**CODE**	**PRICE**
2-3/4" backset, 1-1/8" x 2-1/4" face	E4	11
2-3/8" backset, 1-1/8" x 2-1/4" face	E11	13
TRIM CHANGES	**CODE**	**PRICE**
Sargent conventional cylinder	F8	23
CYLINDER	**CODE**	**PRICE**
Less cylinder	G3	Deduct 16
STRIKE	**CODE**	**PRICE**
4-7/8" ASA strike	S1	14
4-7/8" x 1-1/4" security strike	S4	12

Deadbolt/Deadlatch Functions

ANSI # CODE — **MARKS # FUNCTION**

130 SERIES:

E0151 ..... K
E0161 L
E0141 ..... M
E0171 ..... S
E0191 X

145 SERIES:

E01101 ..... K
E0131 L
E01101 ..... KL
E01111 ..... M
E01121 X

ANSI # CODE	Marks Function I/S O/S	
CYLINDER x TURNPIECE: Deadbolt/deadlatch by inside turnpiece or outside key.		K
COMMUNICATING SINGLE CYLINDER: Deadbolt/deadlatch by key from one side only.		L
CYLINDER x LEVER: Deadlatch by key outside. Inside lever always opens latch.		KL

ANSI # CODE	Marks Function I/S O/S	
DOUBLE CYLINDER: Deadbolt/deadlatch by key either side.		M
CLASSROOM: Deadbolt by outside key. Turnpiece will retract but not project deadbolt.		S
TURNPIECE x BLANK PLATE: Deadbolt/deadlatch by inside turnpiece. Blank plate outside.		X

130 SERIES "DEFENDER" TUBULAR DEADBOLTS

ANSI 156.5

Standard Features

- Bolt: 1" throw
- Unitized assemblies for 2-1/8" bore
- Strike: #1335, 2-3/4" x 1-1/8" strike
- Door thickness: 1-3/8" to 1-7/8"
- Cylinder: MARKS "C" keyway, 6 pin w/ 2 keys
- 2-3/8" Backset
- Latch front: 1" x 2-1/4"

MARKS #		FUNCTION	ANSI #	FINISH GROUPS
COMM. CYL.	IC CORE CYL.*			3, 10, 10B, 32, 32D
K	RK	CYLINDER x TURNPIECE	E0151	**214.13**
L	RL	COMMUNICATING SINGLE CYL	E0161	**214.13**
M	RM	DOUBLE CYLINDER	E0141	**206.99**
S	RS	CLASSROOM	E0171	**186.60**
X	—	TURNPIECE x BLANK PLATE	E0191	**149.89**

DEADBOLTS ARE PACKED 24 PER CASE

NOTE: Split designs and/or finishes are priced at the highest design and/or finish • Special finishes, consult factory

• IC Core Models: Core not included

OPTIONS	CODE	PRICE
For 2" door	D1	**NC**
For 2-1/4" door	D2	**53**
For 1-1/4" - 1-1/2" door	D8	**NC**
2-3/4" backset, 1-1/8" x 2-1/4" face	E4	**12**
For 1-1/2" bore	F6	**21**
Sargent original cylinder or core	F8	**24**
Less cylinder	G3	**Deduct 16**
3-5/8" x 1-1/4" Security strike	S4	**12**

130M Double Cylinder	130RM Double Cylinder IC Core
	

✱ Standard IC Core Models:

Interchangeable Core models for 6 or 7 pin cores (not included).

Accepts: Marks, Medeco KeyMark™, Falcon & Best®. IC Core Tailpieces ARE Included.

145 SERIES "DEFENDER" CYLINDRICAL CARTRIDGE DEADLATCHES

BHMA CERTIFIED | **ANSI 156.5 • 3 Hour Fire Rating** | c UL us LISTED

Standard Features

- Series 1 Cylindrical Cartridge
- Latch: Grade 1, 9/16" throw, 2-3/4" backset
- Unitized assemblies for 2-1/8" bore
- Strike: #1136, 2-3/4" strike
- Door thickness: 1-3/4";
  For 1-3/8" doors use spacer rings K1442/32D
- Cylinder: MARKS "C" keyway, 6 pin w/ 2 keys
- Latch front: 1-1/8" x 2-1/4"

MARKS #		FUNCTION	ANSI #	FINISH GROUPS
COMM. CYL.	IC CORE CYL.*			3, 10, 10B, 32, 32D
K	RK	CYLINDER x TURNPIECE	E01101	**231.46**
L	RL	COMMUNICATING SINGLE CYL	E0131	**231.46**
M	RM	DOUBLE CYLINDER	E01111	**250.83**
X	—	TURNPIECE x BLANK PLATE	E01121	**196.79**
KL	RKL	CYLINDER x LEVER	E01101	**391.54**
KK	RKK	CYLINDER x KNOB		**406.84**

DEADLATCHES ARE PACKED 24 PER CASE

NOTE: Split designs and/or finishes are priced at the highest design and/or finish • Special finishes, consult factory

• IC Core Models: Core not included

OPTIONS	CODE	PRICE
For 2" door	D1	**NC**
For 2-1/4" door	D2	**55**
2-3/8" backset, 1-1/8" x 2-1/4" face	E11	**14**
Sargent original cylinder or core	F8	**24**
Less cylinder	G3	**Deduct 16**
4-7/8" ASA strike	S1	**14**

✱ Standard IC Core Models:

Interchangeable Core models for 6 or 7 pin cores (not included).

Accepts: Marks, Medeco KeyMark™, Falcon & Best®. IC Core Tailpieces ARE Included.

145K Cylinder x Turnpiece	145RM Double Cylinder IC Core	145KL Cylinder x Lever	145KK Cylinder x Knob
			

Defender Series Accessories

Strikes, Latches & Spacers


1135


1136


1137


1335


1336


1337

K1342



1334
1338

PART #	DESCRIPTION	FINISH GROUPS		
		NO FINISH	3, 32D	10, 10B, 32
1135	4-7/8" ASA STRIKE	—	27.51	27.5
1136	2-3/4" "T" STRIKE W/DUST BOX	—	11.96	17.94
1137	DUST BOX, PLASTIC, LATCH	7.18	—	—
1335	2-3/4" x 1-1/8" STANDARD STRIKE	—	9.57	11.96
1336	DUST BOX, PLASTIC, DEADBOLT	7.18	—	—
1337	3-5/8" x 1-1/4" HIGH SECURITY STEEL STRIKE, PLATED FINISH	—	81.32	—
K1342	1-3/8" DOOR, ROSE EXTENDERS, 130 Series	—	64.58	80.12
DEADBOLTS				
1334	2-3/4" BACKSET FRONT 1-1/8" x 2-1/4"	—	41.86	52.62
1338	2-3/8" BACKSET FRONT 1-1/8" x 2-1/4"	—	41.86	52.62
K1442	1-3/8" DOOR, 145 SERIES	—	185.36	—

Latches & Cylindrical Cartridge


1834


A1420 Cylindrical Cartridge
for use with 145 Series
NOTE: Cylindrical Cartridge is for use with E7* Option ONLY.

LATCH	THROW	Backset 2-3/8" Front 1" x 2-1/4"	Backset 2-3/4" Front 1-1/8" x 2-1/4"	FUNCTION	FINISH GROUPS	
					3, 32D	10, 10B
GRADE 2	1/2"	1138A	1134A	ENTRANCE	52.62	65.77
GRADE 1	9/16"	—	1834A	ENTRANCE	110.02	118.39

PART #	DESCRIPTION	NO FINISH
A1420	Cylindrical Cartridge for use with 145 Series	131.55

Tailpieces & Cylinders


1382DC


1382

1373

1374


1375


1389



1403



1405



F1403-C



F 1405-C


1403-L


1405-L

PART #	TAILPIECES FOR 130 DEADBOLTS		PRICE
DOUBLE CYLINDER			
1373	1-5/16" to 1-3/8"	MARKS 1382DC	6
1374	1-5/8" to 2"		6
1375	2-1/8" to 2-3/8"		6
SINGLE CYLINDER			
1389	1-3/4" to 2-1/4"	MARKS 1382	6
TAILPIECES FOR 145 DEADLATCHES			
1403	1-5/8" to 1-7/8"	MARKS TAILPIECE	5
1405	2" to 2-1/4"		6
F1403-C	1-5/8" to 1-7/8"	SCHLAGE® TAILPIECE	7
F1405-C	2" to 2-1/4"		7
1403-L	1-5/8" to 1-7/8"	LORI / ILCO TAILPIECES	7
1405-L	2" to 2-1/4"		7

I-QWIK LITE² SERIES

NO-NONSENSE ACCESS CONTROL RIGHT OUT OF THE BOX

MARKS #		LOCKSET TYPE - PACKED PER CASE	# OF USERS	FINISH GROUPS	
IQ1LITE	IQ1L/26D			19 Black Powder Coat; with 26D American Levers	26D Satin Chrome
		IQ1: Cylindrical Lockset - *PACKED 4 PER CASE*	160	**1072.52**	**1234.91**
IQ2LITE	IQ2L/26D				
		IQ2: Mortise Lockset - *PACKED 4 PER CASE*	160	**1731.51**	**1893.90**
IQ7LITE	IQ7L/26D				
		IQ7: Rim Exit Device Interface - *PACKED 6 PER CASE* *Adapter plates operate most manufacturers Rim Exit Devices. Adapter plates for Mounting Exit Devices are sold separately, see page 70.*	160	**1504.92**	**1669.20**

Standard Features

- ***CableGard™*** protects wires for easy installation
- Standard ANSI door prep with one additional hole
- Pre-programmed code
- Keypad programmable
- 160 User codes
- Temporary user codes
- Passage mode
- Pin only mode
- Double code entry for maximum security
- Two wire remote release
- 16 Digit tactile metal keypad
- Weatherproof standard
- Audible & visible entry indicator
- Audible low battery alert
- 4 "AA" batteries, 95,000 operations
- Easy installation
- Lifetime Mechanical Warranty; 2 Year Electronic Warranty

IQ1 LITE Cylindrical Lockset Specifications

Door Thickness: 1-3/4" standard; *For thicker doors, Consult factory*
Handing: Non-handed
Key Override: Marks "C" keyway, 6 pin w/2 keys, IC Core optional
Lock Body: Cylindrical "Survivor" featuring the "Clutch" for trouble free service
Latch: Grade 2, 2-3/4" backset, 1/2" throw, 3 Hour UL fire rating
Strike Plate: 4-7/8" ASA strike

IQ2 LITE Mortise Lockset Specifications

Door Thickness: 1-3/4" standard; *For thicker doors, Consult factory*
Handing: Field reversible
Key Override: 1-1/8" Mortise cylinder, 6 pin w/2 keys
Lock Body: Grade 1, Series 5, 2-3/4" backset, 3/4" anti-friction latch, 3 Hr UL fire rating
Auxiliary Latch: 1/2" throw
Clutch: The "Clutch" for trouble free service
Strike Plate: 4-7/8" ASA standard

IQ7 LITE Rim Exit Device Interface Specifications

Door Thickness: 1-3/4" standard; *For thicker doors, Consult factory*
Handing: Non-handed
Key Override: 1-1/8" Mortise cylinder, 6 pin w/2 keys
Clutch: The "Clutch" for trouble free service

Adapter plates operate most manufacturers Rim Exit Devices. Adapter plates for Mounting Exit Devices are sold separately, see page 70.

How To Order Example for i-Qwik LITE Series Electronic Access Control Locksets

IQ	1LITE		
1. Lockset Series	19 Finish	*2. Model Number*	26D Finish
❒ IQ	❒ 1LITE (Cylindrical) ❒ 2LITE (Mortise) ❒ 7LITE (Rim Exit Device Interface)		❒ 1L/26D (Cylindrical) ❒ 2L/26D (Mortise) ❒ 7L/26D (Rim Exit Device Interface)

FOR ADDITIONAL DESIGNS, ASK FOR THE CUSTOM LOCK DIVISION CATALOG OR VISIT OUR WEBSITE @ WWW.MARKSUSA.COM
1-800-645-9445 • Fax 631-225-6136 • ©2022 MARKS USA

I-QWIK/I-QUE SERIES

OPTIONS

I-QWIK / I-QUE OPTIONS			Cylindrical			Mortise			Rim Exit Device Interface		
DESCRIPTION	**CODE**	**PRICE**	**IQLITE**	**IQDATA**	**IQPROX**	**IQLITE**	**IQDATA**	**IQPROX**	**IQLITE**	**IQDATA**	**IQPROX**
Backset											
2-3/8" Backset	E6	**NC**	•	•	•						
5" Backset	E9	**48**	•	•	•						
3-3/4" Backset	E10	**48**	•	•	•						
Series 55 Mortise Lock Body (2-1/2" bkst)	W8	**NC**				•	•	•			
Levers											
Tactile Lever	A1	**62**	•	•	•	•	•	•	•	•	•
Lever to accept Sargent conventional cyl.	F8	**24**	•	•	•						
Lever to accept Corbin conventional cyl.	F9	**24**	•	•	•						
Lever to accept Corbin IC Core 6 pin	F12	**35**	•	•	•						
Lever to accept Corbin IC Core 7 pin	F13	**35**	•	•	•						
Lever to accept Yale IC Core 6 pin	F14	**24**	•	•	•						
Lever to accept Yale IC Core 7 pin	F15	**24**	•	•	•						
Lever to accept Schlage IC Core 6 pin	F19	**24**	•	•	•						
Lever to accept Sargent IC Core	F20	**23**	•	•	•						
Lever to accept Medeco IC Core lg. format	F21	**24**	•	•	•						
Solid Exterior Handle (no cylinder)	W4	**NC**	•	•	•	**Std**	**Std**	**Std**	**Std**	**Std**	**Std**
Crescent Lever	W7	**21**	•			•	**Std**	**Std**	•	**Std**	**Std**
Titan Lever	W12	**21**	•	•	•	•	•	•	•	•	•
Cylinder											
IC Core Cylinder Housing	G1	**NC**	•	•	•	•	•	•	•	•	•
Less Cylinder	G3	**Deduct 16**	•	•	•	•	•	•	•	•	•
Strike											
4-7/8" ASA Strike	S1	**14**	•	**Std**	**Std**	**Std**	**Std**	**Std**			
2-3/4" "T" Strike	S3	**NC**	**Std**	•	•						
Miscellaneous											
Tamper-proof Screws	A3	**15**	•	•	•	•	•	•	•	•	•

IQWIK LITE ACCESSORIES

I-QWIK / I-QUE ACCESSORIES			Cylindrical	Mortise	Rim Exit Device Interface
ACCESSORY	PART #	PRICE			
Bridge Rectifier (converts AC power to DC power)	1901	**50.23**	•	•	•
Gasket (interior inside housing for full weatherproofing)	E1108	**9.57**	•	•	
Battery Pack Holder	EA4011	**25.11**	•	•	•
Spacer Kit, 1-3/8" Door (Int. & Ext. Gaskets)	EK1038	**74.14**	•	•	•
Internal power connector for hardwiring i-Qwik/i-Que Locksets	E1133	**35.88**	•	•	•
Memory Reset Jumper	E1155	**25.11**	•	•	•
Spacer Ring for 1-1/4" mortise cylinder	E2006	**25.11**		•	•
Spacer Ring for 1-3/8" mortise cylinder	E2007	**25.11**		•	•
Rim Exit Device Adaptor Plate					
Von Duprin 99 Rim Adapter Plate / M9900 Marks Detex Advantex 10 Series Rim Adapter Plate	E7071	**95.67**			•
Precision 1100 Rim Adapter Plate	E7072	**95.67**			•
Yale 7100 Rim Adapter Plate/ Corbin ED5200 Rim Adapter Plate	E7073	**95.67**			•
Dorma 9300 Rim Adapter Plate	E7074	**95.67**			•
Sargent 8800 Rim Adapter Plate/ Arrow 3800 Rim Adapter Plate	E7075	**95.67**			•
Precision 21 Rim Adapter Plate/ Precision 2100 Rim Adapter Plate**	E7076	**95.67**			•
Von Duprin 88 - **Special Order, Consult Factory**	E7077	**95.67**			•
Monarch 18R Exit Device Adapter Plate	E7078	**108.83**			•

NOTE: Consult Factory for Additional Exit Devices; **Must use Precision #BP21 backplate.

TAILPIECES & CAMS

CYLINDRICAL TAILPIECES Cylindrical Conventional				
	FOR USE WITH	LEVER	CODE	PRICE
	Marks 1982	E1903	E1	**8.35**
	Arrow PK 100C, ILCO 705, Sargent 13-3266, Lori 1539, ASSA 65673, 65691, Abloy	E1903-L	E2	**8.35**
	Schlage® 23-001, Primus Corbin-Russwin 2000-034	EF1903-C	E3	**8.35**
CYLINDRICAL IC CORES				
	Kit for 6 & 7 pin Marks, KSP, Best®, Falcon, Medeco® Keymark, Schlage® Small Format, 6 pin Sargent	HER1984	ER	**8.35**
	Kit for 6 & 7 pin Corbin	HER1984-G	ERG	**8.35**
	Kit for 6 & 7 pin Yale™ American Lever **ONLY**	EAR1989-Y	EMY	**10.76**
	6 pin Schlage® Large Format American Lever **ONLY**	EF1903-F19	CM	**10.76**

CAMS
Straight cam for tubular, exit device, or mortise functions Z1 & Z4 only.



2101 Straight Cam

USE WITH MORTISE CYLINDER	PART #	CODE	PRICE
MARKS	2101	1	**8.35**
Arrow/Sargent	2101-A	A1	**8.35**
Corbin Russwin	2101-C	C1	**8.35**
Schlage®	2101-S	S1	**8.35**

FOR ADDITIONAL DESIGNS, ASK FOR THE CUSTOM LOCK DIVISION CATALOG OR VISIT OUR WEBSITE @ WWW.MARKSUSA.COM
1-800-645-9445 • Fax 631-225-6136 • ©2022 MARKS USA

REQUEST TO EXIT (REX)
CYLINDRICAL ELECTRIFIED LEVERSET







ANSI-A156.2 • Grade 1
3 Hour Fire Rating

c UL us LISTED

EA195 Series Leverset w/American Lever

Marks USA has developed the **Grade 1 "Survivor" Series Cylindrical Lockset** incorporating a **Request to Exit (REX)** switch in both **Electrified** and **Storeroom** functions. Activating the inside lever for egress initiates the built-in **REX** output, providing a momentary signal for the access control **REX** input, for alarm shunt during egress.

Standard Features

- Backsets: 2-3/4"; 2-3/8", 3-3/4" or 5" optional
- Latch #1834, Front: 1-1/8" x 2-1/4"; Throw: 9/16"; Stainless steel nose
- Levers: Solid cast Zamac w/ 1/2" return (except 395 & 495)
- Rose: Thru-bolted, 3-7/16" dia., spring loaded 2-#10 thru-bolts
- Strike: #1135, 4-7/8" ASA curved lip
- Door thickness: 1-5/8" to 1-7/8" (For 1-3/8" door use K1704 spacer)
- Cylinder: MARKS "C" keyway, 6 pin w/ 2 keys
- Request to Exit Switch: Single pole, double throw, 3 amp,125 AC, wired either normally open or normally closed
- Electrified functions - 100% duty cycle, 24V/DC standard, supplied with bridge rectifier; 3 watts, .25amps
- 12V/DC Optional, Contact factory for additional options
- Features "The Clutch" • UL Listed, 3 hour fire rating

LOCKSET & LEVER DESIGN	CON. CORE	IC CORE	FUNCTION	ANSI #	DESCRIPTION	FINISH GROUPS	
						26D	3, 4, 10, 10B, 26
EA195 American lever	F	RF	STOREROOM	F86	Latch by lever inside. Outside lever always locked.	648.50	736.19
EA295 Crescent lever							
EA395 Monaco lever							
EA495 Titan lever							
EA195 American lever	FEL	RFEL	ELECTRICALLY LOCKED	—	Outside always locked electrically. Open by key outside, switch or loss of power. Latch by lever inside.	890.15	957.45
EA295 Crescent lever							
EA395 Monaco lever							
EA495 Titan lever							
EA195 American lever	FEU	RFEU	ELECTRICALLY UNLOCKED	—	Outside always locked until unlocked by key or electrically energized. Latch by lever inside.	890.15	957.45
EA295 Crescent lever							
EA395 Monaco lever							
EA495 Titan lever							

LEVERSETS ARE PACKED 6 PER CASE

✱ Standard IC Core Models: Interchangeable Core models for 6 or 7 pin cores (not included).

Accepts: Marks, Medeco KeyMark™, Falcon & Best®. IC Core Tailpieces ARE Included.

How To Order Example for REX Leversets

EA195	F	/	26D	—	G3
1. Lockset Series	*2. Marks Function*	*Slash*	*3. FInish*	*Dash*	*4. Options*

LOCK SERIES
- ❒ EA195
- ❒ EA295
- ❒ EA395
- ❒ EA495

MARKS FUNCTION
- ___ F
- ___ RF
- ___ FEL
- ___ RFEL
- ___ FEU
- ___ RFEU

FINISH
- ❒ 3 ❒ 4
- ❒ 10 ❒ 10B
- ❒ 26 ❒ 26D

OPTIONS
_____
_____
_____

FOR ADDITIONAL DESIGNS, ASK FOR THE CUSTOM LOCK DIVISION CATALOG OR VISIT OUR WEBSITE @ WWW.MARKSUSA.COM

1-800-645-9445 • Fax 631-225-6136 • ©2022 MARKS USA

LECTRA ELECTRIFIED LOCKSETS

CYLINDRICAL LEVERSETS & MORTISE LOCKSETS

ANSI-A156.2 • Grade 1
3 Hour Fire Rating
c UL us LISTED

195FEL/FEU Series Leverset w/American Lever







Series 195, 295, 395, 495 Cylindrical Leverset Standard Features

- Backsets: 2-3/4", 2-3/8", 3-3/4", 5"
- Latch #1834, Front: 1-1/8" x 2-1/4"; Throw: 9/16"; Stainless steel nose
- Levers: Solid cast Zamac w/ 1/2" return
- Rose: Thru-bolted, 3-7/16" dia., spring loaded 2-#10 thru-bolts
- Strike: #1135, 4-7/8" ASA curved lip
- Door thickness: 1-5/8" to 1-7/8" (For 1-3/8" door use K1704 spacer)
- Cylinder: MARKS "C" keyway, 6 pin w/ 2 keys or IC Core housing
- Electrified functions - 100% duty cycle, 24V/AC supplied with bridge rectifier; 24V/DC, .21 Amps
- 12V/DC Optional, Contact factory for additional options
- Features "The Clutch"
- UL Listed, 3 hour fire rating

SERIES 195, 295, 395, 495 GRADE 1 ELECTRIFIED CYLINDRICAL LEVERSETS					FINISH GROUPS	
COMMERCIAL CYLINDER	IC CORE CYLINDER	MARKS FUNCTION	DESCRIPTION		3, 26D	4, 10, 10B, 26
FEL	RFEL	ELECTRICALLY LOCKED (Fail Safe)	Outside always locked electrically. Open by key outside, switch or loss of power. Deadlocking latch by lever inside. Lever only.		701.52	790.23
FEU	RFEU	ELECTRICALLY UNLOCKED (Fail Secure)	Outside always locked until unlocked by key or electrically energized. Deadlocking latch by lever inside. Lever only.			

* Standard IC Core Models: Interchangeable Core models for 6 or 7 pin cores (not included).
Accepts: Marks, Medeco KeyMark™, Falcon & Best®.
IC Core Tailpieces ARE Included.

Series 5 Electrified Mortise Lockset Standard Features

- 2-3/4" Backset ONLY
- 1" Stainless steel bolt throw
- 3/4" Latch throw (anti-friction) separator
- 1/2" Auxiliary latch throw
- Stamped steel case .090 thick., Zinc dichromate finish
- 1-1/4" x 8" Lock front, Adjustable bevel
- Steel hubs, 9/32" on diamond, 5/16" on square w/security separator
- 100% Duty Cycle 24V/DC, 12V/DC Optional supplied with bridge rectifier (350 ma)

Series 5 Electrified Mortise Shown



OPTIONS	CODE	PRICE
Auxiliary Latch	E3	47
Request to EXit Switch	W10	140
Key Override Sensor	W11	148
Request to EXit switch, Key Sensor & Bolt Sensor	W13	468
Bolt Sensor	W14	171
Latch Sensor	W15	171

SERIES 5 ELECTRIFIED MORTISE LOCKSET			FINISH GROUPS	
MARKS FUNCTION	DESCRIPTION		3, 32D	10, 10B, 32
EL: ELECTRICALLY LOCKED (Fail Safe)	Outside always locked electrically. Open by key outside, switch or loss of power. Auxiliary latch deadlocks latch. Inside always open.		913.60*	935.02*
EU: ELECTRICALLY UNLOCKED (Fail Secure)	Outside always locked until unlocked by key or electrically energized. Auxiliary latch deadlocks latch. Inside always open.			

* Lock Body Price ONLY. Due to numerous trim and finish options, please refer to the Marks USA Mortise Lockset Price Book.

FOR ADDITIONAL DESIGNS, ASK FOR THE CUSTOM LOCK DIVISION CATALOG OR VISIT OUR WEBSITE @ WWW.MARKSUSA.COM

1-800-645-9445 • Fax 631-225-6136 • ©2022 MARKS USA

GATE LOCKS (Reversible)

US PAT.#4,875,725 "NO FALL OUT" FEATURE:
Parts will not fall out when cover is removed.
Replaces Multilock gate locks.

Swinging Gate Locks

Standard Features

- Easily reversible
- Case, cast aluminum 3-5/8" x 6-1/4" x 1"
- Bronze powder coat finish
- Groove: 1/2" wide x 3/16" deep, all sides for wire gate insertion
- 5 pin cylinder(s)
- Lock only, no keeper furnished



Single Cylinder Model
*With cylinder
Suffix K
Add $31

Double Cylinder Model
*With cylinders
Suffix M
Add $63

MODEL #	LATCH PROJECTION	CHANNEL SIZE	PRICE LESS CYL.*	WT. / LBS.
W3700	1-1/8"	1/2"	**153.97**	20
W3710	1-1/4"	5/8"	**153.97**	20
W3720	1-3/8"	3/4"	**153.97**	20
W3730	1-7/8"	1-1/4"	**173.34**	20
W3750	1-1/8"	1/2"	**217.18**	21
W3760	1-1/4"	5/8"	**217.18**	21
W3770	1-3/8"	3/4"	**217.18**	21
W3780	1-7/8"	1-1/4"	**239.62**	21

GATE LOCKS ARE PACKED 12 PER CASE

Sliding Gate Locks

Standard Features

- Easily reversible
- Case, cast aluminum 3-5/8" x 6-1/4" x 1"
- Bronze powder coat finish
- Groove: 1/2" wide x 3/16" deep, all sides for wire gate insertion
- 5 pin cylinder(s)
- Lock only, no keeper furnished



Custom nameplate available. Consult factory.

Single Cylinder Model
*With cylinder
Suffix K
Add $31

Double Cylinder Model
*With cylinders
Suffix M
Add $63

MODEL #	HOOK GAP	CHANNEL SIZE	PRICE LESS CYL.*	WT. / LBS.
W3800	.825"	1/2"	**153.97**	21
W3810	.950"	5/8"	**153.97**	22
W3820	1.075"	3/4"	**153.97**	21
W3830	1.625"	1-1/4"	**173.34**	22
W3850	.825"	1/2"	**217.18**	22
W3860	.950"	5/8"	**217.18**	22
W3870	1.075"	3/4"	**217.18**	22
W3880	1.625"	1-1/4"	**239.62**	22

GATE LOCKS ARE PACKED 12 PER CASE

Parts



PART #	DESCRIPTION	PRICE
1083	Retainer/fork screw	**.74**
2122	Mortise cylinder	**52.62**
W2108	Cylinder set screw	**.74**
9005	Case screw	**.74**
W3701	Cover	**52.62**
W3703	Case	**82.52**
W3704	Fork	**10.76**
W3705	Latch lever	**9.57**
W3708	Turnpiece	**27.51**
W3751	Double cylinder collar with set screw	**52.62**
W3791	Lever stop plate - Swinging gate lock (w/W3892)	**17.94**
W3891	Lever stop plate - Sliding gate lock (w/W3892)	**17.94**
W3892	Lever slide cover	**7.18**
WA3706	Latch adapter	**17.94**
WA3715	Latch assembly - 1-1/8" projection	**39.46**
WA3725	Latch assembly - 1-1/4" projection	**39.46**
WA3735	Latch assembly - 1-3/8" projection	**39.46**
WA3745	Latch assembly - 1-7/8" projection	**52.62**
WA3806	Hook assembly - .825" gap	**52.62**
WA3816	Hook assembly - .950" gap	**52.62**
WA3826	Hook assembly - 1.075" gap	**52.62**
WA3836	Hook assembly - 1.625" gap	**65.77**
WA9251	Exterior knob assembly	**107.63**
WA9253	Interior knob assembly	**107.63**
WA9293	Interior lever assembly (with W3791 & W3891)	**159.05**

SERIES HA113 CUSTOM LOCK DIVISION

HOUSING AUTHORITY MORTISE LOCKSET

SERIES HA113			BHMA CERTIFIED FINISH GROUPS
MARKS #	**FUNCTION**	**ANSI #**	**20A**
KEYED SINGLE CYLINDER, NO DEADBOLT			
D	OFFICE VESTIBULE		**589.36**
DW	VESTIBULE		
E	OFFICE	F04	
EW	STOREROOM	F07	
GL	INST. PRIVACY	F26	
J	CLASSROOM	F05	
JM, JR	HOSPITAL (HOLDBACK)	F06	
EL	ELECTRICALLY LOCKED		**1174.63**
EU	ELECTRICALLY UNLOCKED		
KEYED SINGLE CYLINDER, WITH DEADBOLT			
A	ENTRANCE	F08, F10	**604.65**
B	ENTRANCE	F21	
F	DORMITORY	F12	
FS	DORMITORY		
FW	DORMITORY	F13	
FD	APARTMENT	F20	**648.50**
H	HOTEL	F15	
LH	SPEC. PRIVACY		
KEYED DOUBLE CYLINDER, NO DEADBOLT			
G	ENTRANCE	F09	**648.50**
GC	INTRUDER LATCHBOLT	F32	
GG	CLASSROOM SECURITY		
GR	CLASSROOM SECURITY w/HOLDBACK		
WW	INSTITUTION	F30	
KEYED DOUBLE CYLINDER, WITH DEADBOLT			
AC	ENTRANCE	F35	**648.50**
C	STOREROOM	F14	
FC	INTRUDER DEADBOLT	F34	
FA	DORMITORY	F11	
FX	DORMITORY	F33	
KEYLESS			
N	PASSAGE	F01	**514.92**
L	BATHROOM	F02	**569.98**
LF	PRIVACY	F19	
LJ	PRIVACY	F22	**626.06**
EX	EXIT	F31	**589.36**
For pricing, finishes and availability, consult factory			



Performance Specifications:

Life Test: 1,500,000 cycles minimum.
ANSI Test: Meets or exceeds all operational and security tests of ANSI specifications A156.13-2005 for series 1000, Grade 1.
Fire Test: UL Listed, 3 hour fire rated. Meets ADA requirements.

Trim Specifications:

"Barrier" Thru-bolted steel lever/plate assemblies with brass machined lever bearings. Screwless forged American levers, 4-1/2" long to meet ADA requirements, fastened to plates with hardened snap rings. Spring loaded 5/16" spindles (no set screws). Dark bronze powder coated finish.

Exterior: Wrought steel lever/plate assembly. 10-1/8" x 4" x 5/64" with 3 concealed welded thru-posts. Center post braces lock body for proper alignment in 1-3/4" thick door. Plate covers cylinder with only the keyway exposed.
Optional Exterior: Plate prepared for IC core cylinder.
Interior: Flat steel lever/plate assembly. 10-3/4" x 3-1/8" x 3/32" thick with 3 each 1/4"-20 mounting bolts. Center bolt passes through lock body to integrate trim with lock.
Cylinder: 1-1/8" long, 6 pin, solid brass with spacing collar concealed under exterior "Barrier" plate; 2 keys.
Strike: 4-7/8" x 1-1/4" x 3/32" thick, 5/8" curved lip. Conforms to ANSI spec., A115.1.
Door Thickness: 1-3/4" standard. Extended range available.

Lock Specifications: 5 Series (2-3/4" Backset)

1. **Lock Front:** Adjustable bevel steel backplate 1-1/4" x 8" x 7/64" thick. Cover plate 1/16" thick.
2. **Deadbolt:** Stainless steel w/hardened roll pins, 1" throw.
3. **Latch:** Solid stainless steel with antifriction latch lever, 3/4" throw (reversible).
4. **Auxiliary deadlatch:** 1/2" throw (reversible) - (not shown).
5. **Hubs:** Steel, 9/32" on diamond, 5/16" on square w/security separator.
6. Independent exterior and interior lever support springs.
7. **Hub Follower:** (to lock hub) steel 1/8" thick.
8. **Hub Stop:** (to limit lever travel) steel 1/8" thick.
9. **Case:** Stamped steel 3/32" thick, zinc dichromate finish.
10. **Spindles:** Independent spring-loaded spindles, 5/16" square.





Custom Locksets

FOR ADDITIONAL DESIGNS, ASK FOR THE CUSTOM LOCK DIVISION CATALOG OR VISIT OUR WEBSITE @ WWW.MARKSUSA.COM
1-800-645-9445 • Fax 631-225-6136 • ©2022 MARKS USA

CUSTOM LOCK DIVISION

MAXIMUM SECURITY MORTISE LOCKSET

Series LA318GJ

LocDown™ by MARKSUSA

Indicator
Unlocked - Green
Locked - Red

LA318			FINISH GROUPS
MARKS #	**FUNCTION**	**ANSI #**	**32D**
KEYED SINGLE CYLINDER, NO DEADBOLT			
D	OFFICE VESTIBULE		**871.80**
DW	VESTIBULE		
E	OFFICE	F04	
EW	STOREROOM	F07	
GL	INST. PRIVACY	F26	
J	CLASSROOM	F05	
JM, JR	HOSPITAL (HOLDBACK)	F06	
EL	ELECTRICALLY LOCKED		**1200.12**
EU	ELECTRICALLY UNLOCKED		
KEYED SINGLE CYLINDER, WITH DEADBOLT			
A	ENTRANCE	F08, F10	**886.07**
B	ENTRANCE	F21	
F	DORMITORY	F12	
FS	DORMITORY		
FW	DORMITORY	F13	
FD	APARTMENT	F20	**909.53**
H	HOTEL	F15	
LH	SPEC. PRIVACY		
KEYED DOUBLE CYLINDER, NO DEADBOLT			
G	ENTRANCE	F09	**919.72**
GC	INTRUDER LATCHBOLT	F32	
GG	CLASSROOM SECURITY		
GR	CLASSROOM SECURITY w/HOLDBACK		
WW	INSTITUTION	F30	
GJ	CLASSROOM SECURITY		**945.21**
KEYED DOUBLE CYLINDER, WITH DEADBOLT			
AC	ENTRANCE	F35	**935.02**
C	STOREROOM	F14	
FC	INTRUDER DEADBOLT	F34	
FA	DORMITORY	F11	
FX	DORMITORY	F33	
KEYLESS			
N	PASSAGE	F01	**919.72**
L	BATHROOM	F02	**769.83**
LF	PRIVACY	F19	
LJ	PRIVACY	F22	**886.07**
EX	EXIT	F31	**828.97**
DUMMY TRIM			
DI, DO	DUMMY TRIM INSIDE/OUTSIDE		**391.54**
DT	DUMMY TRIM		**784.11**
For pricing, finishes and availability, consult factory			

PERFORMANCE SPECIFICATIONS:

LIFE TEST: 1,500,000 cycles, minimum

STRENGTH TEST: 530 inch lbs. torque on exterior lever. When applied, lockset remains locked. (Torque of over 550 inch lbs. will cause spindle failure. However, lockset remains locked once spindle is replaced, lockset is fully operational.)

ANSI TEST: Certified to meet or exceed all operational and security tests of ANSI/BHMA A156.13-2012 for series 1000, Grade 1

FIRE TEST: UL listed, 3 hour fire rated.
Meets ADA requirements.

c UL us LISTED

WARRANTY: Lifetime mechanical limited warranty

All other functions available with latch, deadlatch and deadbolt combinations

FUNCTION SPECIFICATION: LA318GJ CLASSROOM INTRUDER

Latch by lever either side except when outside lever is locked from inside or outside by key. When locked, exterior key will retract latchbolt. Outside key locks or unlocks exterior lever. Inside key is single acting in one direction and will lock exterior lever only; will not unlock exterior lever. Auxiliary latch deadlocks latch. Inside always free for egress

TRIM: Cast satin stainless steel escutcheon 8-1/2"x2-3/4"x7/16". Recess in escutcheon to accept cylinder with rotating security cylinder ring. Cast screwless satin stainless steel lever handles to within 1/2" from face of door secured to escutcheon plate with hardened steel retainer ring. Lever handle, with spring-loaded torque sensitive 5/16" spindle. Integral torque override preventer ecessed into escutcheon plate. Spindle will yield if excessive torque applied, preventing any damage to lock body.

EXTERIOR: Two ¼" diameter threaded thru posts.

Two ¼" diameter center posts pass thru lock body, automatically aligning trim.

INTERIOR: Two #10-32 phillips head stainless steel mounting thru bolts. Escutcheon with "LOCK" and directional arrow engraved and black filled near cylinder location. Occupancy indicator recessed into escutcheon plate. Indicator window to display unlocked (green day-glo) and LocDown™ (red day-glo) positions.

CYLINDERS: Two 1-1/8", 6-pin solid brass with 2101 cam int., 2105 cam ext., with two keys. Outside cylinder rotates in both directions. Inside cylinder rotates in one direction only. Cams supplied to accommodate Corbin™, Sargent™ and Schlage™ cylinders.

STRIKE: 4-7/8" X 1-1/4" X 3/32" thick, 5/8" curved lip.

Conforms to ANSI spec. 115.1.

DOOR THICKNESS: 1-3/4"

Lock Body: 5 series "GJ" function double cylinder lock. Lock handing completely reversible without opening lock case.

1. Lock Front – Adjustable bevel steel backplate 1 ¼"x 8 x 7/64" thick. Cover plate 1/16"thick, with phillps screws
2. Latch – solid stainless steel w/ antifriction latch lever ¾" throw
3. Auxiliary Deadlatch – ½" throw
4. Case – stamped steel 3/32" thick
5. Hubs – Steel, 9/32" on diamond, 5/16" on square w/ security separator
6. Indepentant exterior and interior lever support springs

MARKS #	FUNCTION	List Price 32D
GJ	Classroom Security w/ Indicator Engraving	**927**

OPTIONS	Code	Price
Less Cylinders	**G3**	**-$30**
IC Core Housing	**G1**	**N/C**

HOW TO ORDER

Series	Fuction / Finish	Option
LA318	**GJ / 32D**	**- G3**



INTERIOR TRIM



Custom Locksets

1-800-645-9445 • Fax 631-225-6136 • ©2022 MARKS USA

SERIES BE101 & LA118 CUSTOM LOCK DIVISION

MAXIMUM SECURITY MORTISE LOCKSET

SERIES BE101 & LA118			BHMA CERTIFIED FINISH GROUPS	
MARKS #	FUNCTION	ANSI #	32D	3, 10, 10B
KEYED SINGLE CYLINDER, NO DEADBOLT				
D	OFFICE VESTIBULE			
DW	VESTIBULE			
E	OFFICE	F04		
EW	STOREROOM	F07	**818.78**	**854.46**
GL	INST. PRIVACY	F26		
J	CLASSROOM	F05		
JM, JR	HOSPITAL (HOLDBACK)	F06		
EL	ELECTRICALLY LOCKED		**1164.44**	**1253.15**
EU	ELECTRICALLY UNLOCKED			
KEYED SINGLE CYLINDER, WITH DEADBOLT				
A	ENTRANCE	F08, F10		
B	ENTRANCE	F21		
F	DORMITORY	F12	**834.07**	**871.80**
FS	DORMITORY			
FW	DORMITORY	F13		
FD	APARTMENT	F20		
H	HOTEL	F15	**858.54**	**896.24**
LH	SPEC. PRIVACY			
KEYED DOUBLE CYLINDER, NO DEADBOLT				
G	ENTRANCE	F09		
GC	INTRUDER LATCHBOLT	F32		
GG	CLASSROOM SECURITY		**869.76**	**904.43**
GR	CLASSROOM SECURITY w/HOLDBACK			
WW	INSTITUTION	F30		
KEYED DOUBLE CYLINDER, WITH DEADBOLT				
AC	ENTRANCE	F35		
C	STOREROOM	F14		
FC	INTRUDER DEADBOLT	F34	**869.76**	**904.43**
FA	DORMITORY	F11		
FX	DORMITORY	F33		
KEYLESS				
N	PASSAGE	F01	**710.69**	**745.36**
L	BATHROOM	F02	**834.07**	**871.80**
LF	PRIVACY	F19		
LJ	PRIVACY	F22	**771.87**	**808.58**
EX	EXIT	F31	**771.87**	**808.58**
DUMMY TRIM				
DI, DO	DUMMY TRIM INSIDE/OUTSIDE		**358.92**	**377.27**
DT	DUMMY TRIM		**718.85**	**808.58**
For pricing, finishes and availability, consult factory				

OPTIONS	CODE	PRICE
BE 1-1/2" thick for adapter plate	A19	80
Spacer kit for 1-1/2" thick door	K9311	780
2 Spacer kits are needed		



Performance Specifications:

Life Test: 1,500,000 cycles minimum.
ANSI Test: Meets or exceeds all operational and security tests of ANSI specifications A156.13-2005 for series 1000, Grade 1.
Fire Test: UL Listed, 3 hour fire rated. Meets ADA requirements.

Trim Specifications:

"Barrier" Thru-bolted steel lever/plate assemblies with brass machined lever bearings. Screwless forged American levers, 4-1/2" long to meet ADA requirements, fastened to plates with hardened snap rings. Spring loaded 5/16" spindles (no set screws). Dark bronze powder coated finish.

Exterior: Wrought steel lever/plate assembly. 10-1/8" x 4" x 5/64" with 3 concealed welded thru-posts. Center post braces lock body for proper alignment in 1-3/4" thick door. Plate covers cylinder with only the keyway exposed.
Optional Exterior: Plate prepared for IC core cylinder.
Interior: Flat steel lever/plate assembly. 10-3/4" x 3-1/8" x 3/32" thick with 3 each 1/4"-20 mounting bolts. Center bolt passes through lock body to integrate trim with lock.
Cylinder: 1-1/8" long, 6 pin, solid brass with spacing collar concealed under exterior "Barrier" plate; 2 keys.
Strike: 4-7/8" x 1-1/4" x 3/32" thick, 5/8" curved lip. Conforms to ANSI spec., A115.1.
Door Thickness: 1-3/4" standard. Extended range available.

Lock Specifications: 5 Series (2-3/4" Backset)

1. **Lock Front:** Adjustable bevel steel backplate 1-1/4" x 8" x 7/64" thick. Cover plate 1/16" thick.
2. **Deadbolt:** Stainless steel w/hardened roll pins, 1" throw.
3. **Latch:** Solid stainless steel with antifriction latch lever, 3/4" throw (reversible).
4. **Auxiliary deadlatch:** 1/2" throw (reversible) - (not shown).
5. **Hubs:** Steel, 9/32" on diamond, 5/16" on square w/security separator.
6. Independent exterior and interior lever support springs.
7. **Hub Follower:** (to lock hub) steel 1/8" thick.
8. **Hub Stop:** (to limit lever travel) steel 1/8" thick.
9. **Case:** Stamped steel 3/32" thick, zinc dichromate finish.
10. **Spindles:** Independent spring-loaded spindles, 5/16" square.

BE101	LA118
	

Custom Locksets

FOR ADDITIONAL DESIGNS, ASK FOR THE CUSTOM LOCK DIVISION CATALOG OR VISIT OUR WEBSITE @ WWW.MARKSUSA.COM
1-800-645-9445 • Fax 631-225-6136 • ©2022 MARKS USA

GRADE 1 195BH LifeSaver™ D-LIG SLIDE CYLINDRICAL LOCKSETS

BHMA CERTIFIED | ANSI-A156.2 • Grade 1 | 3 Hour Fire Rating | c UL us LISTED

195SS Series Leversets Shown Below



195BH SERIES

Standard Features

- **Rating:** ANSI A156.2 Grade 1, UL Listed 3Hr Fire Rating
- 5- Point Ligature Resistant slide Trim
- **Backset:** 2 3/4" Standard, 2 3/8", 3 3/4" and 5" available
- **Latch:** #1834, stainless Steel Nose
- **Ergonomic solid cast Stainless Steel Slide,** Slides down freely in the locked or unlocked position
- **Escutcheon Plate solid cast Stainless Steel** thru bolted for strength and easy installation
- Designed to meet **BHMA 156.34 Anti Ligature Trim Standard**
- Tamper Resistant mounting screws
- **Strike:** #1135, 4 7/8" ASA curved lip Strike
- **Door Thickness:** 1 3/4"
- **Cylinder:** Marks C Keyway, 6 pin w/2 keys – Available in IC and All OEM cylinder preps
- Marks Hi-Security Cylinder available
- **Marks Stainless Steel Retractor** - Long life 3X the BHMA Grade 1 cycle Standard
- Antimicrobial Finish available – Code AM
- **Marks Lifetime Mechanical Warranty**
- Available in Most BHMA ANSI Functions

SERIES 195BH

MARKS #		DESCRIPTION	ANSI #	FINISH	PRICE
COMM. CYL.	ACCEPTS IC CORE CYL.*				
N	—	PASSAGE	F75	32D	1226.17
L	—	PRIVACY	F76		1247.50
B	RB	ENTRY	F82A		1376.11
S	RS	CLASSROOM	F84		1386.11
F	RF	STOREROOM	F86		1386.11
DW	RDW	INSTITUTION	F87		1546.04
DB	RDB	CLASSROOM INTRUDER	F110		1492.73
DO	—	DUMMY TRIM OUTSIDE	—		1172.86
DT	—	FULL DUMMY TRIM	—		586.43
NB	—	COMM. PASSAGE	F111		1194.18
FB	RFB	COMM. STOREROOM	F112		1268.82
SB	RSB	COMM. CLASSROOM	F113		1268.82
FEL	RFEL	ELECTRICALLY LOCKED			1546.04
FEU	RFEU	ELECTRICALLY UNLOCKED			1546.04

PACKED 6 PER CASE

OPTIONS	CODE	PRICE	OPTIONS	CODE	PRICE
For 2" doors	D1	**50**	Sargent conventional cylinder	F8	**24**
For 2-1/4" doors, **Consult Factory**	D2		Corbin conventional cylinder	F9	**24**
Over 2-1/4" - 4" thickness	D9	**667**	Corbin 6 pin IC core	F12	**35**
2-3/8" backset, 1" x 2-1/4" face	E6	**NC**	Yale 6 pin IC core	F14	**24**
5" backset, 9/16" throw, Gr. 1	E9	**48**	Sargent IC core	F20	**24**
3-3/4" backset, 9/16" throw, Gr. 1	E10	**48**	Medeco IC core large format	F21	**24**
Less cylinder	G3	**Deduct 16**	Schlage Large Format IC Core	F19	**24**
2-3/4" "T" strike	S3	**NC**	7-Pin Yale IC Core	F15	**24**

How To Order

195BH	F	/	32D	—	G3
1. Lockset Series	*2. Marks Function*	*Slash*	*3. FInish*	*Dash*	*4. Options*

LIFETIME WARRANTY MARKSUSA

★ **Standard & HI-SECURITY™ IC Core Models:** Interchangeable Core models for 6 or 7 pin cores (not included). **Accepts:** Marks, Marks HI-SECURITY™, Medeco®, KeyMark™, Falcon, Schlage® small format & Best®. **IC Core Tailpieces ARE Included.**

MARKS USA HI-SECURITY OPTION

Antimicrobial Finish Available
Option Code: AM

Institutional Life Safety

1-800-645-9445 • Fax 631-225-6136 • ©2022 MARKS USA

GRADE 1 SERIES 5BH D-LIG SLIDE MORTISE LOCKSET

INSTITUTIONAL LifeSaver™ MORTISE LOCKSETS

BHMA CERTIFIED	SERIES 5	c UL us LISTED	FINISH 32D
			5BH
MARKS #	**FUNCTION**	**ANSI #**	
KEYED SINGLE CYLINDER, NO DEADBOLT			
D	OFFICE VEST.		**1812.60**
DW	VESTIBULE		
E	OFFICE	F04	
EW	STOREROOM	F07	
J	CLASSROOM	F05	
GL	INSTIT. PRIVACY	F26	
EL	ELECTRICALLY LOCKED		**2164.46**
EU	ELECTRICALLY UNLOCKED		
KEYED SINGLE CYLINDER, WITH DEADBOLT			
A	ENTRANCE	F08, F10	**1827.53**
B	ENTRANCE	F21	
F	DORMITORY	F12	
FS	DORMITORY		
FW	DORMITORY	F13	
KEYED DOUBLE CYLINDER, NO DEADBOLT			
G	APARTMENT	F09	**1861.65**
GC	INTRUDER LATCHBOLT	F32	
GG	CLASSROOM SECURITY		
WW	INSTITUTIONAL	F30	
KEYED DOUBLE CYLINDER, WITH DEADBOLT			
AC	ENTRANCE	F35	**1861.65**
C	STOREROOM	F14	
FA	DORMITORY	F11	
FX	DORMITORY	F33	
KEYLESS			
N	PASSAGE	F01	**1709.18**
L	BATHROOM	F02	**1827.53**
LF	PRIVACY	F19	
LJ	PRIVACY	F22	**1768.88**
EX	EXIT	F31	
DUMMY TRIM			
DI	DUMMY TRIM INSIDE		**533.12**
DO	DUMMY TRIM OUTSIDE		
DT	FULLY DUMMY		**1194.18**





Performance Specifications:

- **Rating:** ANSI A156.13 Grade 1, UL Listed 3Hr Fire Rating
- 5- Point Ligature Resistant slide Trim
- **Backset:** 2 3/4" Standard, 2 1/2" Consult Factory
- **Latch:** #1834, stainless Steel Nose
- **Ergonomic solid cast Stainless Steel Slide,** Slides down freely in the locked or unlocked position
- **Escutcheon Plate solid cast Stainless Steel** thru bolted for strength and easy installation
- Designed to meet **BHMA 156.34 Anti Ligature Trim Standard**
- Tamper Resistant mounting screws
- Ligature Resistant ADA Thumbturn available where applicable
- **Strike:** #1135, 4 7/8" ASA curved lip Strike
- **Door Thickness:** 1 3/4"
- **Cylinder:** Marks C Keyway, 6 pin w/2 keys – Available in IC and All OEM cylinder preps
- Marks Hi-Security Cylinder available
- **Marks Stainless Steel Retractor** - Long life 3X the BHMA Grade 1 cycle Standard
- Antimicrobial Finish available – Code AM
- **Marks Lifetime Mechanical Warranty**
- Available in Most BHMA ANSI Functions



**** Standard & HI-SECURITY™ IC Core Models:**
Interchangeable Core models for 6 or 7 pin cores (not included).
Accepts: Marks, Marks HI-SECURITY™, Medeco®, KeyMark™, Falcon, Schlage® small format & Best®. **IC Core Tailpieces ARE Included.**

Antimicrobial Finish Available Option Code: AM

How To Order					
5BH	**J**	**/**	**32D**	**—**	**G3**
1. Lockset Series	***2. Marks Function***	***Slash***	***3. FInish***	***Dash***	***4. Options***

LIFETIME WARRANTY MARKSUSA

FOR ADDITIONAL DESIGNS, ASK FOR THE CUSTOM LOCK DIVISION CATALOG OR VISIT OUR WEBSITE @ WWW.MARKSUSA.COM

1-800-645-9445 • Fax 631-225-6136 • ©2022 MARKS USA

GRADE 1 195SS LifeSaver™ CYLINDRICAL LEVERSETS

BHMA CERTIFIED		ANSI-A156.2 • Grade 1 3 Hour Fire Rating	c UL us LISTED	195SS SERIES

195SS Series Leversets Shown Below



Standard Features

- ANSI-A156.2 Grade 1, UL listed 3 Hr. Fire Rating
- Backset: 2-3/4" Standard, 2-3/8", 3-3/4", 5" Available
- Latch #1834, stainless steel nose
- **Levers: Solid cast stainless steel. Levers Rotate up & down freely in locked or unlocked position**
- Levers recessed into solid stainless steel roses eliminating any open gap
- Roses: Thru-bolted, spring loaded, #10 thru-bolts
- Strike: #1135, 4-7/8" ASA curved lip strike
- Door thickness: 1-3/4" +/- 1/16"
- Cylinder: MARKS "C" keyway, 6 pin w/ 2 keys
- Stainless steel retractor

SERIES 1SS19

MARKS #		DESCRIPTION	ANSI #	FINISH	PRICE
COMM. CYL.	ACCEPTS IC CORE CYL.*				
N	—	PASSAGE	F75	32D	**893.51**
L	—	PRIVACY	F76		**916.96**
LK	—	PRIVACY	F76 MOD.		**945.75**
P	—	PATIO	F77		**911.63**
DC	RDC	COMMUNICATING	F80		**980.94**
B	RB	ENTRY	F82A		**935.09**
AQ	—	EXIT	F83		**922.79**
S	RS	CLASSROOM	F84		**935.09**
F	RF	STOREROOM	F86		**935.09**
DW	RDW	INSTITUTION	F87		**980.94**
DA	RDA	VESTIBULE	F88		**980.94**
FQ	—	EXIT	F89		**922.29**
T	—	CORRIDOR	F90		**945.75**
TK	—	HOSPITAL/PRIV.	F90 MOD.		**911.63**
GB	RGB	STORE DOOR	F91		**945.75**
BS	RBS	SVC. STATION LOCK	F92		**991.60**
DO	—	DUMMY TRIM OUTSIDE	—		**737.83**
DT	—	FULL DUMMY TRIM	—		**847.66**
NB	—	COMM. PASSAGE	F111		**871.11**
FB	RFB	COMM. STOREROOM	F112		**927.62**
SB	RSB	COMM. CLASSROOM	F113		**927.62**
FEL	RFEL	ELECTRICALLY LOCKED			**1119.55**
FEU	RFEU	ELECTRICALLY UNLOCKED			**1119.55**

PACKED 6 PER CASE

OPTIONS	CODE	PRICE
For 2" doors	D1	**52**
For 2-1/4" doors, **Consult Factory**	D2	
Over 2-1/4" - 4" thickness	D9	**667**
2-3/8" backset, 1" x 2-1/4" face	E6	**NC**
5" backset, 9/16" throw, Gr. 1	E9	**48**
3-3/4" backset, 9/16" throw, Gr. 1	E10	**48**
Less cylinder	G3	**Deduct 15**
2-3/4" "T" strike	S3	**NC**

OPTIONS	CODE	PRICE
Sargent conventional cylinder	F8	**24**
Corbin conventional cylinder	F9	**24**
Corbin 6 pin IC core	F12	**35**
Yale 6 pin IC core	F14	**24**
Sargent IC core	F20	**24**
Medeco IC core large format	F21	**24**

How To Order

195SS	F	/	32D	—	G3
1. Lockset Series	*2. Marks Function*	*Slash*	*3. FInish*	*Dash*	*4. Options*

***Standard & HI-SECURITY™ IC Core Models:** Interchangeable Core models for 6 or 7 pin cores (not included). **Accepts:** Marks, Marks HI-SECURITY™, Medeco®, KeyMark™, Falcon, Schlage® small format & Best®. **IC Core Tailpieces ARE Included.**

MARKS USA — HI-SECURITY OPTION

Antimicrobial Finish Available
Option Code: AM

SERIES 5SS55 KNOB & 5SS19 LEVER

INSTITUTIONAL LifeSaver™ MORTISE LOCKSETS

BHMA CERTIFIED	SERIES 5	c UL us LISTED	FINISH 32D	
			SS55 Knob	SS19 Lever
MARKS #	**FUNCTION**	**ANSI #**		
KEYED SINGLE CYLINDER, NO DEADBOLT				
D	OFFICE VEST.		1170.73	1170.73
DW	VESTIBULE			
E	OFFICE	F04		
EW	STOREROOM	F07		
J	CLASSROOM	F05		
GL	INSTIT. PRIVACY	F26		
EL	ELECTRICALLY LOCKED		1511.92	1511.92
EU	ELECTRICALLY UNLOCKED			
KEYED SINGLE CYLINDER, WITH DEADBOLT				
A	ENTRANCE	F08, F10	1360.52	1360.52
B	ENTRANCE	F21		
F	DORMITORY	F12		
FS	DORMITORY			
FW	DORMITORY	F13		
KEYED DOUBLE CYLINDER, NO DEADBOLT				
G	APARTMENT	F09	1202.71	1202.71
GC	INTRUDER LATCHBOLT	F32		
GG	CLASSROOM SECURITY			
WW	INSTITUTIONAL	F30		
KEYED DOUBLE CYLINDER, WITH DEADBOLT				
AC	ENTRANCE	F35	1202.71	1202.71
C	STOREROOM	F14		
FA	DORMITORY	F11		
FX	DORMITORY	F33		
KEYLESS				
N	PASSAGE	F01	1128.08	1128.08
L	BATHROOM	F02	1341.32	1341.32
LF	PRIVACY	F19		
LJ	PRIVACY	F22	1373.31	1373.31
EX	EXIT	F31		
DUMMY TRIM				
DI	DUMMY TRIM INSIDE		622.68	622.68
DO	DUMMY TRIM OUTSIDE			
DT	FULLY DUMMY		1242.16	1242.16



Performance Specifications:

Life Test: 1,500,000 cycles minimum.

ANSI Test: Meets or exceeds all operational and security tests of ANSI specifications A156.13-2005 for series 5000, Grade 1.

Trim Specifications:

Exterior & Interior Trim:

- Solid stainless steel interior and exterior tapered knobs or levers recessed into thru-bolted roses.
- Safety knobs with recessed grip and finger indents *(Patent #D587556).* Safety lever for handicapped access on clutch operated Mortise lock.
- Ergonomically designed grooved turn knob for deadbolt functions.

Cylinder: Solid stainless steel cylinders with solid stainless steel security collars; Optional HI-SECURITY™ cylinders available

Strike: 4-7/8" curved lip stainless steel w/tamperproof screws

Door Thickness: 1-3/4" standard; Extended range available

Door Prep: ANSI A115.1 lock face cutout, with 2-1/8" through hole for knob/rose assembly

Lock Specifications: 5 Series (2-3/4" Backset) 55 Series (2-1/2" Backset)

Lock Front: Adjustable bevel steel backplate 1-1/4" x 8" x 7/64" thick, Cover plate 1/16" thick with tamper proof screws

Latch: Solid stainless steel with antifriction latch lever, 3/4" throw (reversible)

Levers: Solid cast stainless steel. **Levers Rotate up & down freely in locked or unlocked position**

Aux. Deadlatch: 1/2" throw, (reversible)

Case: Stamped steel 3/32" thick, zinc dichromate finish

Hubs: Steel, 9/32" on diamond, 5/16" on square w/security separator

Hub Lock Arm: (to lock hub) Steel 1/8" thick

Spindles: Independent spring-loaded spindles



Antimicrobial Finish Available Option Code: AM

Quick Privacy Access A9618-1 Shown; Option Code A25

*** Standard & HI-SECURITY™ IC Core Models:**
Interchangeable Core models for 6 or 7 pin cores (not included).
Accepts: Marks, Marks HI-SECURITY™, Medeco®, KeyMark™, Falcon, Schlage® small format & Best®. **IC Core Tailpieces ARE Included.**

How To Order						
5SS55 Knob	5SS19 Lever	J	/	32D	—	G3
1. Lockset Series		*2. Marks Function*	*Slash*	*3. FInish*	*Dash*	*4. Options*





Institutional Life Safety

FOR ADDITIONAL DESIGNS, ASK FOR THE CUSTOM LOCK DIVISION CATALOG OR VISIT OUR WEBSITE @ WWW.MARKSUSA.COM
1-800-645-9445 • Fax 631-225-6136 • ©2022 MARKS USA

SERIES 180SS INSTITUTIONAL LifeSaver™ LOCKSETS

INSTITUTIONAL LIFE SAFETY CYLINDRICAL KNOBSETS & LOCKSETS



SERIES 180SS			FINISH GROUPS
MARKS #	FUNCTION	ANSI #	32D
KEYED SINGLE CYLINDER, WITH DEADBOLT			
K	CYLINDER x KNOB	E0121	**1178.19**
KEYLESS			
N	PASSAGE	F75	**1178.19**

Antimicrobial Finish Available
Option Code: AM

Performance Specifications

Life Test: 1,500,000 cycles minimum.

ANSI Test: Meets or exceeds all operational and security tests of ANSI specifications A156.2-2003 for series 1000, Grade 1.

Fire Test: UL Listed, 3 Hour fire rated.

Exterior & Interior Trim:

- Solid stainless steel interior and exterior tapered knobs recessed into thru-bolted roses
- Specially designed finger indented safety knobs with recessed grip and ergonomically designed integral grooved turn knob for elderly and handicapped access *(Patent #D587556)*
- Needle bearings ensure smoothness of operation

1SS55K Cylindrical Deadlatch Lockset: ANSI E0121 Cylinder x Knob

Strike: #1136, 2-3/4" "T" strike; #1135 4-7/8" ASA strike optional
Door Prep: ANSI 115.2
Latch: ANSI 156.2, Grade 1, 3 Hour fire rated
Door Thickness: 1-3/4"
Backset: 2-3/4" Backset; 3-3/4" and 5" backsets also available
Latch Face: 1-1/8" x 2-1/4" with tamper proof screws
Cylinder: Solid brass cylinder, 6-pin, "C" keyway; Optional HI-SECURITY™ cylinders available

1SS55N Cylindrical Lockset: ANSI F75 Passage

Strike: #1136, 2-3/4" "T" strike
Door Prep: ANSI 115.2
Latch: ANSI 156.2, Grade 1, 3 Hour fire rated
Backset: 2-3/4" backset standard, 2-3/8" backset optional; 3-3/4" and 5" backsets also available
Latch Face: 1-1/8" x 2-1/4" with tamper proof screws
Latch Throw: 9/16"

★Standard & HI-SECURITY™ IC Core Models:
Interchangeable Core models for 6 or 7 pin cores (not included).
Accepts: Marks, Marks HI-SECURITY™, Medeco®, KeyMark™, Falcon, Schlage® small format & Best®. **IC Core Tailpieces ARE Included.**

180SSK: Function E0121; Latch by knob inside, key outside.





180SSN: Function F75; Latch by knob either side, always open.





Institutional Life Safety

SERIES 31SS55 INSTITUTIONAL LifeSaver™ LOCKSETS

INSTITUTIONAL LIFE SAFETY MORTISE DEADLOCK

SERIES 31SS55			BHMA CERTIFIED FINISH GROUPS
MARKS #	FUNCTION	ANSI #	32D
KEYED SINGLE CYLINDER, WITH DEADBOLT			
K	CYLINDER x KNOB	E06071	**490.47**
S	CLASSROOM	E06091	**522.46v**

31SS55K: Function E06071;
Deadbolt by outside key.
Interior safety knob will retract but not project deadbolt.





31SS55S: Function E06091;
Deadbolt by outside key.
Turnpiece will retract but not project deadbolt.





Performance Specifications:

Life Test: 1,500,000 cycles minimum.

ANSI Test: Meets or exceeds all operational and security tests of ANSI/BHMA Certified A156.5-2001 for series 31, Grade 1.



Fire Test: UL Listed, 3 Hour fire rated.

Trim Specifications:

Interior Trim: Solid stainless steel interior trim including finger indented safety knobs which recess into solid brass through-bolted roses.

Series 31 Deadlock Specifications:

Antimicrobial Finish
Option Code: AM

Backset: 2-3/4"
Bolt throw: 1" stainless steel w/hardened roll pins
Case: Stamped Steel
Front: 1-1/16" x 4-5/8" adjustable bevel
Cylinder: Solid brass cylinder, 6-pin, "C" keyway, 2 keys. Optional HI-SECURITY™ cylinders available.
Strike: #4035 Included

★Standard & HI-SECURITY™ IC Core Models:
Interchangeable Core models for 6 or 7 pin cores (not included).
Accepts: Marks, Marks HI-SECURITY™, Medeco®, KeyMark™, Falcon, Schlage® small format & Best®. **IC Core Tailpieces ARE Included.**

SERIES 180PD & 5PD HOSPITAL LifeSaver™ LOCKSETS

CYLINDRICAL & MORTISE PUSH/PULL PADDLESETS

Hospital Push/Pull Standard Features	
• 1-3/4" door thickness, self adjusting for thicker doors • Variable mounting positions	• Non-Handed • Easily reversible configuration for push or pull styles

180PD Cylindrical Standard Features			SERIES 180PD • ANSI-A156.2 • Grade 1
• 2-3/4" backset std., 2-3/8", 3-3/4" & 5" optional • 2-3/4" "T" strike; 4-7/8" ASA strike optional • Government standard #161 door prep			***LEAD LINING & ENGRAVING AVAILABLE***
MARKS #	**FUNCTION**	**ANSI #**	**FINISH: 32D Standard** Consult Factory for Additional Finishes
N	PASSAGE	F75	**349.76**
			PUSH/PULLS ARE PACKED 6 PER CASE

5PD, 55PD Mortise Standard Features			SERIES 5PD, 55PD • ANSI-A156.13 • Grade 1
• 5 Series Backset: 2-3/4"; 55 Series Backset: 2-1/2" • Strike: #9035, 4-7/8" ASA curved lip strike			***LEAD LINING & ENGRAVING AVAILABLE***
MARKS #	**FUNCTION**	**ANSI #**	**FINISH: 32D Standard** Consult Factory for Additional Finishes
KEYED SINGLE CYLINDER, NO DEADBOLT			
D	OFFICE VEST.		**807.14**
DW	VESTIBULE		
E	OFFICE	F04	
EW	STOREROOM	F07	
J	CLASSROOM	F05	
JM, JR	HOSPITAL	F06	
GL	INSTITUTIONAL PRIVACY	F26	
EL	ELECTRICALLY LOCKED		**1168.59**
EU	ELECTRICALLY UNLOCKED		
KEYED SINGLE CYLINDER, WITH DEADBOLT			
A	ENTRANCE	F08, F10	**824.20**
B	ENTRANCE	F21	
F	DORMITORY	F12	
FS	DORMITORY		
FW	DORMITORY	F13	
FD	APARTMENT	F20	**848.72**
H	HOTEL	F15	
LH	SPECIAL PRIVACY		
KEYED DOUBLE CYLINDER, NO DEADBOLT			
G	APARTMENT	F09	**859.36**
GC	INTRUDER LATCHBOLT	F32	
GG	CLASSROOM SECURITY		
GR	CLASSROOM SECURITY w/ HOLDBACK		
WW	INSTITUTIONAL	F30	
KEYED DOUBLE CYLINDER, WITH DEADBOLT			
AC	ENTRANCE	F35	**859.39**
C	STOREROOM	F14	
FC	INTRUDER DEADBOLT	F34	
FA	DORMITORY	F11	
FX	DORMITORY	F33	
KEYLESS			
N	PASSAGE	F01	**695.19**
L	BATHROOM	F02	**824.20**
LF	PRIVACY	F19	
LJ	PRIVACY	F22	**755.96**
EX	EXIT	F31	

180PD Cylindrical Paddleset





5PD Mortise Paddleset





How To Order					
5PD or 180PD	**F**	**/**	**32D**	**—**	**G3**
1. Lockset Series	***2. Marks Function***	***Slash***	***3. Finish***	***Dash***	***4. Options***

Hospital Push/Pull Paddlesets

FOR ADDITIONAL DESIGNS, ASK FOR THE CUSTOM LOCK DIVISION CATALOG OR VISIT OUR WEBSITE @ WWW.MARKSUSA.COM

1-800-645-9445 • Fax 631-225-6136 • ©2022 MARKS USA

Mortise Lock Cylinders

Cylinders


Mortise

Concealed



IC Core Cylinder Housings


R662

Small Format IC Core 6 or 7 Pin

RA3182 Schlage® format IC Core


R2181


R2183


R4182

IC core pricing includes KA, KD or MK keying.

*** Standard & HI-SECURITY™ IC Core Models:**
Interchangeable Core models for 6 or 7 pin cores (not included).
Accepts: Marks, Marks HI-SECURITY™, Medeco®, KeyMark™, Falcon, Schlage® small format & Best®. **IC Core Tailpieces ARE Included.**

	PART #	DESCRIPTION	PINS	LENGTH	FINISH GROUPS		
					3, 26D	5, 10, 10B, 15, 26, 32D	3E
	2122	Mortise	5	15/16"	**94.41**	**100.08**	**137.84**
	2181	Mortise	6	2-7/8"	**821.38**	—	—
	2182	Mortise	6	1-1/8"	**103.35**	**115.18**	**143.51**
	2183	Mortise	6	1-1/4"	**103.85**	**115.18**	**143.51**
	2193	Concealed	5	15/16"	**137.84**	—	—
	2194	Concealed	6	1-1/8"	**145.39**	—	—
	2196	Mortise	6	2-3/8"	**572.14**	—	—
	2197	Mortise	6	1-3/4"	**220.92**	**232.25**	**260.58**
	2198	Mortise	6	1-1/2"	**177.49**	**183.16**	**220.92**
	662	Rim	6	—	**103.85**	**115.18**	—
*	R2181	Mortise IC Core Housing	6	1"	**103.85**	**115.18**	—
*	R2182	Mortise IC Core Housing	6	1-1/4"	**94.41**	**100.08**	—
*	R2183	Mortise IC Core Housing	6 or 7	1-3/8"	**94.41**	**100.08**	—
*	R2184	IC Core Cylinder Housing	6 or 7	1-3/4"	**219.04**	**219.04**	**219.04**
*	R3182	Schlage® type IC Core, Uncombinated	6		**219.04**	—	—
*	R4182	Schlage® type IC Core Housing	6	1-1/2"	**253.02**	**260.58**	—
	R662	Rim IC Core Housing	6 or 7	1-3/8"	**109.52**	**115.18**	—
*	R1182	6 Pin Core, Uncombinated			**83.08**	—	—
*	R1183	7 Pin Core, Uncombinated			**83.08**	—	—
*	RA1182	6 Pin Core, Combinated			**122.74**	**126.51**	—
*	RA1183	7 Pin Core, Combinated			**122.74**	**126.51**	—
*	RA3182	Schlage® type IC Core, Combinated	6		**260.58**	—	—
*	RC1182	6 Pin Core, Construction Core			**86.86**	—	—
	RC1187	Plastic Core Turn Knob			**16.99**	—	—
*	RC3182	Schlage® type Construction Core			**219.04**	—	—
	RM1182	Marketry Core			**90.64**	—	—

Cylinder Cams

2101

2102

2104

2105

2106

2107-CL

PART #	DESCRIPTION	USE WITH MORTISE LOCK	CODE	PRICE
2101	STRAIGHT CAM	MARKS	1	**8.35**
2101-A		ARROW/SARGENT	A1	**8.35**
2101-C		CORBIN RUSSWIN	C1	**8.35**
2101-S		SCHLAGE	S1	**8.35**
2102	CLOVERLEAF CAM	MARKS	2	**8.35**
2102-A		ARROW/SARGENT	A2	**8.35**
2102-C		CORBIN RUSSWIN	C2	**8.35**
2102-S		SCHLAGE	S2	**8.35**

PART #	DESCRIPTION	USE WITH MORTISE LOCK	CODE	PRICE
2104	ADAMS-RITE CAM	MARKS	4	**8.35**
2105	"J" FUNCTION CAM	MARKS	5	**8.35**
2105-A		ARROW/SARGENT	A5	**8.35**
2105-C		CORBIN RUSSWIN	C5	**8.35**
2105-S		SCHLAGE	S5	**8.35**
2107-CL	"J-CL" FUNCTION CAM	MARKS	7	**8.35**
2106	"G" CAM Exterior only	MARKS	6	**8.35**
2106-A		ARROW/SARGENT	A6	**8.35**
2106-C		CORBIN RUSSWIN	C6	**8.35**
2106-S		SCHLAGE	S6	**8.35**

How To Order Example for Mortise Lock Cylinders

2182	/	32D	—	1C
1. Cylinder	*Slash*	*2. Finish*	*Dash*	*3. Options*

See List Of Cylinders Available

FINISH (Pg. 8)

❒ 3 ❒ 10 ❒ 26
❒ 3E ❒ 10B ❒ 26D
❒ 5 ❒ 15 ❒ 32D

❒ **Special**
——

Specify
- Keying
- Door Thickness

Cam and keying information must be included in the option section.

KEYS & KEYING

Keys

Can Stamp A Maximum Of 6 Characters On Key.



MARKS Keys



IC Core Keys

STANDARD KEYWAYS	PIN LENGTH ACCEPTS	SHOULDER INCREMENTS	PIN TO PIN TO 1st PIN	PLUG DISTANCE	DIAMETER
MARKS "A"	Arrow Kwikset Segal 9	.015"	.264"	.156"	.504"
MARKS "C"	Schlage "C"	.015"	.231"	.156"	.504"

PART #	DESCRIPTION	PRICE	
		BLANK	CUT
2164A	MARKS "A" 5 PIN BRASS	**11.33**	**15.11**
2164C	MARKS "C" 5 PIN BRASS, NICKEL PLATED	**11.33**	**15.11**
2184A	MARKS "A" 6 PIN NICKEL SILVER	**13.22**	**16.99**
2184C	MARKS "C" 6 PIN NICKEL SILVER	**13.22**	**16.99**
R1164	IC CORE 6 OR 7 PIN (SMALL FORMAT)	**13.22**	**16.99**
R3164	SCHLAGE® IC CORE CONTROL KEY	**13.22**	**16.99**

BEST® A thru M keyway. Please specify.
IC Core pricing includes KA, KD or MK Keying.

PART #	DESCRIPTION	PRICE	
		REGULAR	IC CORE
KA	KEYED ALIKE	**NC**	**NC**
KD	KEYED DIFFERENT	**NC**	**NC**
MK	MASTER KEYED	**22**	**NC**
CMK	CONSTRUCTION MASTER KEYED (Includes GMK or MK)	**32**	**—**
GMK	GRAND MASTER KEYED	**22**	**14**
GGMK	GREAT GRAND MASTER KEYED	**22**	**14**
GGGMK	GREAT GREAT GRAND MASTER KEYED	**22**	**—**
HK	HOTEL KEYED (Guest, Maid, Emergency)	**29**	**—**
KEYING TO A SPECIFIC CODE NUMBER		**16**	**16**
STAMPING		**PRICE**	
LETTERS/NUMBERS ON KEY		**8 PER KEY**	
US PROPERTY - "DO NOT DUPLICATE"		**8 PER KEY**	
VISUAL KEY CONTROL (VKC)		**7**	
CONCEAL KEY CONTROL		**16**	
EXTRA CUT KEYS WITH LOCKSET		**SEE KEYS ABOVE**	
KEY BITTING CODE LIST		**260**	

IC CORE PRICING INCLUDES KA, KD OR MK KEYING

Construction Master Keying:

The construction master key (CMK) is to be used temporarily while the building is under construction. When construction is completed, the end user defeats the CMK's operation by turning the change key in each cylinder, rather than replace or re-keying the cylinder.

Marks USA uses a program which is called the "lost ball" program. When construction key system is set up, three small ball bearings (construction balls) are placed between the bottom pin and master pin, normally in the last chamber as a "temporary master pin". The construction key is usually the same cut as the top master key with the exception of the sixth cut which is two increments higher. The construction master key will work in any cylinder until cylinder is "defeated" by making one full rotation in the cylinder with the change key. The cylinder plug requires a small diameter "pocket" drilled on one side of one pin chamber so when rotating the cylinder with the change key the pocket will capture the construction balls. The construction pocket in the plug is smaller than a pin chamber. This prevents any top pins or master pins from entering as the plug rotates. Once the cylinder is defeated, there is no way for the cylinder to be construction keyed again without disassembling it.





Concealed Cylinder



Mortise Cylinder



Length

Cylindrical Cylinder

Small Format IC Core 6 or 7 pin

Schlage® format IC core cylinder



Rim Cylinder Housing



Removable Core Housing

★Standard & HI-SECURITY™ IC Core Models:
Interchangeable Core models for 6 or 7 pin cores (not included).
Accepts: Marks, Marks HI-SECURITY™, Medeco®, KeyMark™, Falcon, Schlage® small format & Best®. **IC Core Tailpieces ARE Included.**

FOR ADDITIONAL DESIGNS, ASK FOR THE CUSTOM LOCK DIVISION CATALOG OR VISIT OUR WEBSITE @ WWW.MARKSUSA.COM

1-800-645-9445 • Fax 631-225-6136 • ©2022 MARKS USA

HI-SECURITY™ CYLINDERS: NON-UL

HI-SECURITY™ MORTISE CYLINDERS

NON-UL "0" Bitted x 2 Keys; *"0" Bitted "NO KEYS" - Deduct $7*		FINISH GROUPS		
PART #	**DESCRIPTION**	**3, 26D**	**4, 5, 10, 10B, 15, 26, 32D**	**3E**
BXXX-D001A0N2	1-1/8" Mortise Cylinder	**139.73**	**151.06**	**177.49**
CXXX-D001A0N2	1-1/4" Mortise Cylinder	**151.06**	**164.28**	**188.82**
DXXX-D001A0N2	1-3/8" Mortise Cylinder	**175.61**	**185.05**	**211.48**
NON-UL KD x 2 Keys				
BXXX-D001A1N2	1-1/8" Mortise Cylinder	**152.95**	**168.05**	**196.38**
CXXX-D001A1N2	1-1/4" Mortise Cylinder	**168.05**	**175.61**	**203.93**
DXXX-D001A1N2	1-3/8" Mortise Cylinder	**190.71**	**200.15**	**228.48**

HI-SECURITY™ CYLINDERS ARE PACKED 24 PER CASE

HI-SECURITY™ MORTISE/RIM COMBO CYLINDERS

NON-UL "0" Bitted x 2 Keys; *"0" Bitted "NO KEYS" - Deduct $7*		FINISH GROUPS		
PART #	**DESCRIPTION**	**3, 26D**	**4, 5, 10, 10B, 15, 26, 32D**	**3E**
EXXX-D001A0N2	1" Combo Cylinder	**126.51**	**135.95**	**166.16**
FXXX-D001A0N2	1-1/8" Combo Cylinder	**151.06**	**164.28**	**188.82**
NON-UL KD x 2 Keys				
EXXX-D001A1N2	1" Combo Cylinder	**141.62**	**151.06**	**177.49**
FXXX-D001A1N2	1-1/8" Combo Cylinder	**168.05**	**175.61**	**203.93**

HI-SECURITY™ CYLINDERS ARE PACKED 24 PER CASE

HI-SECURITY™ KIK CYLINDERS

NON-UL "0" Bitted x 2 Keys; *"0" Bitted "NO KEYS" - Deduct $6*		FINISH GROUPS
PART #	**DESCRIPTION**	**26D**
G26D-D001X0N2	Key-In-Knob Cylinder	**115.18**
NON-UL KD x 2 Keys		
G26D-D001X1N2	Key-In-Knob Cylinder	**126.51**

HI-SECURITY™ CYLINDERS ARE PACKED 24 PER CASE

HI-SECURITY™ MARKS IC CORE CYLINDERS

NON-UL "0" Bitted x 2 Keys x 1 Control Key; *"0" Bitted "NO KEYS" - Deduct $6*		FINISH GROUPS
PART #	**DESCRIPTION**	**26D**
H26D-D001X0N2	6 Pin IC Core Cylinder	**126.51**
J26D-D001X0N2	7 Pin IC Core Cylinder	**132.18**
NON-UL KD x 2 Keys x 1 Control Key		
H26D-D001X1N2	6 Pin IC Core Cylinder	**147.28**
J26D-D001X1N2	7 Pin IC Core Cylinder	**152.95**

HI-SECURITY™ CYLINDERS ARE PACKED 24 PER CASE

HI-SECURITY™ Schlage® LARGE FORMAT IC CORE CYLINDERS

NON-UL "0" Bitted x 2 Keys x 1 Control Key; *"0" Bitted "NO KEYS" - Deduct $6*		FINISH GROUPS
PART #	**DESCRIPTION**	**26D**
K26D-D001X0N2	6 Pin Schlage® IC Core Cylinder	**160.50**
NON-UL KD x 2 Keys x 1 Control Key		
K26D-D001X1N2	6 Pin Schlage® IC Core Cylinder	**179.38**

HI-SECURITY™ CYLINDERS ARE PACKED 24 PER CASE

HI-SECURITY™ Medeco® LARGE FORMAT IC CORE CYLINDERS

NON-UL "0" Bitted x 2 Keys x 1 Control Key; *"0" Bitted "NO KEYS" - Deduct $6*		FINISH GROUPS
PART #	**DESCRIPTION**	**26D**
P26D-D001X0N2	6 Pin Medeco® IC Core Cylinder	**196.38**
NON-UL KD x 2 Keys x 1 Control Key		
P26D-D001X1N2	6 Pin Medeco® IC Core Cylinder	**217.15**

HI-SECURITY™ CYLINDERS ARE PACKED 24 PER CASE

HI-SECURITY™ CYLINDERS: UL 437

HI-SECURITY™ MORTISE CYLINDERS

UL 437 "0" Bitted x 2 Keys; *"0" Bitted "NO KEYS" - Deduct $7*		FINISH GROUPS		
PART #	**DESCRIPTION**	**3, 26D**	**4, 5, 10, 10B, 15, 26, 32D**	**3E**
BXXX-D001A0U2	1-1/8" Mortise Cylinder	**175.61**	**185.05**	**211.48**
CXXX-D001A0U2	1-1/4" Mortise Cylinder	**179.38**	**190.71**	**217.15**
DXXX-D001A0U2	1-3/8" Mortise Cylinder	**209.59**	**220.92**	**249.25**
UL 437 KD x 2 Keys				
BXXX-D001A1U2	1-1/8" Mortise Cylinder	**190.71**	**200.15**	**228.48**
CXXX-D001A1U2	1-1/4" Mortise Cylinder	**196.38**	**207.71**	**232.25**
DXXX-D001A1U2	1-3/8" Mortise Cylinder	**226.59**	**234.14**	**260.58**

HI-SECURITY™ CYLINDERS ARE PACKED 24 PER CASE

HI-SECURITY™ MORTISE/RIM COMBO CYLINDERS

UL 437 "0" Bitted x 2 Keys; *"0" Bitted "NO KEYS" - Deduct $7*		FINISH GROUPS		
PART #	**DESCRIPTION**	**3, 26D**	**4, 5, 10, 10B, 15, 26, 32D**	**3E**
EXXX-D001A0U2	1" Combo Cylinder	**164.28**	**171.83**	**198.26**
FXXX-D001A0U2	1-1/8" Combo Cylinder	**185.05**	**196.38**	**220.92**
UL 437 KD x 2 Keys				
EXXX-D001A1U2	1" Combo Cylinder	**175.61**	**185.05**	**211.48**
FXXX-D001A1U2	1-1/8" Combo Cylinder	**200.15**	**209.59**	**211.48**

HI-SECURITY™ CYLINDERS ARE PACKED 24 PER CASE

HI-SECURITY™ KIK CYLINDERS

UL 437 "0" Bitted x 2 Keys; *"0" Bitted "NO KEYS" - Deduct $7*		FINISH GROUPS
PART #	**DESCRIPTION**	**26D**
G26D-D001X0U2	Key-In-Knob Cylinder	**145.39**
UL 437 KD x 2 Keys		
G26D-D001X1U2	Key-In-Knob Cylinder	**164.28**

HI-SECURITY™ CYLINDERS ARE PACKED 24 PER CASE

HI-SECURITY™ Schlage® LARGE FORMAT IC CORE CYLINDERS

UL 437 "0" Bitted x 2 Keys x 1 Control Key; *"0" Bitted "NO KEYS" - Deduct $6*		FINISH GROUPS
PART #	**DESCRIPTION**	**26D**
K26D-D001X0U2	6 Pin Schlage® IC Core Cylinder	**288.85**
NON-UL KD x 2 Keys x 1 Control Key		
K26D-D001X1U2	6 Pin Schlage® IC Core Cylinder	**209.59**

HI-SECURITY™ CYLINDERS ARE PACKED 24 PER CASE

HI-SECURITY™ Medeco® LARGE FORMAT IC CORE CYLINDERS

UL 437 "0" Bitted x 2 Keys x 1 Control Key; *"0" Bitted "NO KEYS" - Deduct $6*		FINISH GROUPS
PART #	**DESCRIPTION**	**26D**
P26D-D001X0U2	6 Pin Medeco® IC Core Cylinder	**224.70**
NON-UL KD x 2 Keys x 1 Control Key		
P26D-D001X1U2	6 Pin Medeco® IC Core Cylinder	**249.25**

HI-SECURITY™ CYLINDERS ARE PACKED 24 PER CASE

HI-SECURITY™ CYLINDERS

Security-Mate™ & SPECIAL APPLICATION CYLINDERS

Security-Mate™ MORTISE CYLINDERS

"0" Bitted "NO KEYS"		FINISH GROUPS	
PART #	**DESCRIPTION**	**3, 26D**	**4, 5, 10, 10B, 15, 26, 32D**
BXXX-DXXXA0N0	1-1/8" Mortise Cylinder	**109.52**	**151.06**
CXXX-DXXXA0N0	1-1/4" Mortise Cylinder	**118.96**	**164.28**
DXXX-DXXXA0N0	1-3/8" Mortise Cylinder	**139.73**	**185.05**
LXXX-DXXXA0N0	1-1/2" Mortise Cylinder	**164.28**	**205.82**
MXXX-DXXXA0N0	1-3/4" Mortise Cylinder	**185.05**	**234.14**

Security-Mate™ CYLINDERS ARE PACKED 24 PER CASE

Security-Mate™ MORTISE/RIM COMBO CYLINDERS

"0" Bitted "NO KEYS"		FINISH GROUPS	
PART #	**DESCRIPTION**	**3, 26D**	**4, 5, 10, 10B, 15, 26, 32D**
EXXX-DXXXA0N0	1" Combo Cylinder	**90.64**	**103.85**
FXXX-DXXXA0N0	1-1/8" Combo Cylinder	**118.96**	**126.51**

Security-Mate™ CYLINDERS ARE PACKED 24 PER CASE

Security-Mate™ KIK CYLINDERS

"0" Bitted "NO KEYS"		FINISH GROUPS
PART #	**DESCRIPTION**	**26D**
G26D-DXXXX0N0	Key-In-Knob Cylinder	**84.97**

Security-Mate™ CYLINDERS ARE PACKED 24 PER CASE

Security-Mate™ MARKS IC CORE CYLINDERS

"0" Bitted "NO KEYS"		FINISH GROUPS
PART #	**DESCRIPTION**	**26D**
H26D-DXXXX0N0	6 Pin IC Core Cylinder	**94.41**
J26D-DXXXX0N0	7 Pin IC Core Cylinder	**103.85**

Security-Mate™ CYLINDERS ARE PACKED 24 PER CASE

Security-Mate® Schlage™ LARGE FORMAT IC CORE CYLINDERS

"0" Bitted "NO KEYS"		FINISH GROUPS
PART #	**DESCRIPTION**	**26D**
K26D-DXXXX0N0	6 Pin Schlage® IC Core Cylinder	**130.29**

Security-Mate™ CYLINDERS ARE PACKED 24 PER CASE

Security-Mate® Medeco™ LARGE FORMAT IC CORE CYLINDERS

"0" Bitted "NO KEYS"		FINISH GROUPS
PART #	**DESCRIPTION**	**26D**
P26D-DXXXX0N0	6 Pin Medeco® IC Core Cylinder	**168.05**

Security-Mate™ CYLINDERS ARE PACKED 24 PER CASE

HI-SECURITY™ *SPECIAL APPLICATION* CYLINDERS

KA Pair w/ 2 Keys, NON-UL, Straight Cam		FINISH GROUPS	
PART #	**DESCRIPTION**	**3, 26D**	**5, 15**
2122XXXHSM	15/16" Mortise Cylinders	**196.38**	**217.15**

HI-SECURITY™ SPECIAL APPLICATION CYLINDERS ARE PACKED 24 PER CASE

HI-SECURITY™ CYLINDERS

HOW TO ORDER HI-SECURITY™ CYLINDERS AND KEYS

How To Order Example for HI-SECURITY™ Cylinders								
D	3	—	D	001	A	3	U	2
1. Cylinder Type	*2. Finish*	*Dash*	*3. Keyway*	*4. Security Code*	*5. Cam Tail*	*6. Keying*	*7. NON-UL / UL437*	*8. # of Keys*

CYLINDER TYPE
- ❒ B = 1-1/8" Mortise
- ❒ C = 1-1/4" Mortise
- ❒ D = 1-3/8" Mortise
- ❒ L = 1-1/2" Mortise
- ❒ M = 1-3/4" Mortise
- ❒ E = 1" Combo
- ❒ F = 1-1/8" Combo
- ❒ G = KIK Cylinder
- ❒ H = IC Core Marks 6 Pin
- ❒ J = IC Core Marks 7 Pin
- ❒ K = IC Core Schlage® Large Format
- ❒ P = IC Core Medeco® Large Format

FINISH
- ❒ 3
- ❒ 4
- ❒ 5
- ❒ 10
- ❒ 10B
- ❒ 15
- ❒ 26
- ❒ 26D
- ❒ 32
- ❒ 32D

KEYWAY
- ❒ D = HS

SECURITY CODE
- ❒ 001 = MARKS

CAM TAIL

MORTISE
- ❒ A = 2101
- ❒ B = 2102
- ❒ D = 2104
- ❒ E = 2105
- ❒ F = 2106

KIK
- ❒ A = Standard Tail
- ❒ B = Classroom Tail
- ❒ C = i-Que Electronic

IC CORE
- ❒ A = 6 Pin IC
- ❒ B = 7 Pin IC

KEYING
- ❒ 0 = "0" Bitted
- ❒ 1 = KD
- ❒ 2 = KA
- ❒ 3 = CMK
- ❒ 4 = GMK
- ❒ 5 = MK
- ❒ 6 = GGMK

UL *or* NON-UL
- ❒ U = UL 437
- ❒ N = NON UL

KEYING
- ❒ 0 = "0" Bitted
- ❒ 1 = 1 Key
- ❒ 2 = 2 Keys
- ❒ 3 = 3 Keys

Up to 9, Then as separate line item

How To Order Example for HI-SECURITY™ Keys				
HS	6	D	001	C
1. Key Type	*2. Pins*	*3. Keyway*	*4. Security Code*	*5. Special Key Type*

KEY TYPE
- ❒ HS = HI-SECURITY™
- ❒ RS = IC Core

PINS
- ❒ 5 Pin
- ❒ 6 Pin
- ❒ 7 Pin

KEYWAY
- ❒ D = HS

SECURITY CODE
- ❒ 001 = Marks

SPECIAL KEY TYPE
- ❒ C = Control Key

1-800-645-9445 • Fax 631-225-6136 • ©2022 MARKS USA

HI-SECURITY™ CYLINDERS

KEYS, CAMS & TAILPIECES

KEYS			
	PART #	**DESCRIPTION**	**PRICE**
	HS5D001	5 Pin Key Blank	**17**
	HS6D001	6 Pin Key Blank	**17**
	RS6D001	6 Pin IC Key Blank	**17**
	RS7D001	7 Pin IC Key Blank	**17**
	Schlage® IC CORE CONTROL KEY		
	HSR3184	6 or 7 Pin IC Key Blank	**17**
CUT KEYS			
Conventional Cylinder			**12**
IC Core Cylinder			**12**

KEYING CHARGES		
PART #	**DESCRIPTION**	**PRICE**
KA, KD	Keyed Alike, Keyed Different	**NC**
MK	Master Keyed	**22**
GMK	Grand Master Keyed	**22**
GGMK	Great Grand Master Keyed	**22**
VKC	Visual Key Control	**15**

MORTISE CYLINDER CAMS			
PART #		**DESCRIPTION**	**PRICE**
	2101HS	Straight Cam	**11.35**
	2102HS	Clover Cam	**11.35**
	2104HS	Adams Rite Cam	**11.35**
	2105HS	J - Cam	**11.35**
	2106HS	G - Cam	**11.35**
	2107-CLHS	Straight Cam	**11.35**

Schlage® LARGE FORMAT IC CORE HOUSING CAMS			
PART #		**DESCRIPTION**	**PRICE**
	2101 HSPM	Straight Cam	**11.35**
	2102 HSPM	Clover Cam	**11.35**
	2104 HSPM	Adams Rite Cam	**11.35**
	2105 HSPM	J - Cam	**11.35**
	2106 HSPM	G - Cam	**11.35**
	2107-CL HSPM	Straight Cam	**11.35**

CYLINDRICAL TAIL PIECES			
PART #		**FUNCTIONS**	**PRICE**
	F1903-C	AB, DW, F	**9.59**
	F1903S-C	S, DA, DB, DC, SB, T	**9.59**
IC CORE TAILPIECES			
	HR1984-HS	AB, B, DA (ext.), DW, F, FEU, FEL	**9.59**
	HR1984S-HS	S, DA (int.), DB, DC, SB, T	**9.59**

HI-SECURITY™ CYLINDERS

PARTS LIST

PARTS LIST			
PART #	**DESCRIPTION**	**PRICE**	**PACKED**
P2031	Finger Pins #1 (Silver)	**49.09**	25 per pack
P2032	Finger Pins #2 (Copper)	**49.09**	25 per pack
P2033	Finger Pins #3 (Black)	**49.09**	25 per pack
P2034	Finger Pins #4 (Gold)	**49.09**	25 per pack
P2035	Sidebar - Schlage® IC	**49.09**	25 per pack
P2036	Sidebar - Combo, KIK, Mortise	**49.09**	25 per pack
P2051	Sidebar - Best® IC	**49.09**	25 per pack
P2037	Sidebar Springs	**49.09**	50 per pack
P2044	Mortise Cam Screws	**28.32**	12 per pack
P2045	IC Mortise Cam Screws - SCHLAGE® ONLY	**28.32**	12 per pack
P2038	Hardened Steel Pins	**28.32**	12 per pack
P2041	Schlage® IC Cap Pin	**49.09**	12 per pack
P2042	Schlage® IC Cap Pin Spring	**49.09**	12 per pack
P2046	Schlage® IC Screw Cap	**49.09**	6 per pack
P2048	KIK Screw Cap	**49.09**	6 per pack
P2043	Best® IC Clip	**49.09**	12 per pack
P2039	Top Hex Screws (HI-SECURITY™ Mortise)	**28.32**	12 per pack
P2029	Top Hex Screws (HI-SECURITY™ Best® IC)	**28.32**	12 per pack
P2047	HI-SECURITY™ Registration Card	**75.53**	10 cards
R2984	7 Pin IC Tailpiece (AB, DW, F)	**11.33**	—
R2984S	7 Pin IC Tailpiece (S, DA, DB, DC, SB, T, TS)	**11.33**	—
R1981	Spacer	**11.33**	—
K2030	Parts Kit	**538.15**	—
2049	Plug Holder	**75.53**	—
BXXX-D133B1N1C	Cut Away Mortise Cylinder	**209.59**	—
BXXX-D133B1N1P	Plastic Mortise Cylinder	**209.59**	—
HSICT	Shear Tool	**430.52**	—
HSC387	HPC Card C387	**94.41**	—

FOR ADDITIONAL DESIGNS, ASK FOR THE CUSTOM LOCK DIVISION CATALOG OR VISIT OUR WEBSITE @ WWW.MARKSUSA.COM
1-800-645-9445 • Fax 631-225-6136 • ©2022 MARKS USA

SERIES M9900 EXIT DEVICE

RIM MOUNT

- **EXTRUSION HEAVY GAGE 32D FINISH**
- **LIFETIME MECHANICAL WARRANTY**
- **PANIC PROTECTOR™ END CAP**
- **EASY INSTALLATION, ECONOMICAL**

MARKS #	FUNCTION	PRICE	
		32D	10B
M9900	Rim Panic	815.72	948.78
M9900F	Fire Rated Rim Panic	919.57	1053.64
M9900 - 48	Rim Panic - 48"	898.80	1032.86
M9900F - 48	Fire Rated Rim Panic - 48"	1006.43	1140.49

OPTIONS	
M9900	33" Length for 38" Door
M9900-48"	42" Length for 48" Door

SPECIFICATIONS

- **Doors:** 1 3/4" thick standard
- **End Cover:** Stainless steel beveled "Panic Protector" design
- **Strike:** Roller strike
- **Rail Assembly:** Heavy Gauge Stainless Steel
- **Dead latch Bolt:** Stainless Steel 3/4" throw.
- **Dead latch Bolt:** Stainless Steel 5/8".
- **Dogging feature**: Allen Key (M9900)
- **UL listed:** For "Panic Hardware" and Fire Rated Model 3 hour fire doors up to 38" x 86".
- **ANSI:** ANSI 156.3 (2001), requirements for Grade 1
- **3 Hour Fire Rating**
- **Finished:** Stainless steel satin finish

SERIES M9900 VR EXIT DEVICE

SURFACE VERTICAL ROD



MARKS #	FUNCTION	PRICE	
		32D	10B
M9900 VR	Rim Panic Vertical Rod	1083.85	1206.58
M9900F VR	Fire Rated Rim Panic Vertical Rod	1191.48	1325.54
M9900 - 48 VR	Rim Panic Vertical Rod - 48"	1336.72	1270.78
M9900F - 48 VR	Fire Rated Rim Panic Vertical Rod - 48"	1244.35	1370.86
M9900 VR ER	Veritcal Rod Electric Latch Retraction	2639.76	2809.71

APPLICATION

- For use on single door or pair of doors
- 1 3/4" (44 mm) door thickness standard. Specify thickness other than 1 3/4"
- RHR or LHR hollow metal, wood and mineral core doors
- Minimum Stile Width: 3 1/2" (89 mm)

SPECIFICATIONS

- **Device Head Cover:** Zinc alloy or stainless steel
- **Chassis:** Steel, plated
- **Mechanism Housing:** Extruded aluminum
- **Push Bar Base:** Extruded aluminum
- **Touch Plate:** Stainless Steel
- **End Cap:** Stainless Steel
- **Top Latch:** Stainless Steel 37/64" (14.8mm)
- **Top Strike:** Included
- **Bottom Latch:** Stainless Steel 37/64" (14.8mm)
- **Bottom Strike:** Included
- **Latch Case Covers:** Steel, stainless steel or brass
- **Vertical Rods:** Aluminum tube
- **Hand:** Non-handed
- **Mounting:** Machine screws standard. Sex bolts optional. Order "SNB" for wood or unreinforced metal doors
- **Dogging**: Allen-type key furnished
- **Finish:** 32D
- **Outside Trim:** Order separately
- **Standard Height:** 7' doors
- **UL listed:** ANSI/BHMA Grade 1 Panic Exit Hardware
- **3-Hour Fire Rated**

1-800-645-9445 • Fax 631-225-6136 • ©2022 MARKS USA

SERIES M9900 EXTERIOR TRIM

M411	Lever/Rose	Rim Panic Vandal Pull
	M195F	MVP/32D
MES600A	**Cylindrical Dogging Kit - 32D**	**Rim Panic Vandal Pull w/ cylinder hole**
	M9901 M9902	MVPCC/32D (cylinder not included)

ENTRY LEVER TRIM

- Standard Marks "C" Keyway KNK cylinder for panic device.
- Cylinder locks or unlocks lever, rigid when locked; when unlocked retracts latch bolt.
- Marks 26D Finish / Standard 1-3/4" Door Thickness
- IC Prep Code G1, Less Cylinder G3

ESCUTCHEON LEVER DESIGN

- Thru bolt design
- Non Handed design. Easily field reversible.
- Marks 32D Finish / Standard 1-3/4" Door Thickness
- Standard Marks "C" Keyway 1-1/4 Mortise cylinder with special cam
- IC Prep Code G1
- Less Cylinder G3

MARKS #	DESCRIPTION	PRICE	
		26D	10B
M411	Finger Pill - no cylinder	**43.43**	**49.09**
MESC600A	Lever / Escuteon Trim Entry	**249.25**	**330.44**
MESC600F	Lever / Escuteon Trim Storeroom	**249.25**	**330.44**
MESC600N	Lever / Escuteon Trim Passage	**215.26**	**300.23**
MESC600DT	Lever / Escuteon Trim Dummy Trim	**215.26**	**300.23**
MESC350A	Lever / Escuteon Trim Entry	**249.25**	—
MESC350F	Lever / Escuteon Trim Storeroom	**249.25**	—
M9901	36 inch Panic Device Dogging Kit	**154.84**	**185.05**
MVR8	Vertical Rod 8 ft - Code 8	**77.42**	—
MVR10	Vertical Rod 10 ft - Code 10	**124.64**	—
MVRB	Vertical Rod - Bottom Rod	**52.87**	—
MVP/32D	Rim Panic Vandal Pull	**371.98**	—
MVPCC/32D	Rim Panic Vandal Pull w/ cylinder hole	**413.52**	—

MORTISE CYLINDER CAMS

M9907 **MESC600A – MESC350A**

M9908 **MESC600F – MESC350F**

M9909 **MESC600F IC CORE HOUSING**

M9910 **MESC600A IC CORE HOUSING**

SERIES M8800 EXIT DEVICE

THIN LINE TM RIM MOUNT

US LISTED

MARKS #	FUNCTION	PRICE
		32D
M8800	Rim Panic	**879.94**

Specifications

Specification:	Conforms to ANSI BHMA A156.3 Grade 1 Exit Device Requirement Standard ANSI/UL305 Standard for Safety for Panic Hardware 2013 California Building Code Sec. 11B-309.4
For Doors:	*(Please specify when ordering non standard size doors)* Thickness: Standard 1 3/4", may fit with door thickness up to 2" Width: Standard 36", may fit door width 30"
Mounting:	Furnished Standard with Wood and Machine Screws
Head Cover:	Zinc Alloy
Chassis:	Aluminum
Rail Assembly:	Heavy Gauge extruded aluminum with stainless steel on top of touch bar
End Cap:	Zinc Alloy
Hand:	Non-handed
Latch Bolt:	Stainless Steel, 3/4" (18mm) throw
Strike:	Roller Strike (Stainless Steel)
Dogging:	Allen Key (equipped on panic rate devices only)
Finish:	32D: Satin Stainless Steel Finish 10B: Oil Rubbed Bronze Finish
Dimension:	Touch bar height from finished floor: 41" (1041mm) from center of touch bar Touch Bar Projection: Neutral: 3 5/16" (84mm) Depressed: 2 19/32" (66mm) Head Cover: LxWxH: 206mm x 76mm x 71mm Device Length: 34 5/8" (88cm) for 36" door width 46 5/8" (118.5 cm) for 48" door width

FOR ADDITIONAL DESIGNS, ASK FOR THE CUSTOM LOCK DIVISION CATALOG OR VISIT OUR WEBSITE @ WWW.MARKSUSA.COM
1-800-645-9445 • Fax 631-225-6136 • ©2022 MARKS USA

SERIES M195 Exit Device Trim

Specifications	
Levers:	Solid cast Zamac, with 1/2" return (except 495)
Roses:	Thru-bolted, 3-7/16" spring loaded Roses
Door Thickness:	1-5/8" – 1-7/8"
Clutch:	Standard
Chassis:	Steel
Cylinder:	MARKS "C" keyway, 6 pin w/ 2 keys IC Core model - Core not included
Lifetime Mechanical Warranty	

M195 Series Leverset	M295 Series Leversetw
	
M495 Series Leverset	
	

MARKS #	Trim	26D	19E
M195S/295/495	Entry	**309.67**	**390.86**
M195RS/295/495	Entry with IC Core	**309.67**	**390.86**
M195F/295/495	Storeroom	**309.67**	**390.86**
M195RF/295/495	Storeroom with IC Core	**309.67**	**390.86**
M195N/295/495	Passage	**287.01**	**349.32**
M195DT/295/495	Dummy	**287.01**	**349.32**

OPTIONS	CODE	PRICE - 195	295	395	495
Yale Conventional	F7	**24**	—	—	—
Sargent conventional cylinder	F8	**24**	**24**	—	—
Corbin conventional cylinder	F9	**24**	**24**	—	—
Corbin 6 pin IC core	F12	**35**	**35**	—	—
Corbin 7 pin IC core	F13	**35**	—	—	—
Yale 6 pin IC core	F14	**24**	**24**	—	—
Yale 7 pin IC core	F15	**24**	—	—	—
Schlage 6 pin IC core	F19	**24**	**24**	—	—
Sargent IC core	F20	**24**	**24**	—	—
Medeco IC core large format	F21	**24**	**24**	—	—
Less Cylinder	G3	**Deduct 15**	—	—	—

★ **Standard & HI-SECURITY™ IC Core Models:** Interchangeable Core models for 6 or 7 pin cores (not included). **Accepts:** Marks, Marks HI-SECURITY™, Medeco®, KeyMark™, Falcon, Schlage® small format & Best®. **IC Core Tailpieces ARE Included.**

SERIES M99 Night Latch Trim

Specifications
• Fixed pull for Marks USA rim panic devices.
• US32D stainless steel material
• US 32D finish
• Supplied with cylinder collar and mounting cylinder cup. *Available in Marks USA "C" conventional rim cylinder and Marks USA "Best size" IC rim cylinder (less core)
• Available in Dummy trim, less cylinder hole

MARKS #	Night Latch Trim	32D
M99F/32D	With Marks C Rim Cylinder	**368.21**
M99F/32D-G1	With Marks IC Core Rim Cylinder	**368.21**
M99F/32D-G3	With Cylinder hole – Less Cylinder	**339.88**
M99DO/32D	Dummy Trim	**321.00**



M99F





M99DO



Electric Latch Retraction

WITH SIMULTANEOUS DOGGING

US LISTED ADA

Rim Mount & Mortise

DEVICE SPECIFICATIONS
ER Electric Latch Retraction with simultaneous dogging
For: M9900
Operation: Momentary or maintained latch bolt and push pad retraction. Automatic re-triggering of latch retraction
Voltage: 24VDC @ 450 mA activation, 180 mA continuous
EMC 2-station sequencer required for automatic doors only.
Monitoring Available Latch status and REX output available

MARKS #	DESCRIPTION	PRICE
HEAVY DUTY		
M9900ER	Electric Latch Retraction	**2309.25**
M9900ER-48	Electric Latch Retraction 48"	**2396.18**
M8800ER	Narrow Stile	**2384.82**

Exit Alarm

Door sign included, Bar sign optional



Rim Mount, Vertical Rod & Mortise

US LISTED ADA

DEVICE SPECIFICATIONS
EA Exit Alarm, 9V battery powered
EB Exit Alarm, 12-24V AC/DC input, 9V battery backup
For: M9900
• 100 dB alarm; visual and audible On/Off status: Armed - green LED blinks every 4 seconds, Alarm mode - red LED, Bypass - no LED
• Remote status output
• 15 or 60 second arming delay
• 2 modes: Continuous alarm with manual key reset; Automatic re-arm 2 minutes after door closes with any manual key reset before 2 minutes.
Options: • Push pad sign
• 6, 10 & 20 minutes alarm; 1 or 5 second re-arm delay
• Remote access control, arm, disarm inputs
• REX and latch status outputs

MARKS #	DESCRIPTION	PRICE
HEAVY DUTY		
M9900EA	Exit Alarm 9VDC	**2556.60**
M9900EB	Exit Alarm 9VDC w 12/24 AC/DC Input	**2719.06**

Electric Dogging



Rim Mount, Vertical Rod & Mortise

DEVICE SPECIFICATIONS
DG Electric Dogging (failsecure) M9900, When energized by optional built-in or remote switch manual, depressing the pushpad, causes the pushpad and latch to remain retraced (unlocked) providing push-pull door operation. When de-enegrized or signaled by a fire alarm, the pushpad and latch are released. **Voltage:** 170/100 mA @ 12/24VDC **Monitoring Available:** Latch status and REX output available

MARKS #	DESCRIPTION	PRICE
HEAVY DUTY		
M9900DG	Electric Dogging, Fail Secure	**2719.01**
Options for Parice		
P6-Rex	Request to Exit	**62.00**

Delayed Egress

Rim Mount, Vertical Rod & Mortise

DEVICE SPECIFICATIONS
DE Wall mount delayed egress controller with keypad and electrified exit device, M9900, M9900VR **Example:** M9900F/32D-**DE** **DEK** Keypad controller with redundant key switch capable of all keypad control features **602RF** 1 Amp power supply • User PIN codes may be assigned to 1, 2 or all control functions. Reset, sustained bypass and momentary bypass (RES) • Audible alarm voice release time, warning or safety message • Visual display countdown, locked/unlocked, egress executed • 15 or 30 second exit delay, 1 or 2 second nuisance delay 2 minutes **Monitoring Available:** Latch status available

MARKS #	DESCRIPTION	PRICE
HEAVY DUTY		
M9900DE	Delayed Egress	**6630.50**
M9900KDE	Delayed Egress w Keyswitch	**7097.88**
M9900VRDE	Delayed Egress	**6931.70**
M9900VRKDE	Delayed Egress w Keyswitch	**7366.00**

M9900 LITE



Adapter plate included

MARKS #	FUNCTION	PRICE
M9900LITE	Rim Panic with IQ7LITE	**1844.82**

IQ7LITE

IQ7 LITE Rim Exit Device Interface Specifications

Door Thickness: 1-3/4" standard; *For thicker doors, Consult factory*
Handing: Non-handed
Key Override: 1-1/8" Mortise cylinder, 6 pin w/2 keys
Clutch: The "Clutch" for trouble free service

M9900

- **Doors:** 1-3/4" thick standard.
- **End cover:** Flush mounted beveled "Panic Protector" design.
- **Strike:** Roller strike.
- **Rail Assembly:** Extruded Aluminum, 32D finish.
- **Dead latch Bolt:** Stainless Steel 3/4" throw.
- **Dead latch Bolt:** Stainless Steel 5/8".
- **Dogging feature:** Allen Key (M9900)
- **Ul listed: For** "Panic Hardware" and Fire Rated Model 3 hour fire doors up to 38" x 86".
- **ANSI:** ANSI 156.3 (2001), requirements for Grade 1.
- **3 Hour Fire Rating**
- **Finish:** 32D

FOR ADDITIONAL DESIGNS, ASK FOR THE CUSTOM LOCK DIVISION CATALOG OR VISIT OUR WEBSITE @ WWW.MARKSUSA.COM
1-800-645-9445 • Fax 631-225-6136 • ©2022 MARKS USA

ArchiTech™ Series Networx Locks

Ideal access control solution; elegantly blending advanced wireless access control convenience within any decor, in attractive, infinitely customizable designer locking form, in choice of trims and finishes.

N90L - Ideal for School and Campus

Back

Features
• 5000 Users, 500 Scheduled Events & 40,000 Event Audit Trail
• Surface-Mount or Mortised - in Electronics and Battery Pack
• Lock available in Mortise and Cylindrical versions
• Real Time Clock - Uses 4 AA Batteries – 3 to 4 year battery life
• Operated via access card, fob, key fob etc
• DL-Windows Software for programming
• USB Radio Key Programming Method or Via Networx Gateways
• Manual Card Enrollment Option for Quick Installation
• Wireless programming range: up to 20 ft. from lock
• Easily, securely networked via 802.11 or ethernet, spanning a few or thousands of doors, in one building, a campus or multiple sites in an enterprise (also available in standalone model)
• Emergency LocDown Keyfobs & Flashing Strobe Indicator, Available
• Programmable Lockdown/Unlock Privileges
• Cylindrical ArchiTech Locks neatly, quickly retrofit any standard door lock, with easy surface mount electronics, for use in all applications - Including wood and metal doors, for new and existing applications
• Customizable oval or square Access ID Reader, in black or silver and three levers to choose from - American 195, Crescent 295 & Titan 495
• Future-Proof Multi-Technology Access ID Credentials Replace Cumbersome Keys – HID® Prox, Mag Stripe, Smart Cards, PIV, keyfobs and remote buttons
• Powered by 4 off-the-shelf AA Batteries. 3 to 4 years, typ.
• Flexible System Monitoring, Control & Programming – Program locally using a USB Gateway or remotely across a wireless network (using free Alarm Lock DL-WINDOWS Windows- based software). Or, in Real-Time Enterprise platforms, using either Continental Access CA4K®, Lenel® OnGuard® or support via Software House® Connected Partner Program®

Specifications
• ANSI / BHMA Grade 1 Certified, UL Listed 3 Hours
• Includes standard lever rose hardware design
• Compatible with all 300+ optional architectural trim / lever or knob designs
• Stainless steel latch, 2-3/4" backset
• Auto-Reverse lock body tested to 6 million cycles
• Lock Body - Self cleaning long life motor
• Door closure monitor / electronic deadbolt monitor
• Key override standard or high-Security
• Optional integrated door position indicator switch

ArchiTech™ Series Networx Locks

ArchiTech Series Cylindrical Locks

PRODUCT	PRICE
Cylindrical	
N90S1195F26D	**2259.53**
N90S2195F26D	**2259.53**

The standard list price of a standard ArchiTech Cylindrical Lock is $880 (American Lever, SCI Keyway) – Add $100 ea. for iClass, or Bluetooth® Add $50 for keying

N90L - IDEAL FOR SCHOOL & CAMPUS	PRICE
Cylindrical	
N90L1195F226D	**2387.91**
N90L2195F226D	**2387.91**

ArchiTech Cylindrical Lever & Lever Prep Options

OPTIONS	CODE	195	295	495	FINISH	ADD-ON
Yale Conventional	F7	Yes	No	No	26D, 10B	**30**
Sargent Conventional	F8	Yes	Yes	No	26D, 10B	**30**
Corbin Conventional	F9	Yes	Yes	No	26D, 10B	**30**
Corbin 6-Pin IC	F12	Yes	Yes	No	26D, 10B	**30**
Corbin 7-Pin IC	F12	Yes	Yes	No	26D, 10B	**30**
Yale 6-Pin IC	F14	Yes	Yes	No	26D, 10B	**30**
Yale 7-Pin IC	F15	Yes	Yes	No	26D, 10B	**30**
Schlage 6-Pin IC	F19	Yes	Yes	No	26D, 10B	**30**
Sargent IC	F20	Yes	Yes	No	26D, 10B	**30**
Medecco IC (Large Format)	F21	Yes	Yes	No	26D, 10B	**30**

Choice of Levers – Cylindrical Models

195 – American Lever

295 – Crescent Lever

495 – Titan Lever

No up-charge for Marks (Best) SFIC. Specify "RF" for SFIC

**Note: Please consult factory for availability of other finishes. Round rose place only available with cylindrical version (3.5" diameter). IC core models: tail piece included, core not included.*

How to order ArchiTech Cylindrical Models

Base distribution cylindrical model P/N scheme

N 9 0 I 1 — **195 F 26D**

Model
- Networx
- Read/Write

Series
- 9

- 0 = Cylindrical

Style
- S = Surface Mount Electronics
- T = Surface Mount Electronics Bluetooth
- L = Lockdown

Technology
- 1 = Prox Oval
- 2 = Prox Square
- 4 = Mag Stripe
- 7 = Keypad
- A = Smart Oval Prox (iClass Technology)
- B = Smart Square Prox (iClass Technology)

195 — Lever /Rose design

F — Marks Function

26D — Finish

FOR ADDITIONAL DESIGNS, ASK FOR THE CUSTOM LOCK DIVISION CATALOG OR VISIT OUR WEBSITE @ WWW.MARKSUSA.COM
1-800-645-9445 • Fax 631-225-6136 • ©2022 MARKS USA

ArchiTech™ Series Networx Locks

ArchiTech Series Mortise Locks

Infinite custom models available for ArchiTech mortise versions. Consult factory for ordering assistance.

ArchiTech Mortise Lockset Options

OPTIONS
Insert (N91) or Surface Mount (N95) Electronics
Oval, Square or Mag Reader
Bluetooth and iClass Available
Choice of lever and rose plate
N95S – Surface Mount Electronics; oval, square & swipe (mag) reader available
N95I – Insert electronics; oval & square reader available
N95J – Insert electronics; Bluetooth, oval & square reader available
N95T – Surface Mount Electronics; Bluetooth, oval, square & swipe (mag) reader available

PRODUCT	PRICE
Mortise	
N95S2RX92FD26D	**2824.41**
N95S1RW92FD26D	**2824.41**

Lever and Rose Options – Mortise Models

LEVERS

Stanhope Lever 44	Copa Lever 031	Brompton Lever 55	Monaco Lever 57 Specify handing
Towne Lever 72	Maxwell Lever 77	Omni Lever 78	Plaza Lever 82 Specify handing
Dayton Lever 83 Specify handing	Crescent Lever 86	American Lever 92	Titan Lever 96

No up-charge for Marks (Best) SFIC. Specify "RF" for SFIC

**Note: Please consult factory for availability of other finishes. Round rose place only available with cylindrical version (3.5" diameter). IC core models: tail piece included, core not included.*

ROSES

RR: 2-9/16" dia.

RW: 2-9/16" dia.

RQ: 2-1/4" dia.

RS: 2-1/4" dia.

RX: 2-1/2" sq.	RK: 2-1/2" sq.	RL: 1-1/2" sq.
Wrought	Forged	

Functions for Mortise Locks

CODE	FUNCTION	DESCRIPTION
FD	APARTMENT	Latch by lever either side except when outside locked by stop-button or projected deadbolt. Latch deadlocked by auxiliary latch or deadbolt & latch by key outside. Deadbolt by turn piece inside. Inside knob/lever retracts latch & deadbolt simultaneously, leaving outside locked.
E	STOREROOM	Latch by lever inside, key outside. Outside lever always rigid. Auxiliary latch deadlocks latch. Inside always open.
AD	AUTOMATIC DEADBOLT	Latch deadlocked by deadbolt automatically when door closes. Deadbolt & latch by key or redential outside. Inside lever retracts latch & deadbolt simultaneously, leaving outside locked.

ArchiTech™ Series Networx Locks

How to order ArchiTech Mortise Models

Base distribution cylindrical model P/N scheme



SPECIAL ORDER

SPECIAL ORDER ELECTRONIC ASSEMBLY



SPECIAL ORDER MECHANICAL ASSEMBLY



1 = Prox Oval
2 = Prox Square
3 = Mag Stripe Oval
4 = Mag Stripe Square
5 = Keypad Oval
6 = Keypad Square
7 = Keypad Prox Oval
8 = Keypad Prox Square
9 = Keypad Mag Stripe Oval
0 = Keypad Mag Stripe Square
A = Smart Oval (iClass® Technology)
B = Smart Square (iClass® Technology)
C = Concealed Prox

FOR ADDITIONAL DESIGNS, ASK FOR THE CUSTOM LOCK DIVISION CATALOG OR VISIT OUR WEBSITE @ WWW.MARKSUSA.COM
1-800-645-9445 • Fax 631-225-6136 • ©2022 MARKS USA

ARCHITECH™ SERIES NETWORX LOCKS

ArchiTech™ Series Networx Locks Parts and Accessories

PRODUCT	DESCRIPTION	PRICE
AL-IME2	Ethernet connected gateway w/AC adapter to plug into standard wall outlet. Version 2 allows use of expander	**1219.63**
AL-IME2POE	Power Over Ethernet, plus hardwire gateway interface capability. No AC Power required. Version 2 allows use of expander	**1476.40**
AL-IME2EXP	Wireless Expander designed to expand the coverage area of version 2 gateways. AC power required. Up to 7 expanders per version 2 gateway	**641.91**
AL-IME2-PIE	Plug-in wireless expander, as above – Plugs into standard AC outlet	**641.91**
AL-PRE2	Prox card enroller – HID and iClass	**1514.91**
AL-NSM	Networx Signal Meter	**760.02**
AL-NSG	Networx Signal Generator	**616.24**
AL-PB	ArchiTech Power Booster	**3327.67**
ALHID1326	Proximity Access Cards 100 Per Box	**847.06**
ALHID1391	MicroProx Tag 10 per box	**210.55**
ALHID1346	Proximity keyfob 10 per box	**302.98**

Use the iLock® App to unlock your Networx ArchiTech™ Bluetooth® Series Door Lock in seconds!

Introducing iLock, the easy smartphone mobile solution for unlocking your Trilogy® ArchiTech Bluetooth Series Designer Access Control Locks from any smart device without the need to carry cumbersome ID cards or keys. Password protected access is secure through the use of Bluetooth LE® and proprietary encryption. Additionally, an optional feature can be utilized, requiring a password for each unlock request.

The Key is Your Smartphone & More Secure Technology

Any Smart Device can be the Access Key: Much more than an ID card displayed on your smartphone, for your security, ArchiTech & its iLock App are

entered on their phone App.

wirelessly linked together, each supplying its portion of stored encrypted data to provide secure access without a key, fuss or worry, ensuring user identities. A unique combination of convenience and cloneproof peace of mind, the ArchiTech platform uses universally-compatible Bluetooth LE technology, so they can use any smart device to unlock ArchiTech on your door(s); and do so from afar, at a comfortable, customizable range of up to 30 feet away. For even greater security users can add an optional passcode,

iLock App is available from both iTunes and the Google Play Store

MARKS USA

Amityville, N.Y. 11701

www.marksusa.com

DISTRIBUTED BY:

800-645-9445 • www.marksusa.com • salesinfo@marksusa.com

Marks USA is a Division of NAPCO Security Technologies, Inc. (NASDAQ: NSSC) • NAPCO • Alarm Lock • Continental Access • Marks USA

ArchiTech, LifeSaver, Survivor, Hi-Security, iQwik, LocDown Thinline and Unilock are trademarks of Marks/NAPCO. Other trademarks listed are properties of their respective companies.

ALA530 ©Marks USA, 7.2019