02-JAN-24

MSRP Changed	Item Number	Description	List Price	Price Code	Item Line
Y	0055A	END ITEM, SMARTID SCREW COVER, GEN II, ROHS COMPLIANT	3.00	ZB	Other Products
Y	01-0002-01	MDL, PCSC WIEG CONV	150.00	ZB	UNIDENTIFIED
Y	01-0014-01	CBL, ASSY, BIO MODULE, SAGEM CBM, 5 IN.	31.50	ZB	Other Products
Y	04-0001-03	TOOL, SCTY-SPNR BIT, ENTRYPROX	6.68	ZB	Other Products
Y	0501600475-120890	ICLASS CONFIGURATION CARD, 40K JCOP CONTACTLESS, 10 PACK	25.47	IC	Credentials
Y	0501600475-120890-P	ICLASS CONFIGURATION CARD, 40K JCOP CONTACTLESS, PRE PRINTED & INITIALIZED	25.47	IC	Credentials
Y	0501600475-A000067	CONFIGURATION CARD, SMARTCARD J3A040 V2.4.1, PROG., F-ULTRA LOW POWER MODE, B-SE READER CONFIG CARD, NO #, NO SLOT	25.47	ZB	Credentials
Y	0501600475-A000068	CONFIGURATION CARD, SMARTCARD J3A040 V2.4.1, PROG., F-NORMAL POWER MODE, B-SE READER CONFIG CARD, NO#, NO SLOT	25.47	ZB	Credentials
Y	0501600475-ELITE	CONFIGURARTION CARD, PRE PRINTED ELITE, INITIALIZED, ICLASS SE AND MULTICLASS SE	25.47	ZB	Credentials
Y	0501600475-READER	CONFIGURARTION CARD, PRE PRINTED READER, INITIALIZED, ICLASS SE AND MULTICLASS SE	25.47	ZB	Credentials
Y	1050-309-03	SFWR UTIL CD, PROXPRGMR	150.00	ZB	UNIDENTIFIED
Y	1100-1174	P/T HOUSING, BLACK, W/STEEL POST	20.34	MS	Product Components
Y	1100-1274	PT HOUSING, WHITE, W/STEEL POST	12.00	MS	Product Components
Y	1100-1998-01	COVER REMOVAL TOOL (500 SERIES)	8.52	MS	Product Components
Y	1100-3598	ENCLOSURE, BLACK, CAST	222.85	MS	Product Components
Y	1100-3607	GASKET, PLASTIC, MODEL 780	5.27	MS	Product Components
Y	1100-3657	FACEPLATE P/T, PASS THRU	8.63	MS	Product Components
Y	1100-3785	MOLDED BACK GASKET, RUBBER, MODEL 740/780	27.20	MS	Product Components
Y	1100-3852	FACEPLATE, MYLAR, MODEL 740	28.57	MS	Product Components
Y	1100-8100	UNIVERSAL STEEL MOUNTING PLATE	30.00	MS	Product Components
Y	1153-0019	MAGVIEW SPRAY (ENCODERS), BARCODE #76413280019	45.72	MS	Printer Hardware
Y	1321	PHOTO POUCH, ALL-PHOTO STYLE	1.37	ZB	Credentials
Y	1324GAN11	COV, DYE SUB OVLAY	0.98	ZB	Credentials
Y	1324GAN21	COV, DYE SUB OVLAY	0.98	ZB	Credentials
Y	1324GAN22	COV, DYE SUB OVLAY	0.98	ZB	Credentials
Y	1324GAV11	COV, DYE SUB OVLAY	0.98	ZB	Credentials
Y	1324GAV21	COV, DYE SUB OVLAY	0.98	ZB	Credentials
Y	1324GAV22	COV, DYE SUB OVLAY	0.98	ZB	Credentials
Y	1324GBN22	COV, CD TXP W/O SLT, PCII SIZE, 20 MIL, 3M ADH	0.98	ZB	Credentials
Y	1324GBV22	COV, CD TXP W/ SLT, PCII SIZE, 20 MIL, 3M ADH	0.98	ZB	Credentials
Y	1326CGSMV	PROXCARD II, PROG. CASI RUSCO FORMAT, WHITE/HID LOGO, MATCHING #, VERT SLOT	4.04	PC	Credentials
Y	1326CGSSV	PROXCARD II, PROG. CASI RUSCO FORMAT, WHITE/HID LOGO, SEQ. #, VERT SLOT	4.04	PC	Credentials
Y	1326LASMV	PROXCARD II, PROG, ADHESIVE, B-HID LOGO, MATCH #, VERT SLOT	4.77	PC	Credentials
Y	1326LASNV	PROXCARD II, PROG, ADHESIVE, B-HID LOGO, NO #, VERT SLOT	4.77	PC	Credentials
Y	1326LASSV	PROXCARD II, PROG, ADHESIVE, B-HID LOGO, SEQ #, VERT SLOT	4.77	PC	Credentials
Y	1326LCSMV-110259	PROXCARD II, PROG 125K, CLUB YUMA, MATCHING #, VERT SLOT	4.64	PC	Credentials
Y	1326LGSMV	PROXCARD II, PROG, F-GLOSS, B-HID LOGO, MATCH #, VERT SLOT	4.04	PC	Credentials
Y	1326LGSMV-27452	PROXCARD II, PROG, F-GLOSS, B-HID LOGO, MATCH #, VERT SLOT, PACKAGED 50 PER BOX	4.04	PC	Credentials
Y	1326LGSNV	PROXCARD II, PROG, F-GLOSS, B-HID LOGO, NO #, VERT SLOT	4.04	PC	Credentials
Y	1326LGSRV	PROXCARD II, PROG, F-GLOSS, B-HID LOGO, RANDOM #, VERT SLOT	4.04	PC	Credentials
Y	1326LGSSV	PROXCARD II, PROG, F-GLOSS, B-HID LOGO, SEQ #, VERT SLOT	4.04	PC	Credentials
Y	1326LMSMV	PROXCARD II, PROG, F-MATTE, B-HID LOGO, MATCH #, VERT SLOT	4.04	PC	Credentials
Y	1326LMSMV-PACK100	PROXCARD II, PROG, F-MATTE, B-HID LOGO, MATCHING #, VERT SLOT, PACK 100	4.04	PC	Credentials
Y	1326LMSMV-U1496	PROXCARD II, CUSTOM, WHT, STD, PACKAGED 100 PER BOX, SARGENT PN: 52-0219	4.04	PC	Credentials
Y	1326LMSNV	PROXCARD II, PROG, F-MATTE, B-HID LOGO, NO #, VERT SLOT	4.04	PC	Credentials
Y	1326LMSRV	PROXCARD II, PROG, F-MATTE, B-HID LOGO, RANDOM #, VERT SLOT	4.04	PC	Credentials
Y	1326LMSRV-DMP	PROXCARD II, PROG, F-MATTE, B-HID PROX LOGO, RANDOM NON-MATCHING SEQ #, VERT SLOT, CUSTOM CUSTOMER LIST	4.04	PC	Credentials
Y	1326LMSRV-DMP-PACK10	PROXCARD II, PROG, F-MATTE, B-HID PROX LOGO, RANDOM NON-MATCHING SEQ #, VERT SLOT, CUSTOM CUSTOMER LIST, PACK 10, DMP CUSTOM LABELLING	4.04	PC	Credentials
Y	1326LMSRV-DMP-PACK100	PROXCARD II, PROG, F-MATTE, B-HID PROX LOGO, RANDOM NON-MATCHING SEQ #, VERT SLOT, CUSTOM CUSTOMER LIST, PACK 100, DMP CUSTOM LABELLING	4.04	PC	Credentials
Y	1326LMSSV	PROXCARD II, PROG, F-MATTE, B-HID LOGO, SEQ #, VERT SLOT	4.04	PC	Credentials
Y	1326LMSSV-PACK50	PROXCARD II, PROG, F-MATTE, B-HID LOGO, SEQ #, VERT SLOT, PACKED 50 PER BOX	4.04	PC	Credentials
Y	1326LSSMV	PROXCARD II, PROG, F-HID LOGO, B-HID LOGO, MATCH #, VERT SLOT	4.04	PC	Credentials
Y	1326LSSMV-110249	PROXCARD II, PROG, F-HID LOGO, B-HID LOGO, MATCH #, CUSTOM PACKAGING 50 PER BOX	4.04	PC	Credentials
Y	1326LSSMV-PACK50	PROXCARD II, PROG, F-HID LOGO, B-HID LOGO, MATCH #, PACKAGING 50 PER BOX	4.04	PC	Credentials
Y	1326LSSNV	PROXCARD II, PROG, F-HID LOGO, B-HID LOGO, NO #, VERT SLOT	4.04	PC	Credentials
Y	1326LSSRV	PROXCARD II, PROG, F-HID LOGO, B-HID LOGO, RANDOM #, VERT SLOT	4.04	PC	Credentials
Y	1326LSSSV	PROXCARD II, PROG, F-HID LOGO, B-HID LOGO, SEQ #, VERT SLOT	4.04	PC	Credentials
Y	1326NASSV	PROXCARD II, NON-PROG, ADHESIVE, B-HID LOGO, SEQ #, VERT SLOT	4.72	PC	Credentials
Y	1326NGSNV	PROXCARD II, NON-PROG, F-GLOSS, B-HID LOGO, NO #, VERT SLOT	3.99	PC	Credentials
Y	1326NGSSV	PROXCARD II, NON-PROG, F-GLOSS, B-HID LOGO, SEQ #, VERT SLOT	3.99	PC	Credentials
Y	1326NMSNV	PROXCARD II, NON-PROG, F-MATTE, B-HID LOGO, NO #, VERT SLOT	3.99	PC	Credentials
Y	1326NMSNV-NON-TECH	PROXCARD II, NON-TECHNOLOGY CLAMSHELL, F-MATTE, B-HID LOGO, NO #, VERT SLOT	4.04	PC	Credentials
Y	1326NMSSV	PROXCARD II, NON-PROG, F-MATTE, B-HID LOGO, SEQ #, VERT SLOT	3.99	PC	Credentials
Y	1326NNSNV-60045	PROXCD II, NON-PROG, B-HID LOGO, NO #, VERT SLOT, SUPPLY 60-0045-01 LABEL	3.99	PC	Credentials
Y	1326NSSNV	PROXCARD II, NON-PROG, F-HID LOGO, B-HID LOGO, NO #, VERT SLOT	3.99	PC	Credentials
Y	1326NSSSV	PROXCARD II, NON-PROG, F-HID LOGO, B-HID LOGO, SEQ #, VERT SLOT	3.99	PC	Credentials
Y	1326NWSNV	PROXCARD II, NON-PROG, F-MATTE, B-HID LOGO, NO #, VERT SLOT	3.99	PC	Credentials
Y	1336CGGMN	DUOPROX II, PROG CASI-RUSCO, F-GLOSS, B-GLOSS, MATCHING #, NO SLOT	8.16	PC	Credentials
Y	1336CGGNN	DUOPROX II, PROG CASI-RUSCO, F-GLOSS, B-GLOSS, NO #, NO SLOT	8.16	PC	Credentials
Y	1336CGGSN	DUOPROX II, PROG CASI-RUSCO, F-GLOSS, B-GLOSS, SEQ NON-MATCHING #, NO SLOT	8.16	PC	Credentials
Y	1336LG1MN	DUOPROX II, PROG, F-GLOSS, B-GLOSS LOW CORE 300 OE MAG STRIPE, MATCH #, NO SLOT	8.16	PC	Credentials
Y	1336LGGAN	DUOPROX II, PROG, F-GLOSS, B-GLOSS, ENGRAVED MATCH #, NO SLOT	8.16	PC	Credentials
Y	1336LGGAV	DUOPROX II, PROGRAM, F-GLOSS, B-GLOSS, ENGRAVED MATCH #, VERT SLOT	8.16	PC	Credentials
Y	1336LGGBN	DUOPROX II, PROG, F-GLOSS, B-GLOSS, ENGRAVED SEQ #, NO SLOT	8.16	PC	Credentials

Y	1336LGGBV	DUOPROX II, PROG, F-GLOSS, B-GLOSS, ENGRAVED SEQ #, VERT SLOT	8.16	PC	Credentials
Y	1336LGGCH	DUOPROX II, PROG, F-GLOSS, B-GLOSS, RANDOM LASER #, HZNTL SLOT	8.16	PC	Credentials
Y	1336LGGCN	DUOPROX II, PROG, F-GLOSS, B-GLOSS, ENGRAVED RANDOM #, NO SLOT	8.16	PC	Credentials
Y	1336LGGCV	DUOPROX II, PROG, F-GLOSS, B-GLOSS, RANDOM LASER #, VERT. SLOT	8.16	PC	Credentials
Y	1336LGGMH	DUOPROX II, PROG, F-GLOSS, B-GLOSS, MATCH #, HZNTL SLOT	8.16	PC	Credentials
Y	1336LGGMN	DUOPROX II, PROG, F-GLOSS, B-GLOSS, MATCH #, NO SLOT	8.16	PC	Credentials
Y	1336LGGMN-110987	DUOPROX II, PROG, F-GLOSS, B- GLOSS, MATCH #, NO SLOT	8.16	PC	Credentials
Y	1336LGGMN-2750	DUOPROX II, CUSTOM, 2750 MAGSTRIPE, MATCHING#, NO SLOT, LAM	8.16	PC	Credentials
Y	1336LGGMV	DUOPROX II, PROG, F-GLOSS, B-GLOSS, MATCH #, VERT SLOT	8.16	PC	Credentials
Y	1336LGGNH	DUOPROX II, PROG, F-GLOSS, B-GLOSS, NO #, HZNTL SLOT	8.16	PC	Credentials
Y	1336LGGNN	DUOPROX II, PROG, F-GLOSS, B-GLOSS, NO #, NO SLOT	8.16	PC	Credentials
Y	1336LGGNV	DUOPROX II, PROG, F-GLOSS, B-GLOSS, NO #, VERT SLOT	8.16	PC	Credentials
Y	1336LGGRH	DUOPROX II, PROG, F-GLOSS, B-GLOSS, RANDOM #, HZNTL SLOT	8.26	PC	Credentials
Y	1336LGGRN	DUOPROX II, PROG, F-GLOSS, B-GLOSS, RANDOM #, NO SLOT	8.16	PC	Credentials
Y	1336LGGRV	DUOPROX II, PROG, F-GLOSS, B-GLOSS, RANDOM #, VERT SLOT	8.16	PC	Credentials
Y	1336LGGSH	DUOPROX II, PROG, F-GLOSS, B-GLOSS, SEQ #, HZNTL SLOT	8.16	PC	Credentials
Y	1336LGGSN	DUOPROX II, PROG, F-GLOSS, B-GLOSS, SEQ #, NO SLOT	8.16	PC	Credentials
Y	1336LGGSN-PACK50	DUOPROX II, PROG, F-GLOSS, B-GLOSS, SEQ #, NO SLOT, PACKED 50 PER BOX	8.16	PC	Credentials
Y	1336LGGSV	DUOPROX II, PROG, F-GLOSS, B-GLOSS, SEQ #, VERT SLOT	8.16	PC	Credentials
Y	1336LGSMH	DUOPROX II, PROG, F-GLOSS, B-HID LOGO, MATCH #, HZNTL SLOT	8.16	PC	Credentials
Y	1336LGSMN	DUOPROX II, PROG, F-GLOSS, B-HID LOGO, MATCH #, NO SLOT	8.16	PC	Credentials
Y	1336LGSMV	DUOPROX II, PROG, F-GLOSS, B-HID LOGO, MATCH #, VERT SLOT	8.16	PC	Credentials
Y	1336LGSNN	DUOPROX II, PROG, F-GLOSS, B-HID LOGO, NO #, NO SLOT	8.16	PC	Credentials
Y	1336NGGBN	DUOPROX II, NON-PROG, F-GLOSS, B-GLOSS, SEQ LASER#, NO SLOT	8.16	PC	Credentials
Y	1336NGGNN	DUOPROX II, NON-PROG, F-GLOSS, B-GLOSS, NO #, NO SLOT	8.06	PC	Credentials
Y	1336NGGNV	DUOPROX II, NON-PROG, F-GLOSS, B-GLOSS, NO #, VERT SLOT	8.06	PC	Credentials
Y	1336NGGSH	DUOPROX II, NON PROG, F-GLOSS, B-GLOSS, SEQ #, HZNTL SLOT	8.06	PC	Credentials
Y	1336NGGSN	DUOPROX II, NON-PROG, F-GLOSS, B-GLOSS, SEQ #, NO SLOT	8.06	PC	Credentials
Y	1336NGGSV	DUOPROX II, NON-PROG, F-GLOSS, B-GLOSS, SEQ #, VERT SLOT	8.06	PC	Credentials
Y	1336NGSNH	DUOPROX II, NON-PROG, F-GLOSS, B-HID LOGO, NO #, HZNTL SLOT	8.06	PC	Credentials
Y	1336NGSNN	DUOPROX II, NON-PROG, F-GLOSS, B-HID LOGO, NO #, NO SLOT	8.06	PC	Credentials
Y	1336NGSNV	DUOPROX II, NON-PROG, F-GLOSS, B-HID LOGO, NO #, VERT SLOT	8.06	PC	Credentials
Y	1336NGSSN	DUOPROX II, NON-PROG, F-GLOSS, B-HID LOGO, SEQ #, NO SLOT	8.06	PC	Credentials
Y	1346CNSMN	PROXKEY III, PROG INDALA CASI-RUSCO, F-BLACK, B-HID LOGO, MATCHING #, NO SLOT	8.02	PC	Credentials
Y	1346LNSAN	PROXKEY III, PROG., F-BLACK, B-HID LOGO, SEQ. LASER MATCHING #, NO SLOT	8.02	PC	Credentials
Y	1346LNSBN	PROXKEY III, PROG., F-BLACK, B-HID LOGO, SEQ. NON-MATCH. LASER #, NO SLOT	8.02	PC	Credentials
Y	1346LNSBN-A000198	PROXKEY III, PROG., F-BLACK, B-HID LOGO, SEQ. NON-MATCH. LASER #, NO SLOT, CUSTOM MARKING	8.02	PC	Credentials
Y	1346LNSBN-PACK50	PROXKEY III, PROG., F-BLACK, B-HID LOGO, SEQ. NON-MATCH. LASER #, NO SLOT, PACK IN LOTS OF 50	8.02	PC	Credentials
Y	1346LNSCN	PROXKEY III, PROG., F-BLACK, B-HID LOGO, SEQ. RANDOM LASER #, NO SLOT	8.02	PC	Credentials
Y	1346LNSMN	PROXKEY III, PROG., F-BLACK, B-HID LOGO, SEQ.MATCHING #, NO SLOT	8.02	PC	Credentials
Y	1346LNSMN-310064	PROXKEY III, PROG, F-HID LOGO, B-STD BACK, MATCH #, NO SLOT, NO SALES ORDER ON MARKING.	8.02	PC	Credentials
Y	1346LNSMN-A000186	PROXKEY III, PROG, F-BLACK, B-HID LOGO, F-BLACK, B-HID LOGO, MATCHING #, NO SLOT	8.02	PC	Credentials
Y	1346LNSMN-KIT	PROXKEY III, PROG. H10302, F-BLACK, B-HID LOGO, SEQ.MATCHING #, NO SLOT	8.02	PC	Credentials
Y	1346LNSMN-PACK10	PROXKEY III, PROG., F-BLACK, B-HID LOGO, MATCH#, NO SLOT, PACK IN LOTS OF 10	8.02	PC	Credentials
Y	1346LNSMN-PACK50	PROXKEY III, PROG., F-BLACK, B-HID LOGO, MATCH#, NO SLOT, PACK IN LOTS OF 50	8.02	PC	Credentials
Y	1346LNSNN	PROXKEY III, PROG., F-BLACK, B-HID LOGO, NO#, NO SLOT	8.02	PC	Credentials
Y	1346LNSRN	PROXKEY III, PROG., F-BLACK, B-HID LOGO, RANDOM MATCHING #, NO SLOT	8.02	PC	Credentials
Y	1346LNSRN-DMP	PROXKEY III, PROG, F-BLACK, B-HID LOGO, RANDOM NON-MATCHING SEQ #, NO SLOT, CUSTOM CUSTOMER LIST	8.02	PC	Credentials
Y	1346LNSRN-DMP-PACK10	PROXKEY III, PROG, F-BLACK, B-HID LOGO, RANDOM NON-MATCHING SEQ #, NO SLOT, CUSTOM CUSTOMER LIST, PACK 10	8.02	PC	Credentials
Y	1346LNSRN-DMP-PACK100	PROXKEY III, PROG, F-BLACK, B-HID LOGO, RANDOM NON-MATCHING SEQ #, NO SLOT, CUSTOM CUSTOMER LIST, PACK 100	8.02	PC	Credentials
Y	1346LNSSN	PROXKEY III, PROG., F-BLACK, B-HID LOGO, SEQ. NON-MATCHING #, NO SLOT	8.02	PC	Credentials
Y	1346LNSSN-PACK50	PROXKEY III, PROG., F-BLACK, B-HID LOGO, SEQ. NON-MATCH. SEQ. #, NO SLOT, PACK IN LOTS OF 50	8.02	PC	Credentials
Y	1346NNSBN	PROXKEY III, NON-PROG, F-PROXKEY III, B-STANDARD, SEQ. LASER#, NO SLOT	8.02	PC	Credentials
Y	1346NNSNN	PROXKEY III, NON-PROG, F-PROXKEY III, B-STANDARD, NO #, NO SLOT	7.92	PC	Credentials
Y	1346NNSON	PROXKEY III, NON-PROG, F-PROXKEY III, B-STANDARD, SEQ. #, NO SLOT	7.92	PC	Credentials
Y	1346NNSSN	PROXKEY III, NON-PROG, F-PROXKEY III, B-STANDARD, SEQ. #, NO SLOT	7.92	PC	Credentials
Y	1351LBSMN	PROXPASS TAG, PROG, MATCH # LEAD FREE	45.96	PC	Credentials
Y	1351LBSNN	PROXPASS TAG, PROG, NO # LEAD FREE	45.96	PC	Credentials
Y	1351LBSRN	PROXPASS TAG, PROG, RANDOM # LEAD FREE	45.96	PC	Credentials
Y	1351LBSRN-DMP	PROXPASS TAG, PROG, RANDOM NON-MATCHING SEQ #, LEAD FREE, CUSTOM CUSTOMER LIST	45.96	PC	Credentials
Y	1351LBSSN	PROXPASS TAG, PROG, SEQ # LEAD FREE	45.96	PC	Credentials
Y	1351NBSSN	PROXPASS TAG, NON-PROG, SEQ # LEAD FREE	45.96	PC	Credentials
Y	137-0005-11	STRAIN RELIEF, NYL, .11- .26 IN. (WITH OUT NUT), LEAD FREE	2.78	ZB	Other Products
Y	1386CGGMH	ISOPROX II, PROG CASI-RUSCO, F-GLOSS, B-GLOSS, MATCHING #, HORZ SLOT	8.16	PC	Credentials
Y	1386CGGMN	ISOPROX II, PROG CASI-RUSCO, F-GLOSS, B-GLOSS, MATCHING #, NO SLOT	7.41	PC	Credentials
Y	1386CGGMV	ISOPROX II, PROG CASI-RUSCO, F-GLOSS, B-GLOSS, MATCHING #, VERT SLOT	7.41	PC	Credentials
Y	1386CGGNH	ISOPROX II, PROG CASI-RUSCO, F-GLOSS, B-GLOSS, NO #, HORZ SLOT	7.41	PC	Credentials
Y	1386CGGNN	ISOPROX II, PROG CASI-RUSCO, F-GLOSS, B-GLOSS, NO #, NO SLOT	7.41	PC	Credentials
Y	1386CGGNV	ISOPROX II, PROG CASI-RUSCO, F-GLOSS, B-GLOSS, NO #, VERT SLOT	7.41	PC	Credentials
Y	1386CGGSH	ISOPROX II, PROG CASI-RUSCO, F-GLOSS, B-GLOSS, SEQ NON-MATCHING #, HORZ SLOT	7.41	PC	Credentials
Y	1386CGGSN	ISOPROX II, PROG CASI-RUSCO, F-GLOSS, B-GLOSS, SEQ NON-MATCHING #, NO SLOT	7.41	PC	Credentials
Y	1386CGGSV	ISOPROX II, PROG CASI-RUSCO, F-GLOSS, B-GLOSS, SEQ NON-MATCHING #, VERT SLOT	7.41	PC	Credentials
Y	1386LGGAH	ISOPROX II, PROG, F-GLOSS, B-HID LOGO, ENGRAVED MATCH #, HZNTL SLOT	7.41	PC	Credentials
Y	1386LGGAN	ISOPROX II, PROG, F-GLOSS, B-GLOSS, ENGRAVED MATCH #, NO SLOT	7.41	PC	Credentials
Y	1386LGGAN-509	ISOPROX II, PROG 125K, HID LOGO, SLOT INDICATORS, CUSTOM LASER ON FRONT	7.41	PC	Credentials
Y	1386LGGAN-A000262	ISOPROX II, PROG, F-GLOSS, B-GLOSS, REV 4 LASER MATCHING #, PRINT TEST REQUIRED, NO SLOT	7.41	PC	Credentials
Y	1386LGGAV	ISOPROX II, PROG, F-GLOSS, B-GLOSS, ENGRAVED MATCH #, VERT SLOT	7.41	PC	Credentials

Y	1386LGGBH	ISOPROX II, PROG, F-GLOSS, B-GLOSS, SEQ NON-MATCHING LASER #, HORZ SLOT	7.41	PC	Credentials
Y	1386LGGBN	ISOPROX II, PROG, F-GLOSS, B-GLOSS, ENGRAVED SEQ #, NO SLOT	7.41	PC	Credentials
Y	1386LGGBN-PACK50	ISOPROX II, PROG, F-GLOSS, B-GLOSS, SEQ. LASER NON-MATCHING, NO SLOT	7.41	PC	Credentials
Y	1386LGGBV	ISOPROX II, PROG, F-GLOSS, B-GLOSS, ENGRAVED SEQ #, VERT SLOT	7.41	PC	Credentials
Y	1386LGGCN	ISOPROX II, PROG, F-GLOSS, B-GLOSS, RANDOM NON-MATCHING SEQ. ENGRAVED#, NO SLOT	7.41	PC	Credentials
Y	1386LGGMB-H103F	ISOPROX II, CUSTOM, PLAIN WHITE CSTM THKNESS	7.41	PC	Credentials
Y	1386LGGMH	ISOPROX II, PROG, F-GLOSS, B-GLOSS, MATCH #, HZNTL SLOT	7.41	PC	Credentials
Y	1386LGGMH-111012	ISOPROX II, PROG 125K, F-GLOSS, CUSTOM INKJET LOCATION, MATCH #, HORZ. SLOT	7.41	PC	Credentials
Y	1386LGGMH-16010	ISOPROX II, PROG 125K, F-GLOSS, SPECIAL INKJET LOCATION, MATCH #, HORIZONTAL SLOT	7.41	PC	Credentials
Y	1386LGGMN	ISOPROX II, PROG, F-GLOSS, B-GLOSS, MATCH #, NO SLOT	7.41	PC	Credentials
Y	1386LGGMN-110371	ISOPROX II, PROG, F-GLOSS, B-GLOSS, MATCHING #, NO SLOT	7.41	PC	Credentials
Y	1386LGGMN-120128	ISOPROX II, CUSTOM, PROG, GLOSS/GLOSS CUSTOM THICKNESS .049, MATCHING#. LAM	7.51	PC	Credentials
Y	1386LGGMN-16010	ISOPROX II, PROG 125K, F-GLOSS, SPECIAL INKJET LOCATION, MATCH #, NO SLOT	7.41	PC	Credentials
Y	1386LGGMN-27453	ISOPROX II, PROG 125K, F-GLOSS, B-GLOSS, MATCH #, PACKAGED IN BOXES OF 50	7.41	PC	Credentials
Y	1386LGGMN-502	ISOPROX II, PROG, F-GLOSS, B-GLOSS, CUSTOM MARKING LOCATION, NO SLOT	7.41	PC	Credentials
Y	1386LGGMN-503	ISOPROX II, CUSTOM, F-GLOSS, B-GLOSS, MATCH#, NO SLOT, CUSTOM LOCATION	7.41	PC	Credentials
Y	1386LGGMN-A000092	ISOPROX II, PROG., F-GLOSS, B-GLOSS, MATCH #, NO SLOT, PACK 100	7.41	PC	Credentials
Y	1386LGGMN-C100P	ISOPROX II, CUSTOM, CDKEY, CSTM INKJET LOC	7.41	PC	Credentials
Y	1386LGGMN-PACK50	ISOPROX II, PROG, F-GLOSS, B-GLOSS, MATCHING #, NO SLOT	7.41	PC	Credentials
Y	1386LGGMN-TRW	ISOPROX II, PROG, F-THERMAL REWRITE, B-GLOSS, MATCHING#, NO SLOT, LAM	7.41	PC	Credentials
Y	1386LGGMV	ISOPROX II, PROG, F-GLOSS, B-GLOSS, MATCH #, VERT SLOT	7.41	PC	Credentials
Y	1386LGGMV-S12906	ISOPROX II, PROG, F-GLOSS, B-GLOSS, MATCH #, VERT SLOT, CUST SIMPLEX EDI	7.41	PC	Credentials
Y	1386LGGNH	ISOPROX II, PROG, F-GLOSS, B-GLOSS, NO #, HZNTL SLOT	7.41	PC	Credentials
Y	1386LGGNN	ISOPROX II, PROG, F-GLOSS, B-GLOSS, NO #, NO SLOT	7.41	PC	Credentials
Y	1386LGGNN-1141	ISOPROX II, HID BUG W/SLOT INDICATORS CUSTOM THICKNESS .047", NO#, NO SLOT, LAM	7.51	PC	Credentials
Y	1386LGGNN-120128	ISOPROX II, CUSTOM, PROG, GLOSS/GLOSS CUSTOM THICKNESS .049, NO INKJET, LAM	7.51	PC	Credentials
Y	1386LGGNV	ISOPROX II, PROG, F-GLOSS, B-GLOSS, NO #, VERT SLOT	7.41	PC	Credentials
Y	1386LGGRH	ISOPROX II, PROG, F-GLOSS, B-GLOSS, RANDOM #, HZNTL SLOT	7.41	PC	Credentials
Y	1386LGGRN	ISOPROX II, PROG, F-GLOSS, B-GLOSS, RANDOM #, NO SLOT	7.41	PC	Credentials
Y	1386LGGRN-111409	ISOPROX II, CUSTOM, PROG., F-GLOSS, B-GLOSS, RANDOM #, NO SLOT, D-STLE MARKING WITH NO SALES ORDER #	7.41	PC	Credentials
Y	1386LGGRN-DMP	ISOPROX II, PROG, F-GLOSS, B-GLOSS, RANDOM NON-MATCHING SEQ #, NO SLOT, CUSTOM CUSTOMER LIST	7.41	PC	Credentials
Y	1386LGGRN-DMP-PACK10	ISOPROX II, PROG, F-GLOSS, B-GLOSS, RANDOM NON-MATCHING SEQ #, NO SLOT, CUSTOM CUSTOMER LIST, PACK 10, CUSTOM DMP LABELLING	7.41	PC	Credentials
Y	1386LGGRV	ISOPROX II, PROG, F-GLOSS, B-GLOSS, RANDOM #, VERT SLOT	7.41	PC	Credentials
Y	1386LGGSH	ISOPROX II, PROG, F-GLOSS, B-GLOSS, SEQ #, HZNTL SLOT	7.41	PC	Credentials
Y	1386LGGSN	ISOPROX II, PROG, F-GLOSS, B-GLOSS, SEQ #, NO SLOT	7.41	PC	Credentials
Y	1386LGGSN-1141	ISOPROX II, CUSTOM, F-GLOSS, B-HID BUG W/SLOT INDICATORS CUSTOM THICKNESS .047", SEQ.#, NO SLOT, LAM	7.51	PC	Credentials
Y	1386LGGSN-PACK50	ISOPROX II, PROG, F-GLOSS, B-GLOSS, SEQ #, NO SLOT, PACKED 50 PER BOX	7.41	PC	Credentials
Y	1386LGGSV	ISOPROX II, PROG, F-GLOSS, B-GLOSS, SEQ #, VERT SLOT	7.41	PC	Credentials
Y	1386LGGSV-1141	ISOPROX II, CUSTOM, F-GLOSS, B-HID BUG W/SLOT INDICATORS CUSTOM THICKNESS .047", SEQ.#, VERT. SLOT, LAM	7.51	PC	Credentials
Y	1386LGGXAN-210336	ISOPROX II, PROG, WHITE, LEGIC PRIME 1024, LASER #, NO SLOT	16.93	PC	Credentials
Y	1386LGSAN	ISOPROX II, PROG, F-GLOSS, B-HID LOGO, LASER MARK SEQ #, NO SLOT	7.41	PC	Credentials
Y	1386LGSAV	ISOPROX II, PROG, F-GLOSS, B-HID LOGO, ENGRAVED MATCH #, VERT SLOT	7.41	PC	Credentials
Y	1386LGSMH	ISOPROX II, PROG, F-GLOSS, B-HID LOGO, MATCH #, HZNTL SLOT	7.41	PC	Credentials
Y	1386LGSMN	ISOPROX II, PROG, F-GLOSS, B-HID LOGO, MATCH #, NO SLOT	7.41	PC	Credentials
Y	1386LGSMV	ISOPROX II, PROG, F-GLOSS, B-HID LOGO, MATCH #, VERT SLOT	7.41	PC	Credentials
Y	1386LGSMV-PACK10	ISOPROX II, PROG, F-GLOSS, B-STANDARD, MATCHING #, VERT. SLOT, PACKED 10 PER BOX	7.46	PC	Credentials
Y	1386LGSNN	ISOPROX II, PROG, F-GLOSS, B-HID LOGO, NO #, NO SLOT	7.41	PC	Credentials
Y	1386LGSNV	ISOPROX II, PROG, F-GLOSS, B-HID LOGO, NO #, VERT SLOT	7.41	PC	Credentials
Y	1386LGSRN	ISOPROX II, PROG, F-GLOSS, B-HID LOGO, RANDOM #, NO SLOT	7.41	PC	Credentials
Y	1386LGSRV	ISOPROX II, PROG, F-GLOSS, B-HID LOGO, RANDOM #, VERT SLOT	7.41	PC	Credentials
Y	1386LGSSH	ISOPROX II, PROG, F-GLOSS, B-HID LOGO, SEQ #, HZNTL SLOT	7.41	PC	Credentials
Y	1386LGSSN	ISOPROX II, PROG, F-GLOSS, B-HID LOGO, SEQ #, NO SLOT	7.41	PC	Credentials
Y	1386LGSSV	ISOPROX II, PROG, F-GLOSS, B-HID LOGO, SEQ #, VERT SLOT	7.41	PC	Credentials
Y	1386NGGBN	ISOPROX II, NON-PROG, F-GLOSS, B-GLOSS, SEQ NON-MATCHING LASER #, NO SLOT	7.31	PC	Credentials
Y	1386NGGNH	ISOPROX II, NON-PROG, F-GLOSS, B-GLOSS, NO #, HZNTL SLOT	7.31	PC	Credentials
Y	1386NGGNN	ISOPROX II, NON-PROG, F-GLOSS, B-GLOSS, NO #, NO SLOT	7.31	PC	Credentials
Y	1386NGGNV	ISOPROX II, NON-PROG, F-GLOSS, B-GLOSS, NO #, VERT SLOT	7.31	PC	Credentials
Y	1386NGGSH	ISOPROX II, NON-PROG, F-GLOSS, B-GLOSS, SEQ NON-MATCHING #, HORZ SLOT	7.31	PC	Credentials
Y	1386NGGSN	ISOPROX II, NON-PROG, F-GLOSS, B-GLOSS, SEQ #, NO SLOT	7.31	PC	Credentials
Y	1386NGGSV	ISOPROX II, NON-PROG, F-GLOSS, B-GLOSS, SEQ #, VERT SLOT	7.31	PC	Credentials
Y	1386NGSNN	ISOPROX II, NON-PROG, F-GLOSS, B-HID LOGO, NO #, NO SLOT	7.31	PC	Credentials
Y	1386NGSNV	ISOPROX II, NON-PROG, F-GLOSS, B-HID LOGO, NO #, VERT SLOT	7.31	PC	Credentials
Y	1386NGSSN	ISOPROX II, NON-PROG, F-GLOSS, B-HID LOGO, SEQ #, NO SLOT	7.31	PC	Credentials
Y	1386NGSSV	ISOPROX II, NON-PROG, F-GLOSS, B-HID LOGO, SEQ NON-MATCHING #, VERT SLOT	7.31	PC	Credentials
Y	1391CSSMN	MICROPROX TAG, PROG CASI-RUSCO, F-GRAY W/HID STANDARD ARTWORK, B-ADHESIVE, MATCHING #, NO SLOT	5.39	PC	Credentials
Y	1391CSSNN	MICROPROX TAG, PROG CASI-RUSCO, F-GRAY W/HID STANDARD ARTWORK, B-ADHESIVE, NO #, NO SLOT	5.39	PC	Credentials
Y	1391LGSMN	MICROPROX TAG, PROG, GRAY, MATCH #	5.39	PC	Credentials
Y	1391LGSMN-110324	MICROPROX TAG, PROG, GRAY NO ARTWORK, MATCH #, CUSTOM INKJET ON FRONT	5.39	PC	Credentials
Y	1391LGSMN-A000571	MICROPROX TAG, PROG, F-GRAY NO ARTWORK, B-ADHESIVE, MATCHING # ON FRONT, NO SLOT	5.39	PC	Credentials
Y	1391LGSNN	MICROPROX TAG, PROG 125K, GRAY, ADHESIVE, NO #, NO SLOT	5.39	PC	Credentials
Y	1391LGSSN	MICROPROX TAG, PROG, GRAY, NON-MATCH #, NO SLOT	5.39	PC	Credentials
Y	1391LSSMN	MICROPROX TAG, PROG, GRAY, MATCH #	5.39	PC	Credentials
Y	1391LSSNN	MICROPROX TAG, PROG, GRAY, NO #	5.39	PC	Credentials
Y	1391LSSRN	MICROPROX TAG, PROG, GRAY, RANDOM #	5.39	PC	Credentials
Y	1391LSSSN	MICROPROX TAG, PROG, GRAY, SEQ #	5.39	PC	Credentials
Y	1391LSSSN-A000198	MICROPROX TAG, PROG 125K, F-HID LOGO GRAY, B-ADHESIVE, SEQ. NON-MATCHING #, NO SLOT, CUSTOM MARKING, PACKAGE IN LOTS OF 50	5.39	PC	Credentials
Y	1391LSSSN-PACK50	MICROPROX TAG, PROG, GRAY, SEQ. NON-MATCH #, PACKAGE IN LOTS OF 50	5.39	PC	Credentials

Y	1391NGSNN	MICROPROX TAG, NON-PRGMD, GRY, ADH BCKG, NO #	5.34	PC	Credentials
Y	1391NGSSN	MICROPROX TAG, NON-PROG, GRAY, SEQ #	5.34	PC	Credentials
Y	1391NSSNN	MICROPROX TAG, NON-PROG, GRAY, NO #	5.34	PC	Credentials
Y	1391NSSON	MICROPROX TAG, NON-PROG, GRAY, SEQ. #	5.34	PC	Credentials
Y	1391NSSSN	MICROPROX TAG, NON-PROG, F-HID LOGO GRAY, ADHESIVE, SEQ #, NO SLOT	5.34	PC	Credentials
Y	1430MG1MN	HID MIFARE, PROG HID 13.56M, F-GLOSS, B-GLOSS, MATCH #, NO SLOT	5.33	MD	Credentials
Y	1430MG1MV	HID MIFARE 1K, PROG HID 13.56M, F-GLOSS, B-GLOSS W/MAG, MATCH #, VERT SLOT	5.23	MD	Credentials
Y	1430MG1NN	HID MIFARE, PROG HID 13.56M, F-GLOSS, B-GLOSS, NO #, NO SLOT	5.33	MD	Credentials
Y	1430MGGAN	HID MIFARE, PROG HID 13.56M, F-GLOSS, B-GLOSS, LASER #, IE015209 FORMAT, NO SLOT	4.78	MD	Credentials
Y	1430MGGMN	HID MIFARE, PROG HID 13.56M, F-GLOSS, B-GLOSS, MATCH #, NO SLOT	4.78	MD	Credentials
Y	1430MGGMV	HID MIFARE, PROG HID 13.56M, F-GLOSS, B-GLOSS, MATCH #, VERT SLOT	4.78	MD	Credentials
Y	1430MGGNN	HID MIFARE, PROG HID 13.56M, F-GLOSS, B-GLOSS, NO #, NO SLOT	4.78	MD	Credentials
Y	1430MGGNV	HID MIFARE, PROG HID 13.56M, F-GLOSS, B-GLOSS, NO #, VERT SLOT	4.78	MD	Credentials
Y	1430MGGSN	HID MIFARE 1K, PROG HID 13.56M, F-GLOSS, B-GLOSS, SEQ NON-MATCH #, NO SLOT	4.78	MD	Credentials
Y	1430MGGSV	HID MIFARE, PROG HID 13.56M, F-GLOSS, B-GLOSS, SEQ #, VERT SLOT	4.78	MD	Credentials
Y	1430MGGUN	HID MIFARE 1K, PROG, F-GLOSS, B-GLOSS, UID (CSN) HEX #, NO SLOT	4.68	MD	Credentials
Y	1430MGGVN	HID MIFARE 1K, PROG, F-GLOSS, B-GLOSS, UID (CSN) DECIMAL #, NO SLOT	4.68	MD	Credentials
Y	1430MGGZN	HID MIFARE 1K, PROG, F-GLOSS, B-GLOSS, LASER REVERSED UID (CSN) DECIMAL #, NO SLOT	4.78	MD	Credentials
Y	1430NE1NN	HID MIFARE, NON-PROG, F-GLOSS EMBEDDABLE, B-GLOSS W/MAG, NO #, NO SLOT	4.68	EB	Credentials
Y	1430NG1NN	ISO CARD MIFARE 1K 4BNUID, NON-PROG, F-GLOSS, B-GLOSS W/MAG, NO #, NO SLOT	5.23	MD	Credentials
Y	1430NG1NV	HID MIFARE 1K, NON-PROG, F-GLOSS, B-GLOSS W/MAG, NO #, VERT SLOT	5.23	MD	Credentials
Y	1430NG1SN	HID MIFARE, NON-PROG, F-GLOSS, B-GLOSS W/ MAG, SEQ #, NO SLOT	5.23	MD	Credentials
Y	1430NG1SV	HID MIFARE 1K, NON-PROG, F-GLOSS, B-GLOSS W/MAG, SEQ NON-MATCHING #, VERT SLOT	5.23	MD	Credentials
Y	1430NGGBN	HID MIFARE, NON-PROG, F-GLOSS, B-GLOSS, SEQ LASER #, NO SLOT	4.68	MD	Credentials
Y	1430NGGCN	HID MIFARE, NON-PROG, F-GLOSS, B-GLOSS, ENGRAVED RANDOM #, NO SLOT	4.68	MD	Credentials
Y	1430NGGNN	ISO CARD MIFARE 1K 4BNUID, NON-PROG, F-GLOSS, B-GLOSS, NO #, NO SLOT	4.68	MD	Credentials
Y	1430NGGNN-120190	HID MIFARE, NON-PROG, F-GLOSS, B-GLOSS, NO #, NO SLOT, INVERT MODULE LOC.	4.68	MD	Credentials
Y	1430NGGNN-310109	MIFARE 1K CARD, NON-PROGRAM, F-GLOSS, B-GLOSS, NO#, NO SLOT, SO# PRINTED ON CARD	4.68	MD	Credentials
Y	1430NGGNV	HID MIFARE, NON-PROG, F-GLOSS, B-GLOSS, NO #, VERT SLOT	4.68	MD	Credentials
Y	1430NGGSN	HID MIFARE, NON-PROG, F-GLOSS, B-GLOSS, SEQ #, NO SLOT	4.68	MD	Credentials
Y	1430NGGSV	HID MIFARE, NON-PROG, F-GLOSS, B-GLOSS, SEQ #, VERT SLOT	4.68	MD	Credentials
Y	1430NGGUN	HID MIFARE, NON-PROG, F-GLOSS, B-GLOSS, CARD NUMBER ONLY, NO SLOT	4.68	MD	Credentials
Y	1430NGGUV	HID MIFARE 1K, NON-PROG, F-GLOSS, B-GLOSS, UID (CSN) HEX #, VERT SLOT	4.68	MD	Credentials
Y	1430NGGVN	HID MIFARE 1K, NON-PROG, F-GLOSS, B-GLOSS, UID (CSN) DECIMAL #, NO SLOT	4.68	MD	Credentials
Y	1430NGGVN-310146	HID MIFARE 1K, NON-PROG, F-GLOSS, B-GLOSS, 7 BYTE UID (CSN) DECIMAL #, NO SLOT, LAM	4.68	MD	Credentials
Y	1430NGGZN	HID MIFARE 1K, NON-PROG, F-GLOSS, B-GLOSS, LASER REVERSED UID (CSN) DECIMAL #, NO SLOT	4.68	MD	Credentials
Y	1430SG1NN	HID MIFARE 1K, CUSTOM PROG, F-GLOSS, B-GLOSS W/ MAG, NO #, NO SLOT	5.33	MD	Credentials
Y	1430SGGMN	HID MIFARE 1K, CUSTOM PROG, F-GLOSS, B-GLOSS, MATCHING #, NO SLOT	4.78	MD	Credentials
Y	1430SGGMV	HID MIFARE 1K, CUSTOM PROG, F-GLOSS, B-GLOSS, MATCHING #, VERT. SLOT	4.78	MD	Credentials
Y	1430SGGNN	HID MIFARE 1K, CUSTOM PROG, F-GLOSS, B-GLOSS, NO #, NO SLOT	4.78	MD	Credentials
Y	1431BG1MNM	HID PROX & MIFARE, PROG HID 125K & 13.56M, F-GLOSS, B-MAG STRIPE, MATCH #, NO SLOT, MATCH 13.56 #	9.44	MD	Credentials
Y	1431BG1MNN	HID PROX & MIFARE, PROG HID 125K & 13.56M, F-GLOSS, B-MAG STRIPE, MATCH #, NO SLOT, NO 13.56 #	9.44	MD	Credentials
Y	1431BG1NNN	MIFARE PROX 1K, PROG MIFARE/PROX, F-GLOSS, B-GLOSS W/MAG, NO MIFARE #, NO SLOT, NO PROX #	9.44	MD	Credentials
Y	1431BG1NVN	HID MIFARE & PROX, PROG HID 13.56 & 125K , F-GLOSS, B-GLOSS W/ MAG STRIPE, NO 13.56, VERT SLOT, NO #	9.44	MD	Credentials
Y	1431BGGMNM	HID PROX & MIFARE, PROG HID 125K & 13.56M, F-GLOSS, B-GLOSS, MATCH #, NO SLOT, MATCH 13.56 #	8.89	MD	Credentials
Y	1431BGGMNN	HID PROX & MIFARE, PROG HID 125K & 13.56M, F-GLOSS, B-GLOSS, MATCH #, NO SLOT, NO 13.56 #	8.89	MD	Credentials
Y	1431BGGMVM	HID PROX & MIFARE, PROG HID 125K & 13.56M, F-GLOSS, B-BLOSS, MATCH #, VERT SLOT, MATCH 13.56 #	8.89	MD	Credentials
Y	1431BGGMVN	HID MIFARE & PROX, PROG HID 13.56M & 125, F-GLOSS, B-GLOSS, MATCH MIFARE #, SLOT, NO 125 #	8.89	MD	Credentials
Y	1431BGGNNM	HID PROX & MIFARE, PROG HID 125K & 13.56M, F-GLOSS, B-GLOSS, NO 125 #, NO SLOT, MATCHING 13.56 #	8.89	MD	Credentials
Y	1431BGGNNN	MIFARE PROX 1K, PROG MIFARE/PROX, F-GLOSS, B-GLOSS, NO MIFARE #, NO SLOT, NO PROX #	8.89	MD	Credentials
Y	1431BGGNNS	HID MIFARE PROX, PROG., F-GLOSS, B-GLOSS, NO MIFARE#, NO SLOT, SEQ. PROX#	8.89	MD	Credentials
Y	1431BGGNVM	MIFARE PROX 1K, PROG MIFARE/PROX, F-GLOSS, B-GLOSS, NO MIFARE #, VERT SLOT, MATCHING PROX #	8.79	MD	Credentials
Y	1431BGGSNN	HID PROX & MIFARE, PROG HID 125K & 13.56M, F-GLOSS, B-GLOSS, SEQ. 125 #, NO SLOT, NO 13.56 #	8.89	MD	Credentials
Y	1431BGGSNS	HID PROX & MIFARE, PROG HID 125K & 13.56M, F-GLOSS B-GLOSS, SEQ #, NO SLOT, SEQ 13.56 #	8.89	MD	Credentials
Y	1431BGGSVN	MIFARE PROX 1K, PROG MIFARE/PROX, F-GLOSS, B-GLOSS, SEQ NON-MATCHING MIFARE #, VERT SLOT, NO PROX #	8.89	MD	Credentials
Y	1431BGGUNM	HID MIFARE CLASSIC 1K + PROX, MIFARE CLASSIC PROG, PROX PROG, F-GLOSS, B-GLOSS, UID (CSN) MIFARE #, NO SLOT, MATCH PROX #	8.89	MD	Credentials
Y	1431LEGMNN	HID PROX & MIFARE, PROG 125K ONLY, EMBEDDABLE, B-GLOSS, MATCH #, NO SLOT, NO 13.56 #	8.79	EB	Credentials
Y	1431LEGNNN	HID PROX & MIFARE, PROG 125K ONLY, EMBEDDABLE, B-GLOSS, NO 125 #, NO SLOT, NO 13.56 #	8.79	EB	Credentials
Y	1431LEGSNN	HID PROX & MIFARE, PROG 125K ONLY, EMBEDDABLE, B-GLOSS, SEQ #, NO SLOT, NO 13.56 #	8.79	EB	Credentials
Y	1431LG1MNM	HID PROX & MIFARE, PROG 125K ONLY, F-GLOSS, B-GLOSS W. MAGSTRIPE, MATCH PROX#, MATCH MIFARE #, NO SLOT,	9.34	MD	Credentials
Y	1431LG1MVN	MIFARE PROX 1K, NON-PROG MIFARE, PROG PROX, F-GLOSS, B-GLOSS W/MAG, MATCHING MIFARE #, VERT SLOT, NO PROX #	9.34	MD	Credentials
Y	1431LG1NNM	HID MIFARE 1K PROX, PROG. PROX, F-GLOSS, B-GLOSS, NO MIFARE #, NO SLOT, MATCH PROX #	9.34	MD	Credentials
Y	1431LG1NNN	HID PROX & MIFARE, PROG 125K, F-GLOSS, MAGSTRIPE, NO #, NO SLOT, NO 13.56M #	9.34	MD	Credentials
Y	1431LG1NVM	HID MIFARE PROX, PROG. PROX, F-GLOSS, B-GLOSS W/MAG, NO MIFARE#, VERT SLOT, MATCH. PROX#	9.34	MD	Credentials
Y	1431LG1NVN	HID PROX & MIFARE, PROG 125K, F-GLOSS, B- GLOSS W/MAGSTRIPE, NO #, VERT SLOT, NO 13.56M #	9.34	MD	Credentials
Y	1431LG1SNN	HID PROX & MIFARE, PROG 125K, F-GLOSS, MAGSTRIPE, SEQ #, NO SLOT, NO 13.56 #	9.34	MD	Credentials
Y	1431LG1SNS	HID PROX & MIFARE, PROG 125K, F-GLOSS, MAGSTRIPE, SEQ #, NO SLOT, SEQ 13.56 #	9.34	MD	Credentials
Y	1431LG1UNM	HID MIFARE PROX, PROG PROX ONLY, F-GLOSS, B-GLOSS, CSN MIFARE #, NO SLOT, MATCHING PROX #	9.34	MD	Credentials
Y	1431LG1VNM	HID MIFARE 1K + PROX, NON-PROG MIFARE, PROG PROX, F-GLOSS, B-GLOSS W/MAG, UID (CSN) DECIMAL MIFARE #, NO SLOT, MATCHING PROX #	9.34	MD	Credentials
Y	1431LG1ZNM	HID MIFARE 1K + PROX, NON-PROG MIFARE, PROG PROX, F-GLOSS, B-GLOSS W/MAG, LASER REVERSED UID (CSN) DECIMAL MIFARE #, NO SLOT, MATCHING PROX #	9.34	MD	Credentials
Y	1431LGGANN	HID PROX & MIFARE, PROG, F-GLOSS, B-GLOSS, SEQ LASER, NO SLOT, NO 13.56 #	8.79	MD	Credentials
Y	1431LGGBNN	HID PROX & MIFARE, PROG, F-GLOSS, B-GLOSS, SEQ LASER, NO SLOT, NO 13.56 #	8.79	MD	Credentials
Y	1431LGGMVN	HID PROX & MIFARE, PROG, F-GLOSS, B-GLOSS, MATCH #, VERT SLOT, NO 13.56 #	8.79	MD	Credentials
Y	1431LGGMVU	HID PROX & MIFARE, PROG, F-GLOSS, B-GLOSS, CSN #, VERT SLOT, NO 13.56 #	8.79	MD	Credentials
Y	1431LGGNNA	HID MIFARE PROX, PROG, F-GLOSS, B-GLOSS, NO MIFARE#, NO SLOT, LASER PROX#	8.79	MD	Credentials
Y	1431LGGNNM	HID MIFARE PROX, PROG, F-GLOSS, B-GLOSS, NO MIFARE#, NO SLOT, MATCH. PROX #	8.79	MD	Credentials
Y	1431LGGNNN	HID MIFARE & PROX, PROG PROX ONLY, F-GLOSS, B-GLOSS, NO MIFARE #, NO SLOT, NO PROX #	8.79	MD	Credentials

Y	1431LGGNNS	HID MIFARE & PROX, PROG, F-GLOSS, B-GLOSS, NO 13.56, NO SLOT, SEQ. PROX #	8.79	MD	Credentials
Y	1431LGGNNU	HID MIFARE PROX, PROG, F-GLOSS, B-GLOSS, NO MIFARE, NO SLOT, CSN PROX#	8.79	MD	Credentials
Y	1431LGGNVM	HID MIFARE PROX, PROG, F-GLOSS, B-GLOSS, NO MIFARE #, VERT SLOT, MATCH. PROX #	8.79	MD	Credentials
Y	1431LGGRNN	HID PROX & MIFARE, PROG, F-GLOSS, B-GLOSS, RANDOM #, NO SLOT, NO 13.56 #	8.79	MD	Credentials
Y	1431LGGSVN	HID PROX & MIFARE, PROG, F-GLOSS, B-GLOSS, SEQ #, VERT SLOT, NO 13.56 #	8.79	MD	Credentials
Y	1431LGGUNM	HID MIFARE 1K + PROX, NON-PROG MIFARE, PROG PROX, F-GLOSS, B-GLOSS, UID (CSN) HEX MIFARE #, NO SLOT, MATCHING PROX #	8.79	MD	Credentials
Y	1431LGGUNN	HID MIFARE 1K + PROX, NON-PROG MIFARE, PROG PROX, F-GLOSS, B-GLOSS, UID (CSN) HEX MIFARE #, NO SLOT, NO PROX #	8.79	MD	Credentials
Y	1431LGGUVM	HID MIFARE 1K + PROX, NON-PROG MIFARE, PROG PROX, F-GLOSS, B-GLOSS, UID (CSN) HEX MIFARE #, VERT SLOT, MATCHING PROX #	8.79	MD	Credentials
Y	1431LGGVNM	HID MIFARE 1K + PROX, NON-PROG MIFARE, PROG PROX, F-GLOSS, B-GLOSS, UID (CSN) DECIMAL MIFARE #, NO SLOT, MATCHING PROX #	8.79	MD	Credentials
Y	1431LGGZNM	HID MIFARE 1K + PROX, NON-PROG MIFARE, PROG PROX, F-GLOSS, B-GLOSS, LASER REVERSED UID (CSN) DECIMAL MIFARE #, NO SLOT, MATCHING PROX #	8.79	MD	Credentials
Y	1431MGGMNM	HID PROX & MIFARE, PROG HID 13.56M, F-GLOSS, B-GLOSS, MATCH #, NO SLOT, MATCH 125K #	8.89	MD	Credentials
Y	1431MGGMNN	HID MIFARE & PROX, PROG HID 13.56M, F-GLOSS, B-GLOSS, MATCH #, NO SLOT, NO 125K #	8.89	MD	Credentials
Y	1431MGGNNM	HID PROX & MIFARE, PROG 13.56M, F-GLOSS, B-GLOSS, NO #, NO SLOT, MATCH 13.56 #	8.89	MD	Credentials
Y	1431MGGNNN	HID PROX & MIFARE, PROG HID 13.56M, F-GLOSS, B-GLOSS, NO MATCH #, NO SLOT, NO 125K #	8.89	MD	Credentials
Y	1431NE1NNN	HID PROX & MIFARE, NON PROG, EMBEDDABLE, MAGSTRIPE, NO #, NO SLOT, NO 125K #	8.79	EB	Credentials
Y	1431NEGNNN	HID PROX & MIFARE, NON-PROG, EMBEDDEABLE, B-GLOSS, NO #, NO SLOT, NO 13.56 #	8.79	EB	Credentials
Y	1431NG1NNN	HID PROX & MIFARE 1K, NON-PROG, F-GLOSS, B-GLOSS W/ MAG, NO #, NO SLOT, NO 13.56 #	9.34	MD	Credentials
Y	1431NGGNNN	HID PROX & MIFARE, NON-PROG, F-GLOSS, B-GLOSS, NO #, NO SLOT, NO 13.56 #	8.79	MD	Credentials
Y	1431NGGNVN	HID MIFARE PROX, NON-PROG, F-GLOSS, B-GLOSS, NO MIFARE#, VERT. SLOT, NO PROX#	8.79	MD	Credentials
Y	1431NGGSNN	HID PROX & MIFARE, NON-PROG, F-GLOSS, B-GLOSS, NO #, NO SLOT, 13356 #	8.79	MD	Credentials
Y	1431NGGSVN	HID PROX & MIFARE, NON-PROG, F-GLOSS, B-GLOSS, NO #, SLOT, 1356 #	8.79	MD	Credentials
Y	1431RG1MNM	HID MIFARE/PROX & MIFARE, CUSTOM PROG, F-GLOSS, B-GLOSS W/MAG, MATCH. MIFARE #, NO SLOT, MATCH. PROX #	9.44	MD	Credentials
Y	1431RGGMNM	HID PROX & MIFARE, CUSTOM PROG, GLOSS, GLOSS, MATCHING #, NO SLOT, NO 13.56#	8.89	MD	Credentials
Y	1431RGGMNN	HID PROX & MIFARE, CUSTOM PROG, GLOSS, GLOSS, MATCHING #, NO SLOT, NO 13.56#	8.89	MD	Credentials
Y	1431SGGMNN	HID PROX & MIFARE, CUSTOM PROG, F-GLOSS, B-HID LOGO, MATCH #, NO SLOT, NO 13.56 #	8.89	MD	Credentials
Y	1431SGGNNM	HID PROX & MIFARE, CUSTOM PROG, F-GLOSS, B-HID LOGO, NO #, NO SLOT, MATCH 13.56 #	8.89	MD	Credentials
Y	1431SGGSNN	HID PROX & MIFARE, CUSTOM PROG, F-GLOSS, B-HID LOGO, SEQ. NON#, NO SLOT, NO 13.56 #	8.79	MD	Credentials
Y	1434MSSAN	HID MIFARE KEYFOB 1K, PROG, F- STD HID AW, B- STD, LASER MATCH #, NO SLOT	7.04	MD	Credentials
Y	1434MSSBN	HID MIFARE KEYFOB 1K, PROG, F- STD HID AW, B- STD, LASER SEQ #, NO SLOT	7.04	MD	Credentials
Y	1434MSSMN	HID MIFARE KEYFOB 1K, PROG, F- STD HID AW, B- STD, MATCH #, NO SLOT	7.04	MD	Credentials
Y	1434MSSNN	HID MIFARE KEYFOB 1K, PROG, F- STD HID AW, B- STD, NO SEQ #, NO SLOT	7.04	MD	Credentials
Y	1434MSSRN	HID MIFARE KEYFOB 1K, PROG, F- STD HID AW, B- STD, RANDOM #, NO SLOT	7.04	MD	Credentials
Y	1434MSSXN	HID MIFARE KEYFOB 1K, PROG, F-STD HID AW, B-STD, LASER UID (CSN) DECIMAL #, NO SLOT	6.94	MD	Credentials
Y	1434NSSAN	HID MIFARE KEYFOB 1K, NON-PROG, F- STD HID AW, B- STD, MATCHING LASER #, NO SLOT	6.94	MD	Credentials
Y	1434NSSBN	HID MIFARE KEYFOB 1K, NON-PROG, F- STD HID AW, B- STD, SEQ NON-MATCH LASER #, NO SLOT	6.94	MD	Credentials
Y	1434NSSNN	HID MIFARE KEYFOB 1K, NON-PROG, F- STD HID AW, B- STD, NO SEQ #, NO SLOT	6.94	MD	Credentials
Y	1434NSSRN		6.94	MD	Credentials
Y	1434NSSSN	HID MIFARE KEYFOB 1K, NON-PROG, F- STD HID AW, B- STD, SEQ.#, NO SLOT	6.94	MD	Credentials
Y	1434NSSUN	HID MIFARE KEYFOB 1K, NON-PROG, F-STD HID AW, B-STD, UID (CSN) HEX #, NO SLOT	6.94	MD	Credentials
Y	1434NSSXN	HID MIFARE KEYFOB 1K, NON-PROG, F-STD HID AW, B-STD, LASER UID (CSN) DECIMAL #, NO SLOT	6.94	MD	Credentials
Y	1434SSSMN	HID MIFARE KEYFOB 1K, CUSTOM PROG, F-STD HID AW, B- STD, MATCH #, NO SLOT	7.04	MD	Credentials
Y	1435MSSMN	HID MIFARE ADH TAG 1K, PROG, F- STD HID AW, B- STD, MATCH #, NO SLOT	5.90	MD	Credentials
Y	1435MSSNN	HID MIFARE ADH TAG 1K, PROG, F- STD HID AW, B- STD, NO SEQ #, NO SLOT	5.90	MD	Credentials
Y	1435NSSNN	HID MIFARE ADH TAG 1K, NON-PROG, F- STD HID AW, B- STD, NO SEQ #, NO SLOT	5.80	MD	Credentials
Y	1435NSSRN	HID MIFARE ADH TAG 1K, NON-PROG, F- STD HID AW, B- STD, RANDOM #, NO SLOT	5.80	MD	Credentials
Y	1435NSSSN	HID MIFARE ADH TAG 1K, NON-PROG, F- STD HID AW, B- STD, SEQ #, NO SLOT	5.80	MD	Credentials
Y	1435NSSUN	HID MIFARE ADH TAG 1K, NON-PROG, F- STD HID AW, B-STD, UID (CSN) #, NO SLOT	5.80	MD	Credentials
Y	1435SSSMN	HID MIFARE ADH TAG 1K, CUSTOM PROG, F- STD HID AW, B- STD, MATCH #, NO SLOT	5.90	MD	Credentials
Y	1436MEGMV	COMPOSITE HID MIFARE 1K COMP, PROG, F-GLOSS, B-GLOSS, MATCH #, VERT SLOT, LAM	7.12	EB	Credentials
Y	1436MG1MN	HID MIFARE 1K COMP, PROG, F-GLOSS, B-GLOSS W/ MAG, MATCH #, NO SLOT	5.43	MD	Credentials
Y	1436MG1MV	HID MIFARE 1K COMP, PROG, F-GLOSS, B-GLOSS W/ MAG, MATCH #, VERT SLOT	5.43	MD	Credentials
Y	1436MG1NN		4.68	EB	Credentials
Y	1436MGGMN	HID MIFARE 1K COMP, PROG, F-GLOSS, B-GLOSS, MATCH #, NO SLOT	4.98	MD	Credentials
Y	1436MGGMV	HID MIFARE 1K COMP, PROG, F-GLOSS, B-GLOSS, MATCH #, VERT SLOT	4.98	MD	Credentials
Y	1436MGGNN	HID MIFARE 1K COMP, PROG, F-GLOSS, B-GLOSS, NO #, NO SLOT	4.98	MD	Credentials
Y	1436NE1NN	ISO CARD MIFARE 1K 4BNUID COMP, NON-PROG, F-EMB. GLOSS, B-GLOSS W/MAG, NO #, NO SLOT, LAM	7.02	EB	Credentials
Y	1436NEGNN	ISO CARD MIFARE 1K 4BNUID COMP, PROG, F-EMB. GLOSS, B-GLOSS, NO #, NO SLOT, LAM	7.02	EB	Credentials
Y	1436NG1NN	ISO CARD MIFARE 1K 4BNUID COMP, NON-PROG, F-GLOSS, B-GLOSS W/MAG, NO #, NO SLOT	5.43	MD	Credentials
Y	1436NG1NV	HID MIFARE 1K COMP, NON-PROG, F-GLOSS, B-GLOSS W/ MAG, NO #, VERT SLOT , LAM	5.43	MD	Credentials
Y	1436NG1UN	COMPOSITE HID MIFARE 1K, NON-PROG, F-GLOSS, B-GLOSS W/MAG, UID (CSN) HEX #, NO SLOT	5.43	MD	Credentials
Y	1436NGGNN	ISO CARD MIFARE 1K 4BNUID COMP, NON-PROG, F-GLOSS, B-GLOSS, NO #, NO SLOT	4.88	MD	Credentials
Y	1436NGGNV	HID MIFARE 1K COMP, NON-PROG, F-GLOSS, B-GLOSS, NO #, VERT SLOT	4.88	MD	Credentials
Y	1436NGGSN	COMPOSITE HID MIFARE 1K, NON-PROG, F-GLOSS, B-GLOSS, SEQ. NON-MATCHING #, NO SLOT	4.88	MD	Credentials
Y	1436NGGSV	HID MIFARE 1K COMP, NON-PROG, F-GLOSS, B-GLOSS, SEQ. NON-MATCHING #, VERT SLOT	4.88	MD	Credentials
Y	1436NGGVN	COMPOSITE HID MIFARE 1K, NON-PROG, F-GLOSS, B-GLOSS, UID (CSN) DECIMAL #, NO SLOT	4.88	MD	Credentials
Y	1436NGGZN	COMPOSITE HID MIFARE 1K, NON-PROG, F-GLOSS, B-GLOSS, LASER REVERSED UID (CSN) DECIMAL #, NO SLOT	4.88	MD	Credentials
Y	1436SG1MN	COMPOSITE HID MIFARE 1K, CUSTOM PROG, F-GLOSS, B-GLOSS W/MAG, MATCHING #, NO SLOT, LAM	5.53	MD	Credentials
Y	1436SGGMN	HID MIFARE 1K COMP, CUSTOM PROG, F-GLOSS, B-GLOSS, MATCHING #, NO SLOT, LAM	4.98	MD	Credentials
Y	1436SGGMV	HID MIFARE 1K COMP, CUSTOM PROG, F-GLOSS, B-GLOSS, MATCHING #, VERT SLOT, LAM	4.98	MD	Credentials
Y	1437BEGMNM	COMPOSITE MIFARE 1K PROX, PROG., F-GLOSS, B-GLOSS, MATCH MIFARE#, NO SLOT, MATCH. PROX #	11.66	EB	Credentials
Y	1437BG1MNM	COMPOSITE HID MIFARE 1K + PROX, PROG MIFARE/PROX, F-GLOSS, B-GLOSS W/MAG, MATCHING MIFARE #, NO SLOT, MATCHING PROX #, LAM	9.54	MD	Credentials
Y	1437BG1MNN	HID PROX & MIFARE 1K COMP, PROG., F-GLOSS, B-GLOSS W/MAG, MATCHING PROX #, NO SLOT, NO 13.56#	8.79	MD	Credentials
Y	1437BGGMNM	COMPOSITE MIFARE PROX 1K, PROG., F-GLOSS, B-GLOSS, MATCH MIFARE#, NO SLOT, MATCHING PROX#	9.09	MD	Credentials
Y	1437BGGMNN	COMPOSITE HID MIFARE 1K + PROX, PROG MIFARE/PROX, F-GLOSS, B-GLOSS, MATCHING MIFARE #, NO SLOT, NO PROX #, LAM	9.09	MD	Credentials
Y	1437BGGNNM	HID MIFARE PROX 1K COMP, PROG HID 13.56 &125K, F-GLOSS, B-GLOSS, NO 13.56, NO SLOT, MATCHING 125K #	9.09	MD	Credentials
Y	1437BGGNVM	HID MIFARE PROX 1K COMP, PROG HID 13.56 &125K, F-GLOSS, B-GLOSS, NO 13.56, NO SLOT, MATCHING 125K #	8.79	MD	Credentials
Y	1437BGGZNM	COMPOSITE MIFARE PROX 1K, PROG., F-GLOSS, B-GLOSS, REVERSE MIFARE#, NO SLOT, MATCHING PROX#	9.02	MD	Credentials

Y	1437LE1NNM	HID MIFARE & PROX 1K COMP, EMBEDDABLE, PROG, F-GLOSS, B-GLOSS W/ MAG, NO 13.56 #, NO SLOT, MATCH PROX #	12.11	EB	Credentials
Y	1437LEGNNM	COMPOSITE HID MIFARE 1K PROX, EMBEDDABLE, PROG, F-GLOSS, B-GLOSS, NO MIFARE #, NO SLOT, MATCH PROX #	11.56	EB	Credentials
Y	1437LEGSNN	HID PROX & MIFARE 1K COMP, EMBEDDABLE, PROG, F-GLOSS, B-GLOSS, SEQ #, NO SLOT, NO 13.56 #	11.56	EB	Credentials
Y	1437LG1NNM	COMPOSITE MIFARE PROX 1K, PROG, F-GLOSS, B-GLOSS W/MAG, NO MIFARE #, NO SLOT, MATCH. PROX#	9.54	MD	Credentials
Y	1437LG1NNN	COMPOSITE MIFARE PROX 1K, PROX PROG, F - GLOSS, B - GLOSS W/MAG, NO MIFARE #, NO SLOT, NO PROX #	9.54	MD	Credentials
Y	1437LG1SNN	HID PROX & MIFARE 1K COMP, PROG, F-GLOSS, B-GLOSS W/ MAG, SEQ #, NO SLOT, NO 13.56 #	9.54	MD	Credentials
Y	1437LGGNNA	COMPOSITE HID MIFARE 1K PROX, PROG, F-GLOSS, B-GLOSS, NO MIFARE #, NO SLOT, ENGRAVED PROX #, LAM	8.99	MD	Credentials
Y	1437LGGNNB	COMPOSITE HID MIFARE 1K PROX, PROG, F-GLOSS, B-GLOSS, NO MIFARE #, NO SLOT, SEQ LASER PROX #, LAM	8.99	MD	Credentials
Y	1437LGGNNM	COMPOSITE HID MIFARE 1K PROX, PROG, F-GLOSS, B-GLOSS, NO MIFARE #, NO SLOT, MATCH. PROX #, LAM	8.99	MD	Credentials
Y	1437LGGNNN	COMPOSITE MIFARE PROX 1K, PROG, F-GLOSS, B-GLOSS, NO MIFARE#, NO SLOT, NO PROX#, LAM	8.99	MD	Credentials
Y	1437LGGNNS	COMPOSITE HID MIFARE 1K PROX, PROG, F-GLOSS, B-GLOSS, NO MIFARE #, NO SLOT, SEQ. PROX #, LAM	8.79	MD	Credentials
Y	1437LGGNVM	COMPOSITE HID MIFARE 1K PROX, PROG, F-GLOSS, B-GLOSS, NO MIFARE #, VERT SLOT, NO PROX #, LAM	8.79	MD	Credentials
Y	1437LGGUNM	COMPOSITE HID MIFARE 1K PROX, PROG, F-GLOSS, B-GLOSS, NO MIFARE #, NO SLOT, MATCH. PROX #, LAM	8.99	MD	Credentials
Y	1437LGGVNM	COMPOSITE HID MIFARE 1K PROX, PROG, F-GLOSS, B-GLOSS, UID (CSN) DECIMAL MIFARE #, NO SLOT, MATCHING PROX #	8.99	MD	Credentials
Y	1437LGSNNS	COMPOSITE HID MIFARE 1K PROX, PROG, F-GLOSS, B-HID LOGO, NO #, NO SLOT, SEQ. PROX #, LAM	8.79	MD	Credentials
Y	1437MGGMNN	COMPOSITE MIFARE PROX 1K, PROG MIFARE, NON-PROG PROX, F-GLOSS, B-GLOSS, MATCHING MIFARE #, NO SLOT, NO PROX #	8.99	MD	Credentials
Y	1437NE1NNN	COMPOSITE MIFARE PROX 1K, EMBEDDABLE, NON-PROG, F-GLOSS, B-GLOSS W/MAG, NO MIFARE#, NO SLOT, NO PROX#, LAM	12.11	EB	Credentials
Y	1437NEGNNN	COMPOSITE MIFARE PROX 1K, EMBEDDABLE, NON-PROG, F-GLOSS, B-GLOSS, NO MIFARE#, NO SLOT, NO PROX#, LAM	11.56	EB	Credentials
Y	1437NG1NNN	COMPOSITE MIFARE PROX 1K, NON-PROG, F-GLOSS, B-GLOSS W/MAG, NO MIFARE #, NO SLOT, NO PROX#	9.54	MD	Credentials
Y	1437NGGNNN	COMPOSITE MIFARE PROX 1K , NON-PROG, F-GLOSS, B-GLOSS, NO MIFARE#, NO SLOT, NO PROX#, LAM	8.99	MD	Credentials
Y	1437NGGVNN	COMPOSITE MIFARE 1K / PROX, NON-PROG, F-GLOSS, B-GLOSS, UID (CSN) DECIMAL MIFARE #, NO SLOT, NO PROX #	9.19	MD	Credentials
Y	1437TG1NNN	COMPOSITE MIFARE PROX 1K, MIFARE PROG BLANK, PROX CONFIGURED AS INDALA, F-GLOSS, B-GLOSS W/MAG, NO MIFARE #, NO SLOT, NO PROX #	8.99	MD	Credentials
Y	1440MG1MN	HID MIFARE, PROG HID 13.56M, F-GLOSS, B-GLOSS W/ MAG, MATCH #, NO SLOT, 4K	9.79	MD	Credentials
Y	1440MG1MV	HID MIFARE, PROG HID 13.56M, F-GLOSS, B-GLOSS W/ MAG, MATCH #, VERT SLOT, 4K	9.79	MD	Credentials
Y	1440MG1NN	HID MIFARE, PROG HID 13.56M, F-GLOSS, B-GLOSS W/ MAG, NO #, NO SLOT, 4K	9.79	MD	Credentials
Y	1440MG1SN	HID MIFARE, PROG HID 13.56M, F-GLOSS, B-GLOSS W/MAG, SEQ #, NO SLOT, 4K	9.79	MD	Credentials
Y	1440MG1SV	HID MIFARE, PROG HID 13.56M, F-GLOSS, B-GLOSS W/ MAG, SEQ #, VERT SLOT, 4K	9.79	MD	Credentials
Y	1440MGGAN	HID MIFARE, PROG HID 13.56M, F-GLOSS, B-GLOSS, MATCH LASER #, NO SLOT, 4K	9.24	MD	Credentials
Y	1440MGGMN	HID MIFARE, PROG HID 13.56M, F-GLOSS, B-GLOSS, MATCH #, NO SLOT, 4K	9.24	MD	Credentials
Y	1440MGGMV	HID MIFARE, PROG HID 13.56M, F-GLOSS, B-GLOSS, MATCH #, VERT. SLOT, 4K	9.24	MD	Credentials
Y	1440MGGNN	HID MIFARE, PROG HID 13.56M, F-GLOSS, B-GLOSS, NO #, NO SLOT, 4K	9.24	MD	Credentials
Y	1440MGGSN	HID MIFARE, PROG HID 13.56M, F-GLOSS, B-GLOSS, SEQ NON-MATCH #, NO SLOT, 4K	9.24	MD	Credentials
Y	1440MGGUN	HID MIFARE, PROG., F-GLOSS, B-GLOSS, UID (CSN) HEX #, NO SLOT	9.14	MD	Credentials
Y	1440MGGVN	HID MIFARE, PROG., F-GLOSS, B-GLOSS, CSN DECIMAL #, NO SLOT	9.24	MD	Credentials
Y	1440NEGNN	HID MIFARE 4K, NON-PROG, F-GLOSS EMBEDDABLE, B-GLOSS, NO #, NO SLOT	9.14	EB	Credentials
Y	1440NG1NN	ISO CARD MIFARE EV1 4K 4BNUID, NON PRGM, F-GLOSS, MAGSTRIPE, NO #, NO SLOT, 4K	9.69	MD	Credentials
Y	1440NGGBN	HID MIFARE 4K, NON PRGM, F-GLOSS, B-GLOSS, SEQ. NON-MATCHING LASER #, NO SLOT	9.14	MD	Credentials
Y	1440NGGNN	ISO CARD MIFARE EV1 4K 4BNUID, NON PRGM, F-GLOSS, B-GLOSS, NO #, NO SLOT	9.14	MD	Credentials
Y	1440NGGNV	HID MIFARE 4K, NON-PROG, F-GLOSS, B-GLOSS, SEQ.#, VERT. SLOT	9.14	MD	Credentials
Y	1440NGGSN	HID MIFARE 4K, NON PRGM, F-GLOSS, B-GLOSS, SEQ. NON-MATCHING #, NO SLOT	9.14	MD	Credentials
Y	1440NGGSV	HID MIFARE 4K, NON-PROG, F-GLOSS, B-GLOSS, SEQ.#, VERT. SLOT	9.14	MD	Credentials
Y	1440NGGUN	1440 MIFARE 4K CARD, UID (CSN) HEX CARD NUMBERING ONLY	9.14	MD	Credentials
Y	1440NGGUV	HID MIFARE 4K, NON-PROG, F-GLOSS, B-GLOSS, UID (CSN) HEX #, VERT SLOT	9.14	MD	Credentials
Y	1440NGGVN	HID MIFARE 4K, NON-PROG, F-GLOSS, B-GLOSS, UID (CSN) DECIMAL #, NO SLOT	9.14	MD	Credentials
Y	1440NGGVV	HID MIFARE 4K, NON-PROG, F-GLOSS, B-GLOSS, UID (CSN) DECIMAL #, VERT SLOT	9.14	MD	Credentials
Y	1440NGGZN	ISO CARD MIFARE EV1 4K, NON-PROG F-GLOSS, B-GLOSS, LASER REVERSE UID DECIMAL #, NO SLOT	9.14	MD	Credentials
Y	1440SGGMN	HID MIFARE, CUSTOM PROG, F-GLOSS, B-GLOSS, MATCH #, NO SLOT, 4K	9.24	MD	Credentials
Y	1441BG1MVM	MIFARE PROX 4K, PROG MIFARE/PROX, F-GLOSS, B-GLOSS W/MAG, MATCHING MIFARE #, VERT SLOT, MATCHING PROX #	12.53	MD	Credentials
Y	1441BGGMNM	HID MIFARE PROX, PROG., F-GLOSS, B-GLOSS, MATCH MIFARE#, NO SLOT, MATCH PROX#	11.98	MD	Credentials
Y	1441BGGMNN	HID MIFARE PROX, PROG., F-GLOSS, B-GLOSS, MATCH MIFARE#, NO SLOT, NO PROX #	11.98	MD	Credentials
Y	1441BGGMVM	HID MIFARE PROX, PROG., F-GLOSS, B-GLOSS, MATCH MIFARE#, VERT SLOT, MATCH. PROX#	11.98	MD	Credentials
Y	1441BGGNNM	HID MIFARE PROX, PROG. F-GLOSS, B-GLOSS, NO MIFARE #, NO SLOT, MATCHING PROX#	11.98	MD	Credentials
Y	1441BGGNVM	HID MIFARE PROX, PROG., F-GLOSS, B-GLOSS, NO MIFARE #, VERT. SLOT, MATCHING. PROX #	11.98	MD	Credentials
Y	1441BGGNVS	HID MIFARE PROX, PROG., F-GLOSS, B-GLOSS, NO MIFARE #, VERT. SLOT, SEQ. PROX #	11.98	MD	Credentials
Y	1441BGGSNS	HID MIFARE 4K PROX, PROG., F-GLOSS, B-GLOSS, SEQ. MIFARE#, NO SLOT, SEQ. PROX#	11.98	MD	Credentials
Y	1441BGGSVN	HID MIFARE 4K PROX, PROG., F-GLOSS, B-GLOSS, SEQ. MIFARE, NO SLOT, NO PROX	11.98	MD	Credentials
Y	1441BGSMNS	HID MIFARE PROX, PROG., F-GLOSS, B-STD HID ARTWORK, MATCH. MIFARE #, NO SLOT, SEQ. PROX, LAM	11.98	MD	Credentials
Y	1441BGSNNM	HID MIFARE PROX, PROG., F-GLOSS, B-STD HID ARTWORK, NO MIFARE #, NO SLOT, MATCH. PROX #, LAM	11.98	MD	Credentials
Y	1441LG1MNN	HID PROX & MIFARE 4K, PROG 125K F-GLOSS, B-GLOSS W/MAG STRIPE, MATCH #, NO SLOT, NO 13.56 #, 4K	12.43	MD	Credentials
Y	1441LG1NNA	HID MIFARE PROX, PROG. F-GLOSS, B-GLOSS W/MAG, NO MIFARE #, NO SLOT, LASER. PROX #	12.43	MD	Credentials
Y	1441LG1NNM	HID MIFARE PROX, PROG. F-GLOSS, B-GLOSS W/MAG, NO MIFARE #, NO SLOT, MATCH. PROX	12.43	MD	Credentials
Y	1441LG1NNS	HID MIFARE PROX, PROG. F-GLOSS, B-GLOSS W/MAG, NO MIFARE #, NO SLOT, SEQ. PROX #	12.43	MD	Credentials
Y	1441LG1NVM	HID MIFARE PROX, PROG., F-GLOSS, B-GLOSS W/MAG, NO MIFARE #, VERT. SLOT, MATCH. PROX #	12.43	MD	Credentials
Y	1441LG1SNN	HID PROX & MIFARE 4K, PROG 125K F-GLOSS, B-GLOSS W/MAG STRIPE, SEQ #, NO SLOT, NO 13.56 #	12.43	MD	Credentials
Y	1441LGGANN	HID PROX & MIFARE 4K, PROG 125 KHZ, F-GLOSS, B-GLOSS, MATCH LASER #, NO SLOT, NO 13.56 #	11.88	MD	Credentials
Y	1441LGGMNN	HID PROX & MIFARE 4K, PROG 125 KHZ, F-GLOSS, B-GLOSS, MATCH #, NO SLOT, NO 13.56 #	11.88	MD	Credentials
Y	1441LGGMNS	HID PROX & MIFARE 4K, PROG 125 KHZ, F-GLOSS, B-GLOSS, MATCH #, NO SLOT, SEQ. NON-MATCH 13.56 #	11.88	MD	Credentials
Y	1441LGGMVN	HID PROX & MIFARE 4K, PROG 125 KHZ, F-GLOSS, B-GLOSS, MATCH #, VERT SLOT, NO 13.56 #	11.88	MD	Credentials
Y	1441LGGNNA	HID MIFARE PROX, PROG. PROX, F-GLOSS, B-GLOSS, NO MIFARE, NO SLOT, MATCH LASER PROX #	11.88	MD	Credentials
Y	1441LGGNNM	HID MIFARE 4K/PROX, PROG. PROX, F-GLOSS, B-GLOSS, NO MIFARE #, NO SLOT, MATCH. PROX	11.88	MD	Credentials
Y	1441LGGNNN	HID MIFARE PROX 4K, PROG., F-GLOSS, B-GLOSS, NO MIFARE #, NO SLOT, NO PROX#	11.88	MD	Credentials
Y	1441LGGNNR	HID MIFARE PROX, PROG. PROX, F-GLOSS, B-GLOSS, NO MIFARE #, NO SLOT, RANDOM PROX #	11.88	MD	Credentials
Y	1441LGGNNS	HID MIFARE 4K & PROX, PROG. PROX, F-GLOSS, B-GLOSS, NO MIFARE #, NO SLOT, SEQ. PROX#	11.88	MD	Credentials
Y	1441LGGNVM	HID MIFARE PROX, PROG. PROX, F-GLOSS, B-GLOSS, NO MIFARE #, VERT SLOT, MATCH. PROX #	11.88	MD	Credentials
Y	1441LGGRNN	HID PROX & MIFARE 4K, PROG 125 KHZ, F-GLOSS, B-GLOSS, RANDOM #, NO SLOT, NO 13.56 #	11.88	MD	Credentials
Y	1441LGGSNM	HID MIFARE PROX, PROG. PROX, F-GLOSS, B-GLOSS, SEQ. MIFARE, NO SLOT, MATCH PROX #	11.88	MD	Credentials
Y	1441LGGSNN	HID PROX & MIFARE 4K, PROG 125 KHZ, F-GLOSS, B-GLOSS, SEQ. NON-MATCH #, NO SLOT, NO 13.56 #	11.88	MD	Credentials

Y	1441LGGUNM	HID MIFARE 4K + PROX, NON-PROG MIFARE, PROG PROX, F-GLOSS, B-GLOSS, UID (CSN) HEX MIFARE #, NO SLOT, MATCHING PROX #	11.88	MD	Credentials
Y	1441LGGVNM	HID MIFARE 4K + PROX, NON-PROG MIFARE, PROG PROX, F-GLOSS, B-GLOSS, UID (CSN) DECIMAL MIFARE #, NO SLOT, MATCHING PROX #	11.88	MD	Credentials
Y	1441MGGMNN	HID MIFARE PROX, PROG. MIFARE, F-GLOSS, B-GLOSS, MATCH. MIFARE #, NO SLOT, NO PROX #	11.98	MD	Credentials
Y	1441MGGMVN	MIFARE PROX 4K, PROG MIFARE, NON-PROG PROX, F-GLOSS, B-GLOSS, MATCHING MIFARE #, VERT SLOT, NO PROX #	11.88	MD	Credentials
Y	1441MGGNNM	HID PROX & MIFARE, PROG., F-GLOSS, B-GLOSS, NO PROX #, NO SLOT, MATCHING 13.56 #	11.98	MD	Credentials
Y	1441NE1NNN	HID MIFARE PROX 4K, NON-PRGM, F-EMBEDDABLE, B-GLOSS W/MAG STRIPE, NO MIFARE#, NO SLOT, NO PROX#	11.88	EB	Credentials
Y	1441NEGNNN	HID MIFARE PROX 4K, NON PROG., F-GLOSS W/EMBEDDED RK02 CHIP WITH CUSTOM ATR, B-GLOSS, NO MIFARE, NO SLOT, NO PROX#	11.88	EB	Credentials
Y	1441NG1NNN	HID MIFARE PROX 4K, NON-PROG, F-GLOSS, B-GLOSS W/MAG STRIPE, NO MIFARE#, NO SLOT, NO PROX#, LAM	12.43	MD	Credentials
Y	1441NG1VNN	HID MIFARE 4K + PROX, NON-PROG MIFARE/PROX, F-GLOSS, B-GLOSS W/MAG, UID (CSN) DECIMAL MIFARE #, NO SLOT, NO PROX #	12.43	MD	Credentials
Y	1441NGGNNN	HID MIFARE PROX 4K, NON-PROG, F-GLOSS, B-GLOSS, NO MIFARE#, NO SLOT, NO PROX#, LAM	11.88	MD	Credentials
Y	1441NGGNNS	HID MIFARE PROX, NON-PROG., F-GLOSS, B-GLOSS, NO MIFARE #, NO SLOT, SEQ. NON-MATCH. PROX#	11.88	MD	Credentials
Y	1441NGGNNU	HID PROX & MIFARE 4K, NON-PRGM, F-GLOSS, B-GLOSS, NO PROX #, SLOT, CSN MIFARE#	11.88	MD	Credentials
Y	1441NGGNVN	HID MIFARE PROX 4K, NON-PROG, F-GLOSS, B-GLOSS, NO MIFARE#, SLOT, NO PROX#	11.88	MD	Credentials
Y	1441NGGSNN	HID PROX & MIFARE, NON-PRGM, F-GLOSS, B-GLOSS, SEQ. NON-MATCHING PROX #, SLOT, NO MIFARE#, 4K	11.88	MD	Credentials
Y	1441NGGUNN	HID MIFARE 4K + PROX, NON-PROG MIFARE/PROX, F-GLOSS, B-GLOSS, UID (CSN) HEX MIFARE #, NO SLOT, NO PROX #	11.88	MD	Credentials
Y	1441SGGMNN	HID MIFARE PROX, PROG. MIFARE, F-GLOSS, B-GLOSS, MATCH MIFARE#, NO SLOT, NO PROX#	11.98	MD	Credentials
Y	1444MSSAN	HID MIFARE KEYFOB 4K, PROG, F- STD HID AW, B- STD, LASER MATCH #, NO SLOT	9.89	MD	Credentials
Y	1444MSSMN	HID MIFARE KEYFOB 4K, PROG, F- STD HID AW, B- STD, MATCH #, NO SLOT	9.89	MD	Credentials
Y	1444MSSSN	HID MIFARE KEYFOB 4K, PROG, F- STD HID AW, B- STD, SEQ #, NO SLOT	9.89	MD	Credentials
Y	1444NSSNN	HID MIFARE KEYFOB 4K, NON-PROG, F- STD HID AW, B- STD, NO SEQ #, NO SLOT	9.79	MD	Credentials
Y	1444NSSNN-210204	HID MIFARE KEYFOB 4K, NON-PROG, F- STD HID AW, B- STD, NO SLOT, LASER ENGRAVED CSN NUMBER	9.79	MD	Credentials
Y	1444NSSSN	HID MIFARE KEYFOB 4K, NON-PROG, F- STD HID AW, B- STD, SEQ #, NO SLOT	9.79	MD	Credentials
Y	1444SSSMN	HID MIFARE KEYFOB 4K, CUST. PROG, F- STD HID AW, B- STD, MATCH#, NO SLOT	9.89	MD	Credentials
Y	1446MG1MV	HID MIFARE 4K COMP, PROG, F-GLOSS, B-GLOSS W/ MAG, MATCH #, VERT SLOT	9.99	MD	Credentials
Y	1446MGGAV	COMPOSITE HID MIFARE 4K, PROG, F-GLOSS, B-GLOSS, LASER MATCH #, VERT SLOT	9.44	MD	Credentials
Y	1446MGGMN	HID MIFARE 4K COMP, PROG, F-GLOSS, B-GLOSS, MATCH #, NO SLOT	9.44	MD	Credentials
Y	1446MGGNN	COMPOSITE MIFARE 4K, PROG, F-GLOSS, B-GLOSS, NO #, NO SLOT	9.44	MD	Credentials
Y	1446NG1NN	ISO CARD MIFARE 4K 4BNUID COMP, NON-PROG, F-GLOSS, B-GLOSS W/MAG, NO #, NO SLOT	9.89	MD	Credentials
Y	1446NGGNN	COMPOSITE HID MIFARE 4K, NON-PROG, F-GLOSS, B-GLOSS, NO #, NO SLOT, LAM	9.34	MD	Credentials
Y	1446NGGNV	COMPOSITE HID MIFARE 4K, NON-PROG, F-GLOSS, B-GLOSS, NO #, VERT SLOT, LAM	9.34	MD	Credentials
Y	1446NGGSN	HID MIFARE 4K COMP, NON-PROG, F-GLOSS, B-GLOSS, SEQ #, NO SLOT	9.34	MD	Credentials
Y	1446SG1MN	COMPOSITE HID MIFARE 4K, PROG, F-GLOSS, B-GLOSS W/MAG, MATCH #, NO SLOT,	9.14	MD	Credentials
Y	1447BG1MNM	COMPOSITE MIFARE PROX 4K, PROG MIFARE/PROX, F-GLOSS, B-GLOSS W/MAG, MATCHING MIFARE #, NO SLOT, MATCHING PROX #	12.63	MD	Credentials
Y	1447BG1MNN	HID PROX & MIFARE 4K COMP, PROG HID 125K & 13.56M, F-GLOSS, B-GLOSS W/MAG, MATCHING PROX #, NO SLOT, NO 13.56 #, LAM	12.73	MD	Credentials
Y	1447BGGMNM	HID MIFARE 4K AND PROX, COMP, PROG HID13.56M & 125K, F-GLOSS, B-GLOSS, MATCHING 13.56, NO SLOT, MATCHING 125#	12.08	MD	Credentials
Y	1447LE1NNB	COMPOSITE MIFARE PROX, EMBED, PROG. PROX, F-GLOSS, B-GLOSS W/MAG, NO MIFARE, NO SLOT, LASER PROX #, LAM	15.50	EB	Credentials
Y	1447LE1NNM	COMPOSITE MIFARE PROX , EMBED., PROG. PROX, F-GLOSS, B-GLOSS W/MAG, NO MIFARE #, NO SLOT, MATCH PROX #, LAM	15.50	EB	Credentials
Y	1447LE1NNS	COMPOSITE MIFARE PROX, EMBED., PROG. PROX, F-GLOSS, B-GLOSS W/MAG, NO MIFARE #, NO SLOT, MATCH. PROX #, LAM	15.50	EB	Credentials
Y	1447LEGMNN	HID PROX & MIFARE 4K COMP, EMBEDDABLE, PROG, F-GLOSS, B-GLOSS, MATCHING PROX #, NO SLOT, NO 13.56 #, LAM	14.95	EB	Credentials
Y	1447LEGNNA	COMPOSITE MIFARE PROX, EMBED, PROG. PROX, F-GLOSS, B-GLOSS, NO. MIFARE#, NO SLOT, LASER #, LAM	14.95	EB	Credentials
Y	1447LEGNNB	COMPOSITE MIFARE PROX, EMBED, PROG, F-GLOSS, B-GLOSS, NO MIFARE#, NO SLOT, SEQ LASER PROX#, LAM	14.95	EB	Credentials
Y	1447LEGNNM	COMPOSITE MIFARE PROX, EMBED., PROG. PROX, F-GLOSS, B-GLOSS, NO MIFARE #, NO SLOT, MATCH PROX #, LAM	14.95	EB	Credentials
Y	1447LEGNNN	COMPOSITE MIFARE PROX, EMBED, PROG. PROX, F-GLOSS, B-GLOSS, NO MIFARE, NO SLOT, NO PROX #, LAM	14.95	EB	Credentials
Y	1447LEGNNS	COMPOSITE MIFARE PROX, EMBED., PROG, F-GLOSS, B-GLOSS, NO #, NO SLOT, SEQ. PROX#, LAM	14.95	EB	Credentials
Y	1447LG1NNA	COMPOSITE MIFARE PROX, PROG, F-GLOSS, B-GLOSS W/MAG, NO MIFARE#, NO SLOT, LASER PROX#, LAM	12.63	MD	Credentials
Y	1447LG1NNB	COMPOSITE MIFARE PROX, PROG, F-GLOSS, B-GLOSS W/MAG, NO MIFARE, NO SLOT, LASER PROX#, LAM	12.63	MD	Credentials
Y	1447LG1NNM	COMPOSITE MIFARE PROX, PROG, F-GLOSS, B-GLOSS W/MAG, NO MIFARE #, NO SLOT, MATCH. PROX #, LAM	12.63	MD	Credentials
Y	1447LG1NNS	COMPOSITE MIFARE PROX, PROG, F-GLOSS, B-GLOSS W/MAG, NO MIFARE, NO SLOT, SEQ. PROX#, LAM	12.63	MD	Credentials
Y	1447LGGANN	HID PROX & MIFARE 4K COMPOSITE, PROG, F-GLOSS, B-GLOSS, ENGRAVED PROX #, NO SLOT, NO 13.56 #, LAM	12.08	MD	Credentials
Y	1447LGGMNN	HID PROX & MIFARE 4K COMP, PROG, F-GLOSS, B-GLOSS, MATCH #, NO SLOT, NO 13.56 #	12.08	MD	Credentials
Y	1447LGGMVN	HID PROX & MIFARE 4K COMP, PROG, F-GLOSS, B-GLOSS, MATCH #, VERT. SLOT, NO 13.56 #	12.08	MD	Credentials
Y	1447LGGNNB	COMPOSITE MIFARE PROX, PROG, F-GLOSS, B-GLOSS, NO MIFARE, NO SLOT, LASER PROX #, LAM	12.08	MD	Credentials
Y	1447LGGNNM	COMPOSITE HID MIFARE 4K PROX, PROG, F-GLOSS, B-GLOSS, NO MIFARE, NO SLOT, MATCH. PROX #	12.08	MD	Credentials
Y	1447LGGNNS	COMPOSITE MIFARE PROX, PROG, F-GLOSS, B-GLOSS, NO MIFARE, NO SLOT, SEQ. PROX #, LAM	12.08	MD	Credentials
Y	1447LGGSNN	COMPOSITE MIFARE 4K & HID PROX, PROG. PROX, F-GLOSS, B-GLOSS, SEQ #, NO SLOT, NO PROX #, LAM	12.08	MD	Credentials
Y	1447LGGSNS	HID PROX & MIFARE 4K COMP, PROG, F-GLOSS, B-GLOSS, SEQ. #, NO SLOT, SEQ. MIFARE#	12.08	MD	Credentials
Y	1447LGGUNM	COMPOSITE HID MIFARE 4K + PROX, NON-PROG MIFARE, PROG PROX, F-GLOSS, B-GLOSS, UID (CSN) HEX MIFARE #, NO SLOT, MATCHING PROX #	12.08	MD	Credentials
Y	1447MGGMNN	COMPOSITE MIFARE 4K & HID PROX, PROG HID MIFARE ONLY, F-GLOSS, B-GLOSS, MATCHING MIFARE #, NO SLOT, NO PROX #, LAM	12.08	MD	Credentials
Y	1447NEGNNN	COMPOSITE MIFARE PROX 4K, EMBEDDABLE, NON-PROG, F-GLOSS, B-GLOSS, NO MIFARE#, NO SLOT, NO PROX#, LAM	14.95	EB	Credentials
Y	1447NG1NNN	COMPOSITE MIFARE PROX 4K, NON-PROG, F-GLOSS, B-GLOSS W/MAG, NO MIFARE#, NO SLOT, NO PROX#, LAM	12.63	MD	Credentials
Y	1447NGGNNN	COMPOSITE MIFARE PROX, NON-PROG, F-GLOSS, B-GLOSS, NO MIFARE#, NO SLOT, NO PROX#, LAM	12.08	MD	Credentials
Y	1456DNGGNN	COMPOSITE HID DESFIRE EV2 8KB, NON-PROG, F-GLOSS, B-GLOSS, NO #, NO SLOT	7.29	MD	Credentials
Y	1457DLGGNNA	COMPOSITE HID DESFIRE EV2 8K / PROX, NON-PROG, F-GLOSS, B-GLOSS, NO DESFIRE #, NO SLOT, LASER MATCHING PROX #, LAM	14.76	MD	Credentials
Y	1457DLGGNNB	COMPOSITE HID DESFIRE EV2 8K / PROX, DESFIRE NON-PROG, PROX-PROG, F-GLOSS, B-GLOSS, NO DESFIRE #, NO SLOT, LASER SEQ/NON MATCH PROX #	14.76	MD	Credentials
Y	1457DLGGNNN	COMPOSITE HID DESFIRE EV2 8K + PROX, NON-PROG DESFIRE/PROG PROX, F-GLOSS, B-GLOSS, NO DESFIRE #, NO SLOT, NO PROX #	14.76	MD	Credentials
Y	146-0002-00	SHUNT 2 CIRCUIT TERMINAL .100 CTR, OPEN END, LEAD FREE	2.63	ZB	Product Components
Y	1536CGGMH	COMPOSITE DUOPROX II, PROG CASI-RUSCO, F-GLOSS, B-GLOSS , MATCHING #, HORZ SLOT	8.36	PC	Credentials
Y	1536CGGMN	COMPOSITE DUOPROX II, PROG CASI-RUSCO, F-GLOSS, B-GLOSS, MATCHING #, NO SLOT	8.36	PC	Credentials
Y	1536CGGNN	COMPOSITE DUOPROX II, PROG CASI-RUSCO, F-GLOSS, B-GLOSS, NO #, NO SLOT	8.36	PC	Credentials
Y	1536CGGSN	COMPOSITE DUOPROX II, PROG CASI-RUSCO, F-GLOSS, B-GLOSS, SEQ NON-MATCHING #, NO SLOT	8.36	PC	Credentials
Y	1536LGGAN	COMPOSITE DUOPROX II, PROG, F-GLOSS, B-GLOSS SLOT DOTS, LASER #, NO SLOT, LAM	8.36	PC	Credentials
Y	1536LGGBH	COMPOSITE DUOPROX II, PROG, F-GLOSS, B-GLOSS, W/MAG, SEQ NON MATCH LASER #, HORZ. SLOT	8.36	PC	Credentials
Y	1536LGGMH	COMPOSITE DUOPROX II, PROG, F-GLOSS, B-GLOSS SLOT DOTS, MATCH #, HORZ. SLOT	8.36	PC	Credentials
Y	1536LGGMN	COMPOSITE DUOPROX II, PROG, F-GLOSS, B-GLOSS SLOT DOTS, MATCH #, NO SLOT	8.36	PC	Credentials
Y	1536LGGMN-2750	DUOPROX II COMP, CUSTOM, 2750 MAGSTRIPE, MATCHING#, NO SLOT, LAM	8.36	PC	Credentials
Y	1536LGGMV	COMPOSITE DUOPROX II, PROG, F-GLOSS, B-GLOSS SLOT DOTS, MATCH #, VERT SLOT, LAM	8.36	PC	Credentials
Y	1536LGGNN	COMPOSITE DUOPROX II, PROG, F-GLOSS, B-GLOSS SLOT DOTS, NO #, NO SLOT, LAM	8.36	PC	Credentials

Y	1536LGGNV	COMPOSITE DUOPROX II, PROG, F-GLOSS, B-GLOSS SLOT DOTS, NO #, VERT. SLOT, LAM	8.36	PC	Credentials
Y	1536LGGSN	COMPOSITE DUOPROX II, PROG, F-GLOSS, B-GLOSS SLOT DOTS, SEQ. NON-MATCHING #, NO SLOT	8.36	PC	Credentials
Y	1536NGGNN	COMPOSITE DUOPROX II, NON-PROG, F-GLOSS, B-GLOSS SLOT DOTS, NO #, NO SLOT, LAM	8.26	PC	Credentials
Y	1551NGGNN	LEGIC ADVANT 1024, PVC CARD BODY, NON-PROG., F-GLOSS, B-GLOSS, NO#, NO SLOT	10.06	IC	Credentials
Y	156-0008-00	IC, MCU-EPROM , 68705 ,	130.00	ZB	Product Components
Y	156-0059-01	IC, MCU-OTPROM , MC68HC705 MS018AC, LEAD FREE	162.16	ZB	Readers
Y	1586CGGMN	COMPOSITE ISOPROX II, PROG CASI-RUSCO, F-GLOSS, B-GLOSS, MATCHING #, NO SLOT	7.61	PC	Credentials
Y	1586CGGMV	COMPOSITE ISOPROX II, PROG CASI-RUSCO, F-GLOSS, B-GLOSS, MATCHING #, VERT. SLOT	7.61	PC	Credentials
Y	1586CGGNN	COMPOSITE ISOPROX II, PROG CASI-RUSCO, F-GLOSS, B-GLOSS, NO #, NO SLOT	7.61	PC	Credentials
Y	1586CGGNV	COMPOSITE ISOPROX II, PROG CASI-RUSCO, F-GLOSS, B-GLOSS, NO #, VERT SLOT	7.61	PC	Credentials
Y	1586LGGAN	COMPOSITE ISOPROX II, PROG, F-GLOSS, B-GLOSS, LASER #, NO SLOT	7.61	PC	Credentials
Y	1586LGGAN-A000262	COMPOSITE ISOPROX II, PROG, F-GLOSS, B-GLOSS, REV 4 LASER MATCHING #, PRINT TEST REQUIRED, NO SLOT	7.61	PC	Credentials
Y	1586LGGAV	COMPOSITE ISOPROX II, PROG, F-GLOSS, B-GLOSS, LASER #, VERT. SLOT, LAM	7.61	PC	Credentials
Y	1586LGGBV	COMPOSITE ISOPROX II, PROG, F-GLOSS, B-GLOSS, SEQ NON-MATCHING LASER #, VERT SLOT	7.61	PC	Credentials
Y	1586LGGCN	COMPOSITE ISOPROX II, PROG, F-GLOSS, B-GLOSS, RANDOM NON MATCHING SEQ LASER#, NO SLOT	7.61	PC	Credentials
Y	1586LGGMH	COMPOSITE ISOPROX II, PROG, GLOSS/GLOSS, MATCHING, HORZ. SLOT	7.61	PC	Credentials
Y	1586LGGMN	COMPOSITE ISOPROX II, PROG, F-GLOSS, B-GLOSS, NO SLOT, LAM	7.61	PC	Credentials
Y	1586LGGMN-120188	COMPOSITE ISOPROX II, CUSTOM, GLOSS/GLOSS CUSTOM THICKNESS, MATCHING#, NO SLOT, LAM	7.61	PC	Credentials
Y	1586LGGMN-310137	COMPOSITE ISOPROX II, CUSTOM, F-GLOSS, B-GLOSS, CUSTOM .045 THICKNESS, MATCHING#, NO SLOT, LAM	7.61	PC	Credentials
Y	1586LGGMN-507	COMPOSITE ISOPROX II, PROG, F-GLOSS, B-GLOSS, MATCHING#, NO SLOT, NO SALES ORDER #	7.61	PC	Credentials
Y	1586LGGMN-511	COMPOSITE ISOPROX II, PROG 125K, NO SLAES ORDER, MATCH #, NO SLOT	7.71	PC	Credentials
Y	1586LGGMN-TOUGH	COMPOSITE ISOPROX II, CUSTOM THICKNESS, F-GLOSS, B-GLOSS, MATCHING #, NO SLOT, LAM	7.71	PC	Credentials
Y	1586LGGMV	COMPOSITE ISOPROX II, PROG, GLOSS/GLOSS, MATCHING, VERT. SLOT	7.61	PC	Credentials
Y	1586LGGNN	COMPOSITE ISOPROX II, PROG, GLOSS/GLOSS, NO MARK, NO SLOT, LAM	7.61	PC	Credentials
Y	1586LGGNV	COMPOSITE ISOPROX II, PROG, GLOSS/GLOSS, NO NUMBER, VERT. SLOT	7.61	PC	Credentials
Y	1586LGGRN	COMPOSITE ISOPROX II, PROG, F-GLOSS, B-GLOSS, RAMDOM, NO SLOT	7.61	PC	Credentials
Y	1586LGGRV	COMPOSITE ISOPROX II, PROG, F-GLOSS, B-GLOSS, RANDOM #, VERT. SLOT, LAM	7.61	PC	Credentials
Y	1586LGGSH	COMPOSITE ISOPROX II, PROG, F-GLOSS, B-GLOSS, HORZ. SLOT, LAM	7.61	PC	Credentials
Y	1586LGGSN	COMPOSITE ISOPROX II, PROG, F-GLOSS, B-GLOSS, SEQ #, NO SLOT, LAM	7.61	PC	Credentials
Y	1586LGGSV	COMPOSITE ISOPROX II, PROG, F-GLOSS, B-GLOSS, SEQ. #, VERT. SLOT, LAM	7.61	PC	Credentials
Y	1586NGGNH	COMPOSITE ISOPROX II, NON-PROG, GLOSS/GLOSS, NO MARK, HORIZONTAL SLOT	7.51	PC	Credentials
Y	1586NGGNN	COMPOSITE ISOPROX II, NON-PROG, GLOSS/GLOSS, NO MARK, NO SLOT, LAM	7.51	PC	Credentials
Y	1586NGGNV	COMPOSITE ISOPROX II, NON-PROG, GLOSS/GLOSS, NO MARK, VERT SLOT, LAM	7.51	PC	Credentials
Y	1597LGGAN	COMPOSITE SMART ISOPROX II, PROG, F-GLOSS, B-GLOSS, LASER #, NO SLOT	10.09	EB	Credentials
Y	1597LGGAV	COMPOSITE SMART ISOPROX II, PROG, F-GLOSS, B-GLOSS, LASER #, VERT. SLOT	10.09	EB	Credentials
Y	1597LGGBN	COMPOSITE SMART ISOPROX II, PROG, F - GLOSS, B - GLOSS, SEQ INTERNAL/SEQ NON-MATCHING EXTERNAL #, NO SLOT	10.09	EB	Credentials
Y	1597LGGMN	COMPOSITE SMART ISOPROX II, PROG, F-GLOSS, B-GLOSS, MATCH #, NO SLOT	10.09	EB	Credentials
Y	1597LGGMN-A000708	COMPOSITE SMART ISOPROX II, PROG, F-GLOSS, B-GLOSS W/NO SALES ORDER NUMBER, MATCHING #, NO SLOT	10.09	EB	Credentials
Y	1597LGGMV	COMPOSITE SMART ISOPROX II, PROG, F-GLOSS, B-GLOSS, MATCH #, VERT. SLOT	10.09	EB	Credentials
Y	1597LGGNN	COMPOSITE SMART ISOPROX II, PROG, F-GLOSS, B-GLOSS, NO #, NO SLOT	10.09	EB	Credentials
Y	1597LGGRN	COMPOSITE SMART ISOPROX II, PROG, F-GLOSS, B-GLOSS, RANDOM #, NO SLOT	10.09	EB	Credentials
Y	1597LGGRV	COMPOSITE SMART ISOPROX II, PROG, F-GLOSS, B-GLOSS, RANDOM #, VERT. SLOT	10.09	EB	Credentials
Y	1597LGGSN	COMPOSITE SMART ISOPROX II, PROG, F-GLOSS, B-GLOSS, SEQ #, NO SLOT	10.09	EB	Credentials
Y	1597LGGSV	COMPOSITE SMART ISOPROX II, PROG, F-GLOSS, B-GLOSS, SEQ.#, VERT. SLOT	10.09	EB	Credentials
Y	1597LGSMN	COMPOSITE SMART ISOPROX II, PROG, F-GLOSS, B-STANDARD ART, MATCHING #, NO SLOT , LAM	10.09	EB	Credentials
Y	1597LGSMV	COMPOSITE SMART ISOPROX II, PROG, F-GLOSS, B-STANDART ART, MATCHING #, VERT SLOT , LAM	10.09	EB	Credentials
Y	1597NGGBN	COMPOSITE SMART ISOPROX II, NON - PROG, F-GLOSS, B-GLOSS, NONMATCH #, NO SLOT	10.09	EB	Credentials
Y	1597NGGNN	COMPOSITE SMART ISOPROX II, NON - PROG, F-GLOSS, B-GLOSS, NO #, NO SLOT	10.09	EB	Credentials
Y	1597NGGSN	COMPOSITE SMART ISOPROX II, NON - PROG, F-GLOSS, B-GLOSS, SEQ INT SEQ NON MATCH EXT #, NO SLOT	10.09	EB	Credentials
Y	1598LGGAN	COMPOSITE SMART DUOPROX II, F-GLOSS, B-GLOSS, LASER#, NO SLOT	10.91	EB	Credentials
Y	1598LGGMN	COMPOSITE SMART DUOPROX II, PROG, F-GLOSS, B-GLOSS, MATCH #, NO SLOT , LAM	10.91	EB	Credentials
Y	1598LGGMV	COMPOSITE SMART DUOPROX II, PROG, F-GLOSS, B-GLOSS, MATCH #, VERT. SLOT , LAM	10.91	EB	Credentials
Y	1598LGGNN	COMPOSITE SMART DUOPROX II, PROG, F-GLOSS, B-GLOSS, NO #, NO SLOT , LAM	10.91	EB	Credentials
Y	1598LGGRN	COMPOSITE SMART DUOPROX II, PROG, F-GLOSS, B-GLOSS, RANDOM #, NO SLOT , LAM	10.91	EB	Credentials
Y	1598LGGSN	COMPOSITE SMART DUOPROX II, PROG, F-GLOSS, B-GLOSS, SEQ. #, NO SLOT , LAM	10.91	EB	Credentials
Y	1598LGGSV	COMPOSITE SMART DUOPROX II, PROG, F-GLOSS, B-GLOSS, SEQ.#, VERT. SLOT	10.91	EB	Credentials
Y	1598NGGNB	COMPOSITE SMART DUOPROX II, NON - PROG, F-GLOSS, B-GLOSS, NO #, HORIZ / VERT SLOT , LAM	10.91	EB	Credentials
Y	1598NGGNN	COMPOSITE SMART DUOPROX II, NON - PROG, F-GLOSS, B-GLOSS, NO #, NO SLOT , LAM	10.91	EB	Credentials
Y	1598NGGSN	COMPOSITE SMART DUOPROX II, NON - PROG, F-GLOSS, B-GLOSS, SEQ/SEQ NON #, NO SLOT	10.91	EB	Credentials
Y	175ONGGNNN	LEGIC PRIME 1024/PROX, PVC CARD BODY, NON-PROG., F-GLOSS, B-GLOSS, NO LEGIC #, NO SLOT, NO PROX #	13.13	IC	Credentials
Y	20-K-05	HID SIGNO 20 SERIES, 0.5 INCH SPACER, BLACK	23.81	ZB	Readers
Y	20-K-10	HID SIGNO 20 SERIES, 1.0 INCH SPACER, BLACK	23.81	ZB	Readers
Y	20-K-MP	HID SIGNO 20 MOUNTING PLATE, BLACK	23.81	ZB	Readers
Y	20-S-05	HID SIGNO 20 SERIES, 0.5 INCH SPACER, SILVER	23.81	ZB	Readers
Y	20-S-10	HID SIGNO 20 SERIES, 1.0 INCH SPACER, SILVER	23.81	ZB	Readers
Y	20-S-MP	HID SIGNO 20 MOUNTING PLATE, SLIVER	23.81	ZB	Readers
Y	2000CG1NN	ICLASS 2K/2, CONFIGURED, F-GLOSS, MAGSTRIPE, NO ICLASS #, NO SLOT	6.93	IC	Credentials
Y	2000CG1NV	ICLASS 2K/2, CONFIGURED, F-GLOSS, MAGSTRIPE, NO ICLASS #, VERT SLOT	6.93	IC	Credentials
Y	2000CG1SN	ICLASS 2K/2, CONFIGURED, F-GLOSS, MAGSTRIPE, NO ICLASS #, NO SLOT	6.93	IC	Credentials
Y	2000CGGNB	ICLASS 2K/2, CONF., F-GLOSS, B-GLOSS W/BOTH VERT. & HORZ. SLOT INDICATORS, NO #, NO SLOT	6.38	IC	Credentials
Y	2000CGGNH	ICLASS 2K/2, CONFIGURED, F-GLOSS, B-GLOSS, NO ICLASS #, HORZ. SLOT, LAM	6.38	IC	Credentials
Y	2000CGGNN	ICLASS 2K/2, CONFIGURED NON-PROG , F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT	6.38	IC	Credentials
Y	2000CGGNN-A002788	ICLASS 2K/2, CONFIGURED NON-PROG , F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT	6.38	IC	Credentials
Y	2000CGGNV	ICLASS 2K/2, CONFIGURED, F-GLOSS, B-GLOSS, NO ICLASS #, VERT SLOT	6.38	IC	Credentials
Y	2000CGGSN	ICLASS 2K/2, MEMORY CONFIG, F-GLOSS, B-GLOSS, SEQ ICLASS #, NO SLOT	6.38	IC	Credentials
Y	2000CGGSV	ICLASS 2K/2, CONFIGURED, F-GLOSS, B-GLOSS, SEQ ICLASS #, VERT SLOT	6.38	IC	Credentials
Y	2000HPG1MN	ICLASS 2K/2, SR, PROG. ICLASS, F-GLOSS, B-GLOSS W/MAG, MATCH. ICLASS #, NO SLOT	6.93	IC	Credentials

Y	2000HPG1MV	ICLASS 2K/2, SR, PROG. ICLASS, F-GLOSS, B-GLOSS W/MAG, MATCH. ICLASS #, VERTICAL SLOT	6.93	IC	Credentials
Y	2000HPG1NN	ICLASS 2K/2, SR, PROG. ICLASS, F-GLOSS, B-GLOSS W/MAG, NO ICLASS #, NO SLOT	6.93	IC	Credentials
Y	2000HPGGAN	ICLASS SR 2K/2, PRGMD, F-GLOSS, B-GLOSS, MATCH LASER #, NO SLOT	6.38	IC	Credentials
Y	2000HPGGAV	ICLASS 2K/2, SR, PROG ICLASS, F-GLOSS, B-GLOSS, MATCH LASER ICLASS #, VERT SLOT	6.38	IC	Credentials
Y	2000HPGGBB	ICLASS 2K/2, SR, PROG, F-GLOSS, B-GLOSS W/ BOTH VERT/HORZ SLOT INDICATORS, SEQ NON-MATCHING LASER #, NO SLOT, LAM	6.38	IC	Credentials
Y	2000HPGGBV	ICLASS 2K/2, SR, PROG., ICLASS, F-GLOSS, B-GLOSS, SEQ. LASER#, VERT SLOT	6.38	IC	Credentials
Y	2000HPGGMB	ICLASS 2K/2, SR, PROG., F-GLOSS, B-GLOSS W/BOTH VERT. & HORZ. SLOT INDICATORS, MATCH #, NO SLOT, LAM	6.38	IC	Credentials
Y	2000HPGGMH	ICLASS 2K/2, SR, PROG., F-GLOSS, B-GLOSS, MATCH #, HORIZONTAL SLOT	6.38	IC	Credentials
Y	2000HPGGMN	ICLASS SR 2K/2, PRGMD, F-GLOSS, B-GLOSS, MATCH #, NO SLOT, LAM	6.38	IC	Credentials
Y	2000HPGGMV	ICLASS 2K/2, SR, PROG ICLASS, F-GLOSS, B-GLOSS, MATCH ICLASS #, VERT SLOT	6.38	IC	Credentials
Y	2000HPGGNB	ICLASS 2K/2, SR, PROG., F-GLOSS, B-GLOSS W/BOTH VERT. & HORZ. SLOT INDICATORS, NO #, NO SLOT, LAM	6.38	IC	Credentials
Y	2000HPGGNN	ICLASS SR 2K/2, PRGMD, F-GLOSS, B-GLOSS, NO #, NO SLOT, LAM	6.38	IC	Credentials
Y	2000HPGGNV	ICLASS 2K/2, SR, PROG., F - GLOSS, B - GLOSS, NO ICLASS, VERT SLOT, LAM	6.38	IC	Credentials
Y	2000HPGGRB	ICLASS (2K/2), SR PROG., F-GLOSS, B-GLOSS W/ BOTH VERT. & HORZ. SLOT INDICATORS, RANDOM #, NO SLOT	6.38	IC	Credentials
Y	2000HPGGRN	ICLASS 2K/2, PROG ICLASS, SR, F-GLOSS, B-GLOSS, RANDOM ICLASS #, NO SLOT	6.38	IC	Credentials
Y	2000HPGGSB-PACK50	ICLASS 2K/2, SR, PROG ICLASS, F-GLOSS, B- GLOSS W/ BOTH SLOT DOTS, SEQ ICLASS #, NO SLOT, LAM, PACKED 50 PER BOX	6.38	IC	Credentials
Y	2000HPGGSN	ICLASS 2K/2, PROG ICLASS, SR, F-GLOSS, B-GLOSS, SEQ ICLASS #, NO SLOT	6.38	IC	Credentials
Y	2000HPGGSN-PACK50	ICLASS 2K/2, SR, PROG ICLASS, F-GLOSS, B-GLOSS, SEQ ICLASS #, NO SLOT, PACKED 50 PER BOX	6.38	IC	Credentials
Y	2000HPGGSV	ICLASS 2K/2, SR, PROG ICLASS, F-GLOSS, B-GLOSS, SEQ. ICLASS #, VERT SLOT	6.38	IC	Credentials
Y	2000PCCNN-LEGACY	ICLASS CONFIG CARD, 2K/2, CONFIGURED AND FUSED FOR USE ON ICLASS SE ENCODER	25.03	ZB	Credentials
Y	2000PG1AH	ICLASS 2K/2, PROG ICLASS, F-GLOSS, B-BOTH SLOT DOTS W/MAG STRIPE, SEQ LASER ICLASS #, HORIZONTAL SLOT, LAM	6.93	IC	Credentials
Y	2000PG1AN	ICLASS 2K/2, PROG ICLASS, F-GLOSS, B-GLOSS W/MAGSTRIPE, LASER #, NO SLOT	6.93	IC	Credentials
Y	2000PG1BN	ICLASS 2K/2, PROG., F-GLOSS, B-GLOSS W/MAG, LASER#, NO SLOT	6.93	IC	Credentials
Y	2000PG1MN	ICLASS 2K/2, PROG ICLASS, F-GLOSS, MAG STRIPE, MATCH ICLASS #, NO SLOT	6.93	IC	Credentials
Y	2000PG1MN-1601Z	ICLASS 2K, PROG, F-GLOSS, B-GLOSS W/ JAS II MAG, MATCH#, NO SLOT, LAM	6.93	IC	Credentials
Y	2000PG1MV	ICLASS 2K/2, PROG ICLASS, F-GLOSS, MAGSTRIPE, MATCH ICLASS #, VERT. SLOT	6.93	IC	Credentials
Y	2000PG1NN	ICLASS 2K/2, PROG ICLASS, F-GLOSS, MAGSTRIPE, NO ICLASS #, NO SLOT	6.93	IC	Credentials
Y	2000PG1RN	ICLASS 2K/2, PROG ICLASS, F-GLOSS, MAGSTRIPE, RANDOM NON-MATCH ICLASS #, NO SLOT	6.93	IC	Credentials
Y	2000PG1SB	ICLASS 2K/2, PROG ICLASS, F-GLOSS, B- GLOSS W/MAGSTRIPE & BOTH SLOT DOTS, SEQ ICLASS #, NO SLOT, LAM	6.93	IC	Credentials
Y	2000PG1SN	ICLASS 2K/2, PROG ICLASS, F-GLOSS, MAGSTRIPE, SEQ ICLASS #, NO SLOT	6.93	IC	Credentials
Y	2000PG1SN-PACK50	ICLASS 2K/2, PROG ICLASS, F-GLOSS, B-GLOSS W/ MAG, SEQ ICLASS #, NO SLOT, PACKED 50 PER BOX	6.93	IC	Credentials
Y	2000PG1SV	ICLASS 2K/2, PROG ICLASS, F-GLOSS, MAGSTRIPE, SEQ. ICLASS #, VERT. SLOT	6.93	IC	Credentials
Y	2000PGGAB	ICLASS 2K/2, PRGMD, F-GLOSS, B-GLOSS W/ BOTH VERT. & HORZ. SLOT INDICATORS, LASER #, NO SLOT, LAM	6.38	IC	Credentials
Y	2000PGGAH	ICLASS 2K/2, PRGMD, F-GLOSS, B-GLOSS, MATCH # LASER, HORIZ SLOT, LAM	6.38	IC	Credentials
Y	2000PGGAN	ICLASS 2K/2, PRGMD, F-GLOSS, B-GLOSS, MATCH # LASER, NO SLOT	6.38	IC	Credentials
Y	2000PGGAV	ICLASS 2K/2, PROG, F-GLOSS, B-GLOSS, MATCH # LASER, VERT SLOT	6.38	IC	Credentials
Y	2000PGGBN	ICLASS 2K/2,PRGMD,ICLASS,F-GLOSS,B-GLOSS,ENGRAVED SEQ ICALSS #,NO SLOT	6.38	IC	Credentials
Y	2000PGGBV	ICLASS 2K/2,PRGMD,ICLASS,F-GLOSS,B-GLOSS,ENGRAVED SEQ ICLASS #,VERT SLOT.	6.38	IC	Credentials
Y	2000PGGCN	ICLASS 2K/2, PROG ICLASS, F-GLOSS, B-GLOSS, ENGRAVED RANDOM ICLASS #, NO SLOT	6.38	IC	Credentials
Y	2000PGGMB	ICLASS 2K/2, PRGMD, F-GLOSS, B-GLOSS W/ BOTH VERT. & HORZ. SLOT INDICATORS, MATCH #, NO SLOT	6.38	IC	Credentials
Y	2000PGGMB-A000262	ICLASS 2K/2, PROG, F-GLOSS, B-GLOSS W/ BOTH VERT. & HORZ. SLOT INDICATORS, REV 4 LASER MATCHING #, PRINT TEST REQUIRED, NO SLOT	6.38	IC	Credentials
Y	2000PGGMH	ICLASS 2K/2, PROG ICLASS, F-GLOSS, B-GLOSS, MATCH ICLASS #, HORZ SLOT, LAM	6.38	IC	Credentials
Y	2000PGGMN	ICLASS 2K/2, PRGMD, F-GLOSS, B-GLOSS, MATCH #, NO SLOT	6.38	IC	Credentials
Y	2000PGGMN-37	ICLASS 2K/2, PRGMD, F-GLOSS, B-GLOSS, MATCH #, NO SLOT, W/37 BIT FORMAT, H10302	6.38	IC	Credentials
Y	2000PGGMV	ICLASS 2K/2, PROG ICLASS, F-GLOSS, B-GLOSS, MATCH ICLASS #, VERT SLOT	6.38	IC	Credentials
Y	2000PGGNB	ICLASS 2K/2, PROG., F-GLOSS, B-GLOSS W/BOTH VERT. & HORZ. SLOT INDICATORS, NO #, NO SLOT, LAM	6.38	IC	Credentials
Y	2000PGGNH	ICLASS 2K/2, PROG., F-GLOSS, B-GLOSS W/BOTH VERT. & HORZ. SLOT INDICATORS, NO #, HORZ. SLOT, LAM	6.38	IC	Credentials
Y	2000PGGNN	ICLASS 2K/2, PRGMD, F-GLOSS, B-GLOSS, NO #, NO SLOT	6.38	IC	Credentials
Y	2000PGGNV	ICLASS 2K/2, PROG ICLASS, F-GLOSS, B-GLOSS, NO#, VERT SLOT	6.38	IC	Credentials
Y	2000PGGRN	ICLASS 2K/2, PROG, F-GLOSS, B-GLOSS, RANDOM, NO SLOT	6.38	IC	Credentials
Y	2000PGGRN-H50895	ICLASS 2K/2, PROG, F-GLOSS, B-GLOSS, RANDOM, W/ CUSTOM CROSS REF. FILE, NO SLOT	6.38	IC	Credentials
Y	2000PGGSB	ICLASS 2K/2, PRGMD, F-GLOSS, B-GLOSS W/ BOTH VERT. & HORZ. SLOT INDICATORS, SEQ. #, NO SLOT	6.38	IC	Credentials
Y	2000PGGSH	ICLASS 2K/2, PROG ICLASS, F-GLOSS, B-GLOSS, SEQ. ICLASS #, HORZ SLOT, LAM	6.38	IC	Credentials
Y	2000PGGSN	ICLASS 2K/2, PROG ICLASS, F-GLOSS, B-GLOSS, SEQ ICLASS #, NO SLOT	6.38	IC	Credentials
Y	2000PGGSN-PACK50	ICLASS 2K/2, PROG ICLASS, F-GLOSS, B-GLOSS, SEQ ICLASS #, NO SLOT, PACKED 50 PER BOX	6.38	IC	Credentials
Y	2000PGGSV	ICLASS 2K/2, PROG ICLASS, F-GLOSS, B-GLOSS, SEQ ICLASS #, VERT SLOT	6.38	IC	Credentials
Y	2001CG1NB	ICLASS 16K/2, CONFIG, F-GLOSS, B-GLOSS W/MAG, NO #, VERT/HORZ SLOT COMPATIBLE, LAM	11.76	IC	Credentials
Y	2001CG1NN	ICLASS 16K/2, CONFIG NON-PRGMD, F-GLOSS, B-GLOSS, NO #, NO SLOT, W/MAG	12.10	IC	Credentials
Y	2001CG1NV	ICLASS 16K/2, CONFIG NON-PRGMD, F-GLOSS, B-GLOSS, NO #, VERT. SLOT, W/MAG	12.10	IC	Credentials
Y	2001CGGNB	ICLASS 16K/2, CONFIGURED., F-GLOSS, B-GLOSS, NO #, VERT/HORT COMPATIBLE SLOT	11.21	IC	Credentials
Y	2001CGGNN	ICLASS 16K/2, CONFIG, F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT	11.55	IC	Credentials
Y	2001CGGNV	ICLASS 16K/2, CONFIG, F-GLOSS, B-GLOSS, NO ICLASS #, VERT. SLOT	11.55	IC	Credentials
Y	2001CGGSN	ICLASS 16K/2, CONFIGURED, F-GLOSS, B-GLOSS, SEQ NON-MATCHING ICLASS #, NO SLOT	11.21	IC	Credentials
Y	2001HPG1NN	ICLASS 16K/2, SR, PROG., F-GLOSS, B-GLOSS W/MAG, NO #, NO SLOT	11.76	IC	Credentials
Y	2001HPGGAN	ICLASS 16K/2, PROG., SR, F-GLOSS, B-GLOSS, LASER MATCH ICLASS #, NO SLOT	11.21	IC	Credentials
Y	2001HPGGMB	ICLASS 16K/2, SR, PROG., F-GLOSS, B-GLOSS W/BOTH VERT. & HORZ. SLOT INDICATORS, MATCH #, NO SLOT, LAM	11.21	IC	Credentials
Y	2001HPGGMN	ICLASS SR 16K/2, PRGMD, F-GLOSS, B-GLOSS, MATCH #, NO SLOT, LAM	11.55	IC	Credentials
Y	2001HPGGMV	ICLASS 16K/2, SR, PROG. ICLASS, F-GLOSS, B-GLOSS, MATCH #, VERT. SLOT	11.55	IC	Credentials
Y	2001HPGGSN	ICLASS 16K/2, SR, PROG ICLASS, F-GLOSS, B-GLOSS, SEQ ICLASS #, NO SLOT	11.55	IC	Credentials
Y	2001PG1MB	ICLASS 16K/2, PROG, F-GLOSS, B-GLOSS W/MAG, MATCHING #, VERT/HORZ SLOT COMPATIBLE, LAM	11.76	IC	Credentials
Y	2001PG1MH	ICLASS 16K/2, PROG, F-GLOSS, B-GLOSS W/MAG, MATCHING #, HORZ SLOT, LAM	11.76	IC	Credentials
Y	2001PG1MN	ICLASS 16K/2, PROG ICLASS, F-GLOSS, MAGSTRIPE, MATCH ICLASS #, NO SLOT	12.10	IC	Credentials
Y	2001PG1MV	ICLASS 16K/2, PROG ICLASS, F-GLOSS, MAGSTRIPE, MATCH ICLASS #, VERT SLOT	12.10	IC	Credentials
Y	2001PG1NV	ICLASS 16K/2, PROG ICLASS, F-GLOSS, MAGSTRIPE, NO #, VERT SLOT	11.76	IC	Credentials
Y	2001PGGAN	ICLASS 16K/2, PRGMD, F-GLOSS, B-GLOSS, LASER MATCH ICLASS #, NO SLOT	11.55	IC	Credentials
Y	2001PGGAN-ISOB	ICLASS (16K/2), PROG, F-GLOSS, B-GLOSS, MATCHING ICLASS LASER #, NO SLOT, ISOB	11.33	IC	Credentials
Y	2001PGGAV	ICLASS 16K/2, PRGMD, F-GLOSS, B-GLOSS, LASER MATCH #, VERTICAL SLOT	11.21	IC	Credentials

Y	2001PGGBN	ICLASS 16K/2, PRGMD, F-GLOSS, B-GLOSS, LASER MATCH ICLASS #, NO SLOT	11.21	IC	Credentials
Y	2001PGGMB	ICLASS 16K/2, PRGMD, F-GLOSS, B-GLOSS W/ BOTH VERT. & HORZ. SLOT INDICATORS, MATCH #, NO SLOT, LAM	11.55	IC	Credentials
Y	2001PGGMH	ICLASS 16K/2, PROG ICLASS, F-GLOSS, B-GLOSS, MATCH #, HORZ. SLOT	11.21	IC	Credentials
Y	2001PGGMN	ICLASS 16K/2, PRGMD, F-GLOSS, B-GLOSS, MATCH #, NO SLOT	11.55	IC	Credentials
Y	2001PGGMV	ICLASS 16K/2, PROG ICLASS, F-GLOSS, B-GLOSS, MATCH #, VERT SLOT	11.55	IC	Credentials
Y	2001PGGNH	ICLASS 16K/2, PROG ICLASS, F-GLOSS, B-GLOSS, NO #, HORZ. SLOT. LAM	11.21	IC	Credentials
Y	2001PGGNN	ICLASS 16K/2, PRGMD, F-GLOSS, B-GLOSS, NO #, NO SLOT	11.55	IC	Credentials
Y	2001PGGRN	ICLASS 16K/2, PRGMD, F-GLOSS, B-GLOSS, RANDOM #, NO SLOT	11.21	IC	Credentials
Y	2001PGGRV	ICLASS 16K/2, PROGRAMMED, F-GLOSS, B-GLOSS, RANDOM #, VERT SLOT	11.55	IC	Credentials
Y	2001PGGSN	ICLASS 16K/2, PROG ICLASS, F-GLOSS, B-GLOSS, SEQ ICLASS #, NO SLOT	11.55	IC	Credentials
Y	2002CG1NN	ICLASS 16K/16, CONFIGURED NON-PROG, F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT	12.10	IC	Credentials
Y	2002CG1SN	ICLASS 16K/2, CONFIGURED NON-PROG, F-GLOSS, MAGSTRIPE, SEQ ICLASS #, NO SLOT	12.10	IC	Credentials
Y	2002CG1SN-A000011	ICLASS 16K/2, CONFIGURED NON-PROG, F-GLOSS, MAGSTRIPE, SEQ ICLASS #, NO SLOT	11.76	IC	Credentials
Y	2002CGGNN	ICLASS 16K/16, CONFIGURED NON-PRGMD, F-GLOSS, B-GLOSS, NO #, NO SLOT	11.55	IC	Credentials
Y	2002CGGNV	ICLASS 16K/16, CONFIG, F-GLOSS, B-GLOSS, NO #, SLOT	11.55	IC	Credentials
Y	2002CGGSB	ICLASS 16K/16, MEMORY CONFIG, F-GLOSS, B-GLOSS, SEQ ICLASS #, NO SLOT	11.21	IC	Credentials
Y	2002CGGSN	ICLASS 16K/16, MEMORY CONFIG, F-GLOSS, B-GLOSS, SEQ ICLASS #, NO SLOT	11.55	IC	Credentials
Y	2002CGGSN-A000011	ICLASS 16K/16, CONFIG, F-GLOSS, B-GLOSS, SEQ ICLASS #, NO SLOT	11.21	IC	Credentials
Y	2002CGGSV	ICLASS 16K/16, CONFIGURED, F-GLOSS, B-GLOSS, SEQ ICLASS #, VERT SLOT	11.21	IC	Credentials
Y	2002HPG1MB	ICLASS 16K/16, PROG SR, F-GLOSS, B-GLOSS W/MAG, MATCHING #, VERT/HORZ SLOT COMPATIBLE, LAM	12.10	IC	Credentials
Y	2002HPG1MH	ICLASS 16K/16, PROG SR, F-GLOSS, B-GLOSS W/MAG, MATCHING #, HORZ SLOT, LAM	12.10	IC	Credentials
Y	2002HPG1MN	ICLASS 16K/16, PROG ICLASS, SR, F-GLOSS, B-GLOSS W/MAG, MATCH #, NO SLOT	11.76	IC	Credentials
Y	2002HPG1MV	ICLASS 16K/16, PROG ICLASS, SR, F-GLOSS, B-GLOSS W/MAG, MATCH #, VERT SLOT	11.76	IC	Credentials
Y	2002HPGGMB	ICLASS 16K/16, SR, PROG., F-GLOSS, B-GLOSS, MATCH #, NO SLOT	11.55	IC	Credentials
Y	2002HPGGMH	ICLASS 16K/16, SR, PROG., F-GLOSS, B-GLOSS, MATCH #, HORIZONTAL SLOT	11.55	IC	Credentials
Y	2002HPGGMN	ICLASS SR 16K/16, PRGMD, F-GLOSS, B-GLOSS, MATCH #, NO SLOT, LAM	11.55	IC	Credentials
Y	2002HPGGMV	ICLASS 16K/16, SR, PROG., F-GLOSS, B-GLOSS, MATCH #, VERT. SLOT	11.55	IC	Credentials
Y	2002HPGGNN	ICLASS 16K/16, SR, PROG., F-GLOSS, B-GLOSS, NO #, NO SLOT	11.55	IC	Credentials
Y	2002HPGGRN	ICLASS SR 16K/16, PRGMD, F-GLOSS, B-GLOSS, RANDOM #, NO SLOT, LAM	11.55	IC	Credentials
Y	2002HPGGSB-PACK50	ICLASS 16K/16, SR, PROG ICLASS, F-GLOSS, B- GLOSS W/BOTH SLOT DOTS, SEQ ICLASS #, NO SLOT, LAM, PACKED 50 PER BOX	11.21	IC	Credentials
Y	2002HPGGSN-PACK50	ICLASS 16K/16, SR, PROG., F-GLOSS, B-GLOSS, SEQ #, NO SLOT	11.55	IC	Credentials
Y	2002PG1MB	ICLASS 16K/16, PROG, F-GLOSS, B-GLOSS W/MAG, MATCHING #, VERT/HORZ SLOT COMPATIBLE, LAM	12.10	IC	Credentials
Y	2002PG1MH	ICLASS 16K/16, PROG, F-GLOSS, B-GLOSS W/MAG, MATCHING #, HORZ SLOT, LAM	11.76	IC	Credentials
Y	2002PG1MN	ICLASS 16K/16, PROG ICLASS, F-GLOSS, B-GLOSS, MATCH #, NO SLOT	12.10	IC	Credentials
Y	2002PG1MN-110348	ICLASS 16K/16, PROG ICLASS, F-GLOSS, B-GLOSS W/MAG, MATCH ICLASS #, NO SLOT	11.76	IC	Credentials
Y	2002PG1MV	ICLASS 16K/16, PROG ICLASS, F-GLOSS, MAGSTRIPE, MATCH ICLASS #, VERT SLOT	12.10	IC	Credentials
Y	2002PG1NN	ICLASS 16K/16, PROG ICLASS, F-GLOSS, MAGSTRIPE, NO ICLASS #, NO SLOT	12.10	IC	Credentials
Y	2002PG1SN	ICLASS 16K/16, PROG ICLASS, F-GLOSS, B-GLOSS, SEQ #, NO SLOT	11.76	IC	Credentials
Y	2002PGGAN	ICLASS 16K/16, PRGMD, F-GLOSS, B-GLOSS, LASER SEQ #, NO SLOT	11.55	IC	Credentials
Y	2002PGGAV	ICLASS 16K/16, PRGMD, F-GLOSS, B-GLOSS, LASER SEQ #, VERT SLOT	11.55	IC	Credentials
Y	2002PGGMB	CLASS 16K/16, PRGMD, F-GLOSS, B-GLOSS W/ BOTH VERT. & HORZ. SLOT INDICATORS, MATCH #, NO SLOT, LAM	11.55	IC	Credentials
Y	2002PGGMH	CLASS 16K/16, PRGMD, F-GLOSS, B-GLOSS, MATCH #, HORZ SLOT, LAM	11.55	IC	Credentials
Y	2002PGGMN	ICLASS 16K/16, PRGMD, F-GLOSS, B-GLOSS, MATCH #, NO SLOT	11.55	IC	Credentials
Y	2002PGGMN-120252	ICLASS 16K/16, PROG ICLASS, F-GLOSS, B-GLOSS W/ HORIZ-VERT SLOT INDICATORS, MATCHING #, NO SLOT,	11.21	IC	Credentials
Y	2002PGGMN-1601D	ICLASS 16K/16, PROG, F-GLOSS, B-GLOSS, CUSTOM THICKNESS .040, MATCHING#, NO SLOT, LAM	11.71	IC	Credentials
Y	2002PGGMV	ICLASS, 16K/16, PRGMD, F-GLOSS, B-GLOSS, MATCH #, SLOT	11.55	IC	Credentials
Y	2002PGGNB	ICLASS 16K/16, PRGMD, F-GLOSS, B-GLOSS W/BOTH VERT. & HORZ. SLOT INDICATORS, NO #, NO SLOT, LAM	11.21	IC	Credentials
Y	2002PGGNN	ICLASS 16K/16, PROG ICLASS, F-GLOSS, B-GLOSS, NO #, NO SLOT	11.55	IC	Credentials
Y	2002PGGNV	ICLASS 16K/16, PRGMD, F-GLOSS, B-GLOSS,NO #, VERT SLOT	11.55	IC	Credentials
Y	2002PGGRN	ICLASS 16K/16, PRGMD, F-GLOSS, B-GLOSS, RANDOM #, NO SLOT	11.55	IC	Credentials
Y	2002PGGSB	CLASS 16K/16, PROG, F-GLOSS, B-GLOSS W/BOTH VERT. & HORZ. SLOT INDICATORS, SEQ. #, NO SLOT, LAM	11.21	IC	Credentials
Y	2002PGGSH	ICLASS 16K/16, PROG., F-GLOSS, B-GLOSS, SEQ. #, HORZ. SLOT, LAM	11.55	IC	Credentials
Y	2002PGGSN	ICLASS 16K/16, PROG ICLASS, F-GLOSS, B-GLOSS, SEQ #, NO SLOT	11.55	IC	Credentials
Y	2002PGGSN-PACK50	ICLASS 16K/16, PROG ICLASS, F-GLOSS, B-GLOSS, SEQ #, NO SLOT, PACKED 50 PER BOX	11.21	IC	Credentials
Y	2002PGGSV	ICLASS 16K/16, PROG ICLASS, F-GLOSS, B-GLOSS, SEQ #, SLOT	11.55	IC	Credentials
Y	2003CG1NN	ICLASS 32K (16K/2 + 16K/1), CONFIGURED, F-GLOSS, B-GLOSS W/ MAG, NO #, NO SLOT	12.56	IC	Credentials
Y	2003CGGNB	ICLASS 32K (16K/2 + 16K/1), CONFIGURED, F-GLOSS, B-GLOSS, NO #, HORIZONTAL & VERTICAL SLOT COMPATIBLE	12.01	IC	Credentials
Y	2003CGGNH	ICLASS 32K (16K/2 + 16K/1), CONFIGURED, F-GLOSS, B-GLOSS, NO #, HORIZ SLOT	12.01	IC	Credentials
Y	2003CGGNN	ICLASS 32K (16K/2 + 16K/1), CONFIGURED, F-GLOSS, B-GLOSS, NO #, NO SLOT	12.01	IC	Credentials
Y	2003CGGSN	ICLASS 32K (16K/2 + 16K/1), CONFIGURED, F-GLOSS, B-GLOSS, SEQ. #, NO SLOT	12.01	IC	Credentials
Y	2003HPG1AN	ICLASS 32K (16K/2 + 16K/1), SR, PROG., F-GLOSS, B-GLOSS W/ MAG, LASER MATCH. #, NO SLOT, LAM	12.56	IC	Credentials
Y	2003HPG1MN	ICLASS 32K (16K/2 + 16K/1), SR, PROG., F-GLOSS, B-GLOSS W/ MAG, MATCH. #, NO SLOT, LAM	12.56	IC	Credentials
Y	2003HPGGMB	ICLASS 32K (16K/2+16K/1), SR, PROG, F-GLOSS, B-GLOSS, MATCHING #, NO SLOT	12.01	IC	Credentials
Y	2003HPGGMN	ICLASS SR 32K (16K/2 + 16K/1), PRGMD, F-GLOSS, B-GLOSS, MATCH #, NO SLOT, LAM	12.01	IC	Credentials
Y	2003HPGGMV	ICLASS 32K (16K/2 + 16K/1), SR, PROG., F-GLOSS, B-GLOSS, MATCH #, VERT. SLOT	12.01	IC	Credentials
Y	2003HPGGNN	ICLASS SR 32K (16K/2 + 16K/1), PRGMD, F-GLOSS, B-GLOSS, NO #, NO SLOT	12.01	IC	Credentials
Y	2003HPGGRN	ICLASS 32K (16K/2 + 16K/1), SR, PROG., F-GLOSS, B-GLOSS, RANDOM #, NO SLOT	12.01	IC	Credentials
Y	2003PG1MN	ICLASS 32K (16K/2 + 16K/1), PROGRAMMED, F-GLOSS, B-GLOSS W/ MAG, MATCHING #, NO SLOT	12.56	IC	Credentials
Y	2003PG1MN-TRW	ICLASS 32K (16K/2+16K/1), CUSTOM, F-THERMAL REWRITE, B-GLOSS W/MAG, MATCHING#, NO SLOT, LAM	12.01	IC	Credentials
Y	2003PG1SN	ICLASS 32K (16K/2 + 16K/1), PROGRAMMED, F-GLOSS, B-GLOSS W/ MAG, SEQ #, NO SLOT	12.56	IC	Credentials
Y	2003PGGMB	ICLASS 32K (16K/2 + 16K/1), PROGRAMMED, F-GLOSS, B-GLOSS, MATCHING #, NO SLOT	12.01	IC	Credentials
Y	2003PGGMH	ICLASS 32K (16K/2 + 16K/1), PROG., F-GLOSS, B-GLOSS, MATCHING #, HORZ. SLOT, LAM	12.01	IC	Credentials
Y	2003PGGMN	ICLASS 32K (16K/2 + 16K/1), PROGRAMMED, F-GLOSS, B-GLOSS, MATCHING #, NO SLOT	12.01	IC	Credentials
Y	2003PGGMV	ICLASS 32K (16K/2 + 16K/1), PROG., F-GLOSS, B-GLOSS, MATCH #, VERT. SLOT	12.01	IC	Credentials
Y	2003PGGNB	ICLASS 32K (16K/2 + 16K/1), PROGRAMMED, F-GLOSS, B-GLOSS, MATCHING #, NO SLOT, LAM	12.01	IC	Credentials
Y	2003PGGNH	ICLASS 32K (16K/2+16K/1), PROG, F-GLOSS, B-GLOSS, NO #, HORZ SLOT	12.01	IC	Credentials
Y	2003PGGNN	ICLASS 32K (16K/2 + 16K/1), PROG., F-GLOSS, B-GLOSS, NO #, NO SLOT	12.01	IC	Credentials

Y	2003PGGSN	ICLASS 32K (16K/2 + 16K/1), PROGRAMMED, F-GLOSS, B-GLOSS, SEQ #, NO SLOT	12.01	IC	Credentials
Y	2003PGGSV	ICLASS 32K (16K/2 + 16K/1), PROG., F-GLOSS, B-GLOSS, SEQ #, VERT. SLOT	12.01	IC	Credentials
Y	2004CG1NN	ICLASS 32K (16K/16 + 16K/1), CONFIGURED, F-GLOSS, B-GLOSS W/ MAG, NO #, NO SLOT	12.56	IC	Credentials
Y	2004CGGNH	ICLASS 32K (16K/16 + 16K/1), CONFIGURED, F-GLOSS, B-GLOSS, NO #, HORZ. SLOT, LAM	12.01	IC	Credentials
Y	2004CGGNN	ICLASS 32K (16K/16 + 16K/1), CONFIGURED, F-GLOSS, B-GLOSS, NO #, NO SLOT	12.01	IC	Credentials
Y	2004CGGNV	ICLASS 32K (16K/16 + 16K/1), CONFIGURED, F-GLOSS, B-GLOSS, NO #, VERT. SLOT	12.01	IC	Credentials
Y	2004CGGSN	ICLASS 32K (16K/16 + 16K/1), CONFIGURED, F-GLOSS, B-GLOSS, SEQ. #, NO SLOT	12.01	IC	Credentials
Y	2004HPG1NN	ICLASS 32K (16K/16 + 16K/1), SR, PROG., F-GLOSS, B-GLOSS WITH MAG, NO #, NO SLOT	12.56	IC	Credentials
Y	2004HPGGMB	ICLASS 32K (16K/16 + 16K/1), SR, PROG., F-GLOSS, B-GLOSS, MATCH #, VERT/HORT COMPATIBLE SLOT	12.01	IC	Credentials
Y	2004HPGGMH	ICLASS 32K (16K/16 + 16K/1), SR, PROG., F-GLOSS, B-GLOSS, MATCH #, HORT SLOT	12.01	IC	Credentials
Y	2004HPGGMN	ICLASS SR 32K (16K/16 + 16K/1), PRGMD, F-GLOSS, B-GLOSS, MATCH #, NO SLOT, LAM	12.01	IC	Credentials
Y	2004HPGGMV	ICLASS 32K (16K/16 + 16K/1), SR, PROG., F-GLOSS, B-GLOSS, MATCH #, VERT SLOT	12.01	IC	Credentials
Y	2004HPGGNN	ICLASS 32K (16K/16 + 16K/1), SR, PROG., F-GLOSS, B-GLOSS, NO #, NO SLOT	12.01	IC	Credentials
Y	2004HPGGNV	ICLASS 32K (16K/16 + 16K/1), SR, PROG., F-GLOSS, B-GLOSS, NO ICLASS #, VERT SLOT	12.01	IC	Credentials
Y	2004HPGGRV	ICLASS 32K (16K/16 + 16K/1), SR, PROG., F-GLOSS, B-GLOSS, RANDOM #, VERT SLOT	12.01	IC	Credentials
Y	2004HPGGSN	ICLASS 32K (16K/16 + 16K/1), SR, PROG., F-GLOSS, B-GLOSS, SEQ #, NO SLOT	12.01	IC	Credentials
Y	2004PG1AN	ICLASS 32K (16K/16 + 16K/1), PROG., F-GLOSS, B-GLOSS W/MAG, LASER MATCH, NO SLOT	13.21	IC	Credentials
Y	2004PG1BV	ICLASS 32K (16K/16 + 16K/1), PROGRAMMED, F-GLOSS, B-GLOSS W/ MAG, LASER NON MATCH, VERT SLOT	12.46	IC	Credentials
Y	2004PG1MB	ICLASS 32K 16K/16 + 16K/1, PROG, F-GLOSS, B-MAG W/ BOTH VERT. & HORZ. SLOT INDICATORS, MATCH #, NO SLOT, LAM	12.56	IC	Credentials
Y	2004PG1MN	ICLASS 32K (16K/16 + 16K/1), PROGRAMMED, F-GLOSS, B-GLOSS W/ MAG, MATCHING #, NO SLOT	12.56	IC	Credentials
Y	2004PG1MV	ICLASS 32K (16K/16 + 16K/1), PROGRAMMED, F-GLOSS, B-GLOSS W/ MAG, MATCHING #, VERT SLOT	12.56	IC	Credentials
Y	2004PG1NN	ICLASS 32K (16K/16 + 16K/1), PROG., F-GLOSS, B-GLOSS W/MAG, NO #, NO SLOT	12.56	IC	Credentials
Y	2004PGGAB	ICLASS 32K (16K/16 + 16K/1), PROG, F-GLOSS, B-GLOSS W/ BOTH VERT. & HORZ. SLOT INDICATORS, LASER #, NO SLOT, LAM	12.01	IC	Credentials
Y	2004PGGAH	ICLASS 32K 16K/16 + 16K/1, PROG, F-GLOSS, B-GLOSS W/ BOTH VERT. & HORZ. SLOT INDICATORS, LASER #, HORIZ SLOT, LAM	12.01	IC	Credentials
Y	2004PGGAN	ICLASS 32K (16K/16 + 16K/1), PROGRAMMED, F-GLOSS, B-GLOSS, LASER MATCH ICLASS #, NO SLOT	12.01	IC	Credentials
Y	2004PGGAV	ICLASS 32K (16K/16 + 16K/1), PROG, F-GLOSS, B-GLOSS, LASER #, VERT SLOT	12.01	IC	Credentials
Y	2004PGGMB	ICLASS 32K 16K/16 + 16K/1, PROG, F-GLOSS, B-GLOSS W/ BOTH VERT. & HORZ. SLOT INDICATORS, MATCH #, NO SLOT, LAM	12.01	IC	Credentials
Y	2004PGGMH	ICLASS 32K 16K/16 + 16K/1, PROG, F-GLOSS, B-GLOSS W/ BOTH VERT. & HORZ. SLOT INDICATORS, MATCH #, HORIZ SLOT, LAM	12.01	IC	Credentials
Y	2004PGGMN	ICLASS 32K (16K/16 + 16K/1), PROGRAMMED, F-GLOSS, B-GLOSS, MATCHING #, NO SLOT	12.01	IC	Credentials
Y	2004PGGMV	ICLASS 32K (16K/16 + 16K/1), PROGRAMMED, F-GLOSS, B-GLOSS, MATCHING #, VERT SLOT	12.01	IC	Credentials
Y	2004PGGNN	ICLASS 32K (16K/16 + 16K/1), PROGRAMMED, F-GLOSS, B-GLOSS, NO#, NO SLOT	12.01	IC	Credentials
Y	2004PGGRN	ICLASS 32K (16K/16 + 16K/1), PROGRAMMED, F-GLOSS, B-GLOSS, RANDOM #, NO SLOT	12.01	IC	Credentials
Y	2004PGGSN	ICLASS 32K (16K/16 + 16K/1), PROGRAMMED, F-GLOSS, B-GLOSS, SEQ #, NO SLOT	12.01	IC	Credentials
Y	2023IGGSNN	ICLASS 32K (16K/2+16K/1)/HITAG 2, CONFIG ICLASS, HITAG 2 BLANK, F-GLOSS, B-GLOSS, SEQ NON-MATCHING ICLASS #, NO SLOT, NO HITAG 2 #, LAM	16.50	IC	Credentials
Y	2023MGGMNN	ICLASS 32K (16K/2+16K/1)/HITAG 2, PROG ICLASS, HITAG 2 BLANK, F-GLOSS, B-GLOSS, MATCHING ICLASS #, NO SLOT, NO HITAG 2 #, LAM	16.50	IC	Credentials
Y	2024KG1MNN	ICLASS 32K(16K/16+16K/1) HITAG 1, PROG. ICLASS, F-GLOSS, B-GLOSS W MAGSTRIPE, MATCH ICLASS#, NO SLOT, NO HITAG	17.58	IC	Credentials
Y	2024MGGMNN	ICLASS 32K (16K/16+16K/1)/HITAG 2, PROG ICLASS, HITAG 2 BLANK, F-GLOSS, B-GLOSS, MATCHING ICLASS #, NO SLOT, NO HITAG 2 #, LAM	17.03	IC	Credentials
Y	2050CNNBN	ICLASS KF 2K/2, CONFIG. ICLASS, F-BLACK W/BLUE HID, B - NONE, LASER SEQ. NON-MATCH #, NONE	8.28	IC	Credentials
Y	2050CNNNN	ICLASS KF 2K/2, CONFIGURED,NON-PROG, BLACK W/BLUE HID, NONE, NO #, NONE	8.28	IC	Credentials
	2050CNNNN-A002837	ICLASS KF 2K/2, CONFIGURED,NON-PROG, BLACK W/BLUE HID, NONE, NO #, NONE	8.04	IC	Credentials
Y	2050CNNSN	ICLASS KF 2K/2, CONFIGURED,NON-PROG, BLACK W/BLUE HID, NONE, SEQ. #, NONE	8.28	IC	Credentials
Y	2050HNNAN	ICLASS KEYFOB 2K/2, SR, PROG. ICLASS, BLACK W/BLUE HID, SEQ. LASER ICLASS #	8.28	IC	Credentials
Y	2050HNNBN	ICLASS KEYFOB 2K/2, SR, PROG. ICLASS, BLACK W/BLUE HID, SEQ. LASER ICLASS #	8.28	IC	Credentials
Y	2050HNNMN	ICLASS KEYFOB 2K/2, SR, PROG ICLASS, BLACK W/BLUE HID, MATCH ICLASS #	8.28	IC	Credentials
Y	2050HNNNN	ICLASS KEYFOB 2K/2, SR, PROG ICLASS, BLACK W/BLUE HID, NO ICLASS #	8.28	IC	Credentials
Y	2050HNNRN	ICLASS KF 2K/2, SR, PROG, BLACK W/BLUE HID, NONE, RANDOM INTERNAL/NON-MATCHING EXTERNAL, NONE	8.28	IC	Credentials
Y	2050HNNSN	ICLASS KF 2K/2, SR, PROG, BLACK W/BLUE HID, NONE, SEQ. #, NONE	8.28	IC	Credentials
Y	2050HNNSN-PACK50	ICLASS KEYFOB 2K/2, SR, PROG ICLASS, BLACK W/BLUE HID, SEQ. ICLASS #	8.28	IC	Credentials
Y	2050PNNAN	ICLASS KEYFOB 2K/2, PROG ICLASS, BLACK W/BLUE HID, LASER ICLASS #	8.28	IC	Credentials
Y	2050PNNBN	ICLASS KEYFOB 2K/2, PROG. ICLASS, BLACK W/BLUE HID, SEQ. LASER ICLASS #	8.28	IC	Credentials
Y	2050PNNMN	ICLASS KEYFOB 2K/2, PROG ICLASS, BLACK W/BLUE HID, MATCH ICLASS #	8.28	IC	Credentials
Y	2050PNNMN-EDGE	ICLASS KEYFOB 2K/2, PROG ICLASS, BLACK W/BLUE, NONE, MATCH ICLASS #, NONE, EDGE KIT	8.28	VS	Credentials
Y	2050PNNMN-H10307B1	ICLASS KEYFOB 2K/2, PROG ICLASS, BLACK W/BLUE HID, MATCH ICLASS #, FORMAT H10307B1.CDF	8.28	IC	Credentials
Y	2050PNNNN	ICLASS KEYFOB 2K/2, PROG ICLASS, BLACK W/BLUE HID, NO ICLASS #	8.28	IC	Credentials
Y	2050PNNRN	ICLASS KEYFOB 2K/2, PROG ICLASS, BLACK W/BLUE HID, RANDOM ICLASS #	8.28	IC	Credentials
Y	2050PNNSN	ICLASS KEYFOB 2K/2, PROG ICLASS, BLACK W/BLUE HID, SEQ. ICLASS #	8.28	IC	Credentials
Y	2051CNNNN	ICLASS KEYFOB 16K/2, CONFIGURED, BLACK W/BLUE INSERT, NO ICLASS #, NO SLOT	13.79	IC	Credentials
Y	2051CNNSN	ICLASS KEYFOB 16K/2, CONFIGURED, BLACK W/BLUE INSERT, SEQ #, NO SLOT	13.79	IC	Credentials
Y	2051HNNMN	ICLASS KEYFOB 16K/2, SR, PROG ICLASS, BLACK W/BLUE HID, MATCH ICLASS #, NO SLOT	13.79	IC	Credentials
Y	2051PNNMN	ICLASS KEYFOB 16K/2, PROG ICLASS, BLACK W/BLUE HID, MATCH ICLASS #, NO SLOT	13.79	IC	Credentials
Y	2051PNNNN	ICLASS KEYFOB 16K/2, PROG ICLASS, BLACK W/BLUE HID, NO ICLASS #, NO SLOT	13.79	IC	Credentials
Y	2052CNNNN	ICLASS KF 16K/16, CONFIGURED NON-PRGMD, BLK W/BLUE HID, NONE, NO #, NONE	13.79	IC	Credentials
Y	2052CNNSN	ICLASS KF 16K/16, CONFIGURED NON-PRGMD, BLK W/BLUE HID, NONE, SEQ. #, NONE	13.79	IC	Credentials
Y	2052HNNMN	ICLASS KEYFOB 16K/16, SR PROG, BLACK W/BLUE HID, MATCH ICLASS #	13.79	IC	Credentials
Y	2052PNNAN	ICLASS KEYFOB 16K/16, ICLASS PROG, BLACK W/BLUE HID, MATCH ENGRAVED ICLASS #	13.79	IC	Credentials
Y	2052PNNMN	ICLASS KEYFOB 16K/16, ICLASS PROG, BLACK W/BLUE HID, MATCH ICLASS #	13.79	IC	Credentials
Y	2052PNNSN	ICLASS KEYFOB 16K/16, ICLASS PROG, BLACK W/BLUE HID, SEQ. ICLASS #	13.79	IC	Credentials
Y	2053CNNNN	ICLASS KF 32K (16K/2 + 16K/1),CONFIG, BLK W/BLUE, NONE, NO #, NONE LEAD FREE	14.27	IC	Credentials
Y	2053HNNMN	ICLASS KF 32K (16K/2+16K/1), SR, PRGMD, BLK W/BLUE INSERT, NONE, MATCHING #, NONE LEAD FREE	14.27	IC	Credentials
Y	2053PNNMN	ICLASS KF 32K (16K/2+16K/1), PRGMD, BLK W/BLUE INSERT, NONE, MATCHING #, NONE LEAD FREE	14.27	IC	Credentials
Y	2054CNNNN	ICLASS KF 32K (16K/16+16K/1),CONFIG, BLK W/BLUE, NONE, NO #, NONE LEAD FREE	14.27	IC	Credentials
Y	2054HNNMN	ICLASS KF 32K, PROG., SR, BLACK W/BLUE HID, MATCH. #, NONE LEAD FREE	14.27	IC	Credentials
Y	2054HNNSN	ICLASS KEYFOB 32K (16K/16+16K/1), SR PROG, F-BLACK W/BLUE HID, B-NONE, SEQ. NON-MATCHING #, NONE	14.27	IC	Credentials
Y	2054PNNAN	ICLASS KEYFOB, 32K (16K16/16K1), PROG, BLACK WITH BLUE HID INSERT, NONE, LASER MATCHING ICLASS #, NONE	12.70	IC	Credentials
Y	2054PNNMN	ICLASS KF 32K, PROG., BLACK W/BLUE HID, MATCHING #, NONE LEAD FREE	14.27	IC	Credentials
Y	2054PNNSN	ICLASS KF 32K, PROG., BLACK W/BLUE HID, SEQ. NON-MATCHING #, NONE LEAD FREE	14.27	IC	Credentials
Y	2060CKSNN	ICLASS TAG 2K/2, CONFIGURED, BLACK W/HID STANDARD ARTWORK, NO ICLASS #, NO SLOT	5.58	IC	Credentials

Y	2060HKSMN	ICLASS TAG 2K/2, SR, PROG, BLACK W/HID STANDARD ARTWORK, MATCH ICLASS #	5.58	IC	Credentials
Y	2060HKSSN-PACK50	ICLASS TAG 2K/2, SR, CONFIG., BLACK W/HID STANDARD ARTWORK, SEQUENTIAL #, NO SLOT, PACKED 50 PER BOX	5.58	IC	Credentials
Y	2060PKSMN	ICLASS TAG 2K/2, ICLASS PROG, BLACK W/HID STANDARD ARTWORK, MATCH ICLASS #	5.58	IC	Credentials
Y	2060PKSNN	ICLASS TAG 2K/2, ICLASS PROG, BLACK W/HID STANDARD ARTWORK, NO #	5.58	IC	Credentials
Y	2060PKSRN	ICLASS TAG 2K/2, ICLASS PROG, BLACK W/HID STANDARD ARTWORK, RANDOM ICLASS #	5.58	IC	Credentials
Y	2060PKSSN	ICLASS TAG 2K/2, ICLASS PROG, BLACK W/HID STANDARD ARTWORK, SEQ ICLASS #	5.58	IC	Credentials
Y	2061CKSNN	ICLASS TAG 16K/2, CONFIGURED, BLACK, NO ICLASS #	9.61	IC	Credentials
Y	2061PKSMN	ICLASS TAG 16K/2, PROG ICLASS, BLACK W/HID STD LOGO, MATCH ICLASS #	9.61	IC	Credentials
Y	2061PKSNN	ICLASS TAG 16K/2, PROGRAMMED, BLACK, NO ICLASS #	9.61	IC	Credentials
Y	2062CKSNN	ICLASS TG 16K/16, CONFIGURED NON-PROG, BLK, ADH, NO #, NONE	9.61	IC	Credentials
Y	2062PKSMN	ICLASS TAG, 16K/16, PROG ICLASS, F-HID LOGO, MATCH #, NO SLOT	9.61	IC	Credentials
Y	2062PKSSN	ICLASS TAG, 16K/16, PROG ICLASS, F-HID LOGO, B-ADHESIVE, SEQUENTIAL #, NO SLOT	9.31	IC	Credentials
Y	2063HKSMN	ICLASS TG 16K/2+16K/1,PRGMD, BLK, ADH, MATCHING #, NO SLOT, LEAD FREE	10.06	IC	Credentials
Y	2063NKSNN	ICLASS TG 16K/2+16K/1, NON-PRGMD, BLK, ADH, NO #, NONE LEAD FREE	10.06	IC	Credentials
Y	2063PKSMN	ICLASS TG 16K/2+16K/1, PRGMD, BLK, ADH, SEQ MATCHING, NONE LEAD FREE	10.06	IC	Credentials
Y	2064CKSNN	ICLASS TG 32K (16K/16+16K/1), CONFIGURED, BLK, ADH, NO #, NONE LEAD FREE	10.06	IC	Credentials
Y	2064PKSMN	ICLASS TG 32K (16K/16+16K/1), PROGRAMMED, BLACK, ADH, SEQ MATCHING, NONE LEAD FREE	10.06	IC	Credentials
Y	2080CGSMV	ICLASS 2K/2 CLAMSHELL, CONF, F-GLOSS, B-HID LOGO, NO #, VERT SLOT	4.25	ID	Credentials
Y	2080CGSNV	ICLASS 2K/2 CLAMSHELL, CONF, F-GLOSS, B-HID LOGO, NO #, VERT SLOT	4.25	ID	Credentials
Y	2080CGSSV	ICLASS 2K/2 CLAMSHELL, CONF, F-GLOSS, B-HID LOGO, SEQ. NO #, VERT SLOT	4.25	ID	Credentials
Y	2080CMSNV	ICLASS CLAMSHELL,CONFIG ICLASS, F-MATTE, B-HID LOGO, NO #, VERT SLOT	4.25	ID	Credentials
Y	2080CMSSV	ICLASS CLAMSHELL,CONFIG ICLASS, F-MATTE, B-HID LOGO, SEQ ICLASS #, VERT SLOT	4.25	ID	Credentials
Y	2080HPGSMV	ICLASS 2K/2 SR, CLAMSHELL, PRGMD, F-GLOSS, B-HID LOGO, MATCH ICLASS #, VERT SLOT	4.25	ID	Credentials
Y	2080HPGSSV	ICLASS 2K/2 SR, CLAMSHELL, PRGMD, F-GLOSS, B-HID LOGO, SEQ INTERNAL / SEQ NON-MATCHING EXTERNAL ICLASS #, VERT SLOT	4.25	ID	Credentials
Y	2080HPMSMV	ICLASS 2K/2 CLAMSHELL, SR, PRGMD, F-MATTE, B-HID LOGO, MATCHING #, VERT SLOT	4.25	ID	Credentials
Y	2080HPMSSV	ICLASS CLAMSHELL, SR, PROG ICLASS, F-MATTE, B-HID LOGO, SEQ ICLASS #, VERT SLOT,PACKED 50 PER BOX	4.25	ID	Credentials
Y	2080HPMSSV-PACK50	ICLASS CLAMSHELL, SR, PROG ICLASS, F-MATTE, B-HID LOGO, SEQ ICLASS #, VERT SLOT,PACKED 50 PER BOX	4.25	IC	Credentials
Y	2080PGSMV	ICLASS 2K/2 CLAMSHELL, PRGMD, F-GLOSS, B-HID LOGO, MATCH ICLASS #, VERT SLOT	4.25	ID	Credentials
Y	2080PGSNV	ICLASS 2K/2 CLAMSHELL, PRGMD, F-GLOSS, B-HID LOGO, NO ICLASS #, VERT SLOT	4.25	ID	Credentials
Y	2080PGSSV	ICLASS 2K/2 CLAMSHELL, PRGMD, F-GLOSS, B-HID LOGO, SEQ ICLASS #, VERT SLOT	4.25	ID	Credentials
Y	2080PMSMV	ICLASS CLAMSHELL,PROG ICLASS, F-MATTE, B-HID LOGO, MATCH ICLASS #, VERT SLOT	4.25	ID	Credentials
Y	2080PMSNV	ICLASS CLAMSHELL,PROG ICLASS, F-MATTE, B-HID LOGO, NO ICLASS #, VERT SLOT	4.25	ID	Credentials
Y	2080PMSRV	ICLASS CLAMSHELL,PROG ICLASS, F-MATTE, B-HID LOGO, RANDOM ICLASS #, VERT SLOT	4.25	ID	Credentials
Y	2080PMSSV	ICLASS CLAMSHELL,PROG ICLASS, F-MATTE, B-HID LOGO, SEQ ICLASS #, VERT SLOT	4.25	ID	Credentials
Y	2092CG1NNN	ICLASS 16K/16, HITAG 2 PROX, CONFIG, F-GLOSS, MAGSTRIPE, NO ICLASS #, NO SLOT, NO HITAG 2 #	12.67	IC	Credentials
Y	20DCID-REF00	SIGNO CFG, NOCHARGE, 20 ONLY	0.00	IV	Readers
Y	20KNKS-00-000000	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,MA RDY,FMT:ASP10022,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,BZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	700.13	IR	Readers
Y	20KNKS-00-000016	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,KBD:RED,BZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	700.13	IR	Readers
Y	20KNKS-00-000036	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,KBD:RED,BZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	700.13	IR	Readers
Y	20KNKS-00-0002BK	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	700.13	IR	Readers
Y	20KNKS-00-0002BR	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,OSDP,V2,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	700.13	IR	Readers
Y	20KNKS-00-00037E	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA26T,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	700.13	IR	Readers
Y	20KNKS-00-00039Q	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,FMT:17620,WIEG,32-B MSB,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	700.13	IR	Readers
Y	20KNKS-00-00039Y	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,ICE0055,OSDP,V1,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	700.13	IR	Readers
Y	20KNKS-01-000000	SIGNO 20K,BLK/SLVR,PIG,CRD PFL SEOS,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	600.12	IR	Readers
Y	20KNKS-01-00001H	SIGNO 20K,BLK/SLVR,PIG,CRD PFL SEOS,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,KBD:RED,BZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	600.12	IR	Readers
Y	20KNKS-02-000000	SIGNO 20K,BLK/SLVR,PIG,CRD PFL SMART,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	650.12	IR	Readers
Y	20KNKS-02-000278	SIGNO 20K,BLK/SLVR,PIG,CRD PFL SMART,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,KBD:RED,BZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	650.12	IR	Readers
Y	20KNKS-02-0002BL	SIGNO 20K,BLK/SLVR,PIG,CRD PFL SMART,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	650.12	IR	Readers
Y	20KNKS-03-000000	SIGNO 20K,BLK/SLVR,PIG,CRD PFL CSTM,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,MAP1:DF,ICE0318,FELICA:64-BIT_LSB,CEPAS:CAN,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	750.14	IR	Readers
Y	20KNKS-T0-000000	SIGNO 20K,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	745.51	IR	Readers
Y	20KNKS-T1-000000	SIGNO 20K,BLK/SLVR,PIG,CRD PFL T1-SEOS,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	639.01	IR	Readers
Y	20KNKS-T2-000000	SIGNO 20K,BLK/SLVR,PIG,CRD PFL T2-SMART,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	692.27	IR	Readers
Y	20KNKS-T3-000000	SIGNO 20K,BLK/SLVR,PIG,CRD PFL T3-CSTM,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,MAP1:DF,DEFAULT,FELICA:32-B MSB,CEPAS:CAN,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	798.77	IR	Readers
Y	20KT-K-MP	HID SIGNO 20K, 20T, MOUNTING PLATE, BLACK	23.81	ZB	Readers
Y	20KT-S-MP	HID SIGNO 20K, 20T, MOUNTING PLATE, SILVER	23.81	ZB	Readers
Y	20KTKK-00-000000	SIGNO 20K,BLK/BLK,TERM,CRD PFL STD,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	725.14	IR	Readers
Y	20KTKS-00-000000	SIGNO 20K,BLK/SLVR,TERM,CRD PFL STD,MA RDY,FMT:ASP10022,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,BZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	700.13	IR	Readers
Y	20KTKS-00-000016	SIGNO 20K,BLK/SLVR,TERM,CRD PFL STD,WIEG,37-B LSB,CPLT,26-B MSG,PAR,LEN:5,FC:255,EM:32-B,LED:OFF,KBD:RED,BZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	700.13	IR	Readers
Y	20KTKS-01-000000	SIGNO 20K,BLK/SLVR,TERM,CRD PFL SEOS,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	600.12	IR	Readers
Y	20KTKS-01-00001H	SIGNO 20K,BLK/SLVR,TERM,CRD PFL SEOS,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,KBD:RED,BZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	600.12	IR	Readers
Y	20KTKS-02-000000	SIGNO 20K,BLK/SLVR,TERM,CRD PFL SMART,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	650.12	IR	Readers
Y	20KTKS-02-000278	SIGNO 20K,BLK/SLVR,TERM,CRD PFL SMART,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,KBD:RED,BZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	650.12	IR	Readers
Y	20KTKS-02-0002BL	SIGNO 20K,BLK/SLVR,TERM,CRD PFL SMART,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	650.12	IR	Readers
Y	20KTKS-03-000000	SIGNO 20K,BLK/SLVR,TERM,CRD PFL CSTM,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,MAP1:DF,ICE0318,FELICA:64-BIT_LSB,CEPAS:CAN,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	750.14	IR	Readers
Y	20KTKS-T0-000000	SIGNO 20K,BLK/SLVR,TERM,CRD PFL T0-STD,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	745.51	IR	Readers
Y	20KTKS-T1-000000	SIGNO 20K,BLK/SLVR,TERM,CRD PFL T1-SEOS,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	639.01	IR	Readers
Y	20KTKS-T2-000000	SIGNO 20K,BLK/SLVR,TERM,CRD PFL T2-SMART,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	692.27	IR	Readers
Y	20KTKS-T3-000000	SIGNO 20K,BLK/SLVR,TERM,CRD PFL T3-CSTM,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,MAP1:DF,DEFAULT,FELICA:32-B MSB,CEPAS:CAN,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	798.77	IR	Readers
Y	20NKS-00-000000	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA RDY,FMT:ASP10022,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	412.58	IV	Readers
Y	20NKS-00-00000Y	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,WIEG,32-B MSB,EM:40-B,LED:RED,SRF:ON,IPM:OFF,VEL:OFF,TAP	412.58	IV	Readers
Y	20NKS-00-000016	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,WIEG,32-B MSB,EM:32-B,LED:RED,SRF:ON,IPM:OFF,VEL:OFF,TAP	412.58	IV	Readers
Y	20NKS-00-000025	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	412.58	IV	Readers
Y	20NKS-00-00002V	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,WIEG,32-B MSB,EM:32-B,LED:RED,SRF:ON,IPM:OFF,VEL:OFF,TAP	412.58	IV	Readers
Y	20NKS-00-000037	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,SRF:ON,IPM:OFF,VEL:OFF,TAP	412.58	IV	Readers
Y	20NKS-00-00003B	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,SRF:ON,IPM:OFF,VEL:OFF,TAP	412.58	IV	Readers
Y	20NKS-00-00003K	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,WIEG,32-B MSB,EM:32-B,LED:RED,SRF:ON,IPM:OFF,VEL:OFF,TAP	412.58	IV	Readers

Y	20NKS-00-00003U	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,WIEG,26-B FC1,EM:32-B,LED:RED,SRF:ON,IPM:OFF,VEL:OFF,TAP	412.58	IV	Readers
Y	20NKS-00-000041	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,WIEG,32-B MSB,EM:32-B,LED:RED,SRF:ON,IPM:OFF,VEL:OFF,TAP	412.58	IV	Readers
Y	20NKS-00-00004R	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0006,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	412.58	IV	Readers
Y	20NKS-00-000053	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,WIEG,V2,LED:OFF,SRF:ON,IPM:OFF,VEL:OFF	412.58	IV	Readers
Y	20NKS-00-00005V	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA00C,WIEG,32-B MSB,EM:32-B,LED:RED,SRF:ON,IPM:OFF,VEL:OFF,TAP	412.58	IV	Readers
Y	20NKS-00-00006H	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0531,WIEG,32-B MSB,EM:32-B,LED:RED,SRF:ON,IPM:OFF,VEL:OFF,TAP	412.58	IV	Readers
Y	20NKS-00-0002BR	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	412.58	IV	Readers
Y	20NKS-00-00038P	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0771,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP,TWS	412.58	IV	Readers
Y	20NKS-00-000394	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA35B,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	412.58	IV	Readers
Y	20NKS-00-00039H	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,OSDP,V2,CSN SUPR,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,IPM:OFF,VEL:OFF,TAP,APB:OFF,APB IND:OFF,HOLD APB 0MS	412.58	IV	Readers
Y	20NKS-00-00039J	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA1A2,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP,TWS	412.58	IV	Readers
Y	20NKS-01-000000	SIGNO 20,BLK/SLVR,PIG,CRD PFL SEOS,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	312.56	IV	Readers
Y	20NKS-01-00001H	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	312.56	IV	Readers
Y	20NKS-02-000000	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	362.57	IV	Readers
Y	20NKS-02-000278	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,WIEG,EACH,LED:RED,SRF:ON,IPM:OFF,VEL:OFF,TAP	362.57	IV	Readers
Y	20NKS-02-0002BL	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	362.57	IV	Readers
Y	20NKS-03-000000	SIGNO 20,BLK/SLVR,PIG,CRD PFL CSTM,WIEG,CSN SUPR,MAP1:DF,ICE0318,FELICA:64-BIT_LSB,CEPAS:CAN,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	462.59	IV	Readers
Y	20NKS-03-002KBL	SIGNO 20,BLK/SLVR,PIG,CRD PFL CSTM,WIEG,FELICA:RAW CSN,CEPAS:CAN,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	462.59	IV	Readers
Y	20NKS-T0-000000	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	439.32	IV	Readers
Y	20NKS-T1-000000	SIGNO 20,BLK/SLVR,PIG,CRD PFL T1-SEOS,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	332.82	IV	Readers
Y	20NKS-T2-000000	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	386.07	IV	Readers
Y	20NKS-T3-000000	SIGNO 20,BLK/SLVR,PIG,CRD PFL T3-CSTM,BLE:ON,WIEG,CSN SUPR,MAP1:DF,DEFAULT,FELICA:32-B MSB,CEPAS:CAN,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	492.58	IV	Readers
Y	20SC00	CRD PFL STD	100.02	IV	Readers
Y	20SC01	CRD PFL SEOS	0.00	IV	Readers
Y	20SC02	CRD PFL SMART	50.01	IV	Readers
Y	20SC03	CRD PFL CSTM	150.02	IV	Readers
Y	20SCT0	CRD PFL T0-STD	126.76	IV	Readers
Y	20SCT1	CRD PFL T1-SEOS	20.25	IV	Readers
Y	20SCT2	CRD PFL T2-SMART	73.51	IV	Readers
Y	20SCT3	CRD PFL T3-CSTM	180.01	IV	Readers
Y	20TKS-00-000000	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA RDY,FMT:ASP10022,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	412.58	IV	Readers
Y	20TKS-00-00000U	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,WIEG,32-B MSB,EM:32-B,LED:RED,SRF:ON,IPM:OFF,VEL:OFF,TAP	412.58	IV	Readers
Y	20TKS-00-000016	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,WIEG,32-B MSB,EM:32-B,LED:RED,SRF:ON,IPM:OFF,VEL:OFF,TAP	412.58	IV	Readers
Y	20TKS-00-000036	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,WIEG,32-B MSB,EM:32-B,LED:RED,SRF:ON,IPM:OFF,VEL:OFF,TAP	412.58	IV	Readers
Y	20TKS-00-000037	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,SRF:ON,IPM:OFF,VEL:OFF,TAP	412.58	IV	Readers
Y	20TKS-00-0002BR	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	412.58	IV	Readers
Y	20TKS-00-000375	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA2HV,WIEG,CSN SUPR,EM:32-B,LED:BLU,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	412.58	IV	Readers
Y	20TKS-00-000393	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA3AK,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	412.58	IV	Readers
Y	20TKS-01-000000	SIGNO 20,BLK/SLVR,TERM,CRD PFL SEOS,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	312.56	IV	Readers
Y	20TKS-01-00001H	SIGNO 20,BLK/SLVR,TERM,CRD PFL SEOS,WIEG,LED:RED,SRF:ON,IPM:OFF,VEL:OFF,TAP	312.56	IV	Readers
Y	20TKS-02-000000	SIGNO 20,BLK/SLVR,TERM,CRD PFL SMART,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	362.57	IV	Readers
Y	20TKS-02-000278	SIGNO 20,BLK/SLVR,TERM,CRD PFL SMART,WIEG,LED:RED,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	362.57	IV	Readers
Y	20TKS-02-0002BL	SIGNO 20,BLK/SLVR,TERM,CRD PFL SMART,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	362.57	IV	Readers
Y	20TKS-02-00039A	SIGNO 20,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOB5080,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP,TWS	362.57	IV	Readers
Y	20TKS-03-000000	SIGNO 20,BLK/SLVR,TERM,CRD PFL CSTM,WIEG,CSN SUPR,MAP1:DF,ICE0318,FELICA:64-BIT_LSB,CEPAS:CAN,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	462.59	IV	Readers
Y	20TKS-03-000ALH	SIGNO 20,BLK/SLVR,TERM,CRD PFL CSTM,MA ENB,ICE0818,WIEG,CSN SUPR,MAP1:DF,ICE0818,LED:BLU,FLSH:BLU,NOBZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	462.59	IV	Readers
Y	20TKS-T0-000000	SIGNO 20,BLK/SLVR,TERM,CRD PFL T0-STD,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	439.32	IV	Readers
Y	20TKS-T1-000000	SIGNO 20,BLK/SLVR,TERM,CRD PFL T1-SEOS,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	332.82	IV	Readers
Y	20TKS-T2-000000	SIGNO 20,BLK/SLVR,TERM,CRD PFL T2-SMART,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	386.07	IV	Readers
Y	20TKS-T3-000000	SIGNO 20,BLK/SLVR,TERM,CRD PFL T3-CSTM,BLE:ON,WIEG,CSN SUPR,MAP1:DF,DEFAULT,FELICA:32-B MSB,CEPAS:CAN,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	492.58	IV	Readers
Y	2100CG1NN	COMPOSITE ICLASS 2K/2, CONFIGURED, NO-PROG., F-GLOSS, B-GLOSS W/ MAG, NO MARK	7.13	IC	Credentials
Y	2100CG1SN	COMPOSITE ICLASS 2K/2, CONFIGURED, NO-PROG., F-GLOSS, B-GLOSS W/MAG, SEQ. NON-MATCHING, NO SLOT	7.13	IC	Credentials
Y	2100CGGNH	COMPOSITE ICLASS 2K2, CONFIGURED ICLASS, F-GLOSS, B-GLOSS, NO EXTERNAL NUMBERING, HORIZONTAL SLOT	6.58	IC	Credentials
Y	2100CGGNN	COMPOSITE ICLASS 2K/2, CONFIGURED, NO-PROG., F-GLOSS, B-GLOSS, NO MARK, NO SLOT	6.58	IC	Credentials
Y	2100CGGNV	COMPOSITE ICLASS, 2K/2, CONFG., F-GLOSS, F-GLOSS, MATCHING#, VERT. SLOT	6.38	IC	Credentials
Y	2100HPG1MH	COMPOSITE ICLASS 2K/2, PROG SR, F-GLOSS, B-GLOSS W/MAG, MATCHING #, HORZ SLOT	7.13	IC	Credentials
Y	2100HPG1MN	COMPOSITE ICLASS, SR, 2K/2, PROG, F-GLOSS, F-GLOSS, MATCH #, NO SLOT	7.13	IC	Credentials
Y	2100HPG1NN	COMPOSITE ICLASS, 2K/2, SR, PROG, F-GLOSS, F-GLOSS W/MAG, NO#, NO SLOT	7.13	IC	Credentials
Y	2100HPGGBN	COMPOSITE ICLASS 2K/2, SR, PROG, F-GLOSS, B-GLOSS, SEQ NON-MATCHING LASER #, NO SLOT	6.58	IC	Credentials
Y	2100HPGGMN	COMPOSITE ICLASS, SR, 2K/2, PROG, F-GLOSS, F-GLOSS, MATCH #, NO SLOT	6.58	IC	Credentials
Y	2100HPGGMV	COMPOSITE ICLASS SR 2K/2, PROG, F-GLOSS, B-GLOSS, MATCHING #, VERTICAL SLOT	6.58	IC	Credentials
Y	2100HPGGNN	COMPOSITE ICLASS, SR, 2K/2, PROG, F-GLOSS, F-GLOSS, NO #, NO SLOT	6.40	IC	Credentials
Y	2100HPGGNV	COMPOSITE ICLASS SR 2K/2, PROG, F-GLOSS, B-GLOSS, NO #, VERT SLOT	6.58	IC	Credentials
Y	2100HPGGSN	COMPOSITE ICLASS, 2K/2, SR, PROG, F-GLOSS, F-GLOSS, SEQ. NON-MATCHING#	6.58	IC	Credentials
Y	2100PG1AN	COMPOSITE ICLASS, 2K/2, PROG, F-GLOSS, F-GLOSS W/MAG, LASER#	7.13	IC	Credentials
Y	2100PG1CN	COMPOSITE ICLASS, 2K/2, PROG, F-GLOSS, F-GLOSS W/ MAG, RANDOM LASER#	7.13	IC	Credentials
Y	2100PG1MN	COMPOSITE ICLASS, 2K/2, PROG, F-GLOSS, F-GLOSS W/ MAG, MATCHING#	7.13	IC	Credentials
Y	2100PG1MV	COMPOSITE ICLASS, 2K/2, PROG, F-GLOSS, F-GLOSS W/MAG, MATCHING#, VERT SLOT	7.13	IC	Credentials
Y	2100PG1NB	COMPOSITE ICLASS, 2K/2, PROG, F-GLOSS, F-GLOSS W/MAG & VERT/HORZ. SLOT DOTS, , NO#, NO SLOT, LAM	6.95	IC	Credentials
Y	2100PG1NN	COMPOSITE ICLASS, 2K/2, PROG, F-GLOSS, F-GLOSS W/MAG, NO#, NO SLOT	7.13	IC	Credentials
Y	2100PG1NV	COMPOSITE ICLASS, 2K/2, PROG, F-GLOSS, F-GLOSS W/MAG, NO#, VERT SLOT	6.95	IC	Credentials
Y	2100PG1RN	COMPOSITE ICLASS, 2K/2, PROG, F-GLOSS, F-GLOSS W/ MAG, RANDOM#	6.95	IC	Credentials
Y	2100PG1SN	COMPOSITE ICLASS, 2K/2, PROG, F-GLOSS, F-GLOSS W/ MAG, SEQ#, NO SLOT	6.95	IC	Credentials
Y	2100PG1SV	COMPOSITE ICLASS, 2K/2, PROG, F-GLOSS, F-GLOSS W/MAG, SEQ#, VERT SLOT	6.95	IC	Credentials
Y	2100PGGAN	COMPOSITE ICLASS, 2K/2, PROG, F-GLOSS, F-GLOSS, LASER#	6.58	IC	Credentials
Y	2100PGGAV	COMPOSITE ICLASS, 2K/2, PROG, F-GLOSS, F-GLOSS, LASER#, VERT. SLOT	6.58	IC	Credentials
Y	2100PGGMN	COMPOSITE ICLASS, 2K/2, PROG, F-GLOSS, F-GLOSS, MATCHING#	6.58	IC	Credentials

Y	2100PGGMV	COMPOSITE ICLASS, 2K/2, PROG, F-GLOSS, F-GLOSS, MATCHING#, VERT. SLOT	6.58	IC	Credentials
Y	2100PGGNN	COMPOSITE ICLASS, 2K/2, PROG, F-GLOSS, F-GLOSS, NO#, NO SLOT	6.58	IC	Credentials
Y	2100PGGNN-A000070	COMPOSITE ICLASS, 2K/2, PROG, F-GLOSS, B-GLOSS, NO#, NO SLOT, NO SALES ORDER	6.58	IC	Credentials
Y	2100PGGNV	COMPOSITE ICLASS, 2K/2, PROG, F-GLOSS, F-GLOSS W/MAG, MATCHING#, VERT SLOT	6.58	IC	Credentials
Y	2100PGGRN	COMPOSITE ICLASS, 2K/2, PROG, F-GLOSS, F-GLOSS, RANDOM#	6.58	IC	Credentials
Y	2100PGGSN	COMPOSITE ICLASS, 2K/2, PROG, F-GLOSS, F-GLOSS, SEQ. NON-MATCHING#	6.58	IC	Credentials
Y	2100PGGSN-PACK50	COMPOSITE ICLASS 2K/2, PROG ICLASS, F-GLOSS, B-GLOSS, SEQ ICLASS #, NO SLOT, PACKED 50 PER BOX	6.40	IC	Credentials
Y	2100PGGSV	COMPOSITE ICLASS, 2K/2, PROG, F-GLOSS, B-GLOSS, SEQ. NON-MATCHING #, VERT SLOT	6.40	IC	Credentials
Y	2101CGGNN	COMPOSITE ICLASS 16K/2, CONFIG, F-GLOSS, B-GLOSS, NO#, NO SLOT	11.75	IC	Credentials
Y	2101CGGNV	COMPOSITE ICLASS 16K/2, CONFIG, F-GLOSS, B-GLOSS, NO#, VERT SLOT	11.75	IC	Credentials
Y	2101CGGSV	COMPOSITE ICLASS 16K/2, CONFIG, F-GLOSS, B-GLOSS, SEQ.#, VERT SLOT	11.41	IC	Credentials
Y	2101HPG1MN	COMPOSITE ICLASS, SR, 16K/2, PROG, F-GLOSS, F-GLOSS W/MAG, MATCH #, NO SLOT	11.96	IC	Credentials
Y	2101HPGGMN	COMPOSITE ICLASS, SR, 16K/2, PROG, F-GLOSS, F-GLOSS, MATCH #, NO SLOT	11.75	IC	Credentials
Y	2101HPGGSN	COMPOSITE ICLASS 16K/2, SR, PROG, F-GLOSS, B-GLOSS, SEQ.#, NO SLOT	11.41	IC	Credentials
Y	2101PG1MB	COMPOSITE ICLASS 16K/2, PROG, F-GLOSS, B-GLOSS W/MAG, MATCHING #, VERT/HORZ SLOT COMPATIBLE, LAM	12.30	IC	Credentials
Y	2101PG1MN	COMPOSITE ICLASS 16K/2, PROG, F-GLOSS, B-GLOSS W/MAG, MATCHING#, NO SLOT	12.30	IC	Credentials
Y	2101PG1NB-2750	COMPOSITE ICLASS 16K/2, PROG, F-GLOSS, B-GLOSS W/2750 MAG, NO #, VERT/HORZ SLOT COMPATIBLE, LAM	11.96	IC	Credentials
Y	2101PGGAN	COMPOSITE ICLASS 16K/2, PROG, F-GLOSS, B-GLOSS, LASER#, NO SLOT	11.41	IC	Credentials
Y	2101PGGAV	COMPOSITE ICLASS 16K/2, PROG, F-GLOSS, B-GLOSS, SEQ. MATCH. LASER, VERT. SLOT	11.41	IC	Credentials
Y	2101PGGMN	COMPOSITE ICLASS 16K/2, PROG, F-GLOSS, B-GLOSS, MATCHING#, NO SLOT	11.75	IC	Credentials
Y	2101PGGMV	COMPOSITE ICLASS 16K/2, PROG, F-GLOSS, B-GLOSS, MATCHING#, SLOTTED	11.75	IC	Credentials
Y	2101PGGSN	COMPOSITE ICLASS 16K/2, PROG, F-GLOSS, B-GLOSS, SEQ.#, NO SLOT	11.75	IC	Credentials
Y	2102CG1NN	COMPOSITE ICLASS, 16K/16, CONFIGURED, F-GLOSS, B-GLOSS W/ MAG, NO#, NO SLOT	12.30	IC	Credentials
Y	2102CG1SN	COMPOSITE ICLASS, 16K/16, CONFIGURED, F-GLOSS, B-GLOSS W/MAG, SEQ.#, NO SLOT	11.96	IC	Credentials
Y	2102CG1SN-A000011	COMPOSITE ICLASS, 16K/16, CONFIGURED, F-GLOSS, B-GLOSS W/MAG, SEQ.#, NO SLOT	11.96	IC	Credentials
Y	2102CGGNN	COMPOSITE ICLASS, 16K/16, CONFIGURED, F-GLOSS, B-GLOSS, NO#, NO SLOT	11.75	IC	Credentials
Y	2102CGGSB	COMPOSITE ICLASS 16K/16, CONFIG, F-GLOSS, B-GLOSS, SEQ NON-MATCHING #, VERT/HORZ SLOT COMPATIBLE, LAM	11.41	IC	Credentials
Y	2102CGGSN-A000011	COMPOSITE ICLASS, 16K/16, CONFIGURED, F-GLOSS, B-GLOSS, SEQ #, NO SLOT	11.41	IC	Credentials
Y	2102HPG1MB	COMPOSITE ICLASS 16K/16, PROG SR, F-GLOSS, B-GLOSS W/MAG, MATCHING #, VERT/HORZ SLOT COMPATIBLE, LAM	11.96	IC	Credentials
Y	2102HPGGMB	COMPOSITE ICLASS 16K/16, PROG SR, F-GLOSS, B-GLOSS, MATCHING #, VERT/HORZ SLOT COMPATIBLE, LAM	11.41	IC	Credentials
Y	2102HPGGMN	COMPOSITE ICLASS, SR, 16K/16, PROG, F-GLOSS, F-GLOSS, MATCH #, NO SLOT	11.75	IC	Credentials
Y	2102HPGGSN	COMPOSITE ICLASS SR 16K/16, PROG, F-GLOSS, B-GLOSS, SEQ. NON-MATCHING#	11.75	IC	Credentials
Y	2102PG1AN	COMPOSITE ICLASS, 16K/16, PROG, F-GLOSS, B-GLOSS W/MAG, LASER#	11.96	IC	Credentials
Y	2102PG1MB	COMPOSITE ICLASS 16K/16, PROG, F-GLOSS, B-GLOSS W/MAG, MATCHING #, VERT/HORZ SLOT COMPATIBLE, LAM	12.30	IC	Credentials
Y	2102PG1MH	COMPOSITE ICLASS 16K/16, PROG, F-GLOSS, B-GLOSS W/MAG, MATCHING #, HORZ SLOT, LAM	11.96	IC	Credentials
Y	2102PG1MN	COMPOSITE ICLASS, 16K/16, PROG, F-GLOSS, B-GLOSS W/ MAG, MATCHING#	12.30	IC	Credentials
Y	2102PG1MV	COMPOSITE ICLASS, 16K/16, PROG, F-GLOSS, B-GLOSS W/ MAG, MATCHING#, VERT SLOT	11.96	IC	Credentials
Y	2102PG1NN	COMPOSITE ICLASS, 16K/16, PROG, F-GLOSS, B-GLOSS W/MAG, NO#, NO SLOT	12.30	IC	Credentials
Y	2102PGGAN	COMPOSITE ICLASS, 16K/16, PROG, F-GLOSS, B-GLOSS, SEQ. MATCHING LASER#, NO SLOT	11.75	IC	Credentials
Y	2102PGGBN	COMPOSITE ICLASS, 16K/16, PROG, F-GLOSS, B-GLOSS, SEQUENTIAL LASER #, NO SLOT	11.41	IC	Credentials
Y	2102PGGMB	COMPOSITE ICLASS 16K/16, PROG, F-GLOSS, B-GLOSS, MATCHING #, VERT/HORZ SLOT COMPATIBLE, LAM	11.75	IC	Credentials
Y	2102PGGMH	COMPOSITE ICLASS 16K/16, PROG, F-GLOSS, B-GLOSS, MATCHING #, HORZ SLOT, LAM	11.41	IC	Credentials
Y	2102PGGMN	COMPOSITE ICLASS, 16K/16, PROG, F-GLOSS, B-GLOSS, MATCHING#	11.75	IC	Credentials
Y	2102PGGMV	COMPOSITE ICLASS, 16K/16, PROG, F-GLOSS, B-GLOSS, MATCHING#, VERT SLOT, LAM	11.75	IC	Credentials
Y	2102PGGNB	COMPOSITE ICLASS 16K/16, PROG, F-GLOSS, B-GLOSS, NO #, VERT/HORZ SLOT COMPATIBLE, LAM	11.21	IC	Credentials
Y	2102PGGNN	COMPOSITE ICLASS, 16K/16, PROG, F-GLOSS, B-GLOSS, NO SLOT, NO#	11.41	IC	Credentials
Y	2102PGGRH	COMPOSITE ICLASS 16K/16, PROG, F-GLOSS, B-GLOSS, RANDOM NON-MATCHING SEQ #, HORZ SLOT	12.21	IC	Credentials
Y	2102PGGSN	COMPOSITE ICLASS, 16K/16, PROG, F-GLOSS, B-GLOSS, SEQ. NON-MATCHING#	11.75	IC	Credentials
Y	2103CG1BN	ICLASS 32K (16K/2 + 16K/1), COMPOSITE, CONFIGURED, F-GLOSS, B-GLOSS W/ MAG, SEQ. NON-MATCHING #, NO SLOT	12.31	IC	Credentials
Y	2103CGGNN	ICLASS 32K (16K/2 + 16K/1), COMPOSITE, CONFIGURED, F-GLOSS, B-GLOSS, NO #, NO SLOT	12.21	IC	Credentials
Y	2103HPGGMN	COMPOSITE ICLASS, SR, 32K (16K/2 + 16K/1), PROG, F-GLOSS, F-GLOSS, MATCH #, NO SLOT	12.21	IC	Credentials
Y	2103HPGGMV	COMPOSITE ICLASS, SR, 32K (16K/2 + 16K/1), PROG, F-GLOSS, F-GLOSS, MATCH #, NO SLOT	12.01	IC	Credentials
Y	2103HPGGSN	COMPOSITE ICLASS, SR, 32K (16K/2 + 16K/1), PROG, F-GLOSS, F-GLOSS, SEQUENTIAL INTERNAL / SEQUENTIAL NON-MATCHING EXTERNAL #, NO SLOT	12.21	IC	Credentials
Y	2103PG1MN	ICLASS 32K (16K/2 + 16K/1), COMPOSITE, PROGRAMMED, F-GLOSS, B-GLOSS W/ MAG, MATCHING #, NO SLOT	12.76	IC	Credentials
Y	2103PGGAN	ICLASS 32K (16K/2 + 16K/1), COMPOSITE, PROGRAMMED, F-GLOSS, B-GLOSS, MATCHING LASER #, NO SLOT	12.21	IC	Credentials
Y	2103PGGMN	ICLASS 32K (16K/2 + 16K/1), COMPOSITE, PROGRAMMED, F-GLOSS, B-GLOSS, MATCHING #, NO SLOT	12.21	IC	Credentials
Y	2103PGGMV	ICLASS 32K (16K/2 + 16K/1), COMPOSITE, PROGRAMMED, F-GLOSS, B-GLOSS, MATCHING #, VERT SLOT	12.21	IC	Credentials
Y	2103PGGSV	COMPOSITE ICLASS 32K (16K/2 + 16K/1), PROG., F-GLOSS, B-GLOSS, SEQ.#, VERT. SLOT	11.86	IC	Credentials
Y	2104CG1NN	ICLASS 32K (16K/16 + 16K/1), COMPOSITE, CONFIGURED, F-GLOSS, B-GLOSS W/ MAG, NO #, NO SLOT	12.76	IC	Credentials
Y	2104CGGNN	ICLASS 32K (16K/16 + 16K/1), COMPOSITE, CONFIGURED, F-GLOSS, B-GLOSS, NO #, NO SLOT	12.21	IC	Credentials
Y	2104HPG1AN	COMPOSITE ICLASS, SR, 32K (16K/16 + 16K/1), PROG, F-GLOSS, F-GLOSS W/MAG, LASER #, NO SLOT	12.41	IC	Credentials
Y	2104HPG1AV	COMPOSITE ICLASS, SR, 32K (16K/16 + 16K/1), PROG, F-GLOSS, F-GLOSS W/MAG, LASER MATCHING ICLASS #, VERT. SLOT	12.41	IC	Credentials
Y	2104HPG1MN	COMPOSITE ICLASS, SR, 32K (16K/16 + 16K/1), PROG, F-GLOSS, F-GLOSS W/MAG, MATCH. #, NO SLOT	12.76	IC	Credentials
Y	2104HPG1SN	COMPOSITE ICLASS, SR, 32K (16K/16+16K/1), PROG, F-GLOSS, B-GLOSS W/MAG, SEQ NON-MATCHING #, NO SLOT	12.76	IC	Credentials
Y	2104HPGGAB	COMPOSITE ICLASS 32K (16K/16+16K/1), PROG SR, F-GLOSS, B-GLOSS, MATCHING LASER #, VERT/HORZ COMPATIBLE SLOT, LAM	12.21	IC	Credentials
Y	2104HPGGAN	COMPOSITE ICLASS, SR, 32K (16K/16 + 16K/1), PROG, F-GLOSS, F-GLOSS, LASER MATCH #, NO SLOT	11.86	IC	Credentials
Y	2104HPGGBN	COMPOSITE ICLASS, SR, 32K (16K/16 + 16K/1), PROG, F-GLOSS, B-GLOSS, LASER MATCHING #, NO SLOT	11.86	IC	Credentials
Y	2104HPGGMN	COMPOSITE ICLASS, SR, 32K (16K/16 + 16K/1), PROG, F-GLOSS, F-GLOSS, MATCH #, NO SLOT	12.21	IC	Credentials
Y	2104HPGGNN	COMPOSITE ICLASS, SR, 32K (16K/16 + 16K/1), PROG, F-GLOSS, F-GLOSS, NO #, NO SLOT	12.21	IC	Credentials
Y	2104PG1AN	ICLASS 32K (16K/16 + 16K/1), COMPOSITE, PROGRAMMED, F-GLOSS, B-GLOSS W/ MAG, SEQ MATCH LASER #, NO SLOT	12.41	IC	Credentials
Y	2104PG1BN	COMPOSITE ICLASS, 32K (16K/16 + 16K/1), PROG, F-GLOSS, F-GLOSS W/MAG, LASER MATCHING ICLASS #, NO SLOT	12.41	IC	Credentials
Y	2104PG1CN	ICLASS 32K (16K/16 + 16K/1), COMPOSITE, PROG., F-GLOSS, B-GLOSS W/MAG, RANDOM LASER #, NO SLOT	12.41	IC	Credentials
Y	2104PG1MB	COMPOSITE ICLASS 32K (16K/16+16K/1), PROG, F-GLOSS, B-GLOSS W/MAG, MATCHING #, VERT/HORZ SLOT COMPATIBLE, LAM	11.86	IC	Credentials
Y	2104PG1MN	ICLASS 32K (16K/16 + 16K/1), COMPOSITE, PROGRAMMED, F-GLOSS, B-GLOSS W/ MAG, MATCHING #, NO SLOT	12.76	IC	Credentials
Y	2104PG1MV	ICLASS 32K (16K/16 + 16K/1), COMPOSITE, PROG., F-GLOSS, B-GLOSS W/ MAG, MATCHING #, VERT. SLOT	12.41	IC	Credentials
Y	2104PG1NN	ICLASS 32K (16K/16 + 16K/1), COMPOSITE, PROGRAMMED, F-GLOSS, B-GLOSS W/ MAG, NO #, NO SLOT	12.41	IC	Credentials
Y	2104PGGAB	COMPOSITE, ICLASS 32K (16K/16 + 16K/1), PROG., F-GLOSS, B-GLOSS, LASER SEQ. MATCHING INT. ICLASS #, NO SLOT	12.21	IC	Credentials

Y	2104PGGAN	ICLASS 32K (16K/16 + 16K/1), COMPOSITE, PROG., F-GLOSS, B-GLOSS, LASER MATCH ICLASS #, NO SLOT	12.21	IC	Credentials
Y	2104PGGBB	COMPOSITE ICLASS 32K (16K/16+16K/1), PROG, F-GLOSS, B-GLOSS, SEQ NON-MATCHING LASER #, VERT/HORZ SLOT COMPATIBLE, LAM	11.76	IC	Credentials
Y	2104PGGBN	ICLASS 32K (16K/16 + 16K/1), COMPOSITE, PROG., F-GLOSS, B-GLOSS, SEQ. NON-MATCH LASER ICLASS #, NO SLOT	12.21	IC	Credentials
Y	2104PGGMB	COMPOSITE ICLASS 32K (16K/16+16K/1), PROG, F-GLOSS, B-GLOSS, MATCHING #, VERT/HORZ SLOT COMPATIBLE, LAM	12.21	IC	Credentials
Y	2104PGGMN	ICLASS 32K (16K/16 + 16K/1), COMPOSITE, PROGRAMMED, F-GLOSS, B-GLOSS, MATCHING #, NO SLOT	12.21	IC	Credentials
Y	2104PGGMV	COMPOSITE ICLASS 32K (16K/16 + 16K/1), PROG., F-GLOSS, B-GLOSS, MATCH #, VERT SLOT	12.21	IC	Credentials
Y	2104PGGNN	ICLASS 32K (16K/16 + 16K/1), COMPOSITE, PROGRAMMED, F-GLOSS, B-GLOSS, NO #, NO SLOT	12.21	IC	Credentials
Y	2104PGGNV	ICLASS 32K (16K/16 + 16K/1), COMPOSITE, PROGRAMMED, F-GLOSS, B-GLOSS, NO #, VERT SLOT	11.86	IC	Credentials
Y	2104PGGSN	ICLASS 32K (16K/16 + 16K/1), COMPOSITE, PROGRAMMED, F-GLOSS, B-GLOSS, SEQ #, NO SLOT	12.21	IC	Credentials
Y	2110CG1NN	COMPOSITE ICLASS 2K/2, EMBEDDABLE, CONFIGURED NON-PROG, F-GLOSS, B-GLOSS W/MAG, NO #, NO SLOT, LAM	13.95	EB	Credentials
Y	2110CGGNN	COMPOSITE ICLASS EMBED 2K/2, CONFIG, F-GLOSS, B-GLOSS, NO #, NO SLOT	13.40	EB	Credentials
Y	2110NG1NN	COMPOSITE ICLASS 2K/2, EMBEDDABLE, NON-PROG, F-GLOSS, B-GLOSS W/MAG, NO #, NO SLOT, LAM	13.95	EB	Credentials
Y	2110NGGNN	COMPOSITE ICLASS 2K/2, EMBEDDABLE, NON-PROG, F-GLOSS, B-GLOSS, NO #, NO SLOT, LAM	13.40	EB	Credentials
Y	2110PG1MN	COMPOSITE ICLASS EMBED 2K/2, PROGRAM, F-GLOSS, MAGSTRIPE, MATCH #, NO SLOT	13.95	EB	Credentials
Y	2110PG1SN	COMPOSITE ICLASS EMBED 2K/2, PROGRAM, F-GLOSS, MAGSTRIPE, SEQ NON-MATCH #, NO SLOT	13.95	EB	Credentials
Y	2110PGGMN	COMPOSITE ICLASS EMBED 2K/2, PRGMD, F-GLOSS, B-GLOSS, MATCH #, NO SLOT	13.40	EB	Credentials
Y	2110PGGMV	COMPOSITE ICLASS EMBED 2K/2, PRGMD, F-GLOSS, B-GLOSS, MATCH #, VERT. SLOT	13.40	EB	Credentials
Y	2110PGGNN	COMPOSITE ICLASS EMBED 2K/2, PRGMD, F-GLOSS, B-GLOSS, NO #, NO SLOT	13.40	EB	Credentials
Y	2111CGGNN	ICLASS 16K/2, COMPOSITE EMBEDDABLE, CONF, F-GLOSS, B-GLOSS, NO #, NO SLOT	14.40	EB	Credentials
Y	2111CGGNV	ICLASS 16K/2, COMPOSITE EMBEDDABLE, CONF, F-GLOSS, B-GLOSS, NO #, VERT SLOT	14.40	EB	Credentials
Y	2111PGGMN	ICLASS 16K/2, COMPOSITE EMBEDDABLE, PROG, F-GLOSS, B-GLOSS, MATCHING #, NO SLOT	14.40	EB	Credentials
Y	2111PGGMV	ICLASS 16K/2, COMPOSITE EMBEDDABLE, PROG, F-GLOSS, B-GLOSS, MATCHING #, VERT. SLOT	14.40	EB	Credentials
Y	2112CGGNN	ICLASS EMBED (16K/16), COMPOSITE, CONFIG. , F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT	14.83	EB	Credentials
Y	2112PG1AN	COMPOSITE ICLASS 16K/16, EMBED, PROG, F-GLOSS, B-GLOSS W/MAG, LASER #, NO SLOT, LAM	14.95	EB	Credentials
Y	2112PG1MN	ICLASS 16K/16, COMPOSITE EMBEDDABLE, PROG, F-GLOSS, B-GLOSS W/MAG, MATCHING #, NO SLOT, LAM	14.95	EB	Credentials
Y	2112PGGMN	ICLASS 16K/16, COMPOSITE EMBEDDABLE, PROG, F-GLOSS, B-GLOSS, MATCHING #, NO SLOT, LAM	14.83	EB	Credentials
Y	2112PGGNN	ICLASS 16K/16, COMPOSITE EMBEDDABLE, PROG, F-GLOSS, B-GLOSS, MATCHING #, NO SLOT	14.46	EB	Credentials
Y	2113CG1NN	ICLASS 32K (16K/2 + 16K/1), COMPOSITE EMBEDDABLE, CONFIGURED, F-GLOSS, B-GLOSS W/ MAG, NO #, NO SLOT	15.90	EB	Credentials
Y	2113CGGNN	ICLASS 32K (16K/2 + 16K/1), COMPOSITE EMBEDDABLE, CONFIGURED, F-GLOSS, B-GLOSS, NO #, NO SLOT	15.35	EB	Credentials
Y	2113NG1NN	ICLASS 32K (16K/2 + 16K/1), COMPOSITE EMBEDDABLE, NON-PRGMD, F-GLOSS, B-GLOSS W/ MAG, NO #, NO SLOT	15.35	EB	Credentials
Y	2113PG1MN	ICLASS 32K (16K/2 + 16K/1), COMPOSITE EMBEDDABLE, PROG, F-GLOSS, B-GLOSS W/ MAG, MATCH #, NO SLOT	15.90	EB	Credentials
Y	2113PG1SN	ICLASS 32K (16K/2 + 16K/1), COMPOSITE EMBEDDABLE, PROG, F-GLOSS, B-GLOSS W/ MAG, SEQ #, NO SLOT	15.90	EB	Credentials
Y	2113PGGMN	ICLASS 32K (16K/2 + 16K/1), COMPOSITE EMBEDDABLE, PROG, F-GLOSS, B-GLOSS, MATCH #, NO SLOT	15.35	EB	Credentials
Y	2113PGGMV	COMPOSITE ICLASS 32K (16K/2 + 16K/1),EMBEDDABLE, PROG, F-GLOSS, B-GLOSS, MATCH #, VERT. SLOT	15.35	EB	Credentials
Y	2113PGGNN	COMPOSITE ICLASS 32K (16K/2 + 16K/1), EMBEDDABLE, PROG, F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT	15.35	EB	Credentials
Y	2113PGGSN	ICLASS 32K (16K/2 + 16K/1), COMPOSITE EMBEDDABLE, PROG, F-GLOSS, B-GLOSS, SEQ #, NO SLOT	15.35	EB	Credentials
Y	2114CG1NN	ICLASS 32K (16K/16 + 16K/1), COMPOSITE EMBEDDABLE, CONFIGURED, F-GLOSS, B-GLOSS W/ MAG, NO #,NO SLOT	15.90	EB	Credentials
Y	2114CGGNN	ICLASS 32K (16K/16 + 16K/1), COMPOSITE EMBEDDABLE, CONFIGURED, F-GLOSS, B-GLOSS, NO #, NO SLOT	15.35	EB	Credentials
Y	2114PG1MN	ICLASS 32K (16K/16 + 16K/1), COMPOSITE EMBEDDABLE, PROG, F-GLOSS, B-GLOSS W/ MAG, MATCH #, NO SLOT	15.90	EB	Credentials
Y	2114PG1SN	ICLASS 32K (16K/16 + 16K/1), COMPOSITE EMBEDDABLE, PROG, F-GLOSS, B-GLOSS W/ MAG, SEQ #, NO SLOT	15.90	EB	Credentials
Y	2114PGGAV	ICLASS 32K (16K/16 + 16K/1), COMPOSITE EMBEDDABLE, PROG, F-GLOSS, B-GLOSS, LASER #, VERT. SLOT	15.35	EB	Credentials
Y	2114PGGMN	ICLASS 32K (16K/16 + 16K/1), COMPOSITE EMBEDDABLE, PROG, F-GLOSS, B-GLOSS, MATCH #, NO SLOT	15.35	EB	Credentials
Y	2114PGGSN	ICLASS 32K (16K/16 + 16K/1), COMPOSITE EMBEDDABLE, PROG, F-GLOSS, B-GLOSS, SEQ #, NO SLOT	15.35	EB	Credentials
Y	2120AG1NNM	COMPOSITE ICLASS PROX 2K/2, CONFIG. ICLASS/PROG. PROX, F-GLOSS, B-GLOSS W/MAG, NO #, NO SLOT, MATCH. PROX #	14.49	IC	Credentials
Y	2120AG1NNN	COMPOSITE ICLASS PROX 2K/2, CONFIG. ICLASS/PROG. PROX, F-GLOSS, B-GLOSS W/MAG, NO #, NO SLOT, NO 125K #	14.08	IC	Credentials
Y	2120AGGBNN	COMPOSITE ICLASS PROX 2K/2, NON-PRGMD CONFIGURED, F-GLOSS, B-GLOSS, NO #, NO SLOT, NO 125K #	13.94	IC	Credentials
Y	2120AGGNNM	COMPOSITE ICLASS PROX 2K/2, CONFIG. ICLASS/PROX PROG., F-GLOSS, B-GLOSS, NO #, NO SLOT, MATCH PROX #	13.94	IC	Credentials
Y	2120AGGNNN	COMPOSITE ICLASS PROX 2K/2, NON-PRGMD CONFIGURED, F-GLOSS, B-GLOSS, NO #, NO SLOT, NO 125K #	13.94	IC	Credentials
Y	2120AGGNVM	COMPOSITE ICLASS PROX 2K/2, CONFIG ICLASS, PROG PROX, F-GLOSS, B-GLOSS, NO ICLASS #, VERT SLOT, MATCHING PROX #	13.53	IC	Credentials
Y	2120BG1MNM	COMPOSITE ICLASS PROX 2K/2, PROGRAMMED, F-GLOSS, B-GLOSS, MATCHING, NO SLOT, MATCHING 125K #	14.49	IC	Credentials
Y	2120BG1MNN	COMPOSITE ICLASS PROX 2K/2, PROGRAMMED, F-GLOSS, B-GLOSS, MATCHING, NO SLOT, NO 125K #	14.49	IC	Credentials
Y	2120BG1MVM	COMPOSITE ICLASS PROX 2K/2, PROG., F-GLOSS, B-GLOSS W/MAG, MATCHING ICLASS#, VERT. SLOT, MATCHING PROX #	14.49	IC	Credentials
Y	2120BG1MVN	COMPOSITE ICLASS PROX 2K/2, PROG., F-GLOSS, B-GLOSS W/MAG, MATCHING ICLASS#, VERT. SLOT, NO PROX #	14.49	IC	Credentials
Y	2120BG1MVS	COMPOSITE ICLASS PROX 2K/2, PROG ICLASS/PROX, F-GLOSS, B-GLOSS W/MAG, MATCHING ICLASS #, VERT SLOT, SEQ NON-MATCHING PROX #	14.49	IC	Credentials
Y	2120BG1NNM	COMPOSITE ICLASS PROX 2K/2, PROG ICLASS/PROX, F-GLOSS, B-GLOSS W/MAG, NO ICLASS #, NO SLOT, MATCHING PROX #	14.49	IC	Credentials
Y	2120BG1NNN	COMPOSITE ICLASS PROX 2K/2, PROG., F-GLOSS, B-GLOSS W/MAG, NO ICLASS#, NO SLOT, NO PROX #	14.49	IC	Credentials
Y	2120BG1SNN	COMPOSITE ICLASS PROX 2K/2, PROG., F-GLOSS, B-GLOSS W/MAG, SEQ NON-MATCHING ICLASS#, NO SLOT, NO PROX #	14.08	IC	Credentials
Y	2120BG1SNS	COMPOSITE ICLASS PROX 2K/2, PROG., F-GLOSS, B-GLOSS W/MAG, SEQ NON-MATCHING ICLASS#, NO SLOT, SEQ. NON-MATCHING PROX #	14.49	IC	Credentials
Y	2120BG1SVS	COMPOSITE ICLASS PROX 2K/2, PROG., F-GLOSS, B-GLOSS W/MAG, SEQ NON-MATCHING ICLASS#, VERT. SLOT, SEQ. NON-MATCHING PROX #	14.49	IC	Credentials
Y	2120BGGANA	COMPOSITE ICLASS PROX 2K/2, PROG, F-GLOSS, B-GLOSS, SEQ LASER ICLASS, NO SLOT, SEQ LASER 125K #	13.94	IC	Credentials
Y	2120BGGANN	COMPOSITE ICLASS PROX 2K/2, PROG, F-GLOSS, B-GLOSS, SEQ LASER ICLASS, NO SLOT, NO 125K #	13.94	IC	Credentials
Y	2120BGGCNC	COMPOSITE ICLASS PROX 2K/2, PROG, F-GLOSS, B-GLOSS, RANDOM LASER, NO SLOT, RANDOM LASER125K #	13.53	IC	Credentials
Y	2120BGGCVC	COMPOSITE ICLASS PROX 2K/2, PROG, F-GLOSS, B-GLOSS, RANDOM LASER ICLASS #, VERT SLOT, RANDOM LASER PROX #	13.94	IC	Credentials
Y	2120BGGMNM	COMPOSITE ICLASS PROX 2K/2, PROG, F-GLOSS, B-GLOSS, MATCHING, NO SLOT, MATCH 125K #	13.94	IC	Credentials
Y	2120BGGMNN	COMPOSITE ICLASS PROX 2K/2, PROGRAMMED, F-GLOSS, B-GLOSS, MATCHING, NO SLOT, NO 125K #	13.94	IC	Credentials
Y	2120BGGMVM	COMPOSITE ICLASS PROX 2K/2, PROGRAMMED, F-GLOSS, B-GLOSS, MATCHING, VERT SLOT, MATCH 125K #	13.94	IC	Credentials
Y	2120BGGMVN	COMPOSITE ICLASS PROX 2K/2, PROG., F-GLOSS, B-GLOSS, MATCHING ICLASS, VERT SLOT, NO 125K #, LAM	13.94	IC	Credentials
Y	2120BGGMVR	COMPOSITE ICLASS PROX 2K/2, PROG., F-GLOSS, B-GLOSS, MATCHING ICLASS, VERT SLOT, RANDOM 125K #, LAM	13.53	IC	Credentials
Y	2120BGGNNM	COMPOSITE ICLASS PROX 2K/2, PROGRAMMED, F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, MATCH 125K #	13.94	IC	Credentials
Y	2120BGGNNN	COMPOSITE ICLASS PROX 2K/2, PROGR., F-GLOSS, B-GLOSS, NO ICLASS#, NO SLOT, NO PROX#	13.94	IC	Credentials
Y	2120BGGNVM	COMPOSITE ICLASS PROX 2K/2, PROG., F-GLOSS, B-GLOSS, NO ICLASS #, VERT. SLOT, MATCH PROX #	13.94	IC	Credentials
Y	2120BGGNVN	COMPOSITE ICLASS PROX 2K/2, KB, ICLASS + 125KHZ PRGMD, F-GLOSS, B-GLOSS, NO #, V SLOT, NO 125K #, LAM	13.53	IC	Credentials
Y	2120BGGRVR	COMPOSITE ICLASS PROX (2K/2), PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, RANDOM ICLASS #, VERT. SLOT, RANDOM PROX #	13.94	IC	Credentials
Y	2120BGGSNM	COMPOSITE ICLASS PROX 2K/2, PROGRAMMED, F-GLOSS, B-GLOSS, SEQ. NON-MATCHING ICLASS, NO SLOT, MATCH 125K #	13.53	IC	Credentials
Y	2120BGGSNN	COMPOSITE ICLASS PROX 2K/2, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, SEQ. NON-MATCHING ICLASS#, NO SLOT, NO PROX #	13.94	IC	Credentials
Y	2120BGGSNN-PACK50	COMPOSITE ICLASS PROX 2K/2, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, SEQ. NON-MATCHING ICLASS#, NO SLOT, NO PROX #, PACK IN BOXES OF 50	13.94	IC	Credentials
Y	2120BGGSNS	COMPOSITE ICLASS PROX 2K/2, PROGRAMMED, F-GLOSS, B-GLOSS, SEQ. NON-MATCHING ICLASS, NO SLOT, SEQ. NON-MATCHING 125K #	13.94	IC	Credentials

Y	2120BGGSVS	COMPOSITE ICLASS PROX 2K/2, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS , SEQ NON-MATCHING ICLASS#, VERT SLOT, SEQ NON-MATCHING PROX #	13.94	IC	Credentials
Y	2120CG1NNN	COMPOSITE ICLASS PROX 2K/2, CONFIGURED., F-GLOSS, B-GLOSS W/MAG, NO #, NO SLOT, NO PROX #, LAM	13.74	IC	Credentials
Y	2120CGGNNN	COMPOSITE ICLASS/PROX (2K/2), CONFIG. ICLASS, NON-PROG. PROX, F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, NO PROX #	13.94	IC	Credentials
Y	2120CGGNVN	COMPOSITE ICLASS/PROX (2K/2), CONFIG. ICLASS, NON-PROG. PROX, F-GLOSS, B-GLOSS, NO ICLASS #, VERT SLOT, NO PROX #	13.94	IC	Credentials
Y	2120CGGSNN	COMPOSITE ICLASS PROX 2K/2, CONFIGURED, F-GLOSS, B-GLOSS, SEQ. NON-MATCHING ICLASS#, NO SLOT, NO EXTERNAL #	13.94	IC	Credentials
Y	2120HBG1ANA	COMPOSITE ICLASS PROX 2K/2, SR, PROG., F-GLOSS, B-GLOSS W/MAG, MATCH. ICLASS#, NO SLOT, MATCH. PROX #	14.49	IC	Credentials
Y	2120HBG1MNM	COMPOSITE ICLASS PROX 2K/2, SR, PROG, F-GLOSS, B-GLOSS W/MAG, MATCHING, NO SLOT, MATCH 125K #	14.49	IC	Credentials
Y	2120HBG1MNN	COMPOSITE ICLASS PROX 2K/2, SR, PROG., F-GLOSS, B-GLOSS W/MAG, MATCH. ICLASS#, NO SLOT, NO PROX #	14.49	IC	Credentials
Y	2120HBG1NNM	COMPOSITE ICLASS PROX 2K/2, SR, PROG, F-GLOSS, B-GLOSS W/MAG, NO ICLASS #, NO SLOT, MATCH 125K #	14.49	IC	Credentials
Y	2120HBG1NNN	COMPOSITE ICLASS PROX 2K/2, SR, PROG, F-GLOSS, B-GLOSS W/MAG, NO ICLASS #, NO SLOT, NO 125K #	13.94	IC	Credentials
Y	2120HBGGBNB	COMPOSITE ICLASS PROX 2K/2, SR, PROG ICLASS & PROX, F-GLOSS, B-GLOSS, LASER SEQ ICLASS #, NO SLOT, LASER SEQ PROX # , LAM	13.94	IC	Credentials
Y	2120HBGGMNM	COMPOSITE ICLASS PROX 2K/2, SR, PROG, F-GLOSS, B-GLOSS, MATCHING, NO SLOT, MATCH 125K #	13.94	IC	Credentials
Y	2120HBGGMNN	COMPOSITE ICLASS PROX 2K/2, SR, PROG., F-GLOSS, B-GLOSS, MATCHING, NO SLOT, NO 125K #	13.94	IC	Credentials
Y	2120HBGGMNN-310064	COMPOSITE ICLASS PROX 2K/2, SR, PROG., F-GLOSS, B-GLOSS, MATCH ICLASS #, NO SLOT, NO 125K #, NO SALES ORDER NUMBER	13.94	IC	Credentials
Y	2120HBGGMVM	COMPOSITE ICLASS PROX 2K/2, SR, PROG ICLASS/PROX, F-GLOSS, B-GLOSS, MATCHING ICLASS #, VERT SLOT, SEQ PROX #	13.94	IC	Credentials
Y	2120HBGGMVN	COMPOSITE ICLASS PROX 2K/2, SR, PROG ICLASS/PROX, F-GLOSS, B-GLOSS, MATCHING ICLASS #, VERT SLOT, NO PROX #	13.94	IC	Credentials
Y	2120HBGGNNM	COMPOSITE ICLASS PROX 2K/2, SR, PROG., F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, MATCH PROX #	13.53	IC	Credentials
Y	2120HBGGNNN	COMPOSITE ICLASS PROX 2K/2, SR, PROG., F-GLOSS, B-GLOSS, NO MATCHING, NO SLOT, NO 125K #	13.94	IC	Credentials
Y	2120HPGGMNN	COMPOSITE ICLASS PROX 2K/2, SR, PROG, F-GLOSS, B-GLOSS, MATCHING ICLASS #, NO SLOT, NO 125K #	13.94	IC	Credentials
Y	2120PG1MNN	COMPOSITE ICLASS PROX 2K/2, PROG. ICLASS, F-GLOSS, B-GLOSS W/MAG, MATCHING #, NO SLOT, NO 125K #	14.49	IC	Credentials
Y	2120PGGAVN	COMPOSITE ICLASS PROX 2K/2, PROG. ICLASS, F-GLOSS, B-GLOSS, LASER MATCHING ICLASS #, VERTICAL SLOT, NO PROX #	13.94	IC	Credentials
Y	2120PGGMNN	COMPOSITE ICLASS PROX 2K/2, PROG. ICLASS, F-GLOSS, B-GLOSS, MATCHING #, NO SLOT, NO 125K #	13.94	IC	Credentials
Y	2120PGGNNN	COMPOSITE ICLASS PROX 2K/2, PROG ICLASS, NON-PROG PROX, F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, NO PROX #	13.53	IC	Credentials
Y	2121AG1NNM	COMPOSITE ICLASS/PROX 16K/2, CONF. ICLASS, PROG. PROX, F-GLOSS, B-GLOSS W/MAG, NO ICLASS#, NO SLOT, MATCHING. PROX#	16.72	IC	Credentials
Y	2121AG1NNS	COMPOSITE ICLASS/PROX 16K/2, CONF. ICLASS, PROG. PROX, F-GLOSS, B-GLOSS W/MAG, NO ICLASS#, NO SLOT, SEQ. PROX#	16.50	IC	Credentials
Y	2121AGGNNM	COMPOSITE ICLASS/PROX 16K/2, CONF. ICLASS, PROG. PROX, F-GLOSS, B-GLOSS, NO ICLASS#, NO SLOT, MATCHING PROX#	16.42	IC	Credentials
Y	2121AGGNNN	COMPOSITE ICLASS/PROX 16K/2, CONF. ICLASS, PROG. PROX, F-GLOSS, B-GLOSS, NO ICLASS#, NO SLOT, NO PROX#	16.24	IC	Credentials
Y	2121AGGNVM	COMPOSITE ICLASS/PROX 16K/2, CONFIG ICLASS, PROG. PROX, F-GLOSS, B-GLOSS, NO ICLASS#, VERT. SLOT, MATCHING PROX #	16.42	IC	Credentials
Y	2121AGGSNS	COMPOSITE ICLASS/PROX 16K/2, CONFIG ICLASS, PROG. PROX, F-GLOSS, B-GLOSS, SEQ NON MATCHING ICLASS#, NO SLOT, SEQ NON MATCHING. PROX #	15.95	IC	Credentials
Y	2121BG1AVA	COMPOSITE ICLASS/PROX 16K/2, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS W/MAG, LASER ICLASS#, NO SLOT, LASER PROX#	16.50	IC	Credentials
Y	2121BG1MNM	COMPOSITE ICLASS/PROX 16K/2, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS W/MAG, MATCHING ICLASS#, NO SLOT, MATCHING PROX#	16.97	IC	Credentials
Y	2121BG1NNN	COMPOSITE ICLASS/PROX 16K/2, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS W/MAG, NO ICLASS#, NO SLOT, NO PROX#	16.50	IC	Credentials
Y	2121BGGANA	COMPOSITE ICLASS/PROX 16K/2, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, LASER MATCHING ICLASS#, NO SLOT, LASER MATCHING PROX #	16.42	IC	Credentials
Y	2121BGGANN	COMPOSITE ICLASS/PROX 16K/2, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, LASER MATCHING ICLASS#, NO SLOT, NO PROX #	15.95	IC	Credentials
Y	2121BGGAVA	COMPOSITE ICLASS/PROX 16K/2, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, LASER MATCHING ICLASS#, VERT. SLOT, LASER MATCHING PROX #	15.95	IC	Credentials
Y	2121BGGBNB	COMPOSITE ICLASS/PROX 16K/2, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, LASER NON MATCHING ICLASS#, NO SLOT, LASER NON MATCHING PROX #	15.95	IC	Credentials
Y	2121BGGMNM	COMPOSITE ICLASS/PROX 16K/2, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, MATCHING ICLASS#, NO SLOT, MATCHING PROX#	16.42	IC	Credentials
Y	2121BGGMNN	COMPOSITE ICLASS/PROX 16K/2, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, MATCHING ICLASS#, NO SLOT, NO PROX #	16.42	IC	Credentials
Y	2121BGGMVM	COMPOSITE ICLASS/PROX 16K/2, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS , MATCHING ICLASS#, VERT SLOT, MATCHING PROX#	16.42	IC	Credentials
Y	2121BGGNNM	COMPOSITE ICLASS/PROX 16K/2, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, NO ICLASS#, NO SLOT, MATCHING PROX#	16.42	IC	Credentials
Y	2121BGGNNN	COMPOSITE ICLASS/PROX 16K/2, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, NO ICLASS#, NO SLOT, NO 125 #	15.95	IC	Credentials
Y	2121BGGNNS	COMPOSITE ICLASS/PROX 16K/2, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, NO ICLASS#, NO SLOT, SEQ NON MATCHING PROX #	15.95	IC	Credentials
Y	2121BGGNVM	COMPOSITE ICLASS/PROX 16K/2, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, NO ICLASS#, VERT. SLOT, MATCHING PROX #	15.95	IC	Credentials
Y	2121BGGNVN	COMPOSITE ICLASS/PROX 16K/2, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, NO ICLASS#, VERT. SLOT, NO PROX #	15.95	IC	Credentials
Y	2121BGGSNM	COMPOSITE ICLASS/PROX 16K/2, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, SEQ NON MATCHING ICLASS#, NO SLOT, MATCHING PROX #	15.95	IC	Credentials
Y	2121BGGSNN	COMPOSITE ICLASS/PROX 16K/2, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, SEQ ICLASS#, NO SLOT, NO 125 #	16.42	IC	Credentials
Y	2121BGGSNS	COMPOSITE ICLASS/PROX 16K/2, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, SEQ NON MATCHING ICLASS#, NO SLOT, SEQ NON MATCHING PROX #	15.95	IC	Credentials
Y	2121BGGSVS	COMPOSITE ICLASS/PROX 16K/2, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, SEQ NON MATCHING ICLASS #, VERT. SLOT, SEQ NON MATCHING PROX #	15.95	IC	Credentials
Y	2121CGGNNN	COMPOSITE ICLASS/PROX 16K/2, CONF. ICLASS/PROX, F-GLOSS, B-GLOSS, NO ICLASS#, NO SLOT, NO PROX#	16.42	IC	Credentials
Y	2121CGGNVN	COMPOSITE ICLASS/PROX 16K/2, CONFIG ICLASS, NON-PROG PROX, F-GLOSS, B-GLOSS, NO ICLASS#, VERT. SLOT, NO PROX#	15.95	IC	Credentials
Y	2121CGGSNN	COMPOSITE ICLASS/PROX 16K/2, CONFIG ICLASS, NON-PROG PROX, F-GLOSS, B-GLOSS, SEQ NON-MATCHING ICLASS#, NO SLOT, NO PROX#	15.95	IC	Credentials
Y	2121CGGSNS	COMPOSITE ICLASS/PROX 16K/2, CONFIG ICLASS, NON-PROG PROX, F-GLOSS, B-GLOSS, SEQ NON-MATCHING ICLASS#, NO SLOT, SEQ NON-MATCHING PROX#	15.95	IC	Credentials
Y	2121CGGSVS	COMPOSITE ICLASS/PROX 16K/2, CONFIG ICLASS, NON-PROG PROX, F-GLOSS, B-GLOSS, SEQ NON-MATCHING ICLASS#, VERT. SLOT, SEQ NON-MATCHING PROX#	15.95	IC	Credentials
Y	2121HBG1AVA	COMPOSITE ICLASS/PROX 16K/2, SR, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS W/MAG, MATCH LASER. ICLASS#, VERT SLOT, MATCH LASER PROX#,	16.50	IC	Credentials
Y	2121HBG1MVM	COMPOSITE ICLASS/PROX 16K/2, SR, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS W/MAG, MATCH ICLASS#, VERT SLOT, MATCH PROX#,	16.50	IC	Credentials
Y	2121HBGGMNM	COMPOSITE ICLASS/PROX 16K/2, SR, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, MATCH. ICLASS#, NO SLOT, MATCH. PROX#	16.42	IC	Credentials
Y	2121HBGGMNN	COMPOSITE ICLASS/PROX 16K/2, SR, PROG ICLASS / PROX, F-GLOSS, B-GLOSS, MATCHING ICLASS#, NO SLOT, NO PROX#	15.95	IC	Credentials
Y	2121HBGGNNM	COMPOSITE ICLASS/PROX 16K/2, SR, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, NO ICLASS#, NO SLOT, MATCH. PROX#	15.95	IC	Credentials
Y	2121HBGGNNN	COMPOSITE ICLASS/PROX 16K/2, SR, PROG ICLASS/PROX, F-GLOSS, B-GLOSS, NO ICLASS#, NO SLOT, NO PROX#	15.95	IC	Credentials
Y	2121HBGGNVN	COMPOSITE ICLASS/PROX 16K/2, SR, PROG ICLASS/PROX, F-GLOSS, B-GLOSS, NO ICLASS#, VERTICAL SLOT, NO PROX#	15.95	IC	Credentials
Y	2121HBGGSNS	COMPOSITE ICLASS/PROX 16K/2, SR, PROG ICLASS/PROX, F-GLOSS, B-GLOSS, SEQ NON-MATCHING ICLASS#, NO SLOT, SEQ NON-MATCHING PROX#	15.95	IC	Credentials
Y	2121HPGGMNN	COMPOSITE ICLASS/PROX 16K/2, SR, PROG. ICLASS, F-GLOSS, B-GLOSS, MATCHING ICLASS#, NO SLOT, NO PROX#	15.95	IC	Credentials
Y	2121HPGGMNS	COMPOSITE ICLASS/PROX 16K/2, SR, PROG ICLASS, NON-PROG PROX, F-GLOSS, B-GLOSS, MATCHING ICLASS#, NO SLOT, SEQ NON-MATCHING PROX#	15.95	IC	Credentials
Y	2121PGGMNN	COMPOSITE ICLASS/PROX 16K/2, PROG ICLASS, NON-PROG PROX, F-GLOSS, B-GLOSS, MATCHING ICLASS#, NO SLOT, NO PROX#	15.95	IC	Credentials
Y	2121PGGMVN	COMPOSITE ICLASS PROX 16K/2, PROG ICLASS, NON-PROG PROX, F-GLOSS, B-GLOSS, MATCHING ICLASS #, VERT SLOT, NO PROX #	16.42	IC	Credentials
Y	2121PGGNNN	COMPOSITE ICLASS/PROX 16K/2, PROG ICLASS, NON-PROG PROX, F-GLOSS, B-GLOSS, NO ICLASS#, NO SLOT, NO PROX#	15.95	IC	Credentials
Y	2122AG1NNM	COMPOSITE ICLASS/PROX, 16K/16, CONFIG. ICLASS, PROG. PROX, F-GLOSS, B-GLOSS W/MAG, NO ICLASS#, NO SLOT, MATCHING PROX#	16.50	IC	Credentials
Y	2122AGGNNM	COMPOSITE ICLASS/PROX, 16K/16, CONF. NON-PROG ICLASS, F-GLOSS, F-GLOSS, NO ICLASS#, NO SLOT, MATCHING PROX#	16.42	IC	Credentials
Y	2122AGGNNN	COMPOSITE ICLASS/PROX 16K/16, CONFIG. ICLASS, PROG. PROX, F-GLOSS, B-GLOSS, NO ICLASS#, NO SLOT, NO PROX#	15.95	IC	Credentials
Y	2122AGGNVM	COMPOSITE ICLASS/PROX, 16K/16, CONF. NON-PROG ICLASS, F-GLOSS, F-GLOSS, NO ICLASS#, VERT SLOT, MATCHING PROX#	16.70	IC	Credentials
Y	2122AGGSNM	COMPOSITE ICLASS/PROX 16K/16, CONFIG. ICLASS, PROG. PROX, F-GLOSS, B-GLOSS, SEQ NON-MATCHING ICLASS#, NO SLOT, MATCHING PROX#	15.95	IC	Credentials
Y	2122AGGSNS	COMPOSITE ICLASS/PROX 16K/16, CONFIG. ICLASS, PROG. PROX, F-GLOSS, B-GLOSS, SEQ NON-MATCHING ICLASS#, NO SLOT, SEQ NON-MATCHING PROX#	15.95	IC	Credentials
Y	2122BG1ANN	COMPOSITE ICLASS/PROX, 16K/16, PROG, F-GLOSS, B-GLOSS W/ MAG, SEQ LASER ICLASS#, NO SLOT, NO 125K#	16.97	IC	Credentials
Y	2122BG1MNM	COMPOSITE ICLASS/PROX, 16K/16, PROG, F-GLOSS, B-GLOSS W/ MAG, MATCHING#, NO SLOT, MATCHING 125K#	16.97	IC	Credentials
Y	2122BG1MNN	COMPOSITE ICLASS/PROX, 16K/16, PROG, F-GLOSS, B-GLOSS W/ MAG, MATCHING#, NO SLOT, NO 125K#	16.97	IC	Credentials
Y	2122BG1MVM	COMPOSITE ICLASS/PROX, 16K/16, PROG, F-GLOSS, B-GLOSS W/ MAG, MATCHING#, VERT SLOT, MATCH 125K#	16.50	IC	Credentials
Y	2122BG1MVN	COMPOSITE ICLASS/PROX, 16K/16, PROG, F-GLOSS, B-GLOSS W/ MAG, MATCHING#, VERT SLOT, NO PROX#	16.50	IC	Credentials

Y	2122BG1NNN	COMPOSITE ICLASS/PROX, 16K/16, PROG, F-GLOSS, B-GLOSS W/ MAG, NO ICLASS #, NO SLOT, NO 125K# LAM	16.50	IC	Credentials
Y	2122BG1SNS	COMPOSITE ICLASS/PROX, 16K/16, PROG, F-GLOSS, B-GLOSS W/ MAG, SEQ.G#, NO SLOT, SEQ. 125K#	16.97	IC	Credentials
Y	2122BG1SVS	COMPOSITE ICLASS/PROX, 16K/16, PROG, F-GLOSS, B-GLOSS W/ MAG, SEQ.G#, VERT SLOT, SEQ. 125K#	16.97	IC	Credentials
Y	2122BGGANA	COMPOSITE ICLASS/PROX, 16K/16, PROG, F-GLOSS, F-GLOSS, LASER ICLASS#, NO SLOT, LASER PROX#	16.42	IC	Credentials
Y	2122BGGANN	COMPOSITE ICLASS/PROX, 16K/16, PROG, F-GLOSS, F-GLOSS, LASER ICLASS#, NO SLOT, NO PROX	16.42	IC	Credentials
Y	2122BGGAVA	COMPOSITE ICLASS/PROX, 16K/16, PROG, F-GLOSS, B-GLOSS, LASER ICLASS#, VERT. SLOT, LASER PROX#	16.42	IC	Credentials
Y	2122BGGBNB	COMPOSITE ICLASS/PROX 16K/16, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, LASER SEQ NON-MATCHING ICLASS#, NO SLOT, LASER SEQ NON-MATCHING PROX#	15.95	IC	Credentials
Y	2122BGGBNS	COMPOSITE ICLASS/PROX 16K/16, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, LASER SEQ NON-MATCHING ICLASS#, NO SLOT, SEQ NON-MATCHING PROX#	15.95	IC	Credentials
Y	2122BGGMNA	COMPOSITE ICLASS/PROX 16K/16, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, MATCHING ICLASS#, NO SLOT, LASER MATCHING PROX#	15.95	IC	Credentials
Y	2122BGGMNM	COMPOSITE ICLASS/PROX, 16K/16, PROG, F-GLOSS, F-GLOSS, MATCHING#, NO SLOT	16.42	IC	Credentials
Y	2122BGGMNN	COMPOSITE ICLASS/PROX, 16K/16, PROG, F-GLOSS, F-GLOSS, MATCHING ICLASS#, NO SLOT, NO PROX#	16.42	IC	Credentials
Y	2122BGGMNS	COMPOSITE ICLASS/PROX, 16K/16, PROG, F-GLOSS, F-GLOSS, MATCH. ICLASS#, NO SLOT, SEQ. PROX	15.95	IC	Credentials
Y	2122BGGMVM	COMPOSITE ICLASS/PROX, 16K/16, PROG, F-GLOSS, F-GLOSS, MATCH. ICLASS#, VERT. SLOT, MATCH. PROX#	16.42	IC	Credentials
Y	2122BGGMVN	COMPOSITE ICLASS/PROX, 16K/16, PROG, F-GLOSS, F-GLOSS, MATCHING ICLASS#, VERT. SLOT, NO PROX#	16.42	IC	Credentials
Y	2122BGGNNA	COMPOSITE ICLASS/PROX 16K/16, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, NO ICLASS#, NO SLOT, LASER MATCHING PROX#	15.95	IC	Credentials
Y	2122BGGNNM	COMPOSITE ICLASS/PROX, 16K/16, PROG, F-GLOSS, F-GLOSS, MATCHING#, NO SLOT	16.42	IC	Credentials
Y	2122BGGNNN	COMPOSITE ICLASS/PROX, 16K/16, PROG, F-GLOSS, F-GLOSS, NO ICLASS#, NO SLOT, NO PROX#	16.42	IC	Credentials
Y	2122BGGNNS	COMPOSITE ICLASS/PROX, 16K/16, PROG, F-GLOSS, F-GLOSS, NO ICLASS #, NO SLOT, SEQ 125 #	16.42	IC	Credentials
Y	2122BGGNVM	COMPOSITE ICLASS/PROX 16K/16, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, NO ICLASS#, VERT. SLOT, MATCHING PROX#	15.95	IC	Credentials
Y	2122BGGNVN	COMPOSITE ICLASS/PROX, 16K/16, PROG, F-GLOSS, F-GLOSS, NO ICLASS#, VERT. SLOT, NO PROX#	16.42	IC	Credentials
Y	2122BGGRNM	COMPOSITE ICLASS/PROX, 16K/16, PROG, F-GLOSS, F-GLOSS, RANDOM ICLASS#, NO SLOT, MATCH. PROX#	15.95	IC	Credentials
Y	2122BGGRNN	COMPOSITE ICLASS/PROX 16K/16, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, RANDOM ICLASS#, NO SLOT, NO PROX#	15.95	IC	Credentials
Y	2122BGGRNR	COMPOSITE ICLASS/PROX 16K/16, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, RANDOM ICLASS#, NO SLOT, RANDOM PROX#	15.95	IC	Credentials
Y	2122BGGRVN	COMPOSITE ICLASS/PROX 16K/16, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, RANDOM ICLASS#, VERT. SLOT, NO PROX#	15.95	IC	Credentials
Y	2122BGGSNM	COMPOSITE ICLASS/PROX, 16K/16, PROG, F-GLOSS, F-GLOSS, SEQ. ICLASS#, NO SLOT, MATCH. PROX#	15.95	IC	Credentials
Y	2122BGGSNN	COMPOSITE ICLASS PROX 16K/16, PROG ICLASS/PROX, F-GLOSS, B-GLOSS, SEQ NON-MATCHING ICLASS #, NO SLOT, NO PROX #	16.42	IC	Credentials
Y	2122BGGSNS	COMPOSITE ICLASS/PROX, 16K/16, PROG, F-GLOSS, F-GLOSS, SEQ. ICLASS#, NO SLOT, SEQ. PROX#	16.42	IC	Credentials
Y	2122BGGSVS	COMPOSITE ICLASS/PROX 16K/16, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, SEQ NON-MATCHING ICLASS, VERT. SLOT, SEQ NON-MATCHING PROX#	15.95	IC	Credentials
Y	2122CGGNNN	COMPOSITE ICLASS/PROX 16K/16, CONFIGURED, F-GLOSS, B-GLOSS, NO ICLASS#, NO SLOT, NO PROX #	16.42	IC	Credentials
Y	2122CGGNNS	COMPOSITE ICLASS/PROX 16K/16, CONFIG. ICLASS, NON-PROG. PROX, F-GLOSS, B-GLOSS, NO ICLASS#, NO SLOT, SEQ NON-MATCHING PROX#	15.95	IC	Credentials
Y	2122CGGNVN	COMPOSITE ICLASS/PROX 16K/16, CONFIG. ICLASS, NON-PROG. PROX, F-GLOSS, B-GLOSS, NO ICLASS#, VERT. SLOT, NO PROX#	15.95	IC	Credentials
Y	2122CGGSNN	COMPOSITE ICLASS/PROX 16K/16, CONFIG. ICLASS, NON-PROG. PROX, F-GLOSS, B-GLOSS, SEQ. NON-MATCHING ICLASS#, NO SLOT, NO PROX#	15.95	IC	Credentials
Y	2122CGGSNS	COMPOSITE ICLASS/PROX 16K/16, CONFIG. ICLASS, NON-PROG. PROX, F-GLOSS, B-GLOSS, SEQ. NON-MATCHING ICLASS#, NO SLOT, SEQ NON-MATCHING PROX#	15.95	IC	Credentials
Y	2122CGGSVS	COMPOSITE ICLASS/PROX 16K/16, CONFIG. ICLASS, NON-PROG. PROX, F-GLOSS, B-GLOSS, SEQ. NON-MATCHING ICLASS#, VERT. SLOT, SEQ NON-MATCHING PROX#	15.95	IC	Credentials
Y	2122HBGGMNM	COMPOSITE ICLASS/PROX SR, 16K/16, PROG, F-GLOSS, F-GLOSS, MATCH ICLASS#, NO SLOT, MATCH PROX#	16.42	IC	Credentials
Y	2122HBGGMNN	COMPOSITE ICLASS/PROX SR, 16K/16, PROG, F-GLOSS, F-GLOSS, MATCH. ICLASS#, NO SLOT, NO PROX#	16.42	IC	Credentials
Y	2122HBGGMVM	COMPOSITE ICLASS PROX 16K/16, SR, PROG ICLASS/PROX, F-GLOSS, B-GLOSS, MATCHING ICLASS #, VERT SLOT, MATCHING PROX #	16.42	IC	Credentials
Y	2122HBGGNNM	COMPOSITE ICLASS/PROX SR, 16K/16, PROG, F-GLOSS, F-GLOSS, NO ICLASS#, NO SLOT, MATCHING PROX#	15.95	IC	Credentials
Y	2122HBGGNNN	COMPOSITE ICLASS/PROX 16K/16, ICLASS PROG, W/SIOS, PROX, F-GLOSS, B-GLOSS, NO ICLASS#, NO SLOT, NO PROX#	16.42	IC	Credentials
Y	2122HBGGNNS	COMPOSITE ICLASS/PROX 16K/16, SR, PROG, F-GLOSS, F-GLOSS, NO ICLASS #, NO SLOT, SEQ 125 #	15.95	IC	Credentials
Y	2122HBGGSNN	COMPOSITE ICLASS/PROX 16K/16, SR, PROG ICLASS / PROX, F-GLOSS, B-GLOSS, SEQ NON-MATCHING ICLASS#, NO SLOT, NO PROX#	15.95	IC	Credentials
Y	2122PGGMNN	COMPOSITE ICLASS/PROX, 16K/16, PROG, F-GLOSS, F-GLOSS, MATCHING ICLASS#, NO SLOT, NO PROX#	16.42	IC	Credentials
Y	2122PGGMVN	COMPOSITE ICLASS/PROX 16K/16, PROG. ICLASS, NON-PROG. PROX, F-GLOSS, B-GLOSS, MATCHING ICLASS#, VERT. SLOT, NO PROX#	15.95	IC	Credentials
Y	2122PGGSNN	COMPOSITE ICLASS/PROX 16K/16, PROG. ICLASS, NON-PROG. PROX, F-GLOSS, B-GLOSS, SEQ. NON-MATCHING ICLASS#, NO SLOT, NO PROX#	15.95	IC	Credentials
Y	2123AGGNNM	ICLASS, PROX 32K(16K/2+16K/1), COMPOS,CONFIG/PROG 125K, F-GL, B-GL, NO ICLASS #, NO SLOT, MATCH 125K	16.70	IC	Credentials
Y	2123AGGNVM	COMPOSITE ICLASS/PROX 32K (16K/2+16K/1), CONFIG. ICLASS, PROG PROX, F-GLOSS, B-GLOSS, NO ICLASS#, VERT. SLOT, MATCHING PROX#	16.22	IC	Credentials
Y	2123BG1MNM	ICLASS, PROX 32K(16K/2+16K/1),COMP,PROG 125K/ICLASS, F-GL, B-GLW/MAG, MAT ICLASS#, NO SLOT, MAT 125#	17.25	IC	Credentials
Y	2123BG1MVM	COMPOSITE ICLASS 32K (16K/2+16K/1)/PROX ,PROG ICLASS/PROX, F-GLOSS, B-GLOSS W/MAG, MATCH ICLASS#, VERT. SLOT, MATCH PROX#	16.77	IC	Credentials
Y	2123BGGMNM	COMPOSITE ICLASS, PROX 32K(16K/2+16K/1), PROG 125K/ICLASS, F-GL, B-GL, MATCH ICLASS#, NO SLOT, MATCH 125K	16.70	IC	Credentials
Y	2123BGGMNN	COMPOSITE ICLASS, PROX 32K(16K/2+16K/1), PROG 125K/ICLASS, F-GLOSS, B-GLOSS, MATCH ICLASS#, NO SLOT, NO 125K #	16.70	IC	Credentials
Y	2123BGGMVM	ICLASS, PROX 32K(16K/2+16K/1), COMP,PROG 125K/ICLASS, F-GL, B-GL, MATCH ICLASS#, VERT. SLOT, MATCH 125K	16.70	IC	Credentials
Y	2123BGGMVN	COMPOSITE ICLASS, PROX, 32K(16K/2+16K/1), PROG ICLASS/125K, F-GLOSS, B-GLOSS, MATCH ICLASS #, VERT SLOT, NO # 125K	16.50	IC	Credentials
Y	2123BGGNNM	COMPOSITE ICLASS/PROX 32K (16K/2+16K/1), PROG ICLASS/PROX, F-GLOSS, B-GLOSS, NO ICLASS#, NO SLOT, MATCHING PROX#	16.70	IC	Credentials
Y	2123BGGNNN	COMPOSITE ICLASS/PROX 32K (16K/2+16K/1), PROG ICLASS/PROX, F-GLOSS, B-GLOSS, NO ICLASS#, NO SLOT, NO PROX#	16.70	IC	Credentials
Y	2123BGGNVN	COMPOSITE ICLASS/PROX 32K (16K/2+16K/1), PROG ICLASS/PROX, F-GLOSS, B-GLOSS, NO ICLASS#, VERT. SLOT, NO PROX#	16.22	IC	Credentials
Y	2123BGGSNS	COMPOSITE ICLASS PROX 32K(16K/2+16K/1), PROG., F-GLOSS, B-GLOSS, SEQ. ICLASS#, NO SLOT, SEQ. PROX	16.70	IC	Credentials
Y	2123BGGSVS	COMPOSITE ICLASS 32K(16K/2+16K/1) PROX, PROG, F-GLOSS, B-GLOSS, SEQ. ICLASS#, VERT. SLOT, SEQ. PROX	16.70	IC	Credentials
Y	2123CG1NNN	ICLASS, PROX 32K (16K/2+16K/1), COMP, CONFIG, F-GL, B-GL W/ MAG , NO ICLASS #, NO SLOT, NO 125K #	17.25	IC	Credentials
Y	2123CGGNNN	ICLASS, PROX 32K (16K/2+16K/1), COMPOSITE, CONFIG, F-GL, B-GL, NO ICLASS #, NO SLOT, NO 125K	16.70	IC	Credentials
Y	2123CGGNVS	ICLASS, PROX 32K (16K/2+16K/1), COMPOSITE, CONFIG, F-GLOSS, B-GLOSS, NO ICLASS #, VERT. SLOT, SEQ. 125K	16.22	IC	Credentials
Y	2123CGGSNN	COMPOSITE ICLASS/PROX 32K (16K/2+16K/1), CONFIG. ICLASS, NON-PROG. PROX, F-GLOSS, B-GLOSS, SEQ. NON-MATCHING ICLASS#, NO SLOT, NO PROX#	16.22	IC	Credentials
Y	2123HBG1MNM	COMPOSITE ICLASS 32K (16K/2+16K/1) + PROX, PROG ICLASS SR/PROX, F-GLOSS, B-GLOSS W/MAG, MATCHING ICLASS #, NO SLOT, MATCHING PROX #, LAM	17.25	IC	Credentials
Y	2123HBGGMNM	COMPOSITE ICLASS PROX 32K(16K/2+16K/1), SR, PROG., F-GLOSS, B-GLOSS, MATCH. ICLASS#, NO SLOT, MATCH. PROX	16.70	IC	Credentials
Y	2123HBGGMNN	COMPOSITE ICLASS/PROX 32K (16K/2+16K/1), SR, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, MATCHING ICLASS#, NO SLOT, NO PROX#	16.70	IC	Credentials
Y	2123HBGGMVM	ICLASS SR, PROX 32K(16K/2+16K/1), COMP,PROG 125K/ICLASS, F-GL, B-GL, MATCH ICLASS#, VERT. SLOT, MATCH 125K	16.70	IC	Credentials
Y	2123HBGGNNN	COMPOSITE ICLASS PROX 32K(16K/2+16K/1), SR, PROG., F-GLOSS, B-GLOSS, NO ICLASS#, NO SLOT, NO PROX	16.02	IC	Credentials
Y	2123HBGGNNS	COMPOSITE ICLASS PROX 32K (16K/2+16K/1), SR, PROG ICLASS/PROX, F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, SEQ NON-MATCHING PROX #	16.70	IC	Credentials
Y	2123HPGGMNN	COMPOSITE ICLASS/PROX 32K (16K/2+16K/1), SR, PROG. ICLASS/PROX OR INDALA, F-GLOSS, B-GLOSS, MATCHING ICLASS#, NO SLOT, NO PROX#	16.75	IC	UNIDENTIFIED
Y	2123IGGNNN	COMPOSITE ICLASS 32K (16K/2+16K/1)/HITAG 2, CONFIG ICLASS, HITAG 2 BLANK, F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, NO PROX #	14.69	IC	UNIDENTIFIED
Y	2123IGGSNN	COMPOSITE ICLASS 32K (16K/2+16K/1)/HITAG 2, CONFIG ICLASS, HITAG 2 BLANK, F-GLOSS, B-GLOSS, SEQ NON-MATCHING ICLASS #, NO SLOT, NO PROX	16.70	IC	Credentials
Y	2123NGGNNN	COMPOSITE ICLASS PROX 32K, KB, NON-PRGMD, F-GLOSS, B-GLOSS, NO #, NO SLOT, NO 125K #, LAM	16.70	IC	Credentials
Y	2123PGGMNN	COMPOSITE ICLASS 32K (16K/2+16K/1) + PROX, PROG ICLASS/NON-PROG PROX, F-GLOSS, B-GLOSS, MATCHING ICLASS #, NO SLOT, NO PROX #, LAM	16.70	IC	Credentials
Y	2123PGGMVN	COMPOSITE ICLASS/PROX 32K (16K/2+16K/1), PROG. ICLASS, NON-PROG PROX, F-GLOSS, B-GLOSS, MATCHING ICLASS#, VERT SLOT, NO PROX#	16.70	IC	Credentials
Y	2124AG1NNM	ICLASS, PROX 32K(16K/16+16K/1),COMP,CONFIG/PROG 125K, F-GL, B-GLW/MAG, NO ICLASS#, NO SLOT,MATCH 125	17.25	IC	Credentials
Y	2124AGGNNM	ICLASS, PROX 32K(16K/16+16K/1), COMP, CONFIG/PROG 125K, F-GL, B-GL, NO ICLASS #, NO SLOT, MATCH 125K	16.70	IC	Credentials
Y	2124AGGNVM	COMPOSITE ICLASS/PROX 32K (16K/16+16K/1), CONFIG. ICLASS, PROG PROX, F-GLOSS, B-GLOSS, NO ICLASS#, VERT SLOT, MATCHING PROX#	16.22	IC	Credentials
Y	2124BG1ANN	ICLASS/PROX 32K (16K/16+16K/1), COMP, PROG. , F-GL, B-GL W/MAG, LASER ICLASS#, NO SLOT, NO 125#	17.25	IC	Credentials

Y	2124BG1MNM	ICLASS, PROX 32K(16K/16+16K/1), COMP, PROG 125K/ICLASS, F-GL, B-GLW/MAG, MATCH ICLASS#, NO SLOT, MATCH 125	17.25	IC	Credentials
Y	2124BG1MNN	ICLASS, PROX 32K(16K/16+16K/1),COMP,PROG 125K/ICLASS,F-GL,B-GLW/MAG,MATCH ICLASS#, NO SLOT,NO 125	17.25	IC	Credentials
Y	2124BG1MVN	COMPOSITE ICLASS PROX 32K(16K/16+16K/1), PROG., F-GLOSS, B-GLOSS W/MAG, MATCH ICLASS#, VERT. SLOT, NO PROX#	17.25	IC	Credentials
Y	2124BG1NNM	COMPOSITE ICLASS, PROX 32K(16K/16+16K/1), PROG 125K/ICLASS, F-GL, B-GL W/MAG, NO ICLASS#, NO SLOT, MATCH 125#	16.77	IC	Credentials
Y	2124BG1NNN	COMPOSITE ICLASS PROX 32K (16K/16+16K/1), PROG ICLASS/PROX, F-GLOSS, B-GLOSS W/MAG, NO ICLASS #, NO SLOT, NO PROX #	16.77	IC	Credentials
Y	2124BG1SNN	ICLASS, PROX 32K (16K/16+16K/1), COMP, PROG. , F-GL, B-GL W/MAG, SEQ ICLASS#, NO SLOT, NO 125#	17.25	IC	Credentials
Y	2124BGGANA	ICLASS, PROX 32K(16K/16+16K/1),COMP, PROG 125K/ICLASS, F - GLOSS, B - GLOSS, LASER MATCHING ICLASS#, NO SLOT, MATCHING LASER 125 #	16.70	IC	Credentials
Y	2124BGGBNN	COMPOSITE ICLASS, PROX 32K(16K/16+16K/1), PROG 125K/ICLASS, F-GLOSS, B-GLOSS, LASER ICLASS#, NO SLOT, NO 125 #	16.70	IC	Credentials
Y	2124BGGMNM	ICLASS, PROX 32K(16K/16+16K/1),COMP, PROG 125K/ICLASS, F-GL, B-GL, MATCH ICLASS#, NO SLOT, MATCH 125	16.70	IC	Credentials
Y	2124BGGMNN	COMPOSITE ICLASS, PROX 32K(16K/16+16K/1), PROG 125K/ICLASS, F-GLOSS, B-GLOSS, MATCH ICLASS#, NO SLOT, NO 125 #	16.70	IC	Credentials
Y	2124BGGMNS	COMPOSITE ICLASS/PROX 32K (16K/16+16K/1), PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, MATCHING ICLASS#, NO SLOT, SEQ NON-MATCHING PROX#	16.70	IC	Credentials
Y	2124BGGMVM	COMPOSITE ICLASS, PROX 32K(16K/16+16K/1), PROG 125K/ICLASS, F-GLOSS, B-GLOSS, MATCH. ICLASS#, VERT SLOT, MATCH 125	16.70	IC	Credentials
Y	2124BGGMVN	ICOMPOSITE CLASS, PROX 32K(16K/16+16K/1), PROG 125K/ICLASS, F-GLOSS, B-GLOSS, MATCH ICLASS#, VERT. SLOT, NO 125 #	16.70	IC	Credentials
Y	2124BGGNNA	COMPOSITE ICLASS, PROX 32K(16K/16+16K/1),PROG 125K/ICLASS, F-GL, B-GL, NO ICLASS#, NO SLOT, SEQ LASER 125 #	16.22	IC	Credentials
Y	2124BGGNNM	COMPOSITE ICLASS, PROX 32K(16K/16+16K/1), PROG 125K/ICLASS, F-GLOSS, B-GLOSS, NO ICLASS#, NO SLOT, MATCH 125	16.70	IC	Credentials
Y	2124BGGNNN	ICLASS, PROX 32K(16K/16+16K/1),COMP, PROG 125K/ICLASS, F-GL, B-GL, NO ICLASS#, NO SLOT, NO 125 #	16.70	IC	Credentials
Y	2124BGGNVM	COMPOSITE ICLASS/PROX 32K (16K/16+16K/1), PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, NO ICLASS#, VERT SLOT, MATCHING PROX#	16.22	IC	Credentials
Y	2124BGGSNM	COMPOSITE ICLASS/PROX 32K (16K/16+16K/1), PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, SEQ NON-MATCHING ICLASS#, NO SLOT, MATCHING PROX#	16.22	IC	Credentials
Y	2124BGGSNN	COMPOSITE ICLASS/PROX 32K (16K/16+16K/1), ICLASS/PROX PROG, F-GLOSS, B-GLOSS, SEQ NON-MATCHING ICLASS#, NO SLOT, NO PROX#	16.70	IC	Credentials
Y	2124BGGSNS	COMPOSITE ICLASS/PROX 32K (16K/16+16K/1), PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, SEQ NON-MATCHING ICLASS#, NO SLOT, SEQ NON-MATCHING PROX#	16.70	IC	Credentials
Y	2124BGGSVM	COMPOSITE ICLASS/PROX 32K (16K/16+16K/1), PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, SEQ NON-MATCHING ICLASS#, VERT. SLOT, MATCHING PROX#	16.22	IC	Credentials
Y	2124BGGSVS	COMPOSITE ICLASS/PROX 32K (16K/16+16K/1), PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, SEQ NON-MATCHING ICLASS#, VERT. SLOT, SEQ NON-MATCHING PROX#	16.22	IC	Credentials
Y	2124CGGNNN	COMPOSITE ICLASS, PROX 32K (16K/16+16K/1), CONFIGURED, F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, NO 125K	16.70	IC	Credentials
Y	2124CGGNVN	COMPOSITE ICLASS, PROX 32K (16K/16+16K/1), CONFIG., F-GLOSS, B-GLOSS, NO ICLASS #, VERT. SLOT, NO 125K#	16.22	IC	Credentials
Y	2124CGGSNN	COMPOSITE ICLASS/PROX 32K (16K/16+16K/1), CONFIG ICLASS, NON-PROG PROX, F-GLOSS, B-GLOSS, SEQ NON-MATCHING ICLASS#, NO SLOT, NO PROX#	16.22	IC	Credentials
Y	2124CGGSNS	COMPOSITE ICLASS PROX 32K (16K/16+16K/1), CONFIG ICLASS, NON-PROG PROX, F-GLOSS, B-GLOSS, SEQ NON-MATCHING ICLASS #, NO SLOT, SEQ NON-MATCHING PROX #	16.22	IC	Credentials
Y	2124HBG1MNM	COMPOSITE ICLASS PROX 32K(16K/16+16K/1), SR, PROG., F-GLOSS, B-GLOSS W/ MAG, MATCH ICLASS#, NO SLOT, MATCH PROX#	17.25	IC	Credentials
Y	2124HBG1MNN	COMPOSITE ICLASS PROX 32K(16K/16+16K/1), SR, PROG., F-GLOSS, B-GLOSS W/ MAG, MATCH ICLASS#, NO SLOT, NO PROX#	16.77	IC	Credentials
Y	2124HBGGANN	COMPOSITE ICLASS/PROX 32K (16K/16+16K/1), SR, PROG ICLASS AND PROX, F-GLOSS, B-GLOSS, MATCH LASER#, NO SLOT, NO PROX	16.22	IC	Credentials
Y	2124HBGGBNN	COMPOSITE ICLASS PROX 32K(16K/16+16K/1), SR, PROG., F-GLOSS, B-GLOSS, SEQ LASER ICLASS#, NO SLOT, NO PROX#	16.70	IC	Credentials
Y	2124HBGGMNM	COMPOSITE ICLASS/PROX 32K (16K/16+16K/1), SR, PROG ICLASS AND PROX, F-GLOSS, B-GLOSS, MATCH ICLASS#, NO SLOT, MATCH PROX	16.70	IC	Credentials
Y	2124HBGGMNN	COMPOSITE ICLASS PROX 32K(16K/16+16K/1), SR, PROG., F-GLOSS, B-GLOSS, MATCH ICLASS#, NO SLOT, NO PROX#	16.70	IC	Credentials
Y	2124HBGGMVM	COMPOSITE ICLASS/PROX 32K (16K/16+16K/1), SR, PROG ICLASS AND PROX, F-GLOSS, B-GLOSS, MATCH ICLASS#, VERTICAL SLOT, MATCH PROX	16.70	IC	Credentials
Y	2124HBGGNNM	COMPOSITE ICLASS/PROX 32K (16K/16+16K/1), SR, PROG ICLASS/PROX, F-GLOSS, B-GLOSS, NO ICLASS#, NO SLOT, MATCHING PROX#	16.22	IC	Credentials
Y	2124HBGGNNN	COMPOSITE ICLASS PROX 32K(16K/16+16K/1), SR, PROG., F-GLOSS, B-GLOSS, MATCH ICLASS#, NO SLOT, NO PROX#	16.70	IC	Credentials
Y	2124HBGGSNN	COMPOSITE ICLASS/PROX 32K (16K/16+16K/1), SR, PROG ICLASS/PROX, F-GLOSS, B-GLOSS, SEQ NON-MATCHING ICLASS#, NO SLOT, NO PROX#	16.70	IC	Credentials
Y	2124HPG1MVN	COMPOSITE ICLASS/PROX 32K (16K/16+16K/1), SR, PROG ICLASS, F-GLOSS, B-GLOSS W/MAG, MATCH ICLASS#, VERT. SLOT, NO PROX	16.77	IC	Credentials
Y	2124HPGGMVN	COMPOSITE ICLASS/PROX 32K (16K/16+16K/1), SR, PROG ICLASS, NON-PROG PROX, F-GLOSS, B-GLOSS, MATCHING ICLASS#, VERT. SLOT, NO PROX#	16.22	IC	Credentials
Y	2124LGGNNM	ICLASS, PROX 32K (16K/16+16K/1), COMP, PROG 125K, F-GL, B-GL, NO ICLASS #, NO SLOT, MATCHING 125K #	16.70	IC	Credentials
Y	2124NG1NNN	COMPOSITE ICLASS PROX 32K, KB, NON-PRGMD, F-GLOSS, B-GLOSS W/ MAG, NO #, NO SLOT, NO 125K #, LAM	16.02	IC	Credentials
Y	2124PGGMNN	COMPOSITE ICLASS, PROX 32K (16K/16 + 16K/1), PROG ICLASS, F-GLOSS, B-GLOSS, MATCH ICLASS #, NO SLOT, NO 125 #	16.70	IC	Credentials
Y	2124PGGMVN	COMPOSITE ICLASS/PROX 32K (16K/16+16K/1), PROG ICLASS, NON-PROG PROX, F-GLOSS, B-GLOSS, MATCHING ICLASS#, VERT. SLOT, NO PROX#	16.70	IC	Credentials
Y	2131AGGNNN	COMPOSITE ICLASS PROX EMBED 16K, CONFIG NON-PROG, F-GLOSS, B-GLOSS , NO#, NO SLOT,	19.38	EB	Credentials
Y	2131BG1MNM	ICLASS PROX COMP EMBED 16K, PROG, F-GLOSS, B-GLOSS W/ MAG, MATCH ICLASS #, NO SLOT, MATCH 125K	19.93	EB	Credentials
Y	2131BG1MNN	ICLASS PROX COMP EMBED 16K, PROG, F-GLOSS, B-GLOSS W/ MAG, MATCH ICLASS #, NO SLOT, NO PROX, LAM	19.93	EB	Credentials
Y	2131BGGANA	ICLASS PROX COMP EMBED 16K, PROG, F-GLOSS, B-GLOSS, LASER ICLASS #, NO SLOT, LASER 125K, LAM	19.38	EB	Credentials
Y	2131BGGMNM	ICLASS PROX COMP EMBED 16K, PROG, F-GLOSS, B-GLOSS, MATCH ICLASS #, NO SLOT, MATCH 125K, LAM	19.38	EB	Credentials
Y	2131PGGMNN	COMPOSITE ICLASS PROX EMBEDDABLE 16K/2, PROG ICLASS, NON-PROG PROX, F-GLOSS, B-GLOSS, MATCHING ICLASS #, NO SLOT, NO PROX #	19.38	EB	Credentials
Y	2132AG1NNM	ICLASS PROX COMP EMBED 16K, CONFIG., F-GLOSS, B-GLOSS W/MAG, MATCHING#, NO SLOT	19.93	EB	Credentials
Y	2132BG1MNM	ICLASS PROX COMP EMBED 16K, PROG., F-GLOSS, B-GLOSS W/MAG & BUG, MATCHING#, NO SLOT, LAM	19.93	EB	Credentials
Y	2132BG1MNN	ICLASS PROX COMP EMBED 16K, PROG., F-GLOSS, B-GLOSS W/MAG & BUG, MATCHING#, NO SLOT, LAM	19.93	EB	Credentials
Y	2132BGGMNM	ICLASS PROX COMP EMBED 16K, PROG., F-GLOSS, B-GLOSS, MATCHING#, NO SLOT, LAM	19.96	EB	Credentials
Y	2132BGGMNN	ICLASS PROX COMP EMBED 16K, PROG., F-GLOSS, B-GLOSS, MATCHING ICLASS#, NO SLOT, NO 125K #	19.96	EB	Credentials
Y	2132BGGMVM	ICLASS PROX COMP EMBED 16K, PROG., F-GLOSS, B-GLOSS, MATCHING#, VERT. SLOT, LAM	19.96	EB	Credentials
Y	2132CG1NNN	ICLASS PROX COMP EMBED 16K, CONF., F-GLOSS, B-GLOSS W/MAG & BUG, NO#, NO SLOT, LAM	19.93	EB	Credentials
Y	2132CGGNNN	ICLASS PROX COMP EMBED 16K, CONF., F-GLOSS, B-GLOSS, NO#, NO SLOT, LAM	19.96	EB	Credentials
Y	2133BGGANA	ICLASS, PROX 32K(16K/2+16K/1), COMPOSITE, EMBED, PROG ICLASS/PROX, F-GLOSS, B-GLOSS, LASER MATCHING ICLASS #, NO SLOT, LASER MATCHING PROX #	20.27	EB	Credentials
Y	2133BGGMNM	ICLASS, PROX 32K(16K/2+16K/1),COMP,EMBED,PROG 125K/ICLASS, F-GL, B-GL, MATCHICLASS#,NO SLOT,MAT 125#	20.27	EB	Credentials
Y	2133BGGMNN	COMPOSITE ICLASS/PROX 32K (16K/2+16K/1), EMBED, PROG ICLASS/PROX, F-GLOSS, B-GLOSS, MATCH. ICLASS#, NO SLOT, NO PROX#	20.27	EB	Credentials
Y	2133BGGNNN	ICLASS, PROX 32K(16K/2+16K/1), COMP, EMBED, PROG 125K/ICLASS, F-GLOSS, B-GLOSS, NO ICLASS#, NO SLOT, NO 125#	20.27	EB	Credentials
Y	2133CG1NNN	ICLASS, PROX 32K (16K/2+16K/1), COMP,EMBED,CONFIGURED, F-GL, B-GL W/ MAG ,NO ICLASS#, NO SLOT, NO125	20.81	EB	Credentials
Y	2133NG1NNN	ICLASS, PROX 32K(16K/2+16K/1), COMP, EMBED, NON-PRGMD, F-GLOSS, B-GLOSS W/MAG, NO #, NO SLOT, NO125	20.27	EB	Credentials
Y	2133NGGNNN	COMPOSITE ICLASS PROX 32K (16K/2+16K/1), EMBEDDABLE, NON-PROG, F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, NO PROX #	20.27	EB	Credentials
Y	2133PGGMNN	ICLASS, PROX 32K (16K/2+16K/1), COMP, EMBED,PROG ICLASS, F-GL, B-GL, MATCH ICLASS #, NO SLOT, NO 125	20.27	EB	Credentials
Y	2134BG1ANN	ICLASS/PROX 32K (16K/16+16K/1), COMP, EMBED, PROG., F-GL, B-GL W/MAG, LASER ICLASS#, NO SLOT, NO 125#	20.82	EB	Credentials
Y	2134BG1MNM	COMPOSITE ICLASS PROX 32K (16K/16+16K/1), EMBEDDABLE, PROG ICLASS/PROX, F-GLOSS, B-GLOSS W/MAG, MATCHING ICLASS #, NO SLOT, MATCHING PROX #	20.82	EB	Credentials
Y	2134BG1MNN	ICLASS,PROX32K(16K/16+16K/1), EMBEDABLE, ICLASS AND PROX PROG , F - GLOSS, B - GLOSS W/MAG, MATCHING ICLASS#,NO SLOT, NO PROX	20.82	EB	Credentials
Y	2134BGGMNM	ICLASS, PROX 32K(16K/16+16K/1),COMP,EMBED,PROG 125K/ICLASS, F-GL, B-GL, MATICLASS#,NO SLOT,MAT 125#	20.27	EB	Credentials
Y	2134BGGMVM	ICLASS, PROX 32K (16K/16+16K/1), COMP, EMBED, PROG 125K/ICLASS, F-GL, B-GL, MATCH ICLASS#,VERTICAL SLOT, MATCH 125#	20.27	EB	Credentials
Y	2134BGGNNA	ICLASS PROX COMP EMBED 32K (16K/1+16K/1), PROG., F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, MATCHING LASER PROX#	20.27	EB	Credentials
Y	2134BGGRNS	ICLASS, PROX 32K(16K/16+16K/1),COMP,EMBED,PROG 125K/ICLASS, F-GL, B-GL, RANDOM ICLASS#,NO SLOT,SEQ 125#	20.27	EB	Credentials
Y	2134CG1NNN	ICLASS, PROX 32K(16K/16+16K/1), COMP,EMBED,CONFIGURED, F-GL, B-GL W/ MAG ,NO ICLASS#, NO SLOT, NO125	20.27	EB	Credentials
Y	2134CGGNNN	ICLASS, PROX 32K (16K/16+16K/1), COMP, EMBED,CONFIGURED, F-GL, B-GL, NO ICLASS #, NO SLOT, NO 125K	20.27	EB	Credentials
Y	2270-0580	HARDWARE PACK, 6 WIRE, MODEL 507/544/584	51.85	MS	Readers
Y	2290-0001	SOFTWARE, MODEL 450	428.57	MS	Product Components
Y	2310-0037	INKJET MARKING (PER CARD)	0.30	MS	Readers
Y	2322PPGGMNN	ICLASS 16K/16, ICLASS PROGRAMMED / LEGIC BLANK, LEGIC PRIME 1024 BYTE, F- GLOSS, B-GLOSS, MATCH ICLASS #, NO SLOT, NO LEGIC #	16.99	IC	Credentials

Y	2323BNGGMNM	ICLASS 32K (16K/2 + 16K/1)/MIFARE 4K, PROG., F-GLOSS, B-GLOSS, MATCHING ICLASS #, NO SLOT, MATCHING MIFARE#, LAM	15.75	IC	Credentials
Y	2323CKGGNNN	ICLASS 32K (16K/2 + 16K/1)/DESFIRE EV1 8K, CONFIG. ICLASS, F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, NO DESFIRE#, LAM	17.08	IC	Credentials
Y	2323CNGGNNN	ICLASS 32K (16K/2 + 16K/1)/MIFARE 4K, CONFIG. ICLASS, F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, NO DESFIRE#, LAM	15.65	IC	Credentials
Y	2323HKGGMNN	ICLASS 32K/MIFARE DESFIRE EV1 8K, SR, PROG ICLASS., F-GLOSS, B-GLOSS, MATCH. ICLASS#, NO SLOT, NO DESFIRE#	17.08	IC	Credentials
Y	2323HKGGNNN	ICLASS 32K (16K/2 + 16K/1) SR, DESFIRE EV1 8K, PROG. ICLASS, F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, NO DESFIRE#, LAM	17.08	IC	Credentials
Y	2323PKGGMNN	ICLASS 32K (16K/2 + 16K/1)/DESFIRE EV1 8K, PROG. ICLASS, F-GLOSS, B-GLOSS, MATCHING ICLASS #, NO SLOT, NO DESFIRE#, LAM	17.59	IC	Credentials
Y	2323PNGGANN	ICLASS 32K (16K/2 + 16K/1) MIFARE 4K, PVC, PROG, F-GLOSS, B-GLOSS, LASER ICLASS #, NO SLOT, NO MIFARE	15.65	IC	Credentials
Y	2323PNGGMNN-210408	ICLASS 32K (16K/2+16K/1) / MIFARE 4K, F-GLOSS, B-GLOSS, MATCHING ICLASS#, NO SLOT, NO MIFARE#	15.65	IC	Credentials
Y	2324BKG1MNN	ICLASS 32K (16K/16+16K/1)/DESFIRE EV1 8K, PROG., F-GLOSS, B-GLOSS W/MAG, MATCHING ICLASS#, NO SLOT, NO DESFIRE#	17.08	IC	Credentials
Y	2324BNG1ANN	ICLASS 32K/MIFARE 4K/MAGSTRIPE, F-GLOSS, B-GLOSS W/MAG, LASER ICLASS#, NO SLOT, NO MIFARE#	16.20	IC	Credentials
Y	2324BNGGMNN	ICLASS 32K/MIFARE 4K, F-GLOSS, B-GLOSS W/MAG, MATCHING ICLASS#, NO SLOT, NO MIFARE#	15.75	IC	Credentials
Y	2324CKGGNNN	ICLASS 32K/DESFIRE EV1 8K, CONF. ICLASS, F-GLOSS, B-GLOSS, NO ICLASS#, NO SLOT, NO MIFARE#	17.08	IC	Credentials
Y	2324CNG1NNN	ICLASS 32K/MIFARE 4K, CONF. ICLASS, F-GLOSS, B-GLOSS W/MAG, NO ICLASS#, NO SLOT, NO MIFARE#, LAM	16.20	IC	Credentials
Y	2324JKGGMNM	ICLASS 32K (16K/16+16K/1)/DESFIRE EV1 8K, SR PROG. ICLASS/DESFIRE, F-GLOSS, B-GLOSS, MATCHING ICLASS #, NO SLOT, MATCHING DESFIRE #, LAM	17.18	IC	Credentials
Y	2324PKG1MNN	ICLASS 32K (16K/16+16K/1)/DESFIRE EV1 8K, F-GLOSS, B-GLOSS W/MAG, MATCHING ICLASS#, NO SLOT, NO DESFIRE#	17.63	IC	Credentials
Y	2324PKGGMNN	ICLASS 32K (16K/16+16K/1)/DESFIRE EV1 8K, F-GLOSS, B-GLOSS, MATCHING ICLASS#, NO SLOT, NO DESFIRE#	17.59	IC	Credentials
Y	2324PNG1ANN	ICLASS 32K (16K/16+16K/1)/MIFARE 4K, PROG. ICLASS, F-GLOSS, B-GLOSS W/MAG, SEQ. MATCHING LASER ICLASS#, NO SLOT, NO MIFARE#	16.20	IC	Credentials
Y	2324PNG1MNN	ICLASS 32K (16K/16+16K/1) / MIFARE 4K, PROGRAM ICLASS, F-GLOSS, B-GLOSS W/ MAG, MATCH. ICLASS#, NO SLOT, NO MIFARE#	16.20	IC	Credentials
Y	2420BMG1MNN	COMPOSITE ICLASS 2K/MIFARE 1K, PROG., F-GLOSS, B-GLOSS W/MAG, MATCH. ICLASS#, NO SLOT, NO MIFARE#, LAM LIST PRICE $7.75	10.84	IC	Credentials
Y	2420BMGGANA	COMPOSITE ICLASS 2K/MIFARE 1K, PROG., F-GLOSS, B-GLOSS, LASER MATCH ICLASS#, NO SLOT, LASER MATCH. MIFARE#	10.19	IC	Credentials
Y	2420BMGGMNM	COMPOSITE ICLASS 2K/2 + MIFARE 1K, PROG ICLASS/MIFARE, F-GLOSS, B-GLOSS, MATCHING ICLASS #, NO SLOT, MATCHING MIFARE #, LAM	10.29	IC	Credentials
Y	2420BMGGMNN	COMPOSITE ICLASS 2K MIFARE 1K, PROG., F-GLOSS, B-GLOSS, MATCH. ICLASS#, NO SLOT, MATCH. MIFARE#, LAM	10.19	IC	Credentials
Y	2420CMG1NNN	COMPOSITE ICLASS 2K/2 MIFARE 1K, CONFIG ICLASS, NON-PROG MIFARE, F-GLOSS, B-GLOSS W/MAG, NO ICLASS #, NO SLOT, NO MIFARE #, LAM	10.54	IC	Credentials
Y	2420CMGGNNN	COMPOSITE ICLASS 2K/2 MIFARE 1K, CONFIG ICLASS, NON-PROG MIFARE, F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, NO MIFARE #	10.19	IC	Credentials
Y	2420CMGGSNN	COMPOSITE ICLASS 2K/2 MIFARE 1K, CONFIG ICLASS, NON-PROG MIFARE, F-GLOSS, B-GLOSS, SEQ NON-MATCHING ICLASS #, NO SLOT, NO MIFARE #	10.19	IC	Credentials
Y	2420HMG1MNM	COMPOSITE ICLASS 2K MIFARE 1K, SR, PROG., F-GLOSS, B-GLOSS W/MAG, MATCH. ICLASS#, NO SLOT, MATCH. MIFARE#, LAM	10.74	IC	Credentials
Y	2420HMG1MNN	COMPOSITE ICLASS 2K MIFARE 1K, SR, PROG., F-GLOSS, B-GLOSS W/MAG, MATCH. ICLASS#, NO SLOT, NO MIFARE#, LAM	10.19	IC	Credentials
Y	2420HMGGMNN	COMPOSITE ICLASS 2K MIFARE 1K, SR, PROG., F - GLOSS, B - GLOSS , MATCH. ICLASS#, NO SLOT, NO MIFARE#, LAM	10.19	IC	Credentials
Y	2420JMG1MNM	COMPOSITE ICLASS 2K MIFARE 1K, SR, PROG. BOTH, F-GLOSS, B-GLOSS W/MAG, MATCH. ICLASS#, NO SLOT, MATCH. MIFARE#, LAM	10.74	IC	Credentials
Y	2420JMGGMNM	COMPOSITE ICLASS 2K/2 MIFARE 1K, SR, PROG ICLASS/MIFARE, F-GLOSS, B-GLOSS, MATCHING ICLASS #, NO SLOT, MATCHING MIFARE #	9.99	IC	Credentials
Y	2420JMGGMNN	COMPOSITE ICLASS 2K/2 MIFARE 1K, SR, PROG ICLASS/MIFARE, F-GLOSS, B-GLOSS, MATCHING ICLASS #, NO SLOT, NO MIFARE #	9.99	IC	Credentials
Y	2420NMGGNNN	COMPOSITE ICLASS 2K/MIFARE 1K, NON-PROG, F-GLOSS, B-GLOSS, NO ICLASS#, NO SLOT, NO MIFARE#, LAM	10.19	IC	Credentials
Y	2420PMG1MNN	COMPOSITE ICLASS 2K/MIFARE 1K, PROG. ICLASS, F-GLOSS, B-GLOSS, MATCHING ICLASS#, NO SLOT, NO MIFARE#, LAM	10.74	IC	Credentials
Y	2420PMGGMNN	COMPOSITE ICLASS 2K/2 MIFARE 1K, PROG ICLASS, NON-PROG MIFARE, F-GLOSS, B-GLOSS, MATCHING ICLASS #, NO SLOT, NO MIFARE #	10.19	IC	Credentials
Y	2423BNGGMNN	COMPOSITE ICLASS 32K (16K/2+16K/1) MIFARE 4K, PROGRAM ICLASS/MIFARE, F-GLOSS, B-GLOSS, MATCHING ICLASS #, NO SLOT, NO MIFARE #	16.32	IC	Credentials
Y	2423HNGGMNN	COMPOSITE ICLASS SR 32K (16K/2+16K/1) MIFARE 4K, F-GLOSS, B-GLOSS, MATCHING ICLASS #, NO SLOT, NO MIFARE #	16.32	IC	Credentials
Y	2423NKGGNNN	COMPOSITE ICLASS 32K (16K/2 + 16K/1)/DESFIRE EV1 8K, NON-PROG, F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, NO DESFIRE#, LAM	17.79	IC	Credentials
Y	2424CNGGNNN	ICLASS 32K (16K/16+16K/1) MIFARE 4K, NON-PROG., F-GLOSS, B-GLOSS, NO ICLASS#, NO SLOT, NO MIFARE#, LAM	16.32	IC	Credentials
Y	2424HNG1MNN	COMPOSITE ICLASS 32K MIFARE 4K, SR, PROG., F-GLOSS, B-GLOSS W/MAG, MATCH. ICLASS#, NO SLOT, NO MIFARE#, LAM	16.87	IC	Credentials
Y	2424HNGGMNN	COMPOSITE ICLASS 32K (16K/16+16K/1)/MIFARE 4K, SR, PROG ICLASS, NON-PROG MIFARE, F-GLOSS, B-GLOSS, MATCHING ICLASS #, NO SLOT, NO MIFARE #	16.32	IC	Credentials
Y	2424PNG1CNN	COMPOSITE ICLASS 32K/MIFARE 4K, PROG. ICLASS, F-WHITE GLOSSY, B- WHITE W/MAG, RANDOM/NON MATCHING LASER ICLASS#, NO SLOT, NO #, LAM	18.34	IC	Credentials
Y	2424PNGGNNN	ICLASS 32K (16K/16+16K/1) MIFARE 4K, PROG., F-GLOSS, B-GLOSS, NO ICLASS#, NO SLOT, NO MIFARE#, LAM	16.32	IC	Credentials
Y	2430PMGGMNN	COMPOSITE ICLASS 2K/MIFARE 1K, PROG. ICLASS, F-GLOSS, B-GLOSS, MATCH ICLASS#, NO SLOT, NO MIFARE#, LAM	14.51	EB	Credentials
Y	2433PKGGMNN	COMPOSITE ICLASS 32K (16K/2+16K/1) DESFIRE EV1 8K, PROG. ICLASS, F-GLOSS, B-GLOSS, MATCHING ICLASS#, NO SLOT, NO DESFIRE#, LAM	19.92	EB	Credentials
Y	2433PNGGMNN	ICLASS 32K (16K/16+16K/1) MIFARE 4K, PROG. ICLASS, F-GLOSS, B-GLOSS, MATCHING ICLASS#, NO SLOT, NO MIFARE#, LAM	18.06	EB	Credentials
Y	2434CKG1NNN	COMPOSITE ICLASS 32K (16K/16+16K/1) DESFIRE EV1 8K, EMB, CONFIG. ICLASS, F-GLOSS, B-GLOSS, NO ICLASS#, NO SLOT, NO DESFIRE#, LAM	20.47	EB	Credentials
Y	2434CNG1NNN	COMPOSITE ICLASS 32K (16K/16+16K/1) MIFARE 4K, CONFIG. ICLASS, NON-PROGR. MIFARE, F-GLOSS, B-GLOSS W MAGSTRIPE, NO ICLASS#, NO SLOT, NO MIFARE#, LAM	17.52	EB	Credentials
Y	2434PKGGMNN	COMPOSITE ICLASS 32K (16K/16+16K/1) + DESFIRE EV1 8K, EMBEDDABLE, PROG ICLASS/NON-PROG DESFIRE, F-GLOSS, B-GLOSS, MATCHING ICLASS #, NO SLOT, NO DESFIRE #, LAM	19.92	EB	Credentials
Y	2434PNGGMNN	COMPOSITE ICLASS 32K (16K/16+16K/1) MIFARE 4K, PROG. ICLASS, F-GLOSS, B-GLOSS, MATCH ICLASS#, NO SLOT, NO MIFARE#, LAM	18.06	EB	Credentials
Y	2434PNGGRNN	COMPOSITE ICLASS 32K (16K/16+16K/1) + MIFARE 4K, EMBEDDABLE, PROG ICLASS/NON-PROG MIFARE, F-GLOSS, B-GLOSS, RANDOM NON-MATCHING SEQ ICLASS #, NO SLOT, NO MIFARE #, LAM	18.06	EB	Credentials
Y	2523BNPGGMNMM	ICLASS 32K (16/2 + 16/1)/MIFARE 4K/PROX, PROG., F-GLOSS, B-GLOSS, MATCH. ICLASS#, NO SLOT, MATCH. MIFARE#, MATCH. PROX#, LAM	20.34	IC	Credentials
Y	2523BNPGGMNNN	ICLASS 32K (16/2 + 16/1)/MIFARE 4K/PROX, PROG., F-GLOSS, B-GLOSS, MATCH. ICLASS#, NO SLOT, NO MIFARE#, NO PROX#, LAM	19.75	IC	Credentials
Y	2523CNPGGNNNM	ICLASS 32K (16/2 + 16/1)/MIFARE 4K/PROX, CONF., F-GLOSS, B-GLOSS, NO ICLASS#, NO SLOT, NO MIFARE#, MATCH. PROX#, LAM	19.65	IC	Credentials
Y	2523HNCGGNNNN	ICLASS 32K (16/2 + 16/1)/MIFARE 4K/PROX, SR, F-GLOSS, B- GLOSS, NO ICLASS#, NO SLOT, NO MIFARE#, NO PROX#, LAM	19.65	IC	Credentials
Y	2523HNPGGMNNM	ICLASS 32K (16/2 + 16/1)/MIFARE 4K/PROX, SR, F-GLOSS, B- GLOSS, MATCH ICLASS#, NO SLOT, NO MIFARE#, MATCH PROX#, LAM	19.65	IC	Credentials
Y	2523HOCGGMNNM	ICLASS 32K (16/2 + 16/1)/LEGIC PRIME 1024/PROX, SR, INDALAPROG. PROX, F-GLOSS, B-GLOSS, MATCHING ICLASS#, NO SLOT, MATCHING PROX#, LAM	23.78	IC	Credentials
Y	2523HONGGMNNN	ICLASS 32K (16/2 + 16/1)/LEGIC PRIME 1024/PROX, SR, INITIALIZED. PROX, F-GLOSS, B-GLOSS, MATCHING ICLASS#, NO SLOT, NO MIFARE#, NO PROX#, LAM	24.49	IC	Credentials
Y	2523HOPGGMNNM	ICLASS 32K/LEGIC/PROX, SR, PROG. F-GLOSS, B-GLOSS, MATCHING ICLASS#, NO SLOT, NO LEGIC #, MATCHING PROX#	24.49	IC	Credentials
Y	2523HOPGGNNNN	ICLASS 32K (16/2 + 16/1)/LEGIC PRIME 1024/PROX, SR, PROG. PROX, F-GLOSS, B-GLOSS, NO ICLASS#, NO SLOT, NO MIFARE#, NO PROX#, LAM	23.78	IC	Credentials
Y	2523PNCG1MNNM	ICLASS 32K (16/2 + 16/1)/MIFARE 4K/PROX, PROG. ICLASS, INDALA CASI PROX PROGRAM, F-GLOSS, B-GLOSS W/MAG, MATCH. ICLASS#, NO SLOT, NO MIFARE#, MATCHING PROX#, LAM	20.20	IC	Credentials
Y	2523PNPG1MNNN	ICLASS 32K (16/2 + 16/1)/MIFARE 4K/PROX, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS W/MAG, MATCH. ICLASS#, NO SLOT, NO MIFARE#, NO PROX#, LAM	20.20	IC	Credentials
Y	2523PNPGGMNNM	ICLASS 32K (16/2 + 16/1)/MIFARE 4K/PROX, PROG. ICLASS/PROX, F-GLOSS, B- GLOSS, MATCH. ICLASS#, NO SLOT, NO MIFARE#, MATCH. PROX#, LAM	19.65	IC	Credentials
Y	2524BNCGGMNNN	ICLASS 32K/MIFARE 4K/PROX/CONTACT CHIP, F-GLOSS, B- GLOSS, MATCH ICLASS#, NO SLOT, NO#, NO#	19.75	IC	Credentials
Y	2524BNPGGMNMM	ICLASS 32K (16/16 + 16K/1)/MIFARE 4K/PROX, PROG., F-GLOSS, B-GLOSS, MATCH. ICLASS#, NO SLOT, MATCH. MIFARE#, MATCH. PROX#, LAM	19.75	IC	Credentials
Y	2524BNPGGMNNN	ICLASS 32K/MIFARE 4K/PROX, F-GLOSS, B-GLOSS, MATCH ICLASS#, NO SLOT, NO MIFARE#, NO PROX#, LAM	19.75	IC	Credentials
Y	2524CNNGGNNNN	ICLASS 32K/MIFARE 4K/PROX, CONF. ICLASS, F-GLOSS, B- GLOSS, NO ICLASS#, NO SLOT, NO MIFARE#, NO PROX#	19.65	IC	Credentials
Y	2524HOCGGMNNM	ICLASS 32K/LEGIC/PROX, SR, PROG. INDALA/CASI, F-GLOSS, B-GLOSS, MATCHING ICLASS#, NO SLOT, NO LEGIC #, MATCHING PROX#	23.78	IC	Credentials
Y	2524HOCGGMNNN	ICLASS 32K/LEGIC/PROX, SR, PROG. INDALA/CASI, F-GLOSS, B-GLOSS, MATCHING ICLASS#, NO SLOT, NO LEGIC #, NO PROX#	23.78	IC	Credentials
Y	2524HOPGGMNNM	ICLASS 32K/LEGIC/PROX, SR, PROG. F-GLOSS, B-GLOSS, MATCHING ICLASS#, NO SLOT, NO LEGIC #, MATCHING PROX#	23.78	IC	Credentials
Y	2524PNPGGMNNM	ICLASS 32K/MIFARE 4K/PROX, F-GLOSS, B- GLOSS, MATCH ICLASS#, NO SLOT, NO MIFARE#, MATCHING PROX#	20.24	IC	Credentials
Y	2524PNPGGMNNN	ICLASS 32K/MIFARE 4K/PROX, F-GLOSS, B- GLOSS, MATCH ICLASS#, NO SLOT, NO MIFARE#, NO PROX#	20.24	IC	Credentials
Y	25BNKS-10-000000	HID SIGNO BIOMETRIC READER 25B READER/CONTROLLER	1,500.28	IR	Readers
Y	2620BMCG1MNMM	COMPOSITE ICLASS 2K/MIFARE 1K/PROX, PROG. ICLASS/PROX, F - GLOSSY, B - GLOSS W/MAG, MATCH. ICLASS#, NO SLOT, MATCH MIFARE#, MATCH. PROX#, LAM	16.65	IC	Credentials
Y	2620BMCGGMNMM	COMPOSITE ICLASS 2K/MIFARE 1K/PROX, PROG ICLASS/MIFARE/INDALA CASI PROX, F-GLOSS, B-GLOSS, MATCHING ICLASS #, NO SLOT, MATCHING MIFARE #, MATCHING PROX #	16.00	IC	Credentials
Y	2620BMCGGSNNN	COMPOSITE ICLASS 2K/MIFARE 1K/PROX, PROG. ICLASS/MIFARE/INDALA CASI PROX, F-GLOSS, B-GLOSS, SEQ NON-MATCHING ICLASS #, NO SLOT, NO MIFARE #, NO PROX #	16.00	IC	Credentials
Y	2620BMPG1ANNN	COMPOSITE ICLASS 2K/MIFARE 1K/PROX, PROG. ICLASS/PROX, F - GLOSSY, B - GLOSS W/MAG, MATCH. ICLASS#, NO SLOT, MATCH MIFARE#, MATCH. PROX#, LAM	14.91	IC	Credentials
Y	2620BMPGGMNNM	COMPOSITE ICLASS 2K/MIFARE 1K/PROX, PROG ICLASS/MIFARE, PROG PROX, F-GLOSS, B-GLOSS, MATCHING ICLASS #, NO SLOT, NO MIFARE #, MATCHING PROX #	15.80	IC	Credentials

Y	2620BMPGGMNNN	COMPOSITE ICLASS 2K/MIFARE 1K/PROX, PROG ICLASS/MIFARE, PROG PROX, F-GLOSS, B-GLOSS, MATCHING ICLASS #, NO SLOT, NO MIFARE #, NO PROX #	16.00	IC	Credentials
Y	2620CMNGGNNNN	COMPOSITE ICLASS 2K/MIFARE 1K/PROX, CONFIG NON-PROG. ICLASS, NON PROG. MIFARE, NON PROG PROX, F-GLOSS, B-GLOSS, NO ICLASS#, NO SLOT, NO MIFARE#, NO PROX#, LAM	16.00	IC	Credentials
Y	2620CMPGGNNNN	COMPOSITE ICLASS 2K/MIFARE 1K/PROX, CONFIG ICLASS, NON-PROG MIFARE, PROG PROX, F-GLOSS, B-GLOSS, NO ICLASS#, NO SLOT, NO MIFARE#, NO PROX#, LAM	16.00	IC	Credentials
Y	2620HMNGGMNNN	COMPOSITE ICLASS 2K/MIFARE 1K/PROX, PROG. ICLASS INITIALIZED PROX, F - GLOSS, B - GLOSS , MATCH. ICLASS#, NO SLOT, NO MIFARE#, NO. PROX#, LAM	16.00	IC	Credentials
Y	2620HMPGGMNNM	COMPOSITE ICLASS SR 2K/MIFARE 1K/PROX, PROG ICLASS SIO SR, NON-PROG MIFARE, PROG PROX, F-GLOSS, B-GLOSS, MATCHING ICLASS #, NO SLOT, NO MIFARE #, MATCHING PROX #	16.00	IC	Credentials
Y	2620JMPGGMNMM	COMPOSITE ICLASS SR 2K/MIFARE 1K/PROX, PROG ICLASS/ MIFARE SIO SR, PROG PROX, F-GLOSS, B-GLOSS, MATCHING ICLASS #, NO SLOT, MATCHING MIFARE #, MATCHING PROX #	16.00	IC	Credentials
Y	2620KMPGGNNMM	COMPOSITE ICLASS SR 2K/MIFARE 1K/PROX, PROG ICLASS SIO SR, PROG MIFAR NON SIO, PROG PROX, F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, MATCHING MIFARE #, MATCHING PROX #	16.00	IC	Credentials
Y	2620PMCGGMNNM	COMPOSITE ICLASS 2K/MIFARE 1K/PROX, PROG. ICLASS, NON PROG. MIFARE, PROG. INDALA/CASI PROX, F - GLOSS, B - GLOSS, MATCHING ICLASS#, NO SLOT, NO MIFARE#, MATCH. PROX#, LAM	16.00	IC	Credentials
Y	2620PMPG1MNNM	COMPOSITE ICLASS 2K/MIFARE 4K/PROX, PROG. ICLASS/PROX, F-GLOSSY, B- GLOSS W/MAG, MATCH. ICLASS#, NO SLOT, NO MIFARE#, MATCH. PROX#, LAM	16.35	IC	Credentials
Y	2620PMPG1MNNN	COMPOSITE ICLASS 2K/MIFARE 1K/PROX, PROG ICLASS_NON-PROG MIFARE_PROG PROX, F-GLOSS, B-GLOSS W/MAG, MATCHING ICLASS #, NO SLOT, NO MIFARE #, NO PROX #, LAM	16.55	IC	Credentials
Y	2620PMPGGMNNM	COMPOSITE ICLASS 2K/MIFARE 1K/PROX, PROG ICLASS_NON-PROG MIFARE_PROG PROX, F-GLOSS, B-GLOSS, MATCHING ICLASS #, NO SLOT, NO MIFARE #, MATCHING PROX #	16.00	IC	Credentials
Y	2620PMPGGMNNN	COMPOSITE ICLASS 2K/MIFARE 1K/PROX, PROG ICLASS, NON-PROG MIFARE, PROG PROX, F-GLOSS, B-GLOSS, MATCHING ICLASS #, NO SLOT, NO MIFARE #, NO PROX #	16.00	IC	Credentials
Y	2623BNPGGBNAB	COMPOSITE ICLASS 32K (16K/2 + 16K/1)/MIFARE 4K/PROX, PROG. ICLASS/MIFARE/PROX, F-GLOSSY, B- GLOSS, LASER NON-MATCH ICLASS#, NO SLOT, LASER MATCH MIFARE#, LASER NON-MATCH. PROX #	20.44	IC	Credentials
Y	2623HNPGGMNNN	COMPOSITE ICLASS 32K/MIFARE 4K/PROX, SR, PROG., F-GLOSS, B-GLOSS, MATCH. ICLASS#, NO SLOT, NO MIFARE#, NO PROX#, LAM	20.44	IC	Credentials
Y	2623PNPGGMNNM	COMPOSITE ICLASS 32K (16K/2 + 16K/1)/MIFARE 4K/PROX, PROG. ICLASS/PROX, F-GLOSSY, B- GLOSS, MATCHING ICLASS#, NO SLOT, NO MIFARE#, MATCH. PROX, LAM	20.44	IC	Credentials
Y	2624BNPG1MNNN	COMPOSITE ICLASS 32K/MIFARE 4K/PROX, F - GLOSS, B - GLOSS W/MAG, MATCH ICLASS#, NO SLOT, NO MIFARE#, NO PROX#	21.09	IC	Credentials
Y	2624CNNGGNNNN	ICLASS 32K/MIFARE 4K/PROX, CONFIG.. F-GLOSS, B-GLOSS, NO ICLASS#, NO SLOT, NO MIFARE#, NO PROX#	20.44	IC	Credentials
Y	2624HNPG1NNNM	COMPOSITE ICLASS 32K/MIFARE 4K/PROX, SR, PROG. ICLASS/PROX, F-GLOSSY, B-GLOSSY W.MAG, NO ICLASS#, NO SLOT, NO MIFARE #, MATCHING PROX#, LAM	20.99	IC	Credentials
Y	2624HNPGGMNNM	COMPOSITE ICLASS 32K/MIFARE 4K/PROX, SR, PROG. ICLASS/PROX, F - GLOSS, B - GLOSS, MATCHING ICLASS#, NO SLOT, NO MIFARE #, MATCHING PROX#, LAM	20.44	IC	Credentials
Y	2624HOCGGMNNM	ICLASS 32K/LEGIC/PROX, SR, PROG. INDALA/CASI, PET, F-GLOSS, B-GLOSS, MATCHING ICLASS#, NO SLOT, NO LEGIC #, MATCHING PROX#	23.98	IC	Credentials
Y	2624HOCGGMNNN	ICLASS 32K/LEGIC/PROX, SR, PROG. INDALA/CASI, PET, F-GLOSS, B-GLOSS, MATCHING ICLASS#, NO SLOT, NO LEGIC #, NO PROX#	23.98	IC	Credentials
Y	2624KNPG1NNNM	COMPOSITE ICLASS 32K/MIFARE 4K/PROX, SR, PROG. ICLASS; NON SIO PROG MIFARE; PROG PROX, F-GLOSSY, B-GLOSSY W/MAG, NO ICLASS #, NO SLOT, NO MIFARE #, MATCHING PROX #, LAM	20.99	IC	Credentials
Y	2624PNCGGANNN	COMPOSITE ICLASS 32K (16K/16+16K/1)/MIFARE 4K/PROX, PROG ICLASS_NON-PROG MIFARE_PROG PROX, F-GLOSS, B-GLOSS, MATCHING ICLASS LASER #, NO SLOT, NO MIFARE #, NO PROX #	20.44	IC	Credentials
Y	2624PNPG1ANNN	COMPOSITE ICLASS 32K/MIFARE 4K/PROX, PROG. ICLASS/PROX, F-WHITE GLOSSY, B- WHITE W/MAG, LASER ICLASS#, NO SLOT, NO MIFARE#, NO PROX#, LAM	20.99	IC	Credentials
Y	2624PNPG1MNNN	COMPOSITE ICLASS 32K/MIFARE 4K/PROX, PROG. ICLASS/PROX, F-WHITE GLOSSY, B- WHITE W/MAG, MATCHING ICLASS#, NO SLOT, NO#, LAM	20.99	IC	Credentials
Y	2624PNPGGANNN	COMPOSITE ICLASS 32K (16K/16 + 16K/1)/MIFARE 4K/PROX, PROG. ICLASS/PROX, F-GLOSSY, B- GLOSS, LASER ICLASS#, NO SLOT, NO MIFARE#, NO PROX, LAM	20.44	IC	Credentials
Y	2624PNPGGMNNM	COMPOSITE ICLASS 32K (16K/16 + 16K/1)/MIFARE 4K/PROX, PROG. ICLASS/PROX, F-GLOSSY, B- GLOSS, MATCHING ICLASS#, NO SLOT, NO MIFARE#, MATCH. PROX, LAM	20.44	IC	Credentials
Y	2630CMNGGNNNN	COMPOSITE ICLASS 2K/MIFARE 1K, PROG. ICLASS/MIFARE/INITIALISED, F-GLOSS, B- GLOSS, NO ICLASS#, NO SLOT, NO MIFARE#, NO PROX#,	19.70	EB	Credentials
Y	2630PMPGGMNNM	COMPOSITE ICLASS 2K/MIFARE 1K/PROX, PROG. ICLASS/PROX, F-GLOSS, B- GLOSS, MATCH ICLASS#, NO SLOT, NO MIFARE#, MATCH. PROX#, LAM	20.31	EB	Credentials
Y	2630TMPGGMNMM	COMPOSITE ICLASS 2K/MIFARE 1K/PROX, PROG. ICLASS/MIFARE/PROX, F-GLOSS, B- GLOSS, MATCH ICLASS#, NO SLOT, MATCH MIFARE#, MATCH. PROX#,	20.31	EB	Credentials
Y	2633NKPG1NNNN	COMPOSITE ICLASS 32K (16K/2 + 16K/1)/DESFIRE EV1 8K/PROX, NON PROG. ICLASS/PROX, F-GLOSS, B- GLOSS W/ MAG, NO ICLASS#, NO SLOT, NO DESFIRE#, NO PROX#, LAM	24.15	EB	Credentials
Y	2633NNNGGNNNN	ICLASS 32K/MIFARE 4K/PROX, NON-PROG., F-GLOSS, B- GLOSS, NO#, NO SLOT, LAM	22.19	EB	Credentials
Y	2633PKPGGMNNM	COMPOSITE ICLASS 32K (16K/2 + 16K/1)/DESFIRE EV1 8K/PROX, PROG. ICLASS/PROX, F-GLOSS, B- GLOSS, MATCH ICLASS#, NO SLOT, NO DESFIRE#, MATCH. PROX#, LAM	23.60	EB	Credentials
Y	2633PNPGGMNNM	COMPOSITE ICLASS 32K (16K/2 + 16K/1)/MIFARE 4K/PROX, PROG. ICLASS/PROX, F-GLOSS, B- GLOSS, MATCH ICLASS#, NO SLOT, NO MIFARE#, MATCH. PROX#, LAM	22.19	EB	Credentials
Y	2633TKPGGMNNN	COMPOSITE ICLASS 32K (16K/2 + 16K/1)/DESFIRE EV1 8K/PROX, PROG. ICLASS/DESFIRE/PROX, F-GLOSS, B- GLOSS, MATCH ICLASS#, NO SLOT, NO DESFIRE#, NO PROX#, LAM	23.60	EB	Credentials
Y	2633TNPGGANAA	COMPOSITE ICLASS 32K (16K/2+16K/1) + MIFARE 4K + PROX, EMBEDDABLE, PROG ICLASS/MIFARE/PROX, F-GLOSS, B-GLOSS, MATCHING ICLASS LASER #, NO SLOT, MATCHING MIFARE LASER #, MATCHING PROX LASER #, LAM	22.29	EB	Credentials
Y	2633TNPGGMNMM	COMPOSITE ICLASS 32K (16K/2 + 16K/1)/MIFARE 4K/PROX, PROG. ICLASS/MIFARE/PROX, F-GLOSS, B- GLOSS, MATCH ICLASS#, NO SLOT, MATCH MIFARE#, MATCH. PROX#	22.19	EB	Credentials
Y	2634BKPGGMNMM	ICLASS 32K/DESFIRE 8K EV1/PROX, PROG., F-GLOSS, B- GLOSS, MATCH ICLASS#, NO SLOT, MATCH. DESFIRE#, MATCH. PROX, LAM	23.56	EB	Credentials
Y	2634PKPGGMNNM	COMPOSITE ICLASS 32K (16K/16 + 16K/1)/DESFIRE EV1 8K/PROX, PROG. ICLASS/PROX, F-GLOSS, B- GLOSS, MATCH ICLASS#, NO SLOT, NO DESFIRE#, MATCH. PROX#, LAM	23.56	IC	Credentials
Y	2634PNPGGMNNM	COMPOSITE ICLASS 32K (16K/16 + 16K/1)/MIFARE 4K/PROX, PROG. ICLASS/PROX, F-GLOSS, B- GLOSS, MATCH ICLASS#, NO SLOT, NO MIFARE#, MATCH. PROX#, LAM	22.19	EB	Credentials
Y	2718030-1311	DEMO NO TECH CARD: SKYWEST CARD	0.99	ZB	Credentials
Y	2718030-4000	CASI MAG STRIPE	1.69	ZB	Credentials
Y	2719030	CG3: PET CARD, NO TECHNOLOGY, .030 THICK, F-GLOSS, B-GLOSS	1.04	ZB	Credentials
Y	2930020	CAT GRAF QUAL OVLAY FOR CR CD	0.95	ZB	Product Components
Y	295OBKNGGNNAN-A002631	RICHEMONT CGHH LEGIC PRIME 1024, DESFIRE EV1 8K, HID PROX, MELINEX CARD BODY, DESFIRE SIO PROG.,LEGIC BLANC, PROX UNPROGRAMMED, F-GLOSS, B-GLOSS,DESFIRE LASER MARKING, NO SLOT,	21.92	MD	Credentials
Y	295ONKPGGNNNN	LEGIC PRIME 1024, DESFIRE EV1 8K, HID PROX, MELINEX CARD BODY, PROX PROG., F-GLOSS, B-GLOSS, NO EXTERNAL MARKING, NO SLOT,	21.72	MD	Credentials
Y	295OSKNGGNNAN	LEGIC PRIME 1024, DESFIRE EV1 8K, HID PROX, MELINEX CARD BODY, DESFIRE SIO PROG.,LEGIC BLANC, PROX UNPROGRAMMED, F-GLOSS, B-GLOSS,DESFIRE LASER MARKING, NO SLOT,	21.72	MD	Credentials
Y	295OSKNGGNNNN	LEGIC PRIME 1024, DESFIRE EV1 8K, HID PROX, MELINEX CARD BODY, DESFIRE SIO PROG.,LEGIC BLANC, PROX UNPROGRAMMED, F-GLOSS, B-GLOSS,DESFIRE LASER MARKING, NO SLOT,	21.92	MD	Credentials
Y	30-0001-01	SW, SPST-BSC , SMD-4X LEAD FREE	31.50	ZB	Product Components
Y	30-0003-01	SW MATRIX, MOLDED RUBBER, 3 X 4, LEAD FREE	37.51	ZB	Product Components
Y	3000PG1MN	ICLASS 2K/2 SE, PROG, F-GLOSS, B-GLOSS W/MAG, MATCH, NO SLOT	6.93	IC	Credentials
Y	3000PG1MV	ICLASS 2K/2 SE, PROG, F-GLOSS, B-GLOSS W/MAG, MATCH, VERT SLOT	6.93	IC	Credentials
Y	3000PGGAN	ICLASS SE 2K/2, PROG, F-GLOSS, B-GLOSS, LASER MATCHING #, NO SLOT	6.38	IC	Credentials
Y	3000PGGCN	ICLASS 2K/2 SE, PROG, F - GLOSS, B - GLOSS, RANDOM INTERNAL/NON-MATCHING SEQ EXTERNAL LASER, NO SLOT	6.38	IC	Credentials
Y	3000PGGMB	ICLASS 2K/2, PROG, SE, F-GLOSS, B-GLOSS W/ BOTH VERT. & HORZ. SLOT INDICATORS, MATCH #, NO SLOT	6.38	IC	Credentials
Y	3000PGGMH	ICLASS 2K/2, PROG, SE, F-GLOSS, B-GLOSS, MATCHING #, HORIZONTAL SLOT, LAM	6.38	IC	Credentials
Y	3000PGGMN	ICLASS 2K/2 SE, PROG, F-GLOSS, B-GLOSS, MATCH, NO SLOT	6.38	IC	Credentials
Y	3000PGGMV	ICLASS 2K/2 SE, PROG, F-GLOSS, B-GLOSS, MATCH, VERT SLOT	6.38	IC	Credentials
Y	3000PGGNH	ICLASS SE 2K/2, PROG, F-GLOSS, B-GLOSS, NO #, HORZ SLOT	6.20	IC	Credentials
Y	3000PGGNN	ICLASS SE 2K/2, PROG, F-GLOSS, B-GLOSS, NO #, NO SLOT	6.38	IC	Credentials
Y	3000PGGNV	ICLASS 2K/2 SE, PROG, F-GLOSS, B-GLOSS, NO #, VERT SLOT	6.38	IC	Credentials
Y	3000PGGRV-PACK50	ICLASS SE 2K/2, PROG, F-GLOSS, B-GLOSS, RANDOM NON-MATCHING SEQ #, VERT SLOT, PACK 50 CARDS PER BOX	319.11	IC	Credentials
Y	3000PGGSB	ICLASS 2K/2, PROG, SE, F-GLOSS, B-GLOSS W/ BOTH VERT. & HORZ. SLOT INDICATORS, SEQ. #, NO SLOT	6.38	IC	Credentials
Y	3000PGGSB-PACK50	ICLASS 2K/2, PROG, SE, F-GLOSS, B-GLOSS W/BOTH VERT. & HORZ. SLOT DOTS, SEQ. #, NO SLOT, LAM, PACK 50 PER BOX	6.38	IC	Credentials
Y	3000PGGSN	ICLASS 2K/2 SE, PROG, F-GLOSS, B-GLOSS, SEQ. MATCH, NO SLOT	6.38	IC	Credentials
Y	3000PGGSN-PACK50	ICLASS 2K/2 SE, PROG, F-GLOSS, B-GLOSS, SEQ, NO SLOT	6.38	IC	Credentials
Y	3000PGGSV	ICLASS 2K/2 SE, PROG, F-GLOSS, B-GLOSS, SEQ, VERT SLOT	6.38	IC	Credentials
Y	3000VGGNB	ICLASS SE 2K/2, ER CONFIGURED, F-GLOSS, B-GLOSS, NO #, NO SLOT	6.38	IC	Credentials
Y	3000VGGNN	ICLASS 2K/2, ER PROG., F-GLOSS, B-GLOSS, NO #, NO SLOT	6.38	IC	Credentials
Y	3000VGGNV	ICLASS SE 2K/2, ER CONFIGURED, F-GLOSS, B-GLOSS, NO #, VERT SLOT	6.38	IC	Credentials
Y	3000VGGSN	ICLASS SE 2K/2, ER CONFIGURED, F-GLOSS, B-GLOSS, SEQ NON-MATCHING #, NO SLOT	6.38	IC	Credentials
Y	3001PGGBV	ICLASS 16K/2 SE, PROG, F-GLOSS, B-GLOSS, SEQ INTERNAL / SEQ NON-MATCH.# EXTERNAL, LASER, VERTICAL SLOT	11.21	IC	Credentials
Y	3001PGGMH	ICLASS 16K/2 SE, PROG, F-GLOSS, B-GLOSS, MATCH.#, HORIZONTAL SLOT	11.21	IC	Credentials
Y	3001PGGMN	ICLASS 16K/2 SE, PROG, F-GLOSS, B-GLOSS, MATCHING, NO SLOT	11.55	IC	Credentials
Y	3001PGGMV	ICLASS 16K/2 SE, PROG, F-GLOSS, B-GLOSS, MATCH.#, VERT. SLOT	11.55	IC	Credentials
Y	3001PGGSN	ICLASS 16K/2 SE, PROG, F-GLOSS, B-GLOSS, SEQ, NO SLOT	11.21	IC	Credentials
Y	3002PG1MN	ICLASS 16K/16 SE, PROG, F-GLOSS, B-GLOSS W/MAG, MATCH.#, NO SLOT	12.10	IC	Credentials

Y	3002PGGMH	ICLASS 16K/16, SE, PROG, F-GLOSS, B-GLOSS, MATCH #, HORZ SLOT, LAM	11.21	IC	Credentials
Y	3002PGGMN	ICLASS 16K/16 SE, PROG, F-GLOSS, B-GLOSS, MATCHING, NO SLOT	11.55	IC	Credentials
Y	3002PGGMV	ICLASS 16K/16 SE, PROG, F-GLOSS, B-GLOSS, MATCHING, VERT. SLOT	11.55	IC	Credentials
Y	3002PGGSB-PACK50	ICLASS 16K/16, SE, PROG, F-GLOSS, B-GLOSS W/BOTH VERT. & HORZ. SLOT DOTS, SEQ. #, NO SLOT, LAM, PACK 50 PER BOX	11.21	IC	Credentials
Y	3002PGGSN-PACK50	ICLASS 16K/16 SE, PROG, F-GLOSS, B-GLOSS, SEQUENTIAL, NO SLOT	15.75	IC	Credentials
Y	3002VGGNN	ICLASS 16K/16, ER PROG, F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT	11.55	IC	Credentials
Y	3003PG1MN	ICLASS SE 32K (16K/2 + 16K/1), PROG., F-GLOSS, B-GLOSS W/ MAG, MATCHING #, NO SLOT	12.56	IC	Credentials
Y	3003PGGMB	ICLASS 32K (16K/2 + 16K/1) SE, PROG, F-GLOSS, B-GLOSS, MATCHING, NO SLOT	12.01	IC	Credentials
Y	3003PGGMN	ICLASS 32K (16K/2 + 16K/1) SE, PROG, F-GLOSS, B-GLOSS, MATCHING, NO SLOT	12.01	IC	Credentials
Y	3003PGGMV	ICLASS SE 32K (16K/2+16K/1), PROG, F-GLOSS, B-GLOSS, MATCHING #, VERT SLOT	12.01	IC	Credentials
Y	3003PGGNN	ICLASS 32K (16K/2 + 16K/1) SE, PROG, F-GLOSS, B-GLOSS, NO#, NO SLOT	12.01	IC	Credentials
Y	3003PGGNV	ICLASS 32K (16K/2 + 16K/1) SE, PROG, F-GLOSS, B-GLOSS, NO#, VERT. SLOT	12.01	IC	Credentials
Y	3003PGGSN	ICLASS SE 32K (16K/2+16K/1), PROG, F-GLOSS, B-GLOSS, SEQ NON-MATCHING #, NO SLOT	12.01	IC	Credentials
Y	3003VGGCB	ICLASS 32K, ER PROG., F-GLOSS, B-GLOSS, RANDOM LASER SEQ #, NO SLOT	12.01	IC	Credentials
Y	3003VGGNN	ICLASS 32K, ER PROG., F-GLOSS, B-GLOSS, NO #, NO SLOT	12.01	IC	Credentials
Y	3004PG1MN	ICLASS 32K (16K/16 + 16K/1) SE, PROG, F-GLOSS, B-GLOSS W/MAG, MATCHING, NO SLOT	12.56	IC	Credentials
Y	3004PGGAN-ISOB	ICLASS SE (16K/16 + 16K/1), PROG, F-GLOSS, B-GLOSS, MATCHING ICLASS LASER #, NO SLOT, ISOB	12.01	IC	Credentials
Y	3004PGGMB	ICLASS 32K (16K/16 + 16K/1) SE, PROG, F-GLOSS, B-GLOSS, MATCHING, NO SLOT	12.01	IC	Credentials
Y	3004PGGMN	ICLASS 32K (16K/16 + 16K/1) SE, PROG, F-GLOSS, B-GLOSS, MATCHING, NO SLOT	12.01	IC	Credentials
Y	3004PGGMV	ICLASS 32K (16K/16 + 16K/1) SE, PROG, F-GLOSS, B-GLOSS, MATCHING, VERT. SLOT	12.01	IC	Credentials
Y	3004PGGNN	ICLASS 32K (16K/16 + 16K/1) SE, PROG, F-GLOSS, B-GLOSS, NO#, NO SLOT	12.01	IC	Credentials
Y	3004PGGRN	ICLASS 32K (16K/16 + 16K/1) SE, PROG, F-GLOSS, B-GLOSS, RANDOM#, NO SLOT	12.01	IC	Credentials
Y	3004PGGSN	ICLASS 32K (16K/16 + 16K/1) SE, PROG, F-GLOSS, B-GLOSS, SEQ.#, NO SLOT	12.01	IC	Credentials
Y	3004PGGSV	ICLASS 32K (16K/16 + 16K/1) SE, PROG, F-GLOSS, B-GLOSS, SEQ. NON MATCHING, VERT. SLOT	12.01	IC	Credentials
Y	3004VGGNN	ICLASS SE 32K (16K/16+16K/1), ER CONFIGURED, F-GLOSS, B-GLOSS, NO #, NO SLOT	12.01	IC	Credentials
Y	3004VGGNV	ICLASS SE 32K (16K/16+16K/1), ER CONFIGURED, F-GLOSS, B-GLOSS, NO #, VERTICAL SLOT	12.01	IC	Credentials
Y	3014PGGRN	COMPOSITE ICLASS 32K (16K/16 + 16K/1) SE, PROG, F-GLOSS, B-GLOSS, RANDOM#, NO SLOT	11.86	EB	Credentials
Y	3050PG1AN	ICLASS 2K/2 SE, COMPOSITE, PROG, F-GLOSS, B-GLOSS W/MAG, MATCHING LASER, NO SLOT	7.13	IC	Credentials
Y	3050PG1AV	COMPOSITE ICLASS SE 2K/2, PROG, F-GLOSS, B-GLOSS W/MAG, MATCHING LASER #, VERT SLOT	6.95	IC	Credentials
Y	3050PG1MH	COMPOSITE ICLASS SE 2K/2, PROG, F-GLOSS, B-GLOSS W/MAG, MATCHING #, HORZ SLOT, LAM	7.13	IC	Credentials
Y	3050PG1MN	ICLASS 2K/2 SE, COMPOSITE, PROG, F-GLOSS, B-GLOSS W/MAG, MATCHING, NO SLOT	7.13	IC	Credentials
Y	3050PG1MV	COMPOSITE ICLASS 2K/2, SE, PROG, F - GLOSS, B - GLOSS W/MAG, MATCH. #, VERT. SLOT	7.13	IC	Credentials
Y	3050PG1NB	ICLASS 2K/2, SE, PROG., F-GLOSS, B-GLOSS W/MAG & BOTH VERT/HORZ. SLOT DOTS, NO #, NO SLOT, LAM	6.95	IC	Credentials
Y	3050PGGAN	COMPOSITE ICLASS SE 2K/2, PROG, F-GLOSS, B-GLOSS, MATCHING LASER #, NO SLOT	6.58	IC	Credentials
Y	3050PGGMB	ICLASS 2K/2, SE, PROG., F-GLOSS, B-GLOSS W/ BOTH VERT. & HORZ. SLOT INDICATORS, MATCH #, NO SLOT, LAM	6.58	IC	Credentials
Y	3050PGGMN	ICLASS 2K/2 SE, COMPOSITE, PROG, F-GLOSS, B-GLOSS, MATCHING, NO SLOT	6.58	IC	Credentials
Y	3050PGGMV	COMPOSITE ICLASS 2K/2, SE, PROG, F-GLOSS, B-GLOSS, MATCH. #, VERT. SLOT	6.58	IC	Credentials
Y	3050PGGNN	ICLASS 2K/2 SE, COMPOSITE, PROG, F-GLOSS, B-GLOSS, NO #, NO SLOT	6.58	IC	Credentials
Y	3050PGGNV	COMPOSITE ICLASS 2K/2, SE, PROG, F-GLOSS, B-GLOSS, NO #, VERT. SLOT	6.40	IC	Credentials
Y	3050PGGRN	ICLASS 2K/2 SE, COMPOSITE, PROG, F-GLOSS, B-GLOSS, RANDOM, NO SLOT	6.58	IC	Credentials
Y	3050PGGSN	ICLASS 2K/2 SE, COMPOSITE, PROG, F-GLOSS, B-GLOSS, SEQUENTIAL, NO SLOT	6.58	IC	Credentials
Y	3050VGGNB	COMPOSITE ICLASS 2K/2 SE, ER PROG., F-GLOSS, B-GLOSS, NO #, NONE (ONLY HORIZONTAL PUNCH MARKS)	6.58	IC	Credentials
Y	3050VGGNN	COMPOSITE ICLASS 2K/2 SE, ER PROG., F-GLOSS, B-GLOSS, NO #, NO SLOT	6.58	IC	Credentials
Y	3050VGGNV	COMPOSITE ICLASS 2K/2 SE, ER PROG., F-GLOSS, B-GLOSS, NO #, VERTICAL SLOT	6.22	IC	Credentials
Y	3051PGGMN	ICLASS 16K/2 SE, COMPOSITE, PROG, F-GLOSS, B-GLOSS, MATCHING, NO SLOT	11.75	IC	Credentials
Y	3051PGGRN	ICLASS 16K/2 SE, COMPOSITE, PROG, F-GLOSS, B-GLOSS, RANDOM, NO SLOT	11.41	IC	Credentials
Y	3052PGGMH	ICLASS 16K/16 SE, COMPOSITE, PROG, F-GLOSS, B-GLOSS, MATCHING, HORIZONTAL SLOT, LAM	11.75	IC	Credentials
Y	3052PGGMN	ICLASS 16K/16 SE, COMPOSITE, PROG, F-GLOSS, B-GLOSS, MATCHING, NO SLOT	11.75	IC	Credentials
Y	3052PGGMV	COMPOSITE ICLASS SE 16K/16, PROG, F-GLOSS, B-GLOSS, MATCHING #, VERT SLOT	11.41	IC	Credentials
Y	3053PG1MN	ICLASS 32K (16K/2 + 16K/1) SE, COMPOSITE, PROG, F-GLOSS, B-GLOSS W/MAG, MATCHING, NO SLOT	11.86	IC	Credentials
Y	3053PG1RV	COMPOSITE ICLASS SE 32K (16K/2+16K/1), PROG, F-GLOSS, B-GLOSS W/MAG, RANDOM NON-MATCHING SEQ #, VERT SLOT	11.86	IC	Credentials
Y	3053PGGAN	COMPOSITE, ICLASS 32K (16K/2 + 16K/1) SE, PROG, F-GLOSS, B-GLOSS, LASER#, NO SLOT	12.21	IC	Credentials
Y	3053PGGAV	COMPOSITE, ICLASS 32K (16K/2 + 16K/1) SE, PROG, F-GLOSS, B-GLOSS, LASER#, VERT. SLOT	11.86	IC	Credentials
Y	3053PGGMN	ICLASS 32K (16K/2 + 16K/1) SE, COMPOSITE, PROG, F-GLOSS, B-GLOSS, MATCHING, NO SLOT	12.21	IC	Credentials
Y	3053PGGMV	ICLASS 32K (16K/2 + 16K/1) COMPOSITE, PROG, SE, F-GLOSS, B-GLOSS, MATCHING, VERT. SLOT	12.21	IC	Credentials
Y	3053VGGNN	ICLASS 32K (16K/2 + 16K/1) SE, COMPOSITE, NON-PROG, F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT	11.66	IC	Credentials
Y	3054PGGMN	ICLASS 32K (16K/16 + 16K/1) SE, COMPOSITE, PROG, F-GLOSS, B-GLOSS, MATCHING, NO SLOT	12.21	IC	Credentials
Y	3054PGGMV	COMPOSITE ICLASS 32K (16K/16 + 16K/1) SE, PROG, F-GLOSS, B-GLOSS, MATCH., VERT. SLOT	11.86	IC	Credentials
Y	3054PGGNN	ICLASS 32K (16K/16 + 16K/1) SE, COMPOSITE, PROG, F-GLOSS, B-GLOSS, NO #, NO SLOT	12.21	IC	Credentials
Y	3054PGGRN	ICLASS 32K (16K/16 + 16K/1) SE, COMPOSITE, PROG, F-GLOSS, B-GLOSS, RANDOM, NO SLOT	11.86	IC	Credentials
Y	31-0003-01	LED LENS, 3MM DOME, .360 LONG LEAD FREE	0.53	ZB	Product Components
Y	31-0003-02	LED LENS, 2.25MM DOME, LEAD FREE	0.53	ZB	Product Components
Y	3110PGGNNN	COMPOSITE ICLASS PROX 2K/2, SE, PROG ICLASS, NON-PROG PROX, F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, NO PROX #, LAM	19.69	EB	Credentials
Y	3110RG1MNM	COMPOSITE ICLASS PROX 2K/2, SE, PROG ICLASS/PROX, F-GLOSS, B-GLOSS W/MAG, MATCHING ICLASS #, NO SLOT, MATCHING PROX #, LAM	20.24	EB	Credentials
Y	3110RGGNNN	COMPOSITE ICLASS PROX 2K/2, SE, EMBEDDABLE, PROG ICLASS & PROX, F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, NO PROX #, LAM	17.24	EB	Credentials
Y	3113RGGMNN	COMPOSITE ICLASS PROX 32K (16K/2+16K/1), SE, EMBEDDABLE, PROG ICLASS/PROX, F-GLOSS, B-GLOSS, MATCHING ICLASS #, NO SLOT, NO PROX #	19.69	EB	Credentials
Y	3114-0508	JOB CODE PROM, MODEL 415, BARCODE #76413270508	285.72	MS	Readers
Y	3114-0515	JC PROM (SINGLE IC), OLD HONEYWELL PANELS, BARCODE #76413270515	148.86	MS	Readers
Y	3114-4463	ISO THIN, COMPOSITE PROXCARD W/MAGSTRIPE, PROGRAM, EMPI ENCODING, DIRECT PRINT	7.27	MS	Readers
Y	3150PG1MNN	COMPOSITE ICLASS PROX SE 2K/2, PROG ICLASS, NON-PROG PROX, F-GLOSS, B-GLOSS W/MAG, MATCHING ICLASS #, NO SLOT, NO PROX #	13.53	IC	Credentials
Y	3150PG1NNN	COMPOSITE ICLASS PROX SE 2K/2, PROG ICLASS, F-GLOSS, B-GLOSS W/MAG, MATCH ICLASS#, NO SLOT, NO PROX #	13.53	IC	Credentials
Y	3150PGGMNN	COMPOSITE ICLASS PROX SE 2K/2, PROG ICLASS, F-GLOSS, B-GLOSS, MATCH ICLASS#, NO SLOT, NO PROX #	13.94	IC	Credentials
Y	3150PGGMVN	COMPOSITE ICLASS (2K/2)/ PROX, PROG ICLASS SE, NON-PROG. PROX, F-GLOSS, B-GLOSS, MATCH ICLASS #, VERT SLOT, NO PROX #	13.94	IC	Credentials
Y	3150PGGNNN	COMPOSITE ICLASS (2K/2) PROX, PROG ICLASS SE, NON-PROG. PROX, F-GLOSS, B-GLOSS, NO ICLASS#, NO SLOT, NO PROX #	13.53	IC	Credentials
Y	3150PGGNVN	COMPOSITE ICLASS PROX 2K/2, KB, PRGMD, F-GLOSS, B-GLOSS, NO #, VERT SLOT, NO 125K #, LAM	13.53	IC	Credentials
Y	3150RG1MNM	COMPOSITE ICLASS PROX SE 2K/2, PROG ICLASS/PROX, F-GLOSS, B-GLOSS W/MAG, MATCH ICLASS#, NO SLOT, MATCH PROX #	14.08	IC	Credentials
Y	3150RG1MNN	COMPOSITE ICLASS PROX SE 2K/2, PROG ICLASS/PROX, F-GLOSS, B-GLOSS W/MAG, MATCH ICLASS#, NO SLOT, NO PROX #	14.49	IC	Credentials

Y	3150RG1NNN	COMPOSITE ICLASS PROX SE 2K/2, PROG ICLASS/PROX, F-GLOSS, B-GLOSS W/MAG, NO ICLASS#, NO SLOT, NO PROX #	14.49	IC	Credentials
Y	3150RG1SNN	COMPOSITE ICLASS PROX SE 2K/2, PROG ICLASS/PROX, F-GLOSS, B-GLOSS W/MAG, SEQ ICLASS#, NO SLOT, NO PROX #	13.94	IC	Credentials
Y	3150RGGMNM	COMPOSITE ICLASS PROX SE 2K/2, PROG ICLASS/PROX, F-GLOSS, B-GLOSS, MATCH ICLASS#, NO SLOT, MATCH PROX #	13.94	IC	Credentials
Y	3150RGGMNN	COMPOSITE ICLASS PROX SE 2K/2, PROG ICLASS/PROX, F-GLOSS, B-GLOSS, MATCH ICLASS#, NO SLOT, NO PROX #	13.94	IC	Credentials
Y	3150RGGMNS	COMPOSITE ICLASS PROX SE 2K/2, PROG ICLASS/PROX, F-GLOSS, B-GLOSS, MATCH ICLASS#, NO SLOT, SEQ NON-MATCHING PROX #	13.94	IC	Credentials
Y	3150RGGMVM	COMPOSITE ICLASS PROX SE 2K/2, PROG ICLASS/PROX, F-GLOSS, B-GLOSS, MATCH ICLASS#, VERT. SLOT, MATCH PROX #	13.94	IC	Credentials
Y	3150RGGMVN	COMPOSITE ICLASS PROX SE 2K/2, PROG ICLASS/PROX, F-GLOSS, B-GLOSS, MATCH. ICLASS#, VERT. SLOT, NO PROX #	13.53	IC	Credentials
Y	3150RGGNNM	COMPOSITE ICLASS PROX SE 2K/2, PROG ICLASS/PROX, F-GLOSS, B-GLOSS, NO ICLASS#, NO SLOT, MATCH PROX #	13.94	IC	Credentials
Y	3150RGGNNN	COMPOSITE ICLASS PROX SE 2K/2, PROG ICLASS/PROX, F-GLOSS, B-GLOSS, NO ICLASS#, NO SLOT, NO #	13.94	IC	Credentials
Y	3150RGGNNS	COMPOSITE ICLASS PROX SE 2K/2, PROG ICLASS/PROX, F-GLOSS, B-GLOSS, NO ICLASS#, NO SLOT, SEQ PROX #	13.53	IC	Credentials
Y	3150RGGNNS-A000089	COMPOSITE ICLASS PROX SE 2K/2, PROG ICLASS/PROX, F-GLOSS, B-GLOSS, NO ICLASS#, NO SLOT, SEQ PROX #, CUSTOM OUTPUT FILE AS REQUESTED IN JIR APPLICATION-230	13.53	IC	Credentials
Y	3150RGGNVM	COMPOSITE ICLASS PROX SE 2K/2, PROG ICLASS/PROX, F-GLOSS, B-GLOSS, NO ICLASS#, VERT. SLOT, MATCH PROX #	13.53	IC	Credentials
Y	3150RGGNVN	COMPOSITE ICLASS PROX SE 2K/2, PROG ICLASS/PROX, F-GLOSS, B-GLOSS, NO ICLASS#, VERT. SLOT, NO PROX #	13.88	IC	Credentials
Y	3150RGGRVR	COMPOSITE ICLASS PROX (2K/2), PROG. ICLASS SE, PROG. PROX, F-GLOSS, B-GLOSS, RANDOM ICLASS #, VERT. SLOT, RANDOM PROX #	13.53	IC	Credentials
Y	3150RGGSNN	COMPOSITE ICLASS PROX SE 2K/2, PROG ICLASS/PROX, F-GLOSS, B-GLOSS, SEQ ICLASS#, NO SLOT, NO PROX #	13.94	IC	Credentials
Y	3150RGGSNN-A000089	COMPOSITE ICLASS PROX SE 2K/2, PROG ICLASS/PROX, F-GLOSS, B-GLOSS, SEQ ICLASS#, NO SLOT, NO PROX #, CUSTOM OUTPUT FILE AS REQUESTED IN JIRA APPLICATION-230	13.94	IC	Credentials
Y	3150RGGSNS	COMPOSITE ICLASS PROX SE 2K/2, PROG ICLASS/PROX, F-GLOSS, B-GLOSS, SEQ. ICLASS#, NO SLOT, SEQ. PROX #	13.94	IC	Credentials
Y	3150RGGSVN	COMPOSITE ICLASS PROX SE 2K/2, PROG ICLASS/PROX, F-GLOSS, B-GLOSS, SEQ ICLASS#, VERT SLOT, NO PROX #	13.94	IC	Credentials
Y	3150VGGNNN	COMPOSITE ICLASS SE PROX 2K/2, ER CONFIG, F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, NO PROX #	13.53	IC	Credentials
Y	3151RGGMNM	COMPOSITE ICLASS PROX SE (16K/2), PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, MATCH ICLASS#, NO SLOT, MATCH. PROX#	15.95	IC	Credentials
Y	3151RGGMNN	COMPOSITE ICLASS/PROX SE (16K/2), PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, MATCHING ICLASS#, NO SLOT, NO PROX#	15.95	IC	Credentials
Y	3151RGGMVM	COMPOSITE ICLASS/PROX SE (16K/2), PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, MATCHING ICLASS#, VERT. SLOT, MATCHING PROX#	15.95	IC	Credentials
Y	3152RG1MNM	COMPOSITE ICLASS PROX SE (16K/16), PROG ICLASS/PROX, F-GLOSS, B-GLOSS W/ MAG, MATCH ICLASS #, NO SLOT, MATCH PROX#	16.50	IC	Credentials
Y	3152RGGMNM	COMPOSITE ICLASS PROX SE (16K/16), PROG ICLASS/PROX, F-GLOSS, B-GLOSS, MATCHING ICLASS#, NO SLOT, MATCHING PROX#	16.42	IC	Credentials
Y	3152RGGMNN	COMPOSITE ICLASS PROX SE (16K/16), PROG ICLASS/PROX, F-GLOSS, B-GLOSS, MATCH ICLASS #, NO SLOT, NO PROX#	15.95	IC	Credentials
Y	3152RGGMVM	COMPOSITE ICLASS/PROX SE (16K/16), PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, MATCHING ICLASS#, VERT. SLOT, MATCHING PROX#	16.42	IC	Credentials
Y	3153PG1MNM	COMPOSITE ICLASS PROX SE 32K (16K/16+16K/1), PROG ICLASS, NON-PROG PROX, F-GLOSS, B-MAGSTRIPE, MATCHING ICLASS #, NO SLOT, MATCHING PROX #	16.70	IC	Credentials
Y	3153PGGMNN	COMPOSITE ICLASS/PROX SE 32K(16K/2+16K/1), PROG ICLASS, NON-PROG PROX, F-GLOSS, B-GLOSS, MATCHING ICLASS#, NO SLOT, NO PROX#	16.70	IC	Credentials
Y	3153PGGNNN	COMPOSITE ICLASS/PROX SE 32K(16K/2+16K/1), PROG ICLASS, NON-PROG PROX, F-GLOSS, B-GLOSS, NO ICLASS#, NO SLOT, NO PROX#	16.22	IC	Credentials
Y	3153RGGMNM	COMPOSITE ICLASS, PROX SE 32K(16K/2+16K/1), PROG ICLASS/PROX, F-GLOSS, B-GLOSS, MATCH ICLASS#, NO SLOT, MATCH PROX#	16.70	IC	Credentials
Y	3153RGGMNN	COMPOSITE ICLASS, PROX SE 32K(16K/2+16K/1), PROG ICLASS/PROX, F-GLOSS, B-GLOSS, MATCH ICLASS#, NO SLOT, NO PROX#	16.70	IC	Credentials
Y	3153RGGMVM	COMPOSITE ICLASS/PROX 32K(16K/2+16K/1), PROG ICLASS SE/PROX, F-GLOSS, B-GLOSS, MATCH ICLASS#, VERT. SLOT, MATCH PROX#	16.22	IC	Credentials
Y	3153RGGNNM	COMPOSITE ICLASS, PROX SE 32K(16K/2+16K/1), PROG ICLASS/PROX, F-GLOSS, B-GLOSS, NO ICLASS#, NO SLOT, MATCHING PROX#	16.70	IC	Credentials
Y	3153RGGNVM	COMPOSITE ICLASS, PROX SE 32K(16K/2+16K/1), PROG ICLASS/PROX, F-GLOSS, B-GLOSS, NO ICLASS#, VERT SLOT, MATCHING PROX#	16.70	IC	Credentials
Y	3154PGGMNN	COMPOSITE ICLASS PROX SE 32K (16K/16+16K/1), PROG ICLASS, NON-PROG PROX, F-GLOSS, B-GLOSS, MATCHING ICLASS #, NO SLOT, NO PROX #	16.22	IC	Credentials
Y	3154PGGNNN	COMPOSITE ICLASS/PROX SE 32K(16K/16+16K/1), PROG ICLASS, NON-PROG PROX, F-GLOSS, B-GLOSS, NO ICLASS#, NO SLOT, NO PROX#	16.22	IC	Credentials
Y	3154RGGMNM	COMPOSITE ICLASS PROX SE 32K(16K/16+16K/1), PROG ICLASS/PROX, F-GLOSS, B-GLOSS, MATCH ICLASS#, NO SLOT, MATCH PROX#	16.70	IC	Credentials
Y	3154RGGMNN	COMPOSITE ICLASS PROX SE 32K(16K/16+16K/1), PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, MATCH ICLASS#, NO SLOT, NO PROX#	16.70	IC	Credentials
Y	3154RGGNNN	COMPOSITE ICLASS PROX SE 32K (16K/16+16K/1), PROG ICLASS/PROX, F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, NO PROX #	16.50	IC	Credentials
Y	3250PNNAN	ICLASS SE KEYFOB 2K/2, PROG ICLASS, BLACK W/BLUE HID, SEQ LASER ICLASS #	8.28	IC	Credentials
Y	3250PNNAN-A000186	ICLASS SE KEYFOB 2K/2, PROG, F-BLACK W/BLUE HID, B-NONE, CUSTOM LASER MATCHING #	8.28	IC	Credentials
Y	3250PNNBN	ICLASS SE KEYFOB 2K/2, PROG ICLASS, BLACK W/BLUE HID, LASER NON-MATCHING ICLASS #	8.28	IC	Credentials
Y	3250PNNMN	ICLASS SE KEYFOB 2K/2, PROG ICLASS, BLACK W/BLUE HID, MATCH ICLASS #	8.28	IC	Credentials
Y	3250PNNMN-310064	ICLASS KEYFOB 2K/2, SE PROG ICLASS, F-BLACK W/BLUE HID LOGO, B-STANDARD, MATCH ICLASS # , NO SALES ORDER NUMBER ON MARKING	8.28	IC	Credentials
Y	3250PNNMN-P002	ICLASS SE KEYFOB 2K/2, PROG ICLASS, BLACK W/BLUE HID, MATCH ICLASS #, W29, FFS08802692, ESMI	8.28	IC	Credentials
Y	3250PNNNN	ICLASS SE KEYFOB 2K/2, PROG ICLASS, BLACK W/BLUE HID, NO ICLASS #	8.28	IC	Credentials
Y	3250PNNRN	ICLASS SE KEYFOB 2K/2, PROG ICLASS, BLACK W/BLUE HID, RANDOM ICLASS #	8.28	IC	Credentials
Y	3250PNNSN	ICLASS SE KEYFOB 2K/2, PROG ICLASS, BLACK W/BLUE HID, SEQ. ICLASS #	8.28	IC	Credentials
Y	3250PNNSN-A000198	ICLASS SE KEYFOB 2K/2, PROG ICLASS, BLACK W/BLUE HID, SEQ. ICLASS #, CUSTOM MARKING	8.28	IC	Credentials
Y	3250PNNSN-PACK50	ICLASS SE KEYFOB 2K/2, PROG ICLASS, BLACK W/BLUE HID, SEQ. ICLASS #, PACK 50 PER BOX	8.28	IC	Credentials
	3250VNNN-A002837	ICLASS KEYFOB 2K/2, PROG , NEW FOB, NONE, NO #, NONE	8.04	IC	Credentials
Y	3250VNNNN	ICLASS KEYFOB 2K/2, PROG , NEW FOB, NONE, NO #, NONE	8.28	IC	Credentials
Y	3251PNNMN	ICLASS SE KEYFOB 16K/2, PROG ICLASS, BLACK W/BLUE HID, MATCH ICLASS #, NO SLOT	13.79	IC	Credentials
Y	3252PNNMN	ICLASS SE KEYFOB 16K/16, ICLASS PROG, BLACK W/BLUE HID, MATCH ICLASS #	13.79	IC	Credentials
Y	3252PNNNN	ICLASS SE KEYFOB 16K/16, ICLASS PROG, BLACK W/BLUE HID, NO ICLASS #	13.39	IC	Credentials
Y	3253PNNMN	ICLASS SE KF 32K (16K/2+16K/1), PRGMD, BLK W/BLUE INSERT, NONE, MATCHING #, NONE LEAD FREE	14.27	IC	Credentials
Y	3253VNNNN	ICLASS KF 32K (16K/2+16K/1), PRGMD, NEW FOB, NONE, NO #, NONE	14.27	IC	Credentials
Y	3254PNNMN	ICLASS SE KF 32K, PROG., BLACK W/BLUE HID, MATCHING #, NONE LEAD FREE	14.27	IC	Credentials
Y	3254PNNNN	ICLASS SE KF 32K, PROG., BLACK W/BLUE HID, NO #, NONE LEAD FREE	14.27	IC	Credentials
Y	3254PNNRN	ICLASS SE KF 32K, PROG., BLACK W/BLUE HID, RANDOM #, NONE LEAD FREE	14.27	IC	Credentials
Y	3300PKSMN	ICLASS TAG 2K/2, SE, ICLASS PROG, BLACK W/HID STANDARD ARTWORK, MATCH ICLASS #	5.58	IC	Credentials
Y	3300PKSNN	ICLASS TAG 2K/2, SE, ICLASS PROG, BLACK W/HID STANDARD ARTWORK, NO ICLASS #	5.58	IC	Credentials
Y	3300PKSSN-PACK50	ICLASS TAG 2K/2, SE, CONFIG., BLACK W/HID STANDARD ARTWORK, SEQUENTIAL #, NO SLOT, PACKED 50 PER BOX	5.58	IC	Credentials
Y	3300VKSNN	ICLASS SE TAG 2K/2, NON-PROG, F-BLACK W/HID STANDARD ARTWORK, B-ADHESIVE BACKING, NO #, NO SLOT	5.58	IC	Credentials
Y	3301PKSMN	ICLASS TG 16K/2+16K/1, PRGMD, F-BLK, B- ADH, MATCH. #, NONE LEAD FREE	9.31	IC	Credentials
Y	3302PKSMN	ICLASS SE TAG, 16K/16, PROG ICLASS, BLK, ADH, F-HID LOGO, B-HID LOGO, MATCH #, NO SLOT	9.61	IC	Credentials
Y	3303PKSMN	ICLASS TAG 32K(16K/2+16K/1), PROG. SE, F-BLACK, B - ADH, MATCHING#, NO SLOT LEAD FREE	10.06	IC	Credentials
Y	3303VKSNN	ICLASS SE TAG 32K (16K/2+16K/1), NON-PROG, F-BLACK W/HID STANDARD ARTWORK, B-ADHESIVE BACKING, NO #, NO SLOT	10.06	IC	Credentials
Y	3304PKSMN	ICLASS SE TAG 32K (16K/16+16K/1), PROG, F-BLACK W/HID STANDARD ARTWORK, B-ADHESIVE BACKING, MATCHING #, NO SLOT	10.06	IC	Credentials
Y	3304PKSNN	ICLASS TAG 32K (16K/16+16K/1), SE, PROG., BLACK, ADH, MATCHING, NONE LEAD FREE	10.06	IC	Credentials
Y	3304VKSNN	ICLASS SE TAG 32K (16K/16+16K/1), ER CONFIGURED, BLACK, ADHESIVE BACKING, NO #, NO SLOT	10.06	IC	Credentials
Y	3350PCCMV-A000255	ICLASS CLAMSHELL SE 2K/2, PROG ICLASS, F-ATV KEYCARD, B-ATV KEYCARD, MATCH ICLASS #, VERT SLOT	4.25	ID	Credentials
Y	3350PGSMV	ICLASS CLAMSHELL SE, PROG ICLASS, F-GLOSS, B-HID LOGO, MATCH ICLASS #, VERT SLOT	4.25	ID	Credentials
Y	3350PGSNV	ICLASS CLAMSHELL SE, PROG ICLASS, F-GLOSS, B-HID LOGO, NO ICLASS #, VERT SLOT	4.25	ID	Credentials
Y	3350PGSSV	ICLASS CLAMSHELL SE, PROG ICLASS, F-GLOSS, B-HID LOGO, SEQ ICLASS #, VERT SLOT	4.25	ID	Credentials
Y	3350PMSMV	ICLASS CLAMSHELL SE, PROG ICLASS, F-MATTE, B-HID LOGO, MATCH ICLASS #, VERT SLOT	4.25	ID	Credentials
Y	3350PMSSV	ICLASS CLAMSHELL SE, PROG ICLASS, F-MATTE, B-HID LOGO, SEQ ICLASS #, VERT SLOT	4.25	ID	Credentials

Y	3350PMSSV-PACK50	ICLASS, SE, PROG, F-MATTE, B-HID LOGO, SEQ #, VERT SLOT, PACKED 50 PER BOX	4.25	IC	Credentials
Y	3350VMSNV	ICLASS 2K/2 CLAMSHELL, ER PROG., F-MATTE, B-HID LOGO, NO#, VERT SLOT	4.25	ID	Credentials
Y	3350VMSSV	ICLASS 2K/2 CLAMSHELL, ER PROG., F-MATTE, B-HID LOGO, SEQ. NON MATCHING#, VERT SLOT	4.25	ID	Credentials
Y	3400PG1MN	HID MIFARE 1K SE, PROG, F-GLOSS, B-GLOSS W/ MAG, MATCHING, NO SLOT	5.23	MD	Credentials
Y	3400PGGMN	HID MIFARE 1K SE, PROG, F-GLOSS, B-GLOSS, MATCHING, NO SLOT	4.68	MD	Credentials
Y	3400PGGMV	HID MIFARE 1K SE, PROG, F-GLOSS, B-GLOSS, MATCHING, VERT SLOT	4.68	MD	Credentials
Y	3400PGGNN	HID MIFARE 1K SE, PROG, F-GLOSS, B-GLOSS, NO #, NO SLOT	4.68	MD	Credentials
Y	3400PGGVN-310148	HID MIFARE 1K SE, PROG, F-GLOSS, B-GLOSS, 7 BYTE UID (CSN) DECIMAL #, NO SLOT, LAM	4.68	MD	Credentials
Y	3400VGGNN	HID MIFARE, ER PROG., F-GLOSS, B-GLOSS, NO #, NO SLOT	4.68	MD	Credentials
Y	3406PGGAN	HID MIFARE 4K SE, PROG, F-GLOSS, B-GLOSS, MATCHING LASER #, NO SLOT	9.14	MD	Credentials
Y	3406PGGMN	HID MIFARE 4K SE, PROG, F-GLOSS, B-GLOSS, MATCHING, NO SLOT	9.14	MD	Credentials
Y	3406PGGNN	HID MIFARE 4K SE, PROG, F-GLOSS, B-GLOSS, NO#, NO SLOT	9.14	MD	Credentials
Y	3406VGGNN	HID MIFARE 4K, ER PROG., F-GLOSS, B-GLOSS, NO #, NO SLOT	9.14	MD	Credentials
Y	3450PG1MN	HID MIFARE 1K SE, COMPOSITE, PROG, F-GLOSS, B-GLOSS W/MAG, MATCHING, NO SLOT	5.43	MD	Credentials
Y	3450PGGMN	HID MIFARE 1K SE, COMPOSITE, PROG, F-GLOSS, B-GLOSS, MATCHING, NO SLOT	4.88	MD	Credentials
Y	3450VGGNN	HID MIFARE 1K SE, COMPOSITE, ER PROG., F-GLOSS, B-GLOSS, NO MIFARE #, NO SLOT	4.88	MD	Credentials
Y	3456PG1MN	HID MIFARE 4K SE, COMPOSITE, PROG, F-GLOSS, B-GLOSS W/MAG, MATCHING, NO SLOT	9.89	MD	Credentials
Y	3456PGGAV	HID MIFARE 4K SE, COMPOSITE, PROG, F-GLOSS, B-GLOSS, MATCHING, VERT SLOT	9.79	MD	Credentials
Y	3456PGGMN	HID MIFARE 4K SE, COMPOSITE, PROG, F-GLOSS, B-GLOSS, MATCHING, NO SLOT	9.79	MD	Credentials
Y	3456PGGMV	HID MIFARE 4K SE, COMPOSITE, PROG, F-GLOSS, B-GLOSS, MATCHING, NO SLOT	9.34	MD	Credentials
Y	3456VGGNN	HID MIFARE 4K SE, COMPOSITE, ER PROG., F-GLOSS, B-GLOSS, NO MIFARE #, NO SLOT	9.34	MD	Credentials
Y	3500RG1MNN	HID MIFARE/PROX 1K SE, PROG., F-GLOSS, B-GLOSS W/ MAG, MATCHING , MIFARE # , NO SLOT, NO PROX#	9.44	MD	Credentials
Y	3500RGGANA	HID MIFARE/PROX 1K SE, PROG., F-GLOSS, B-GLOSS, SEQ LASER MIFARE #, VERT SLOT, SEQ LASER PROX #	8.79	MD	Credentials
Y	3500RGGMNM	HID MIFARE/PROX 1K SE, PROG., F-GLOSS, B-GLOSS, MATCHING PROX#, NO SLOT, MATCHING MIFARE#	8.89	MD	Credentials
Y	3500RGGMNN	HID MIFARE/PROX 1K SE, PROG., F-GLOSS, B-GLOSS, MATCHING MIFARE #, NO SLOT, NO PROX #	8.89	MD	Credentials
Y	3500RGGMVN	HID MIFARE/PROX 1K SE, PROG., F-GLOSS, B-GLOSS, MATCHING MIFARE #, VERT SLOT, NO PROX #	8.89	MD	Credentials
Y	3500RGGNNM	HID MIFARE PROX 1K, SE, PROG. MIFARE/PROX, F-GLOSS, B-GLOSS, NO MIFARE #, NO SLOT, MATCHING PROX #	8.79	MD	Credentials
Y	3500RGGNNN	HID MIFARE/PROX 1K SE, PROG., F-GLOSS, B-GLOSS, NO MIFARE#, NO SLOT, NO PROX#	8.89	MD	Credentials
Y	3500VGGNNN	HID MIFARE PROX 1K, SE, ER PROG MIFARE, NON-PROG PROX, F-GLOSS, B-GLOSS, NO MIFARE #, NO SLOT, NO PROX #	8.79	MD	Credentials
Y	3506PGGMNN	HID MIFARE 4K/PROX, SE, PROG., F-GLOSS, B-GLOSS, MATCHING MIFARE#, NO SLOT, NO PROX#	11.88	MD	Credentials
Y	3506PGGNNN	HID MIFARE 4K/PROX, SE, PROG., F-GLOSS, B-GLOSS, NO MIFARE#, NO SLOT, NO PROX#	11.88	MD	Credentials
Y	3506PGGSNN	HID MIFARE 4K/PROX, SE, PROG. MIFARE, F-GLOSS, B-GLOSS, SEQ NON MATCHING MIFARE #, NO SLOT, NO PROX #	11.98	MD	Credentials
Y	3506RG1MNN-A000100	HID MIFARE 4K/PROX, SE, PROG., F-GLOSS, B-GLOSS W/MAG, MATCHING MIFARE#, NO SLOT, NO PROX#	12.53	MD	Credentials
Y	3506RGGMNM	HID MIFARE/PROX 4K SE, PROG., F-GLOSS, B-GLOSS, MATCHING PROX#, NO SLOT, MATCHING MIFARE#	11.98	MD	Credentials
Y	3506RGGMNN	HID MIFARE/PROX 4K SE, AND PROX PROG., F - GLOSS, B - GLOSS, MATCHING MIFARE#, NO SLOT, NO PROX#	11.98	MD	Credentials
Y	3506RGGMVM	HID MIFARE PROX 4K, SE, PROG MIFARE/PROX, F-GLOSS, B-GLOSS, MATCHING MIFARE #, VERT SLOT, MATCHING PROX #	11.88	MD	Credentials
Y	3506RGGSNN	HID MIFARE 4K/PROX, SE, PROG MIFARE/PROX., F-GLOSS, B-GLOSS, SEQ NON MATCHING MIFARE #, NO SLOT, NO PROX #	11.98	MD	Credentials
Y	3506VGGNNN	HID MIFARE/PROX 4K ER, PROG., F-GLOSS, B-GLOSS, NO MIFARE, NO SLOT, NO PROX #	11.88	MD	Credentials
Y	3550RG1NNM	COMPOSITE MIFARE PROX 1K, SE, PROG MIFARE/PROX, F-GLOSS, B-GLOSS W/MAG, NO MIFARE #, NO SLOT, MATCHING PROX #	9.54	MD	Credentials
Y	3550RG1NNN	COMPOSITE MIFARE PROX 1K, SE, PROG. MIFARE/PROX, F-GLOSS, B-GLOSS W/MAG, NO MIFARE #, NO SLOT, NO PROX #	9.54	MD	Credentials
Y	3550RGGMNM	HID MIFARE/PROX 1K SE,COMP., PROG., F-GLOSS, B-GLOSS, MATCHING PROX#, NO SLOT, MATCHING MIFARE#	8.99	MD	Credentials
Y	3550RGGMNN	COMPOSITE MIFARE PROX 1K, SE, PROG. MIFARE/PROX, F-GLOSS, B-GLOSS, MATCHING MIFARE #, NO SLOT, NO PROX #	8.99	MD	Credentials
Y	3550RGGNNB	COMPOSITE MIFARE PROX 1K, SE, PROG. MIFARE/PROX, F-GLOSS, B-GLOSS, NO MIFARE #, NO SLOT, MATCHING PROX #	8.99	MD	Credentials
Y	3550RGGNNM	COMPOSITE MIFARE PROX 1K, SE, PROG. MIFARE/PROX, F-GLOSS, B-GLOSS, NO MIFARE #, NO SLOT, MATCHING PROX #	8.99	MD	Credentials
Y	3550RGSNNN	HID MIFARE 1K/PROX SE, COMP, PROG, F-GLOSS, B-GLOSS, NO NUMERING, NO SLOT,	9.09	MD	Credentials
Y	3550VGGNNN	COMPOSITE MIFARE PROX 1K, SE, ER PROG. MIFARE, CONFIG. PROX., F-GLOSS, B-GLOSS, NO MIFARE #, NO SLOT, NO PROX #	8.99	MD	Credentials
Y	3556PGGMNN	HID MIFARE 4K/PROX, SE, COMP., PROG., F-GLOSS, B-GLOSS, MATCHING MIFARE#, NO SLOT, NO PROX#	12.08	MD	Credentials
Y	3556PGGNNN	HID MIFARE 4K/PROX, SE, COMP., PROG., F-GLOSS, B-GLOSS, NO MIFARE#, NO SLOT, NO PROX#	12.08	MD	Credentials
Y	3556RGGMNM	HID MIFARE/PROX 4K SE,COMP., PROG., F-GLOSS, B-GLOSS, MATCHING PROX#, NO SLOT, MATCHING MIFARE#	12.18	MD	Credentials
Y	3556RGGMVM	HID MIFARE/PROX 4K SE,COMP., PROG., F-GLOSS, B-GLOSS, MATCHING PROX#, VERT SLOT, MATCHING MIFARE#	11.88	MD	Credentials
Y	3750DPGGAN	COMPOSITE HID DESFIRE EV2 8K, PROG SE, F-GLOSS, B-GLOSS, MATCHING LASER #, NO SLOT	7.29	MD	Credentials
Y	3750DVGGNN	COMPOSITE HID DESFIRE EV2 8K, ER PROG, F-GLOSS, B-GLOSS, NO #, NO SLOT	7.29	MD	Credentials
Y	3850DRGGANA	COMPOSITE HID DESFIRE EV2 8K + PROX, PROG DESFIRE SE/PROX, F-GLOSS, B-GLOSS, MATCHING DESFIRE LASER #, NO SLOT, MATCHING PROX LASER #	14.76	MD	Credentials
Y	3850DRGGANN	COMPOSITE HID DESFIRE EV2 8K + PROX, PROG DESFIRE SE/PROX, F-GLOSS, B-GLOSS, MATCHING DESFIRE LASER #, NO SLOT, NO PROX #	14.76	MD	Credentials
Y	3900011	READHEAD ASY:CDS GRADED KEY/INSERT RDR, ROHS	260.00	ZB	UNIDENTIFIED
Y	3900PMG1MNN	ICLASS 2K/MIFARE 1K, SE, PROG. ICLASS, F-GLOSS, B-GLOSS W/MAG, MATCH. ICLASS#, NO SLOT, NO MIFARE#, LAM	10.24	IC	Credentials
Y	3900RMG1MNM	ICLASS 2K/MIFARE 1K, SE, PROG., F-GLOSS, B-GLOSS W/MAG, MATCH. ICLASS#, NO SLOT, MATCH. MIFARE#	10.34	IC	Credentials
Y	3900RMGGNNN	ICLASS 2K/MIFARE 1K, SE, PROG., F-GLOSS, B-GLOSS, NO ICLASS#, NO SLOT, NO MIFARE#	9.79	IC	Credentials
Y	3900VMG1NNN	ICLASS SE 2K/2 + MIFARE 1K, ER CONFIGURED ICLASS/MIFARE, F-GLOSS, B-GLOSS W/MAG, NO ICLASS #, NO SLOT, NO MIFARE #, LAM	10.24	IC	Credentials
Y	3903PKG1MNN	ICLASS SE 32K (16K/2 + 16K/1)/DESFIRE EV1 8K, PROG. ICLASS, F-GLOSS, B-GLOSS W/ MAG, MATCHING ICLASS #, NO SLOT, NO DESFIRE#	17.08	IC	Credentials
Y	3904PKG1MNN	ICLASS SE 32K (16K/2 + 16K/1)/DESFIRE EV1 8K, PROG. ICLASS, F-GLOSS, B-GLOSS W/ MAG, MATCHING ICLASS #, NO SLOT, NO DESFIRE#	17.08	IC	Credentials
Y	3904PNGGRNN	ICLASS SE 32K (16K/16+16K/1) MIFARE 4K, PROG. ICLASS, F-GLOSS, B-GLOSS, RANDOM ICLASS#, NO SLOT, NO MIFARE#, LAM	15.65	IC	Credentials
Y	3910KMGGMNM	COMPOSITE ICLASS SE 2K/MIFARE 1K, PROG. ICLASS/MIFARE LEGACY, F-GLOSS, B-GLOSS, MATCHING ICLASS #, NO SLOT, MATCHING MIFARE #	10.19	IC	Credentials
Y	3910PMG1MNN	COMPOSITE SE ICLASS 2K/MIFARE 1K, PROG. ICLASS, F-GLOSS, B-GLOSS W/MAG, MATCH. ICLASS#, NO SLOT, NO MIFARE#, LAM	10.74	IC	Credentials
Y	3910PMGGANN	COMPOSITE ICLASS SE 2K/2 MIFARE 1K, PROG ICLASS, NO MIFARE PROG, F-GLOSS, B-GLOSS, MATCHING LASER ICLASS #, NO SLOT, NO MIFARE #	10.19	IC	Credentials
Y	3910PMGGMNN	COMPOSITE SE ICLASS 2K/MIFARE 1K, PROG. ICLASS, F-GLOSS, B-GLOSS, MATCHING ICLASS#, NO SLOT, NO MIFARE#	10.19	IC	Credentials
Y	3910PMGGMNW	COMPOSITE SE ICLASS 2K/MIFARE 1K, PROG. ICLASS, F-GLOSS, B-GLOSS, MATCHING ICLASS#, NO SLOT, NO MIFARE#	9.99	IC	Credentials
Y	3910PMGGNNN	COMPOSITE ICLASS SE 2K/2 MIFARE 1K, PROG ICLASS, NO MIFARE PROG, F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, NO MIFARE #	10.19	IC	Credentials
Y	3910RMGGMNM	COMPOSITE ICLASS SE 2K/MIFARE 1K, PROG. ICLASS/MIFARE, F-GLOSS, B-GLOSS, MATCHING ICLASS #, NO SLOT, MATCHING MIFARE #	10.19	IC	Credentials
Y	3910VMGGNNN	COMPOSITE ICLASS SE 2K/2 MIFARE 1K, ER PROG ICLASS, NON-PROG MIFARE, F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, NO MIFARE #	10.19	IC	Credentials
Y	3910VMGGSNN	COMPOSITE ICLASS SE 2K/2 MIFARE 1K, ER PROG ICLASS, NON-PROG MIFARE, F-GLOSS, B-GLOSS, SEQ NON-MATCHING ICLASS #, NO SLOT, NO MIFARE #	10.19	IC	Credentials
Y	3913KNGGNNN	COMPOSITE ICLASS 32K (16K/2+16K/1) + MIFARE 4K, PROG ICLASS/MIFARE, F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, NO MIFARE #, LAM	15.65	IC	Credentials
Y	3913PNGGMNN	COMPOSITE SE ICLASS 32K (16K/2+16K/1) MIFARE 4K, PROG. ICLASS, F-GLOSS, B-GLOSS, MATCHING ICLASS#, NO SLOT, NO MIFARE#, LAM	16.32	IC	Credentials
Y	3913RNGGNNN	COMPOSITE ICLASS SE 32K (16K/2+16K/1)/MIFARE 4K, PROG. ICLASS/DESFIRE, F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, NO MIFARE #	16.32	IC	Credentials
Y	3913VNGGNNN	COMPOSITE ICLASS SE 32K (16K/2+16K/1)/MIFARE 4K, CONFIG. ICLASS, NON-PROG. MIFARE, F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, NO MIFARE #	16.32	IC	Credentials
Y	3914ANGGNNN-A000182	COMPOSITE ICLASS 32K (16K/16+16K/1) MIFARE 4K, CONFIGURED ICLASS, MIFARE PROGRAMMED, F - GLOSS, B - GLOSS w Crescendo BUG, NO ICLASS#, NO SLOT, NO MIFARE#, NO SO#, NO LINE#	16.12	EB	Credentials
Y	3914PNGGMNN	COMPOSITE SE ICLASS 32K (16K/16+16K/1) MIFARE 4K, PROG., F-GLOSS, B-GLOSS, MATCHING ICLASS#, NO SLOT, NO MIFARE#	16.32	IC	Credentials

Y	3914PNGGNNN	COMPOSITE ICLASS SE 32K (16K/16+16K/1) MIFARE 4K, PROG ICLASS, NON-PROG MIFARE, F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, NO MIFARE #	16.32	IC	Credentials
Y	3914PNGGRNN	COMPOSITE SE ICLASS 32K (16K/16+16K/1) MIFARE 4K, PROG., F-GLOSS, B-GLOSS, RANDOM ICLASS#, NO SLOT, NO MIFARE#	16.32	IC	Credentials
Y	3914RNGGMNM	COMPOSITE SE ICLASS 32K (16K/16+16K/1) MIFARE 4K, PROG. ICLASS/MIFARE, F-GLOSS, B-GLOSS, MATCHING ICLASS#, NO SLOT, MATCH. MIFARE#	16.32	IC	Credentials
Y	3924PNGGMNN	COMPOSITE ICLASS SE 32K (16K/16+16K/1) MIFARE 4K, PROG. ICLASS, F-GLOSS, B-GLOSS, MATCH. ICLASS#, NO SLOT, NO MIFARE#, LAM	17.52	EB	Credentials
Y	3924PNGGRNN	COMPOSITE ICLASS SE 32K (16K/16+16K/1) MIFARE 4K, PROG. ICLASS, F-GLOSS, B-GLOSS, RANDOM ICLASS#, NO SLOT, NO MIFARE#, LAM	17.52	EB	Credentials
Y	3950PMCG1MNNM	ICLASS SE 2K/MIFARE 1K/PROX, PROG. ICLASS/CASI PROX, F-GLOSS, B-GLOSS W/MAG, MATCH ICLASS#, NO SLOT, NO MIFARE#, MATCH PROX#, LAM	15.89	IC	Credentials
Y	3950PMCGGMNNN	ICLASS 2K/MIFARE 1K/PROX, SE, PROG. ICLASS/CASI PROX, F-GLOSS, B-GLOSS, MATCH ICLASS#, NO SLOT, NO MIFARE#, NO PROX#, LAM	15.34	IC	Credentials
Y	3950PMCGGNNNN	ICLASS 2K/MIFARE 1K/PROX, SE, PROG. ICLASS/CASI PROX, F-GLOSS, B-GLOSS, MATCH ICLASS#, NO SLOT, NO MIFARE#, NO PROX#, LAM	15.34	IC	Credentials
Y	3950PMPG1MNNM	ICLASS SE 2K/MIFARE 1K/PROX, PROG. ICLASS/PROX, F-GLOSS, B- GLOSS W/ MAG, MATCH ICLASS#, NO SLOT, NO MIFARE#, MATCH PROX#	15.34	IC	Credentials
Y	3950RMPGGMNMM	ICLASS 2K/MIFARE 1K/PROX, SE, PROG. ICLASS/MIFARE SIO, F-GLOSS, B-GLOSS, MATCH ICLASS#, NO SLOT, MATCHING MIFARE#, MATCHING PROX#, LAM	15.44	IC	Credentials
Y	3960PMCG1MNNN	COMPOSITE SE ICLASS 2K/MIFARE 4K/PROX, PROG. ICLASS/PROX, F-GLOSSY, B- GLOSS W/MAG, MATCH. ICLASS#, NO SLOT, NO MIFARE#, NO PROX#	16.55	IC	Credentials
Y	3960PMCG1NNNN	COMPOSITE SE ICLASS 2K/MIFARE 4K/PROX, PROG. ICLASS/CASI PROX, F-GLOSSY, B- GLOSS W/MAG, NO ICLASS#, NO SLOT, NO MIFARE#, NO PROX#	16.55	IC	Credentials
Y	3960PMCGGNNNN	COMPOSITE ICLASS SE 2K/2 + MIFARE 1K + PROX, PROG ICLASS/NON-PROG MIFARE/INDALA CASI PROX, F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, NO MIFARE #, NO PROX #, LAM	16.01	IC	Credentials
Y	3960PMPG1MNNM	COMPOSITE SE ICLASS 2K/MIFARE 1K/PROX, PROG. ICLASS/PROX, F-GLOSSY, B- GLOSS W/MAG STRIPE, MATCHING ICLASS#, NO SLOT, NO MIFARE#, MATCH. PROX#	16.55	IC	Credentials
Y	3960PMPGGMNNM	COMPOSITE SE ICLASS 2K/MIFARE 4K/PROX, PROG. ICLASS/PROX, F-GLOSSY, B- GLOSS, MATCHING ICLASS#, NO SLOT, NO MIFARE#, MATCH. PROX#	16.00	IC	Credentials
Y	3960PMPGGMNNN	COMPOSITE SE ICLASS 2K/MIFARE 4K/PROX, PROG. ICLASS/PROX, F-GLOSSY, B- GLOSS, MATCHING ICLASS#, NO SLOT, NO MIFARE#, NO PROX#	15.80	IC	Credentials
Y	3960PMPGGNNNM	COMPOSITE SE ICLASS 2K/MIFARE 4K/PROX, PROG. ICLASS/PROX, F-GLOSS, B- GLOSS, NO ICLASS#, NO SLOT, NO MIFARE, MATCH. PROX#	16.00	IC	Credentials
Y	3960PMPGGNNVM	COMPOSITE SE ICLASS 2K/MIFARE 4K/PROX, PROG. ICLASS/PROX, F-GLOSS, B- GLOSS, NO ICLASS#, NO SLOT, CSN NUMBER, MATCH. PROX#	16.00	IC	Credentials
Y	3960RMPGGANAA	COMPOSITE ICLASS 2K/MIFARE 1K/PROX, ICLASS/MIFARE PROG. SE, PROX PROG., F-GLOSS, B-GLOSS, LASER MATCH. ICLASS#, NO SLOT, LASER MATCH MIFARE#, LASER MATCH PROX#	16.00	IC	Credentials
Y	3960RMPGGNNMM	COMPOSITE ICLASS 2K/MIFARE 1K/PROX, SE, PROG. ICLASS/MIFARE SIO, F-GLOSS, B-GLOSS, NO ICLASS#, NO SLOT, MATCHING MIFARE#, MATCHING PROX#	16.10	IC	Credentials
Y	3960RMPGGNNNN	COMPOSITE ICLASS SE 2K/MIFARE 1K/PROX, PROG. ICLASS/MIFARE/PROX, F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, NO MIFARE #, NO PROX #	16.00	IC	Credentials
Y	3960VMNGGNNNN	COMPOSITE ICLASS SE 2K/MIFARE, PROG. MIFARE, F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, NO MIFARE #, NO PROX #	16.00	IC	Credentials
Y	3963PNPGGMNNM	COMPOSITE SE ICLASS 32K (16K/2 + 16K/1)/MIFARE 4K/PROX, PROG. ICLASS/PROX, F-GLOSSY, B- GLOSS, MATCHING ICLASS#, NO SLOT, NO MIFARE#, MATCH. PROX	20.44	IC	Credentials
Y	3963RNPGGNNNM	COMPOSITE ICLASS SE 32K (16K/2+16K/1)/MIFARE 4K/PROX, PROG. ICLASS/MIFARE/PROX, F-GLOSS, B- GLOSS, NO ICLASS #, NO SLOT, NO MIFARE #, MATCHING PROX #	20.44	IC	Credentials
Y	3964PNPGGMNNM	COMPOSITE SE ICLASS 32K (16K/16 + 16K/1)/MIFARE 4K/PROX, PROG. ICLASS/PROX, F-GLOSSY, B- GLOSS, MATCHING ICLASS#, NO SLOT, NO MIFARE#, MATCH. PROX	20.44	IC	Credentials
Y	3964RNPGGANAA	COMPOSITE ICLASS 32K/MIFARE 4K/PROX, ICLASS/MIFARE PROG. SE, PROX PROG., F-GLOSS, B-GLOSS, LASER MATCH ICLASS#, NO SLOT, LASER MATCH MIFARE#, LASER MATCH PROX#	20.44	IC	Credentials
Y	40-0004-01	ANT, PROXPRO LEAD FREE	22.00	ZB	Product Components
Y	40-0026-01	ANT, AIR CORE, 674UH	10.50	ZB	Product Components
Y	40-K-05	HID SIGNO 40 SERIES, 0.5 INCH SPACER, BLACK	23.81	ZB	Readers
Y	40-K-10	HID SIGNO 40 SERIES, 1.0 INCH SPACER, BLACK	23.81	ZB	Readers
Y	40-K-AP	HID SIGNO 40 MOUNTING PLATE, BLACK	23.81	ZB	Readers
Y	40-K-MP	HID SIGNO 40 MOUNTING PLATE, BLACK	23.81	ZB	Readers
Y	40-S-05	HID SIGNO 40 SERIES, 0.5 INCH SPACER, SILVER	23.81	ZB	Readers
Y	40-S-10	HID SIGNO 40 SERIES, 1.0 INCH SPACER, SILVER	23.81	ZB	Readers
Y	40-S-MP	HID SIGNO 40 MOUNTING PLATE, SLIVER	23.81	ZB	Readers
Y	400-2D71-06	SCR M FL-82 SPNR .138-32X.375 SS LEAD FREE	0.53	ZB	Product Components
Y	400-3D04-14	SCR M FL-82 PHIL .164-32X.875 BLK LEAD FREE	0.11	ZB	Product Components
Y	400A-P17S	CONTACT/CONTACTLESS, ICLASS 32K PROX, JC2	24.93	EB	Credentials
Y	4045-105-01	MTG PL, MULLION, ANT, ENTRYPROX, LEAD FREE	13.84	ZB	Controllers
Y	4045-303-01	ANT ASSY, ENTRYPROX, LEAD FREE	117.49	ZB	Controllers
Y	4045-SD	SIMPLE TECH SECURE DIGITAL CARD, 512MB	50.00	ZB	Product Components
Y	4045CGNU0	RDR, ENTRYPROX SC, GRY, LEAD FREE	513.78	RE	Controllers
Y	4045CGNU0-1575A	ENTRYPROX,GRAY,ARITECH AC1740	513.78	RE	Controllers
Y	4045CGNU0-310006	ENTRYPROX, CUSTOM INNER RANGE LABEL	513.78	RE	Controllers
Y	4045CGNU0-CHINA	RDR, ENTRYPROX SC, GRY, CHINA CM MANUFACTURING LICENSED RDR, LEAD FREE	513.78	RE	Controllers
Y	40KNKS-00-000000	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA RDY,FMT:ASP10022,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,BZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	700.13	IR	Readers
Y	40KNKS-00-00000Q	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,WIEG,32-B MSB,EACH,8-B DOR,NOPAR,LEN:13,FC:0,EM:40-B,LED:RED,KBD:RED,BZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	700.13	IR	Readers
Y	40KNKS-00-00000Z	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,KBD:RED,BZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	700.13	IR	Readers
Y	40KNKS-00-00001Q	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,OSDP,V2,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,KBD:RED,BZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	700.13	IR	Readers
Y	40KNKS-00-000025	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,KBD:RED,BZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	700.13	IR	Readers
Y	40KNKS-00-00002X	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,WIEG,32-B MSB,CPLT,26-B MSG,PAR,LEN:5,FC:255,EM:32-B,LED:RED,KBD:RED,BZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	700.13	IR	Readers
Y	40KNKS-00-000036	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,KBD:RED,BZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	700.13	IR	Readers
Y	40KNKS-00-00003W	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,WIEG,32-B MSB,CPLT,26-B MSG,PAR,LEN:5,FC:255,EM:32-B,LED:RED,KBD:RED,BZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	700.13	IR	Readers
Y	40KNKS-00-000040	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,WIEG,32-B MSB,EACH,8-B DOR,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,KBD:RED,BZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	700.13	IR	Readers
Y	40KNKS-00-00006R	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0734,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,KBD:RED,BZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	700.13	IR	Readers
Y	40KNKS-00-0002BR	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,OSDP,V2,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	700.13	IR	Readers
Y	40KNKS-00-00037M	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,FMT:10251,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	700.13	IR	Readers
Y	40KNKS-00-00039H	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,OSDP,V2,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP,APB:OFF,APB IND:OFF,HOLD APB 0MS	700.13	IR	Readers
Y	40KNKS-00-00039P	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA2X4,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP,TWS	700.13	IR	Readers
Y	40KNKS-00-00039Q	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,FMT:17620,WIEG,32-B MSB,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	700.13	IR	Readers
Y	40KNKS-00-00039Y	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,ICE0055,OSDP,V1,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	700.13	IR	Readers
Y	40KNKS-01-000000	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SEOS,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	600.12	IR	Readers
Y	40KNKS-01-00001H	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SEOS,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,KBD:RED,BZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	600.12	IR	Readers
Y	40KNKS-02-000000	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SMART,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	650.12	IR	Readers
Y	40KNKS-02-000278	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SMART,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,KBD:RED,BZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	650.12	IR	Readers
Y	40KNKS-02-0002BL	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SMART,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	650.12	IR	Readers
Y	40KNKS-03-000000	SIGNO 40K,BLK/SLVR,PIG,CRD PFL CSTM,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,MAP1:DF,ICE0318,FELICA:64-BIT_LSB,CEPAS:CAN,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	750.14	IR	Readers
Y	40KNKS-T0-000000	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	745.51	IR	Readers
Y	40KNKS-T1-000000	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T1-SEOS,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	639.01	IR	Readers
Y	40KNKS-T2-000000	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T2-SMART,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	692.27	IR	Readers
Y	40KNKS-T3-000000	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T3-CSTM,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,MAP1:DF,DEFAULT,FELICA:32-B MSB,CEPAS:CAN,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	798.77	IR	Readers
Y	40KT-K-MP	HID SIGNO 40K, 40T, MOUNTING PLATE, BLACK	23.81	ZB	Readers
Y	40KT-S-MP	HID SIGNO 40K, 40T, MOUNTING PLATE, SILVER	23.81	ZB	Readers
Y	40KTKS-00-000000	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA RDY,FMT:ASP10022,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,BZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	700.13	IR	Readers
Y	40KTKS-00-000016	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,WIEG,37-B LSB,CPLT,26-B MSG,PAR,LEN:5,FC:255,EM:32-B,LED:OFF,KBD:RED,BZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	700.13	IR	Readers
Y	40KTKS-00-000025	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,KBD:RED,BZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	700.13	IR	Readers
Y	40KTKS-00-000036	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,KBD:RED,BZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	700.13	IR	Readers

Y	40KTKS-00-00003C	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,WIEG,32-B MSB,EACH,8-B DOR,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,KBD:RED,BZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	700.13	IR	Readers
Y	40KTKS-00-0002BR	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,OSDP,V2,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	700.13	IR	Readers
Y	40KTKS-00-000393	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA3AK,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	700.13	IR	Readers
Y	40KTKS-00-00320M	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA5K3,WIEG,CSN SUPR,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,BLE:OFF	700.13	IR	Readers
Y	40KTKS-01-000000	SIGNO 20K,BLK/SLVR,TERM,CRD PFL SEOS,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	600.12	IR	Readers
Y	40KTKS-01-00001H	SIGNO 40K,BLK/SLVR,TERM,CRD PFL SEOS,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,KBD:RED,BZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	600.12	IR	Readers
Y	40KTKS-02-000000	SIGNO 40K,BLK/SLVR,TERM,CRD PFL SMART,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	650.12	IR	Readers
Y	40KTKS-02-000278	SIGNO 40K,BLK/SLVR,TERM,CRD PFL SMART,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,KBD:RED,BZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	650.12	IR	Readers
Y	40KTKS-02-0002BL	SIGNO 40K,BLK/SLVR,TERM,CRD PFL SMART,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	650.12	IR	Readers
Y	40KTKS-02-0003A2	SIGNO 40K,BLK/SLVR,TERM,CRD PFL SMART,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	650.12	IR	Readers
Y	40KTKS-03-000000	SIGNO 40K,BLK/SLVR,TERM,CRD PFL CSTM,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,MAP1:DF,ICE0318,FELICA:64-BIT_LSB,CEPAS:CAN,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	750.14	IR	Readers
Y	40KTKS-03-000ALH	SIGNO 40K,BLK/SLVR,TERM,CRD PFL CSTM,MA ENB,ICE0818,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,MAP1:DF,ICE0818,LED:BLU,FLSH:BLU,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	750.14	IR	Readers
Y	40KTKS-03-002KBL	SIGNO 40K,BLK/SLVR,TERM,CRD PFL CSTM,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,FELICA:RAW CSN,CEPAS:CAN,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	750.14	IR	Readers
Y	40KTKS-T0-000000	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T0-STD,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	745.51	IR	Readers
Y	40KTKS-T1-000000	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T1-SEOS,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	639.01	IR	Readers
Y	40KTKS-T2-000000	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T2-SMART,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	692.27	IR	Readers
Y	40KTKS-T3-000000	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T3-CSTM,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,MAP1:DF,DEFAULT,FELICA:32-B MSB,CEPAS:CAN,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,IPM:OFF,VEL:OFF,TAP	798.77	IR	Readers
Y	40NKS-00-000000	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA RDY,FMT:ASP10022,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	425.08	IR	Readers
Y	40NKS-00-00000V	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,OSDP,V1,32-B MSB,EM:32-B,LED:OFF,SRF:ON,IPM:OFF,VEL:OFF,TAP	425.08	IR	Readers
Y	40NKS-00-000015	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,WIEG,32-B MSB,EM:32-B,LED:RED,SRF:ON,IPM:OFF,VEL:OFF,TAP	425.08	IR	Readers
Y	40NKS-00-000016	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,WIEG,32-B MSB,EM:32-B,LED:RED,SRF:ON,IPM:OFF,VEL:OFF,TAP	425.08	IR	Readers
Y	40NKS-00-000017	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,OSDP,V1,32-B MSB,EM:32-B,LED:OFF,SRF:ON,IPM:OFF,VEL:OFF,TAP	425.08	IR	Readers
Y	40NKS-00-00001F	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,WIEG,32-B MSB,EM:40-B,LED:RED,SRF:ON,IPM:OFF,VEL:OFF,TAP	425.08	IR	Readers
Y	40NKS-00-00001Z	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,WIEG,32-B MSB,EM:32-B,LED:BLU,SRF:ON,IPM:OFF,VEL:OFF,TAP	425.08	IR	Readers
Y	40NKS-00-000025	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,WIEG,32-B MSB,EM:32-B,LED:RED,SRF:ON,IPM:OFF,VEL:OFF,TAP	425.08	IR	Readers
Y	40NKS-00-000026	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,OSDP,V1,32-B MSB,EM:32-B,LED:OFF,SRF:ON,IPM:OFF,VEL:OFF,TAP	425.08	IR	Readers
Y	40NKS-00-00002V	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,WIEG,32-B MSB,EM:32-B,LED:RED,SRF:ON,IPM:OFF,VEL:OFF,TAP	425.08	IR	Readers
Y	40NKS-00-000036	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,WIEG,32-B MSB,EM:32-B,LED:RED,SRF:ON,IPM:OFF,VEL:OFF,TAP	425.08	IR	Readers
Y	40NKS-00-000037	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,SRF:ON,IPM:OFF,VEL:OFF,TAP	425.08	IR	Readers
Y	40NKS-00-00003B	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,SRF:ON,IPM:OFF,VEL:OFF,TAP	425.08	IR	Readers
Y	40NKS-00-00003R	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,WIEG,26-B FC1,EM:32-B,LED:RED,SRF:ON,IPM:OFF,VEL:OFF,TAP	425.08	IR	Readers
Y	40NKS-00-00003U	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,WIEG,26-B FC1,EM:32-B,LED:RED,SRF:ON,IPM:OFF,VEL:OFF,TAP	425.08	IR	Readers
Y	40NKS-00-000050	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,WIEG,V2,LED:RED,SRF:ON,IPM:OFF,VEL:OFF	425.08	IR	Readers
Y	40NKS-00-0002BP	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,OSDP,V1,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	425.08	IR	Readers
Y	40NKS-00-0002BR	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	425.08	IR	Readers
Y	40NKS-00-00037M	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:10251,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	425.08	IR	Readers
Y	40NKS-00-00037W	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1022,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP,TWS	425.08	IR	Readers
Y	40NKS-00-00038H	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA37K,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	425.08	IR	Readers
Y	40NKS-00-00038P	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0771,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP,TWS	425.08	IR	Readers
Y	40NKS-00-00039H	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,OSDP,V2,CSN SUPR,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,IPM:OFF,VEL:OFF,TAP,APB:OFF,APB IND:OFF,HOLD APB 0MS	425.08	IR	Readers
Y	40NKS-00-00039J	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA1A2,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP,TWS	425.08	IR	Readers
Y	40NKS-00-00039P	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA2X4,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP,TWS	425.08	IR	Readers
Y	40NKS-00-00039Q	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:17620,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	425.08	IR	Readers
Y	40NKS-00-00039Y	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,ICE0055,OSDP,V1,CSN SUPR,LED:OFF,FLSH:OFF,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	425.08	IR	Readers
Y	40NKS-00-0003GT	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA3CU,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	425.08	IR	Readers
Y	40NKS-00-0003M1	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1617,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	425.08	IR	Readers
Y	40NKS-01-000000	SIGNO 40,BLK/SLVR,PIG,CRD PFL SEOS,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	325.06	IR	Readers
Y	40NKS-01-00001H	SIGNO 40,BLK/SLVR,PIG,CRD PFL SEOS,WIEG,LED:RED,SRF:ON,IPM:OFF,VEL:OFF,TAP	325.06	IR	Readers
Y	40NKS-02-000000	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	375.07	IR	Readers
Y	40NKS-02-000278	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,WIEG,LED:RED,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	375.07	IR	Readers
Y	40NKS-02-0002BL	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	375.07	IR	Readers
Y	40NKS-03-000000	SIGNO 40,BLK/SLVR,PIG,CRD PFL CSTM,WIEG,CSN SUPR,MAP1:DF,ICE0318,FELICA:64-BIT_LSB,CEPAS:CAN,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	475.09	IR	Readers
Y	40NKS-03-002KBL	SIGNO 40,BLK/SLVR,PIG,CRD PFL CSTM,WIEG,FELICA:RAW CSN,CEPAS:CAN,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	475.09	IR	Readers
Y	40NKS-T0-000000	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	452.63	IR	Readers
Y	40NKS-T1-000000	SIGNO 40,BLK/SLVR,PIG,CRD PFL T1-SEOS,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	346.13	IR	Readers
Y	40NKS-T2-000000	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	399.38	IR	Readers
Y	40NKS-T3-000000	SIGNO 40,BLK/SLVR,PIG,CRD PFL T3-CSTM,BLE:ON,WIEG,CSN SUPR,MAP1:DF,DEFAULT,FELICA:32-B MSB,CEPAS:CAN,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	505.88	IR	Readers
Y	40TKS-00-000000	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA RDY,FMT:ASP10022,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	425.08	IR	Readers
Y	40TKS-00-00000U	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,WIEG,32-B MSB,EM:32-B,LED:RED,SRF:ON,IPM:OFF,VEL:OFF,TAP	425.08	IR	Readers
Y	40TKS-00-000016	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,WIEG,32-B MSB,EM:32-B,LED:RED,SRF:ON,IPM:OFF,VEL:OFF,TAP	425.08	IR	Readers
Y	40TKS-00-000017	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,OSDP,V1,32-B MSB,EM:32-B,LED:OFF,SRF:ON,IPM:OFF,VEL:OFF,TAP	425.08	IR	Readers
Y	40TKS-00-000025	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,WIEG,32-B MSB,EM:32-B,LED:RED,SRF:ON,IPM:OFF,VEL:OFF,TAP	425.08	IR	Readers
Y	40TKS-00-000029	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0019,ICE0431,WIEG,V1,32-B MSB,EM:32-B,LED:RED,SRF:ON,IPM:OFF,VEL:OFF,TAP	425.08	IR	Readers
Y	40TKS-00-000036	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,WIEG,32-B MSB,EM:32-B,LED:RED,SRF:ON,IPM:OFF,VEL:OFF,TAP	425.08	IR	Readers
Y	40TKS-00-0002BR	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	425.08	IR	Readers
Y	40TKS-00-000375	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA2HV,WIEG,CSN SUPR,EM:32-B,LED:BLU,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	425.08	IR	Readers
Y	40TKS-00-000393	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA3AK,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	425.08	IR	Readers
Y	40TKS-00-00039Y	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,ICE0055,OSDP,V1,CSN SUPR,LED:OFF,FLSH:OFF,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	425.08	IR	Readers
Y	40TKS-00-00320M	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA5K3,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,BLE:OFF	425.08	IR	Readers
Y	40TKS-01-000000	SIGNO 40,BLK/SLVR,TERM,CRD PFL SEOS,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	325.06	IR	Readers
Y	40TKS-01-00001H	SIGNO 40,BLK/SLVR,TERM,CRD PFL SEOS,WIEG,LED:RED,SRF:ON,IPM:OFF,VEL:OFF,TAP	325.06	IR	Readers
Y	40TKS-02-000000	SIGNO 40,BLK/SLVR,TERM,CRD PFL SMART,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	375.07	IR	Readers
Y	40TKS-02-000278	SIGNO 40,BLK/SLVR,TERM,CRD PFL SMART,WIEG,LED:RED,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	375.07	IR	Readers
Y	40TKS-02-0002BL	SIGNO 40,BLK/SLVR,TERM,CRD PFL SMART,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	375.07	IR	Readers
Y	40TKS-02-00039A	SIGNO 40,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOB5080,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP,TWS	375.07	IR	Readers
Y	40TKS-03-000000	SIGNO 40,BLK/SLVR,TERM,CRD PFL CSTM,WIEG,CSN SUPR,MAP1:DF,ICE0318,FELICA:64-BIT_LSB,CEPAS:CAN,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	475.09	IR	Readers
Y	40TKS-T0-000000	SIGNO 40,BLK/SLVR,TERM,CRD PFL T0-STD,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	452.63	IR	Readers

Y	40TKS-T1-000000	SIGNO 40,BLK/SLVR,TERM,CRD PFL T1-SEOS,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	346.13	IR	Readers
Y	40TKS-T2-000000	SIGNO 40,BLK/SLVR,TERM,CRD PFL T2-SMART,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	399.38	IR	Readers
Y	40TKS-T3-000000	SIGNO 40,BLK/SLVR,TERM,CRD PFL T3-CSTM,BLE:ON,WIEG,CSN SUPR,MAP1:DF,DEFAULT,FELICA:32-B MSB,CEPAS:CAN,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	505.88	IR	Readers
Y	46-0007-03	TERM STP, PLUG, 3.5MM, 3 PIN LEAD FREE	6.00	ZB	Product Components
Y	46-0007-06	CONN TERM-STP PL .138 CTR 6 POS LEAD FREE	6.00	ZB	Product Components
Y	46-0007-08	CONN TERM-STP PL .138 CTR 8 POS LEAD FREE	6.30	ZB	Product Components
Y	5005PG1MNT	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 16K, PROG, F-GLOSS, B-GLOSS W/MAG, MATCHING #, NO SLOT, SHRINK WRAP IN LOTS OF 10 PER WRI-02064	12.80	IC	Credentials
Y	5005PGGAN	COMPOSITE ICLASS SEOS 16K, PROG SEOS, F - GLOSS, B - GLOSS, LASER MATCHING SEOS #, NO SLOT	12.25	IC	Credentials
Y	5005PGGMN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 16 KB MEMORY, PROG., F-GLOSS, B-GLOSS, MATCH. ICLASS #, NO SLOT, LAM	12.25	IC	Credentials
Y	5005PGGMNT	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 16 KB MEMORY, PROG., F-GLOSS, B-GLOSS, MATCH. ICLASS #, NO SLOT, LAM, 10 PACK	12.25	IC	Credentials
Y	5005PGGNN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 16 KB MEMORY, PROG., F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, LAM	12.25	IC	Credentials
Y	5005PGGNNT	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 16 KB MEMORY, PROG., F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, LAM, 10 PACK	12.25	IC	Credentials
Y	5005PGGRN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 16 KB MEMORY, PROG., F-GLOSS, B-GLOSS, RANDOM#. ICLASS #, NO SLOT	12.25	IC	Credentials
Y	5005PGGRNT	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 16 KB MEMORY, PROG., F-GLOSS, B-GLOSS, RANDOM#. ICLASS #, NO SLOT, 10 PACK	12.25	IC	Credentials
Y	5005PGGSN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 16 KB MEMORY, PROG., F-GLOSS, B-GLOSS, SEQ. #. ICLASS #, NO SLOT	12.25	IC	Credentials
Y	5005PGGSNT	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 16 KB MEMORY, PROG., F-GLOSS, B-GLOSS, SEQ. #. ICLASS #, NO SLOT, 10 PACK	12.25	IC	Credentials
Y	5005VGGNN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 16 KB MEMORY, ER PROG., F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT	12.25	IC	Credentials
Y	5005VGGNNT	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 16 KB MEMORY, ER PROG., F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, 10 PACK	12.25	IC	Credentials
Y	5005ZGGNN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 16K, SEOS OS LOADED, NON-PROG., F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, LAM	12.25	IC	Credentials
Y	5006PG1AN7	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8KB MEMORY, PROG, F-GLOSS, B-GLOSS, W/MAG, LASER MATCHING SEOS #, NO SLOT, 7BUID	6.57	IC	Credentials
Y	5006PG1BN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8K, PROG, F-GLOSS, B-GLOSS W/MAG, SEQ NON-MATCHING LASER #, NO SLOT	6.57	IC	Credentials
Y	5006PG1MN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8K, SEOS OS LOADED, PROG., F-GLOSS, B-GLOSS, W/MAG, MATCHING ICLASS #, NO SLOT	6.57	IC	Credentials
Y	5006PG1MN7	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8KB MEMORY, PROG., F-GLOSS, B-GLOSS, W/MAG, MATCHING ICLASS #, NO SLOT, STATIC 7 BYTE UID	6.57	IC	Credentials
Y	5006PG1MNT	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8K, SEOS OS LOADED, PROG., F-GLOSS, B-GLOSS, W/MAG, MATCHING ICLASS #, NO SLOT, 10 PACK	6.57	IC	Credentials
Y	5006PG1NN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8K, PROG, F-GLOSS, B-GLOSS W/MAG, NO SEOS #, NO SLOT	6.57	IC	Credentials
Y	5006PG1NN7	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8K, SEOS OS LOADED, SIO PROG., F-GLOSS, B-GLOSS, W/MAG, NO ICLASS #, NO SLOT, 7 BYTE UID LAM	6.57	IC	Credentials
Y	5006PG1NN7-A002755		6.57	IC	Credentials
Y	5006PGGAN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8K, PROG, F-GLOSS, B-GLOSS, MATCHING SEOS LASER #, NO SLOT	6.02	IC	Credentials
Y	5006PGGAN7	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8KB MEMORY, PROG, F-GLOSS, B-GLOSS, LASER MATCHING SEOS #, NO SLOT, 7BUID	6.02	IC	Credentials
Y	5006PGGAN7-A002120	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8KB MEMORY, PROG, F-GLOSS, B-GLOSS, LASER MATCHING SEOS #, NO SLOT, 7BUID	6.22	IC	Credentials
Y	5006PGGBN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8K, PROG, F-GLOSS, B-GLOSS, SEQ NON MATCHING SEOS LASER #, NO SLOT	6.02	IC	Credentials
Y	5006PGGBN-PACK50	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8K, PROG., F-GLOSS, B-GLOSS, SEQ NON-MATCHING LASER #, NO SLOT, LAM, PACK 50 CARDS PER BOX	300.74	IC	Credentials
Y	5006PGGBN7	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8K, PROG, F-GLOSS, B-GLOSS, SEQ NON MATCHING SEOS LASER #, NO SLOT, 7 BYTE STATIC UID	6.02	IC	Credentials
Y	5006PGGCNT	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8K, PROG., F-GLOSS, B-GLOSS, RANDOM ENCODED/NON-MATCHING SEQ LASER ICLASS #, NO SLOT, 10 PACK	60.15	IC	Credentials
Y	5006PGGMN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8 KB MEMORY, PROG., F-GLOSS, B-GLOSS, MATCH. ICLASS #, NO SLOT, LAM	6.02	IC	Credentials
Y	5006PGGMN7	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8 KB MEMORY, PROG., F-GLOSS, B-GLOSS, MATCH. ICLASS #, NO SLOT, STATIC 7 BYTE UID	6.02	IC	Credentials
Y	5006PGGMN7-A002705	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8 KB MEMORY, PROG. SEOS, F-GLOSS, B-GLOSS, MATCH. ICLASS #, NO SLOT, 7 BYTE STATIC UID	6.02	IC	Credentials
Y	5006PGGMN7T	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8 KB MEMORY, PROG., F-GLOSS, B-GLOSS, MATCH. ICLASS #, NO SLOT, STATIC 7 BYTE UID, 10 PACK	6.02	IC	Credentials
Y	5006PGGMNT	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8 KB MEMORY, PROG., F-GLOSS, B-GLOSS, MATCH. ICLASS #, NO SLOT, LAM, 10 PACK	6.02	IC	Credentials
Y	5006PGGNN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8 KB MEMORY, PROG., F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, LAM	6.02	IC	Credentials
Y	5006PGGNN-A000570	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8 KB MEMORY, PROG., F-GLOSS, B-GLOSS, NO ICLASS #, NO SO #, NO SLOT, NO HID BUG, LAM	6.02	IC	Credentials
Y	5006PGGNN7	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8K, PROG, F-GLOSS, B-GLOSS, NO SEOS #, NO SLOT, STATIC 7 BYTE UID	6.02	IC	Credentials
Y	5006PGGNNT	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8 KB MEMORY, PROG., F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, LAM, 10 PACK	6.12	IC	Credentials
Y	5006PGGRN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8 KB MEMORY, PROG., F-GLOSS, B-GLOSS, RANDOM ICLASS #, NO SLOT	6.02	IC	Credentials
Y	5006PGGSN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8 KB MEMORY, PROG., F-GLOSS, B-GLOSS, SEQ. ICLASS #, NO SLOT	6.02	IC	Credentials
Y	5006PGGSN7	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8KB MEMORY, PROG, F-GLOSS, B-GLOSS, SEQUENTIAL ENCODED/SEQUENTIAL NON-MATCHING SEOS #, NO SLOT, 7BUID	6.02	IC	Credentials
Y	5006PGGSNT	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8 KB MEMORY, PROG., F-GLOSS, B-GLOSS, SEQ. ICLASS #, NO SLOT, 10 PACK	6.12	IC	Credentials
Y	5006VG1NN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8K, SEOS LOADED, ER PROG., F-GLOSS, B-GLOSS W/ MAG, NO ICLASS #, NO SLOT	6.57	IC	Credentials
Y	5006VGGBN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8K, SEOS OS LOADED, NON-PROG, F-GLOSS, B-GLOSS, SEQ INTERNAL/SEQ NON-MATCHING EXTERNAL LASER, NO SLOT	6.02	IC	Credentials
Y	5006VGGNN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8K, SEOS LOADED, ER PROG., F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT	6.02	IC	Credentials
Y	5006VGGNN7	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8K, SEOS OS LOADED, ER PROG, F-GLOSS, B-GLOSS, NO SEOS #, NO SLOT, STATIC 7 BYTE UID	6.02	IC	Credentials
Y	5006VGGNNT	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8K, SEOS LOADED, ER PROG., F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, 10 PACK	6.02	IC	Credentials
Y	5006VGGSN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8K, SEOS LOADED, NON-PROG., F - GLOSS, B - GLOSS, SEQUENTIAL ENCODED/SEQUENTIAL NON-MATCHING PRINTED, NO SLOT	6.02	IC	Credentials
Y	5006VGGSN7	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8KB MEMORY, ER PROG, F-GLOSS, B-GLOSS, SEQUENTIAL NON-MATCHING SEOS #, NO SLOT, 7BUID	6.02	IC	Credentials
Y	5006ZG1NN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8K, SEOS OS LOADED, NON-PROG., F-GLOSS, B-GLOSS, W/MAG, NO ICLASS #, NO SLOT, LAM	6.57	IC	Credentials
Y	501-1213	HITAG 1 CARD WHITE SURFACE GLOSSY FINISH WITH HI-CO MAGSTRIPE	9.84	MF	Product Components
Y	5015PGGMN	COMPOSITE ICLASS SEOS EMBEDDABLE CONTACTLESS SMART CARD 16K, PROG. ICLASS, F-GLOSS, B-GLOSS, MATCH. ICLASS #, NO SLOT, LAM	11.89	EB	Credentials
Y	5015PGGMNT	COMPOSITE ICLASS SEOS EMBEDDABLE CONTACTLESS SMART CARD 16K, PROG. ICLASS, F-GLOSS, B-GLOSS, MATCH. ICLASS #, NO SLOT, LAM, 10 PACK	11.89	EB	Credentials
Y	5015PGGNN	COMPOSITE ICLASS SEOS EMBEDDABLE CONTACTLESS SMART CARD 16K, PROG. ICLASS, F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, LAM	11.89	EB	Credentials
Y	5015PGGNNT	COMPOSITE ICLASS SEOS EMBEDDABLE CONTACTLESS SMART CARD 16K, PROG. ICLASS, F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, LAM, 10 PACK	11.89	EB	Credentials
Y	5016NGGNN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8 KB MEMORY, NONE PROG., F-GLOSS, B-GLOSS, NO #, NO SLOT, LAM, EMBEDDABLE	6.02	EB	Credentials
Y	5016PGGAN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8K, EMBEDDABLE, PROG, F-GLOSS, B-GLOSS, MATCHING LASER #, NO SLOT, LAM	6.02	EB	Credentials
Y	5016PGGNN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD 8 KB MEMORY, PROG., F-GLOSS, B-GLOSS, NO #, NO SLOT, LAM, EMBEDDABLE	6.02	EB	Credentials
Y	5084400	COV ESCUTCHEON & LENS, ROHS	16.00	ZB	UNIDENTIFIED
Y	51-0001-54	NUT, LKG, KNRLD, 8-32, BLK ZINC LEAD FREE	0.11	ZB	Product Components
Y	5103500	PROXIMA MRP MOLDED COVER	8.19	ZB	UNIDENTIFIED
Y	5103501	PROXIMA MRP MOLD COVER BLACK	8.19	ZB	UNIDENTIFIED
Y	5104800	INSR RDR MLD MT PL BLK, ROHS	27.00	ZB	UNIDENTIFIED
Y	5105PGGMNN	COMPOSITE ICLASS SEOS PROX 16K, PROG. ICLASS, F-GLOSS, B-GLOSS, MATCH. ICLASS #, NO SLOT, NO PROX #	16.03	IC	Credentials
Y	5105PGGNNN	COMPOSITE ICLASS SEOS PROX 16K, PROG. ICLASS, F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, NO PROX #	16.03	IC	Credentials
Y	5105PGGSNN	COMPOSITE ICLASS SEOS/PROX 16K, PROG. ICLASS, F-GLOSS, B-GLOSS, NON-MATCH SEQ. ICLASS #, NO SLOT, NO PROX #	16.03	IC	Credentials
Y	5105RG1MNM	COMPOSITE ICLASS SEOS PROX 16K, PROG. ICLASS, F-GLOSS, B-GLOSS W/MAG, MATCH. ICLASS #, NO SLOT, MATCH. PROX #, LAM	16.58	IC	Credentials
Y	5105RG1MNN	COMPOSITE ICLASS SEOS PROX 16K, PROG. ICLASS, F-GLOSS, B-GLOSS W/MAG, MATCH. ICLASS #, NO SLOT, MATCH. PROX #	16.58	IC	Credentials
Y	5105RG1NNM	COMPOSITE ICLASS SEOS PROX 16K, PROG. ICLASS/PROX F-GLOSS, B-GLOSS W/MAG, NO ICLASS #, NO SLOT, MATCH. PROX #, LAM	16.03	IC	Credentials
Y	5105RGGANA	COMPOSITE ICLASS SEOS PROX 16K, PROG ICLASS, F-GLOSS, B-GLOSS, SEQ NON-MATCH ICLASS #, NO SLOT, SEQ NON-MATCH PROX #	16.03	IC	Credentials
Y	5105RGGBNB	COMPOSITE ICLASS SEOS PROX 16K, PROG ICLASS, F-GLOSS, B-GLOSS, SEQ NON-MATCH ICLASS #, NO SLOT, SEQ NON-MATCH PROX #	16.03	IC	Credentials
Y	5105RGGMNM	COMPOSITE ICLASS SEOS PROX 16K, PROG. ICLASS, F-GLOSS, B-GLOSS, MATCH. ICLASS #, NO SLOT, MATCH. PROX #	16.03	IC	Credentials

Y	5105RGGMNN	COMPOSITE ICLASS SEOS PROX 16K, PROG. ICLASS, F-GLOSS, B-GLOSS, MATCH. ICLASS #, NO SLOT, NO PROX #	16.03	IC	Credentials
Y	5105RGGNNA	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 16K, SEOS OS LOADED, PROG., F-GLOSS, B-GLOSS, NO ICLASS #, LASER PROX, NO SLOT, LAM	16.03	IC	Credentials
Y	5105RGGNNM	COMPOSITE ICLASS SEOS PROX 16K, PROG. ICLASS, F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, MATCH. PROX #	16.03	IC	Credentials
Y	5105RGGNNN	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 16K, PROG SEOS/PROX, F-GLOSS, B-GLOSS, NO SEOS #, NO SLOT, NO PROX #	16.03	IC	Credentials
Y	5105RGGNNS	COMPOSITE ICLASS SEOS PROX 16K, PROG. ICLASS, F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, SEQ. PROX #	16.03	IC	Credentials
Y	5105RGGSNN	COMPOSITE ICLASS SEOS PROX 16K, PROG. ICLASS, F-GLOSS, B-GLOSS, SEQ. ICLASS #, NO SLOT, NO PROX #	16.03	IC	Credentials
Y	5105VGGBNB	COMPOSITE SEOS CONTACTLESS SMART CARD, 16K MEMORY, SEOS ER PROG, PROX NON-PROG, F-GLOSS, B-GLOSS, NON MATCHING SEOS #, NO SLOT, NON MATCHING PROX #	16.03	IC	Credentials
Y	5105VGGBNN	COMPOSITE SEOS CONTACTLESS SMART CARD, 16K MEMORY, SEOS ER PROG, PROX NON-PROG, F-GLOSS, B-GLOSS, NON MATCHING SEOS #, NO SLOT, NO PROX #	16.03	IC	Credentials
Y	5105VGGNNN	COMPOSITE ICLASS SEOS CONTACTLESS SMART CARD, 16/KG PROX ER PROG, F-GLOSS, B-GLOSS, NO. ICLASS #, NO SLOT, NO PROX #	16.03	IC	Credentials
Y	5106AGGNNN	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, SEOS ENCODER READER(ER), PROX HID FORMAT, F-GLOSS, B-GLOSS, NO ICLASS #, NO PROX #, NO SLOT, LAM	12.56	IC	Credentials
Y	5106NGGNNN	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, SEOS OS NOT LOADED, NON-PROG., F-GLOSS, B-GLOSS, NO ICLASS #, NO PROX #, NO SLOT, LAM	12.56	IC	Credentials
Y	5106PG1ANN7	ISO COMPOSITE CARD ICLASS SEOS 8K PROX, SEOS PROG, F-GLOSS, B-GLOSS W/MAG, LASER MATCHING SEOS #, NO SLOT, NO PROX #, 7BUID	13.11	IC	Credentials
Y	5106PG1BNN	COMPOSITE SEOS 8K + PROX, PROG SEOS/NON-PROG PROX, F-GLOSS, B-GLOSS W/MAG, SEQ NON-MATCHING SEOS LASER #, NO SLOT, NO PROX #, LAM	13.11	IC	Credentials
Y	5106PG1MNN7	CLASS SEOS 8K / PROX CARD, COMPOSITE, PROGRAMMED SEOS ONLY, F-GLOSS, B-GLOSS W/ MAG, MATCHING ICLASS #, NO SLOT, NO PROX #, STATIC 7 BYTE UID	13.11	IC	Credentials
Y	5106PGGANN	ISO COMPOSITE CARD ICLASS SEOS 8K / PROX, SEOS PROG, PROX NON-PROG, F-GLOSS, B-GLOSS, LASER MATCHING SEOS #, NO SLOT, NO PROX #	12.56	IC	Credentials
Y	5106PGGANN7	ISO COMPOSITE CARD ICLASS SEOS 8K PROX, SEOS PROG, F-GLOSS, B-GLOSS, LASER MATCHING SEOS #, NO SLOT, NO PROX #, 7BUID	12.56	IC	Credentials
Y	5106PGGMNN	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, PROG. ICLASS,NON PROGRAM PROX, F-GLOSS, B-GLOSS, MATCHING ICLASS #, NO SLOT, NO PROX #	12.56	IC	Credentials
Y	5106PGGMNN7	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, PROG SEOS ONLY, F-GLOSS, B-GLOSS, MATCHING ICLASS #, NO SLOT, NO PROX #, STATIC 7 BYTE UID	12.56	IC	Credentials
Y	5106PGGNNN	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, PROG ICLASS, NON-PROG PROX, F-GLOSS, B-GLOSS, NO ICLASS #, NO SLOT, NO PROX #	12.56	IC	Credentials
Y	5106PGGSNS	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, PROG. ICLASS, NON-PROG PROX, F-GLOSS, B-GLOSS, SEQ NON-MATCHING ICLASS #, NO SLOT, SEQ NON-MATCHING PROX #	12.56	IC	Credentials
Y	5106RG1MNM	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, PROG SEOS/PROX, F-GLOSS, B-GLOSS W/MAG, MATCHING SEOS #, NO SLOT, MATCHING PROX #	13.11	IC	Credentials
Y	5106RGGANA	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, LASER MATCHING ICLASS #, NO SLOT, LASER MATCHING PROX #	12.56	IC	Credentials
Y	5106RGGANN	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, LASER MATCH ICLASS #, NO SLOT, NO PROX #	12.56	IC	Credentials
Y	5106RGGANN7	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, PROG SEOS/PROX, F-GLOSS, B-GLOSS, CUSTOM LASER MARKING, NO SLOT, NO PROX #, STATIC 7 BYTE UID	12.56	IC	Credentials
Y	5106RGGBNB	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, PROG SEOS/PROX, F-GLOSS, B-GLOSS, LASER SEQ NON-MATCHING SEOS #, NO SLOT, LASER SEQ NON-MATCHING PROX #	12.56	IC	Credentials
Y	5106RGGBNN	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, PROG SEOS/PROX, F-GLOSS, B-GLOSS, SEQ NON-MATCHING SEOS LASER #, NO SLOT, NO PROX #	12.56	IC	Credentials
Y	5106RGGMNM	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, MATCHING ICLASS #, NO SLOT, MATCHING PROX #	12.56	IC	Credentials
Y	5106RGGMNM7	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, PROG SEOS/PROX, F-GLOSS, B-GLOSS, MATCHING SEOS #, NO SLOT, MATCHING PROX #, STATIC 7 BYTE UID	12.56	IC	Credentials
Y	5106RGGMNN	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, MATCHING ICLASS #, NO SLOT, NO PROX #	12.56	IC	Credentials
Y	5106RGGMNN7	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, PROG SEOS/PROX, F-GLOSS, B-GLOSS, MATCHING SEOS #, NO SLOT, NO PROX #, STATIC 7 BYTE UID	12.56	IC	Credentials
Y	5106RGGMNN7T	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, PROG SEOS/PROX, F-GLOSS, B-GLOSS, MATCHING SEOS #, NO SLOT, NO PROX #, STATIC 7 BYTE UID, PACK 10	12.56	IC	Credentials
Y	5106RGGMNS	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, MATCHING ICLASS #, SEQ. NON MATCHING PROX #, NO SLOT	12.56	IC	Credentials
Y	5106RGGNNM7	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, SEOS OS LOADED, PROG., F-GLOSS, B-GLOSS, NO ICLASS #, LASER PROX #, NO SLOT, LAM	12.56	IC	Credentials
Y	5106RGGNNN	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, ICLASS SIO PROGRAMMED, PROX HID FORMAT, F-GLOSS, B-GLOSS, NO ICLASS #, NO PROX #, NO SLOT, LAM	12.56	IC	Credentials
Y	5106RGGRNM	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, PROG SEOS/PROX, F-GLOSS, B-GLOSS, RANDOM NON-MATCHING SEQ SEOS #, NO SLOT, MATCHING PROX #	12.56	IC	Credentials
Y	5106RGGRNN	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, RANDOM ICLASS #, NO PROX #, NO SLOT	11.96	IC	Credentials
Y	5106RGGSNN	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, PROG. ICLASS/PROX, F - GLOSS, B - GLOSS, SEQ NON-MATCHING ICLASS #, NO SLOT, NO PROX #	12.56	IC	Credentials
Y	5106RGGSNS	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, PROG. ICLASS/PROX, F-GLOSS, B-GLOSS, SEQ NON-MATCHING ICLASS #, NO SLOT, SEQ NON-MATCHING PROX #	12.56	IC	Credentials
Y	5106VGGNNN	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, SEOS LOADED, ER PROG., F-GLOSS, B-GLOSS, NO ICLASS #, NO PROX #, NO SLOT	12.56	IC	Credentials
Y	5106VGGNNN7	COMPOSITE ICLASS SEOS PROX CONTACTLESS SMART CARD 8K, ER PROG SEOS, NON-PROG PROX, F-GLOSS, B-GLOSS, NO SEOS #, NO PROX #, NO SLOT, STATIC 7 BYTE UID	12.56	IC	Credentials
Y	5115RG1MNM	COMPOSITE ICLASS SEOS PROX EMBEDDABLE CONTACTLESS SMART CARD 16K, PROG ICLASS/PROX, F-GLOSS, B-GLOSS, MATCHING SEOS #, NO SLOT, MATCHING PROX #, LAM	16.58	EB	Credentials
Y	5116PGGNNN	COMPOSITE ICLASS SEOS PROX EMBEDDABLE CONTACTLESS SMART CARD 8K, PROG ICLASS/PROX, F-GLOSS, B-GLOSS, MATCHING SEOS #, NO SLOT, NO PROX #, LAM	12.56	EB	Credentials
Y	5116RG1MNM	COMPOSITE ICLASS SEOS PROX EMBEDDABLE CONTACTLESS SMART CARD 8K, PROG SEOS/PROX, F-GLOSS, B-GLOSS W/MAG, MATCHING SEOS #, NO SLOT, MATCHING PROX #, LAM	13.11	EB	Credentials
Y	5116RGGBNN	COMPOSITE ICLASS SEOS PROX EMBEDDABLE CONTACTLESS SMART CARD 8K, PROG ICLASS/PROX, F-GLOSS, B-GLOSS, SEQ. NON MATCHING LASER SEOS #, NO SLOT, NO PROX #, LAM	12.56	EB	Credentials
Y	5116RGGMNM	COMPOSITE ICLASS SEOS PROX EMBEDDABLE CONTACTLESS SMART CARD 8K, PROG ICLASS/PROX, F-GLOSS, B-GLOSS, MATCHING SEOS #, NO SLOT, MATCHING PROX #, LAM	12.56	EB	Credentials
Y	5116RGGMNN	COMPOSITE ICLASS SEOS PROX EMBEDDABLE CONTACTLESS SMART CARD 8K, PROG ICLASS/PROX, F-GLOSS, B-GLOSS, MATCHING SEOS #, NO SLOT, NO PROX #, LAM	12.56	EB	Credentials
Y	5116RGGNNN	COMPOSITE ICLASS SEOS PROX EMBEDDABLE CONTACTLESS SMART CARD 8K, PROG ICLASS/PROX, F-GLOSS, B-GLOSS, NO SEOS #, NO SLOT, NO PROX #, LAM	12.56	EB	Credentials
Y	52060PCPGGANAN	ISO CARD COMPOSITE ICLASS SEOS 8K, ICLASS 2K, PROX, SEOS PROG, ICLASS UNPROG, PROX PROG, F-GLOSS, B-GLOSS, LASER MATCH SEOS #, NO ICLASS #, LASER MATCH PROX #, NO SLOT	15.92	IC	Credentials
Y	52060PHNG1MNNN	ISO CARD COMPOSITE ICLASS SEOS 8K, ICLASS 2K, PROX, PROG SEOS, PROG STD ICLASS, NO PROX PROG, F - GLOSS, B - GLOSS W/MAG, MATCH SEOS, NO ICLASS, NO PROX, NO SLOT	16.47	IC	Credentials
Y	52060PHNGGMMNN	ISO CARD COMPOSITE SEOS 8K, ICLASS 2K, PROX, PROG SEOS, PROG STD ICLASS, NO PROX PROG, F-GLOSS, B-GLOSS, MATCH SEOS, MATCH ICLASS, NO PROX, NO SLOT	15.92	IC	Credentials
Y	52060PHNGGMNNN	ISO CARD COMPOSITE SEOS 8K, ICLASS 2K, PROX, PROG SEOS, PROG STD ICLASS, NO PROX PROG, F-GLOSS, B-GLOSS, MATCH SEOS, NO ICLASS, NO PROX, NO SLOT	15.92	IC	Credentials
Y	52060PHNGGNMNN	ISO CARD COMPOSITE SEOS 8K, ICLASS 2K, PROX, PROG SEOS, PROG STD ICLASS, NO PROX PROG, F-GLOSS, B-GLOSS, NO SEOS, MATCH ICLASS, NO PROX, NO SLOT	15.92	IC	Credentials
Y	52060PHPGGAAAN7	ISO CARD COMPOSITE ICLASS SEOS 8K, ICLASS 2K, PROX, SEOS PROG, ICLASS STD PROG, PROX PROG, F-GLOSS, B-GLOSS, LASER MATCH SEOS #, LASER MATCH ICLASS #, LASER MATCH PROX #, NO SLOT, 7BUID	15.92	IC	Credentials
Y	52060PHPGGANNN	ISO CARD COMPOSITE SEOS 8K + ICLASS 2K/2 + PROX, PROG SEOS/ICLASS STD/PROX, F-GLOSS, B-GLOSS, LASER MATCH SEOS #, NO ICLASS #, NO PROX #, NO SLOT	15.92	IC	Credentials
Y	52060PHPGGMMMN	ISO CARD COMPOSITE SEOS 8K, ICLASS 2K, PROX, PROG SEOS, PROG STD ICLASS, PROG PROX PROG, F-GLOSS, B-GLOSS, MATCH SEOS, MATCH ICLASS, MATCH PROX, NO SLOT	15.92	IC	Credentials
Y	52060PHPGGMMMN7	ICLASS SEOS 8K, ICLASS 2K, PROX CARD, COMPOSITE, PROGRAMMED SEOS, PROGRAM STD ICLASS, PROGRAM PROX,, F-GLOSS, B-GLOSS, SEOS MARKING, MATCH SEOS, MATCH ICLASS, MATCH PROX, NO SLOT, STATIC 7 BYTE UID	15.92	IC	Credentials
Y	52060PHPGGMMSN	ISO CARD COMPOSITE SEOS 8K, ICLASS 2K, PROX, PROG SEOS, PROG STD ICLASS, PROG PROX PROG, F-GLOSS, B-GLOSS, MATCH SEOS, MATCH ICLASS, SEQUENTIAL INTERNAL/SEQUENTIAL NON-MATCHING ENTERNAL PROX, NO SLOT	15.92	IC	Credentials
Y	52060PPNGGMMNN	ISO CARD COMPOSITE SEOS 8K, ICLASS 2K, PROX, PROGRAM ICLASS SEOS, ICLASS, NON PROG PROX, WHITE	15.92	IC	Credentials
Y	52060PPPGGAAAN	ICLASS SEOS 8K / ICLASS 2K / PROX CARD, COMPOSITE, PROG. SEOS, PROG. ICLASS SE, PROG. PROX, F-GLOSS, B-GLOSS, LASER MATCH SEOS #, LASER MATCH ICLASS SE #, LASER MATCH PROX #, NO SLOT	13.49	IC	Credentials
Y	52060PPPGGANNN	ICLASS SEOS 8K / ICLASS 2K / PROX CARD, COMPOSITE, PROG. SEOS, PROG. ICLASS SE, PROG. PROX, F-GLOSS, B-GLOSS, LASER MATCH SEOS #, NO ICLASS #, NO PROX #, NO SLOT	15.92	IC	Credentials
Y	52060PPPGGBBBN	ICLASS SEOS 8K / ICLASS 2K / PROX CARD, COMPOSITE, PROG. SEOS, PROG. ICLASS SE, PROG. PROX, F-GLOSS, B-GLOSS, LASER NONMATCH SEOS #, LASER NONMATCH ICLASS #, LASER NONMATCH PROX #, NO SLOT	15.92	IC	Credentials
Y	52060PPPGGMMMN	ISO CARD COMPOSITE ICLASS SEOS 8K, ICLASS 2K, PROX, F- GLOSS, B-GLOSS, MATCH ICLASS SEOS, MATCH ICLASS, MATCH PROX, NO SLOT	15.92	IC	Credentials
Y	52060PPPGGMNNN	ISO CARD COMPOSITE SEOS 8K, ICLASS 2K, PROX, PRE-PERSONALISED, WHITE	15.92	IC	Credentials
Y	52060PPPGGNNNN	ISO CARD COMPOSITE SEOS 8K, ICLASS 2K, PROX, INITIALIZED, WHITE	15.92	IC	Credentials
Y	52060PSNGGMMNN	ISO CARD COMPOSITE SEOS 8K, ICLASS 2K, PROX, PROG SEOS, PROG STD ICLASS, NO PROX PROG, F-GLOSS, B-GLOSS, MATCH SEOS, MATCH ICLASS, NO PROX, NO SLOT	15.92	IC	Credentials
Y	52060PSPG1ANNN7	COMPOSITE SEOS 8K + ICLASS 2K/2 + PROX, PROG SEOS/ICLASS SR/PROX, F-GLOSS, B-GLOSS W/MAG, MATCHING SEOS LASER #, NO ICLASS #, NO PROX #, NO SLOT, STATIC 7 BYTE UID, LAM	16.47	IC	Credentials
Y	52060PSPGGAAAN	ISO CARD COMPOSITE ICLASS SEOS 8K, ICLASS 2K, PROX, SEOS PROG, ICLASS STD PROG, PROX PROG, F-GLOSS, B-GLOSS, LASER MATCH SEOS #, LASER MATCH ICLASS #, LASER MATCH PROX #, NO SLOT	15.92	IC	Credentials
Y	52060PSPGGAAAN7	ISO CARD COMPOSITE ICLASS SEOS 8K, ICLASS 2K, PROX, SEOS PROG, ICLASS STD PROG, PROX PROG, F-GLOSS, B-GLOSS, LASER MATCH SEOS #, LASER MATCH ICLASS #, LASER MATCH PROX #, NO SLOT, 7BUID	15.92	IC	Credentials
Y	52060PSPGGAANN7	ISO CARD COMPOSITE ICLASS SEOS 8K, ICLASS 2K, PROX, SEOS PROG, ICLASS PROG SR, PROX PROG, F-GLOSS, B-GLOSS, LASER MATCH SEOS #, LASER MATCH ICLASS #, NO PROX #, NO SLOT, 7B STATIC UID	15.92	IC	Credentials
Y	52060PSPGGANAN	ISO CARD COMPOSITE ICLASS SEOS 8K, ICLASS 2K, PROX, SEOS PROG, ICLASS PROG SR, PROX PROG, F-GLOSS, B-GLOSS, LASER MATCH SEOS #, NO ICLASS #, LASER MATCH PROX #, NO SLOT	15.92	IC	Credentials
Y	52060PSPGGANAN7	ISO CARD COMPOSITE ICLASS SEOS 8K, ICLASS 2K, PROX, SEOS PROG, ICLASS PROG SR, PROX PROG, F-GLOSS, B-GLOSS, LASER MATCH SEOS #, NO ICLASS #, LASER MATCH PROX #, NO SLOT, 7B STATIC UID	15.92	IC	Credentials
Y	52060PSPGGANNN	ISO CARD COMPOSITE SEOS 8K, ICLASS 2K/2, PROX, PROG SEOS, PROG ICLASS SR, PROG PROX, F-GLOSS, B-GLOSS, LASER MATCHING SEOS #, NO ICLASS #, NO PROX #, NO SLOT	15.92	IC	Credentials
Y	52060PSPGGANNN-A002790	ISO CARD COMPOSITE SEOS 8K, ICLASS 2K/2, PROX, PROG SEOS, PROG ICLASS SR, PROG PROX, F-GLOSS, B-GLOSS, LASER MATCHING SEOS #, NO ICLASS #, NO PROX #, NO SLOT	15.92	IC	Credentials
Y	52060PSPGGANNN7	ISO CARD COMPOSITE SEOS 8K_ICLASS 2K/2_PROX, PROG SEOS_PROG SIO AND STD ICLASS_PROG PROX, F-GLOSS, B-GLOSS, MATCHING SEOS LASER #, NO ICLASS #, NO PROX #, NO SLOT, STATIC 7 BYTE UID	15.92	IC	Credentials
Y	52060PSPGGBBBN	ISO CARD COMPOSITE ICLASS SEOS 8K, ICLASS 2K, PROX, SEOS PROG, ICLASS STD PROG, PROX PROG, F-GLOSS, B-GLOSS, SEQUENTIAL NON-MATCHING SEOS #, SEQ NON-MATCHING ICLASS #, SEQ NON-MATCHING PROX #, NO SLOT, USE SMALLER FONT TEMPLATE	15.92	IC	Credentials
Y	52060PSPGGMMMN	ISO CARD COMPOSITE SEOS 8K, ICLASS 2K, PROX, PROG SEOS, PROG STD ICLASS, PROG PROX , F-GLOSS, B-GLOSS, MATCH SEOS, MATCH ICLASS, MATCH PROX, NO SLOT	15.92	IC	Credentials
Y	52060PSPGGMMMN7	ICLASS SEOS 8K, ICLASS 2K, PROX CARD, COMPOSITE, PROGRAMMED SEOS, PROG STD ICLASS, PROG PROX , F-GLOSS, B-GLOSS, MATCH SEOS, MATCH ICLASS, MATCH PROX, NO SLOT, STATIC 7 BYTE UID	15.92	IC	Credentials

Y	52060PSPGGMNNN	ISO CARD COMPOSITE SEOS 8K, ICLASS 2K, PROX, PROG SEOS, PROG STD ICLASS, PROG PROX, F-GLOSS, B-GLOSS, MATCH SEOS #, NO ICLASS #, NO PROX #, NO SLOT, LAM	15.92	IC	Credentials
Y	52060PSPGGNNNN	ISO CARD COMPOSITE SEOS 8K_ICLASS 2K/2_PROX, PROG SEOS_PROG SIO AND STD ICLASS_PROG PROX, F-GLOSS, B-GLOSS, NO SEOS #, NO ICLASS #, NO PROX #, NO SLOT	15.92	IC	Credentials
Y	52060VCNG1NNNN	ISO CARD COMPOSITE SEOS 8K, ICLASS 2K, PROX, OS LOADED, CONFIGURED, FIELD ENCODER USAGE ICLASS, F-GLOSS, B-GLOSS W/ MAG, NO SEOS #, NO ICLASS #, NO PROX #, NO SLOT, LAM	16.47	IC	Credentials
Y	52060VCNGGNNNN	ISO CARD COMPOSITE SEOS 8K, ICLASS 2K, PROX, INITIALIZED, WHITE	15.92	IC	Credentials
Y	52060VCPGGNNMN	ISO CARD COMPOSITE SEOS 8K, ICLASS 2K, PROX, FIELD ENCODER USAGE SEOS, FIELD ENCODER USAGE ICLASS, PROG PROX, F-GLOSS, B-GLOSS, NO SEOS #, NO ICLASS #, MATCHING PROX #, NO SLOT	15.92	IC	Credentials
Y	52063PHNGGANNN	ISO CARD COMPOSITE SEOS 8K, ICLASS 32K 16K/2+16K/1, PROX, PROG SEOS, PROG STD ICLASS, NON PROG PROX, F-GLOSS, B-GLOSS, LASER MATCHING SEOS #, NO ICLASS #, NO PROX #, NO SLOT	18.45	IC	Credentials
Y	52063PHPGGANNN	ISO CARD COMPOSITE SEOS 8K, ICLASS 32K 16K/2+16K/1, PROX, PROG SEOS, PROG STD ICLASS, PROG PROX, F-GLOSS, B-GLOSS, LASER MATCHING SEOS #, NO ICLASS #, NO PROX #, NO SLOT	18.45	IC	Credentials
Y	52063PSPGGAAAN	COMPOSITE ICLASS SEOS 8K_ICLASS 32K (16K/2+16K/1)_PROX, PROG SEOS_PROG SR AND STD ICLASS_PROG PROX, F-GLOSS, B-GLOSS, LASER MATCH SEOS #, LASER MATCH ICLASS #, LASER MATCH PROX #, NO SLOT	18.45	IC	Credentials
Y	52063PSPGGAAAN7	COMPOSITE ICLASS SEOS 8K/ICLASS 32K (16K/2+16K/1)/PROX, PROG SEOS/ICLASS/PROX, SR, F-GLOSS, B-GLOSS, LASER MATCHING SEOS #, LASER MATCHING ICLASS #, LASER MATCHING PROX #, NO SLOT, 7 BYTE STATIC UID	18.45	IC	Credentials
Y	52063PSPGGANNN	ISO CARD COMPOSITE SEOS 8K_ICLASS 32K (16K/2+16K/1)_PROX, PROG SEOS_PROG SIO AND STD ICLASS_PROG PROX, F-GLOSS, B-GLOSS, LASER MATCH SEOS #, NO ICLASS #, NO PROX #, NO SLOT	18.45	IC	Credentials
Y	52063PSPGGBNNN	COMPOSITE ICLASS SEOS 8K_ICLASS 32K (16K/2+16K/1)_PROX, PROG SEOS_PROG SR AND STD ICLASS_PROG PROX, F-GLOSS, B-GLOSS, NONMATCH SEOS #, NO ICLASS #, NO PROX #, NO SLOT	18.45	IC	Credentials
Y	52063PSPGGNNAN	ISO CARD COMPOSITE SEOS 8K_ICLASS 32K (16K/2+16K/1)_PROX, PROG SEOS_PROG SIO AND STD ICLASS_PROG PROX, F-GLOSS, B-GLOSS, NO SEOS #, NO ICLASS #, MATCHING PROX LASER #, NO SLOT	18.45	IC	Credentials
Y	52063PSPGGNNNN	ISO CARD COMPOSITE SEOS 8K_ICLASS 32K (16K/2+16K/1)_PROX, PROG SEOS_PROG SIO AND STD ICLASS_PROG PROX, F-GLOSS, B-GLOSS, NO SEOS #, NO ICLASS #, NO PROX #, NO SLOT	18.45	IC	Credentials
Y	52064PCPGGANNN	ISO CARD COMPOSITE SEOS 8K, ICLASS 32K 16K/16+16K/1, PROX, PROG SEOS, CONFIG ICLASS, PROG PROX, F-GLOSS, B-GLOSS, LASER MATCHING SEOS #, NO ICLASS #, NO PROX #, NO SLOT	18.45	IC	Credentials
Y	52064PHNGGANNN	ISO CARD COMPOSITE SEOS 8K, ICLASS 32K 16K/16+16K/1, PROX, PROG SEOS, PROG STD ICLASS, NON PROG PROX, F-GLOSS, B-GLOSS, LASER MATCHING SEOS #, NO ICLASS #, NO PROX #, NO SLOT	18.45	IC	Credentials
Y	52064PHNGGANNN7	ISO CARD COMPOSITE SEOS 8K, ICLASS 32K 16K/16+16K/1, PROX, PROG SEOS, PROG STD ICLASS, NON PROG PROX, F-GLOSS, B-GLOSS, LASER MATCHING SEOS #, NO ICLASS #, NO PROX #, NO SLOT	18.45	IC	Credentials
Y	52064PHPG1ANNN	ISO CARD COMPOSITE SEOS 8K, ICLASS 32K 16K/16+16K/1, PROX, PROG SEOS, PROG STD ICLASS, PROG PROX, F-GLOSS, B-GLOSS W/MAG, LASER MATCHING SEOS #, NO ICLASS #, NO PROX #, NO SLOT,LAM	19.00	IC	Credentials
Y	52064PHPGGAAAN	ISO CARD COMPOSITE SEOS 8K, ICLASS 32K 16K/16+16K/1, PROX, PROG SEOS, PROG STD ICLASS, PROG PROX, F-GLOSS, B-GLOSS, LASER MATCHING SEOS #, LASER MATCHING ICLASS #, LASER MATCHING PROX #, NO SLOT	18.45	IC	Credentials
Y	52064PHPGGAANN	ISO CARD COMPOSITE SEOS 8K, ICLASS 32K 16K/16+16K/1, PROX, PROG SEOS, PROG STD ICLASS, PROG PROX, F-GLOSS, B-GLOSS, LASER MATCHING SEOS #, LASER MATCHING ICLASS #, NO PROX #, NO SLOT	18.45	IC	Credentials
Y	52064PHPGGANAN	ISO CARD COMPOSITE SEOS 8K, ICLASS 32K(16K/16 + 16K/1), PROX, PROG SEOS, PROG STD ICLASS, PROG PROX, F-GLOSS, B-GLOSS, MATCH SEOS, NO ICLASS#, MATCH PROX, NO SLOT	18.45	IC	Credentials
Y	52064PHPGGANNN	ISO CARD COMPOSITE SEOS 8K, ICLASS 32K 16K/16+16K/1, PROX, PROG SEOS, PROG STD ICLASS, PROG PROX, F-GLOSS, B-GLOSS, LASER MATCHING SEOS #, NO ICLASS #, NO PROX #, NO SLOT	18.45	IC	Credentials
Y	52064PSPGGAAAN7	ISO CARD COMPOSITE SEOS 8K, ICLASS 32K (16K/16+16K/1), PROX, PROG SEOS/ICLASS/PROX, SR, F-GLOSS, B-GLOSS, LASER MATCHING SEOS #, LASER MATCHING ICLASS #, LASER MATCHING PROX #, NO SLOT, 7 BYTE STATIC UID	19.01	IC	Credentials
Y	52064PSPGGANAN	ISO CARD COMPOSITE SEOS 8K, ICLASS 32K (16K/16+16K/1)_PROX, PROG SEOS_PROG SIO AND STD ICLASS_PROG PROX, F-GLOSS, B-GLOSS, LASER MATCHING SEOS #, NO ICLASS #, LASER MATCHING PROX #, NO SLOT	18.45	IC	Credentials
Y	52064PSPGGANNN	ISO CARD COMPOSITE SEOS 8K,ICLASS 32K (16K16/16K1), PROG SEOS, PROG ICLASS, PROG PROX, F-GLOSS, B-GLOSS, LASER MATCHING SEOS, NO MARKING, NO MARKING, NO-SLOT	16.42	IC	Credentials
Y	52064PSPGGNNNN	ISO CARD COMPOSITE SEOS 8K, ICLASS 32K (16K/16+16K/1)_PROX, PROG SEOS_PROG SIO AND STD ICLASS_PROG PROX, F-GLOSS, B-GLOSS, NO SEOS #, NO ICLASS #, NO PROX #, NO SLOT	18.45	IC	Credentials
Y	52064PSPGGNNNN7	ISO CARD COMPOSITE SEOS 8K/ ICLASS 32K (16K/16+16K/1)/PROX, PROG SEOS, PROG ICLASS SIO AND STD, PROG. PROX, F-GLOSS, B-GLOSS, NO SEOS #, NO ICLASS #, NO PROX #, NO SLOT, 7 BYTE STATIC UID	18.45	IC	Credentials
Y	52064VCNGGNNNN	ISO CARD COMPOSITE ICLASS SEOS 8K, ICLASS 32K (16K/16+16K/1), PROX, ER SEOS, CONFIG ICLASS, PROX NON-PROG, F-GLOSS, B-GLOSS, NO SEOS #, NO ICLASS #, NO PROX #, NO SLOT	18.45	IC	Credentials
Y	52260PCG1ANN7	ISO CARD COMPOSITE SEOS 8K + ICLASS 2K/2, PROG SEOS/CONFIG ICLASS, F-GLOSS, B-GLOSS W/MAG, LASER MATCHING SEOS #, NO ICLASS #, NO SLOT, STATIC 7 BYTE UID, LAM	11.10	IC	Credentials
Y	52260PHGGAAN	ISO CARD COMPOSITE SEOS 8K, ICLASS 2K, PROG SEOS, PROG STD ICLASS, F-GLOSS, B-GLOSS, LASER MATCHING SEOS #, LASER MATCHING ICLASS #, NO SLOT	10.55	IC	Credentials
Y	52260PHGGABN	ISO CARD COMPOSITE SEOS 8K, ICLASS 2K, PROG SEOS, PROG STD ICLASS, F-GLOSS, B-GLOSS, LASER MATCHING SEOS #, LASER NONMATCHING ICLASS #, NO SLOT	10.55	IC	Credentials
Y	52260PHGGANN	ISO CARD COMPOSITE SEOS 8K, ICLASS 2K, PROG SEOS, PROG STD ICLASS, F-GLOSS, B-GLOSS, LASER MATCHING SEOS #, NO ICLASS #, NO SLOT	10.55	IC	Credentials
Y	52260PHGGANN7	ISO CARD COMPOSITE SEOS 8K, ICLASS 2K, PROG SEOS, PROG STD ICLASS, F-GLOSS, B-GLOSS, LASER MATCHING SEOS #, NO ICLASS #, NO SLOT, STATIC 7 BYTE UID	10.55	IC	Credentials
Y	52260PHGGANN7-HVH12151	ISO CARD COMPOSITE SEOS 8K, ICLASS 2K, PROG SEOS, PROG STD ICLASS, F-GLOSS, B-GLOSS, LASER MATCHING SEOS #, NO ICLASS #, NO SLOT, STATIC 7 BYTE UID	10.55	IC	Credentials
Y	52260PPGGAAN	ISO CARD COMPOSITE SEOS 8K_ICLASS 2K, PROG SEOS/ICLASS SE, F-GLOSS, B-GLOSS, MATCHING SEOS LASER #, MATCHING ICLASS LASER #, NO SLOT	10.55	IC	Credentials
Y	52260PPGGANN-A002588	ISO CARD COMPOSITE SEOS 8K_ICLASS 2K, PROG SEOS/ICLASS SE, F-GLOSS, B-GLOSS, MATCHING SEOS LASER #, MATCHING ICLASS LASER #, NO SLOT	10.55	IC	Credentials
Y	52260PSG1AAN	ISO CARD COMPOSITE SEOS 8K + ICLASS 2K/2, PROG SEOS/ICLASS, F-GLOSS, B-GLOSS W/MAG, MATCHING SEOS LASER #, MATCHING ICLASS LASER #, NO SLOT, LAM	11.10	IC	Credentials
Y	52260PSGGAAN	ISO CARD COMPOSITE SEOS 8K, ICLASS 2K, PROG SEOS, PROG ICLASS, F-GLOSS, B-GLOSS, LASER MATCHING SEOS #, LASER MATCHING ICLASS #, NO SLOT	10.55	IC	Credentials
Y	52260PSGGAAN7	ISO CARD COMPOSITE SEOS 8K, ICLASS 2K, PROG SEOS, PROG ICLASS, F-GLOSS, B-GLOSS, LASER MATCHING SEOS #, LASER MATCHING ICLASS #, NO SLOT	10.55	IC	Credentials
Y	52260PSGGANN	ISO CARD COMPOSITE SEOS 8K, ICLASS 2K, PROG SEOS, PROG ICLASS, F-GLOSS, B-GLOSS, LASER MATCHING SEOS #, NO ICLASS #, NO SLOT	10.55	IC	Credentials
Y	52260PSGGANN7	ISO CARD COMPOSITE SEOS 8K, ICLASS 2K, PROG SEOS, PROG ICLASS, F-GLOSS, B-GLOSS, LASER MATCHING SEOS #, NO ICLASS #, NO SLOT, 7 BYTE STATIC UID	10.04	IC	Credentials
Y	52260PSGGBBN	ISO CARD COMPOSITE SEOS 8K, ICLASS 2K, PROG SEOS/ICLASS, SR, F-GLOSS, B-GLOSS, SEQ NON MATCH LASER SEOS #, SEQ NON MATCH LASER ICLASS #, NO SLOT	10.55	IC	Credentials
Y	52260PSGGNAN	ISO CARD COMPOSITE SEOS 8K_ICLASS 2K, PROG SEOS/ICLASS, F-GLOSS, B-GLOSS, NO SEOS #, LASER MATCHING ICLASS #, NO SLOT	10.55	IC	Credentials
Y	52260PSGGNNN	ISO CARD COMPOSITE SEOS 8K, ICLASS 2K, PROG SEOS, PROG ICLASS, F-GLOSS, B-GLOSS, NO SEOS #, NO ICLASS #, NO SLOT	9.38	IC	Credentials
Y	52260VCGGBNN7	ISO CARD COMPOSITE SEOS 8K / ICLASS 2K, CONFIG. SEOS ER., CONFIG. ICLASS, F-GLOSS, B-GLOSS, LASER SEQ NON-MATCHING SEOS #, NO ICLASS #, NO SLOT, 7 BYTE STATIC UID	10.55	IC	Credentials
Y	52260VCGGNNN	ISO CARD COMPOSITE SEOS 8K_ICLASS 2K, CONFIG SEOS/ICLASS, F-GLOSS, B-GLOSS, NO SEOS #, NO ICLASS #, NO SLOT	10.55	IC	Credentials
Y	52260VCGGNNN7	ISO CARD COMPOSITE SEOS 8K + ICLASS 2K/2, CONFIG SEOS/ICLASS, F-GLOSS, B-GLOSS, NO SEOS #, NO ICLASS #, NO SLOT, STATIC 7 BYTE UID	10.55	IC	Credentials
Y	52260VSGGNAN7	ISO CARD COMPOSITE SEOS 8K + ICLASS 2K/2, CONFIG SEOS/PROG ICLASS SR, F-GLOSS, B-GLOSS, NO SEOS #, MATCHING ICLASS LASER #, NO SLOT, STATIC 7 BYTE UID	10.55	IC	Credentials
Y	52263PHGGAAN	ISO CARD COMPOSITE SEOS 8K, ICLASS 32K 16K/2+16K/1, PROG SEOS, PROG STD ICLASS, F-GLOSS, B-GLOSS, LASER MATCHING SEOS #, LASER MATCHING ICLASS #, NO SLOT	15.14	IC	Credentials
Y	52263PHGGANN	ISO CARD COMPOSITE SEOS 8K, ICLASS 32K 16K/2+16K/1, PROG SEOS, PROG STD ICLASS, F-GLOSS, B-GLOSS, LASER MATCHING SEOS #, NO ICLASS #, NO SLOT	15.14	IC	Credentials
Y	52263PHGGCNN	ISO CARD COMPOSITE SEOS 8K_ICLASS 32K, PROG SEOS, PROG STD ICLASS, F-GLOSS, B-GLOSS LASER RANDOM SEOS #, NO ICLASS #, NO SLOT, LAM	15.14	IC	Credentials
Y	52263PSGGAAN	ISO CARD COMPOSITE SEOS 8K, ICLASS 32K 16K/2+16K/1, PROG SEOS, PROG ICLASS, F-GLOSS, B-GLOSS, LASER MATCHING SEOS #, LASER MATCHING ICLASS #, NO SLOT	15.14	IC	Credentials
Y	52263PSGGAAN7	ISO CARD COMPOSITE SEOS 8K, ICLASS 32K 16K/2+16K/1, PROG SEOS, PROG ICLASS, F-GLOSS, B-GLOSS, LASER MATCHING SEOS #, LASER MATCHING ICLASS #, NO SLOT, 7 BYTE STATIC UID	15.14	IC	Credentials
Y	52263PSGGANN	ISO CARD COMPOSITE SEOS 8K, ICLASS 32K 16K/2+16K/1, PROG SEOS, PROG ICLASS, F-GLOSS, B-GLOSS, LASER MATCHING SEOS #, NO ICLASS #, NO SLOT	15.14	IC	Credentials
Y	52263PSGGNNN	ISO CARD COMPOSITE SEOS 8K, ICLASS 32K 16K/2+16K/1, PROG SEOS, PROG ICLASS, F-GLOSS, B-GLOSS, NO SEOS #, NO ICLASS #, NO SLOT	15.14	IC	Credentials
Y	52263VCGGNNN	ISO CARD COMPOSITE SEOS 8K_ICLASS 32K (16K/2+16K/1), CONFIG SEOS/ICLASS, F-GLOSS, B-GLOSS, NO SEOS #, NO ICLASS #, NO SLOT	15.14	IC	Credentials
Y	52263VCGGNNN7	ISO CARD COMPOSITE SEOS 8K_ICLASS 32K (16K/2+16K/1), CONFIG SEOS/ICLASS, F-GLOSS, B-GLOSS, NO SEOS #, NO ICLASS #, NO SLOT, 7 BYTE STATIC UID	15.14	IC	Credentials
Y	52264PCGGANN	ISO CARD COMPOSITE SEOS 8K, ICLASS 32K 16K/16+16K/1, PROG SEOS, CONFIG ICLASS, F-GLOSS, B-GLOSS, LASER MATCHING SEOS #, NO ICLASS #, NO SLOT	15.14	IC	Credentials
Y	52264PHGGAAN	ISO CARD COMPOSITE SEOS 8K, ICLASS 32K 16K/16+16K/1, PROG SEOS, PROG STD ICLASS, F-GLOSS, B-GLOSS, LASER MATCHING SEOS #, LASER MATCHING ICLASS #, NO SLOT	15.14	IC	Credentials
Y	52264PHGGANN	ISO CARD COMPOSITE SEOS 8K, ICLASS 32K 16K/16+16K/1, PROG SEOS, PROG STD ICLASS, F-GLOSS, B-GLOSS, LASER MATCHING SEOS #, NO ICLASS #, NO SLOT	15.14	IC	Credentials
Y	52264PHGGANN7	ISO CARD COMPOSITE SEOS 8K, ICLASS 32K 16K/16+16K/1, PROG SEOS, PROG STD ICLASS, F-GLOSS, B-GLOSS, LASER MATCHING SEOS #, NO ICLASS #, NO SLOT, 7 BYTE STATIC UID	15.14	IC	UNIDENTIFIED
Y	52264PSG1AAN	ISO CARD COMPOSITE SEOS 8K + ICLASS 32K (16K/16+16K/1), PROG SEOS/ICLASS SR, F-GLOSS, B-GLOSS W/MAG, NO SEOS #, NO ICLASS #, NO SLOT, LAM	15.69	IC	Credentials
Y	52264PSG1NNN	ISO CARD COMPOSITE SEOS 8K + ICLASS 32K (16K/16+16K/1), PROG SEOS/ICLASS SR, F-GLOSS, B-GLOSS W/MAG, NO SEOS #, NO ICLASS #, NO SLOT, LAM	15.69	IC	Credentials
Y	52264PSGGAAN	ISO CARD COMPOSITE SEOS 8K, ICLASS 32K 16K/16+16K/1, PROG SEOS, PROG ICLASS, F-GLOSS, B-GLOSS, LASER MATCHING SEOS #, LASER MATCHING ICLASS #, NO SLOT	15.14	IC	Credentials
Y	52264PSGGAAN7	ISO CARD COMPOSITE SEOS 8K, ICLASS 32K 16K/16+16K/1, PROG SEOS, PROG ICLASS, F-GLOSS, B-GLOSS, LASER MATCHING SEOS #, LASER MATCHING ICLASS #, NO SLOT, 7 BYTE STATIC UID	14.42	IC	Credentials
Y	52264PSGGANN	ISO CARD COMPOSITE SEOS 8K, ICLASS 32K 16K/16+16K/1, PROG SEOS, PROG ICLASS, F-GLOSS, B-GLOSS, LASER MATCHING SEOS #, NO ICLASS #, NO SLOT	15.14	IC	Credentials
Y	52264PSGGANN7-A002814	ISO CARD COMPOSITE SEOS 8K, ICLASS 32K 16K/16+16K/1, CUST PROG SEOS, PROG ICLASS, F-GLOSS, B-GLOSS, LASER MATCHING SEOS #, NO ICLASS #, NO SLOT,STATIC UID, CREDIT SUISSE	15.14	IC	Credentials
Y	52264PSGGBBN	ISO CARD COMPOSITE SEOS 8K, ICLASS 32K 16K/16+16K/1, PROG SEOS, PROG ICLASS, F-GLOSS, B-GLOSS, LASER NONMATCHING SEOS #, LASER NONMATCHING ICLASS #, NO SLOT	15.36	IC	Credentials
Y	52264VCGGNNN	ISO CARD COMPOSITE SEOS 8K_ICLASS 32K (16K/16+16K/1), ER SEOS_CONFIG ICLASS, F-GLOSS, B-GLOSS, NO SEOS #, NO ICLASS #, NO SLOT	15.14	IC	Credentials
Y	52264VCGGNNN7	ISO CARD COMPOSITE SEOS 8K_ICLASS 32K (16K/16+16K/1), ER SEOS_CONFIG ICLASS, F-GLOSS, B-GLOSS, NO SEOS #, NO ICLASS #, NO SLOT, 7 BYTE STATIC UID	14.42	IC	Credentials
Y	5266PNNN	SEOS KEY FOB 8K, PROG SEOS, F-BLACK W/HID ARTWORK, B-BLACK, NO SEOS #	7.81	IC	Credentials
Y	5350-101-01	BASE, PROXPRO, GRY LEAD FREE	46.79	ZB	Readers
Y	5350-101-02	BASE, PROXPRO, BEI	46.79	ZB	Readers
Y	5350-113-01	BEZEL, PROXPRO, GRY, W/KYBD LEAD FREE	17.15	ZB	Readers
Y	5350-113-02	BEZEL, PROXPRO, GRY LEAD FREE	17.15	ZB	Readers
Y	5350-113-03	BEZEL, PROXPRO, BEI, W/KYBD	17.15	ZB	Readers
Y	5350-113-04	BEZEL, PROXPRO, BEI	17.15	ZB	Readers
Y	5352-305-H1311	MIPRCS, PROXPRO, CSTM HTFLD	178.38	ZB	Product Components

Y	5352ABK00	PROXPRO SERIAL, BEIGE, KEYPAD, LEAD FREE	783.79	RC	Readers
Y	5352ABN00	PROXPRO SERIAL, BEIGE, NO KEYPAD, LEAD FREE	494.68	RB	Readers
Y	5352ABN00-310006	PROXPRO SERIAL, BEIGE, NO KEYPAD, CUSTOM LABEL INNER RANGE, LEAD FREE	494.68	RB	Readers
Y	5352ABS00	PROXPRO SERIAL, BEIGE, KEYPAD, LEAD FREE	783.79	RC	Readers
Y	5352AGK00	PROXPRO SERIAL, GRAY, KEYPAD	783.79	RC	Readers
Y	5352AGK09	PROXPRO SERIAL, GRAY, KEYPAD, LEAD FREE	783.79	RC	Readers
Y	5352AGK10	PROXPRO SERIAL, GRAY, KEYPAD,	783.79	RC	Readers
Y	5352AGK11	PROXPRO SERIAL, GRAY, KEYPAD, LEAD FREE	783.79	RC	Readers
Y	5352AGK14	PROXPRO SERIAL, GRAY, KEYPAD, LEAD FREE	783.79	RC	Readers
Y	5352AGK19	PROXPRO SERIAL, GRAY, KEYPAD, LEAD FREE	783.79	RC	Readers
Y	5352AGK20	PROXPRO SERIAL, GRAY, KEYPAD	783.79	RC	Readers
Y	5352AGN00	PROXPRO SERIAL, GRAY, NO KEYPAD LEAD FREE	494.68	RB	Readers
Y	5352AGN00-1575A	PROXPRO, SERIAL, GRAY, NO KPD, ARITECH, LEAD FREE	494.68	RB	Readers
Y	5352AGN00-2065A	RDR, PROXPRO, SERIAL, NO KPD, NAT'L CTRL SYSTEMS - BELGIUM, GRAY, LEAD FREE	494.68	RB	Readers
Y	5352AGN00-310006	PROXPRO SERIAL, GRY, NO KEYPAD, CUSTOM LABEL INNER RANGE, LEAD FREE	494.68	RB	Readers
Y	5352AGN00-CHINA	RDR, PROXPRO SERIAL, GRAY, NO KEYPAD,CHINA CM MANUFACTURING LICENSED RDR, LEAD FREE	494.68	RB	Readers
Y	5352AGN14	PROXPRO SER, GRY, NO KEYPAD, LEAD FREE	494.68	RB	Readers
Y	5352AGS00	PROXPRO SERIAL, GRAY, KEYPAD LEAD FREE	783.79	RC	Readers
Y	5352AGS10	PROXPRO SER, GRY, KEYPAD, LEAD FREE	783.79	RC	Readers
Y	5352AGS14	PROXPRO SERIAL, GRY, KEYPAD, LEAD FREE	783.79	RC	Readers
Y	5355-320-01	PRGMD ASSY, PROXPRO DFM LEAD FREE	393.64	ZB	Readers
Y	5355-320-I1031	MIPRCS, PROXPRO, INFOGRPH	242.22	ZB	Readers
Y	5355A-302-01	COV ASSY, PROXPRO, GRY W/KEYPAD HOLES LEAD FREE	46.79	ZB	Readers
Y	5355A-302-02	COV ASSY, PROXPRO, GRY, NO KEYPAD LEAD FREE	46.79	ZB	Readers
Y	5355A-302-03	COV ASSY, PROXPRO, BEI, W/KEYPAD HOLES, LEAD FREE	46.79	ZB	Readers
Y	5355A-302-04	COV ASSY, PROXPRO, BEI, NO KEYPAD, LEAD FREE	46.79	ZB	Readers
Y	5355A-305-01	PRGMD ASSY, PROXPRO, LEAD FREE	196.81	ZB	Readers
Y	5355A-306-01	COV ASSY, PROXPRO, GRY, W/KEYPAD, LEAD FREE	405.50	ZB	Readers
Y	5355A-306-02	COV ASSY, PROXPRO, BEI, W/KEYPAD, LEAD FREE	405.50	ZB	Readers
Y	5355A-306-03	COV ASSY, PROXPRO, GRY, W/DIR CONN KEYPAD LEAD FREE	405.50	ZB	Readers
Y	5355A-306-04	COV ASSY, PROXPRO, BEI, W/DIR CONN KEYPAD, LEAD FREE	405.50	ZB	Readers
Y	5355A-306-05	COV ASSY, PROXPRO, GRY, W/KEYPAD AND BEZEL, LEAD FREE	421.10	ZB	Readers
Y	5355A-306-06	COV ASSY, PROXPRO, BEIGE, W/KEYPAD AND BEZEL, LEAD FREE	421.10	ZB	Readers
Y	5355A-306-07	COV ASSY, PROXPRO, GRY, W/DIR CONN KEYPAD & BEZEL, LEAD FREE	421.10	ZB	Readers
Y	5355A-306-08	COV ASSY, PROXPRO, BEI, W/DIR CONN KEYPAD & BEZEL, LEAD FREE	421.10	ZB	Readers
Y	5355ABK00	PROXPRO WIEGAND, BEIGE, KEYPAD, LEAD FREE	783.79	RC	Readers
Y	5355ABK00-110315	PROXPRO WIEGAND, BEIGE, KEYPAD, LEAD FREE, HID SLEEVE & LABEL	783.79	RC	Readers
Y	5355ABK00-C1221	RDR, PROXPRO, CSTM, BEIGE, KEYPAD, CHUBB, LEAD FREE	783.79	RC	Readers
Y	5355ABK00-CHINA	RDR, PROXPRO WIEGAND, BEIGE, KEYPAD, CHINA CM MANUFACTURING LICENSED RDR, LEAD FREE	783.79	RC	Readers
Y	5355ABK00-G1021	RDR, PROXPRO, CSTM, GIC, LEAD FREE	783.79	RC	Readers
Y	5355ABK00-N1001	PROXPRO WIEGAND, BEIGE, KEYPAD, HONEYWELL, LEAD FREE	783.79	RC	Readers
Y	5355ABK00-R1013	PROXPRO WIEGAND, CLASSIC BEIGE, KEYPAD, RFI, CUSTOM FIRMWARE, LEAD FREE	783.79	RC	Readers
Y	5355ABK00-S107R	RDR, PROXPRO W/2X7 KEYPAD, SENSORMATIC, BEI,	783.79	RC	Readers
Y	5355ABK00-S1291	RDR, PROXPRO, WIEGAND, BEIGE, KEYPAD, CSTM, SPLX, LEAD FREE	783.79	RC	Readers
Y	5355ABK08	PROXPRO WIEGAND, BEIGE, KEYPAD, LEAD FREE, PCSC OUTPUT	783.79	RC	Readers
Y	5355ABK09	PROXPRO WIEGAND, BEIGE, KEYPAD, LEAD FREE	783.79	RC	Readers
Y	5355ABK09-A1028	RDR, PROXPRO, WIEG, BEIGE, KEYBD, ANDOVER LBL, PN:01-7000-214, 8 BIT BURST, LEAD FREE	783.79	RC	Readers
Y	5355ABK09-CHINA	PROXPRO WIEGAND, BEIGE, KEYPAD, BUFFER ONE KEY AND ADD COMPLIMENT, 8 BIT MESSAGE (DORADO, CARDKEY)	783.79	RC	Readers
Y	5355ABK11	PROXPRO WIEGAND, BEIGE, KEYPAD, LEAD FREE	783.79	RC	Readers
Y	5355ABK14	PROXPRO WIEGAND, BEIGE, KEYPAD, LEAD FREE	783.79	RC	Readers
Y	5355ABK15	PROXPRO WIEGAND, BEIGE, KEYPAD, LEAD FREE	783.79	RC	Readers
Y	5355ABK19	PROXPRO WIE, BEI, KEYPAD, LEAD FREE	783.79	RC	Readers
Y	5355ABK19-S1291	RDR, PROXPRO, CSTM, BEI KEYPAD, SPLX, LEAD FREE	783.79	RC	Readers
Y	5355ABK20	PROXPRO WIE, BEIGE, KEYPAD, LEAD FREE	783.79	RC	Readers
Y	5355ABN00	PROXPRO WIEGAND, BEIGE, NO KEYPAD, LEAD FREE	494.68	RB	Readers
Y	5355ABN00-A1028	RDR, PROXPRO, WIEG, BEI, ANDOVER LBL, PN: 01-7000-112, LEAD FREE	494.68	RB	Readers
Y	5355ABN00-CHINA	RDR, PROXPRO WIEGAND, BEIGE, NO KEYPAD,CHINA CM MANUFACTURING LICENSED RDR, LEAD FREE	494.68	RB	Readers
Y	5355ABN00-G1021	RDR, PROXPRO, CSTM, BEIGE, NO KPD, GIC, LEAD FREE	494.68	RB	Readers
Y	5355ABN00-N1001	RDR, PROXPRO, CSTM, BEI, NO KPD, HONEYWELL, LEAD FREE	494.68	RB	Readers
Y	5355ABN00-R1011	RDR, PROXPRO, CSTM, RCPTRS, LEAD FREE	494.68	RB	Readers
Y	5355ABN00-S107R	RDR, PROXPRO, SENSORMATIC, BEI, LEAD FREE	494.68	RB	Readers
Y	5355ABN00-S1291	RDR, PROXPRO, CSTM, SPLX TIME, LEAD FREE	494.68	RB	Readers
Y	5355ABN14	PROXPRO WIEGAND, BEIGE, NO KEYPAD, LEAD FREE	494.68	RB	Readers
Y	5355ABS00	PROXPRO WIEGAND, BEIGE, KEYPAD, LEAD FREE	783.79	RC	Readers
Y	5355ABS00-G1021	RDR, PROXPRO, DIR CON, CSTM, BEIGE, KEYPAD, GIC, LEAD FREE	783.79	RC	Readers
Y	5355ABS00-S107R	RDR, PROXPRO W/3X4 KEYPAD, SENSORMATIC, BEI, LEAD FREE	783.79	RC	Readers
Y	5355ABS08	PROXPRO WIEGAND, BEIGE, KEYPAD, LEAD FREE, PCSC OUTPUT	783.79	RC	Readers
Y	5355ABS14	PROXPRO WIEGAND, BEIGE, KEYPAD, LEAD FREE	783.79	RC	Readers
Y	5355AGK00	PROXPRO WIEGAND, GRAY, KEYPAD, LEAD FREE	783.79	RC	Readers
Y	5355AGK00-12421	PROXPOINT, GRAY, KEYPAD, (KEYSCAN),LEAD FREE	783.79	RC	Readers
Y	5355AGK00-1575A	PROXPRO W/ KEYPAD, ARITECH ACI757, LEAD FREE	783.79	RC	Readers
Y	5355AGK00-2065A	RDR, PROXPRO, NAT'L CTRL SYSTEMS, WIEG, GRAY, KEYPAD, LEAD FREE	783.79	RC	Readers
Y	5355AGK00-310006	PROXPRO WIEGAND, GRAY, KEYPAD, CUSTOM INNER RANGE LABEL, LEAD FREE	783.79	RC	Readers
Y	5355AGK00-C1221	RDR, PROXPRO, CSTM, GRY, KEYPAD, CHUBB, LEAD FREE	783.79	RC	Readers
Y	5355AGK00-CHINA	RDR, PROXPRO WIEGAND, GRAY, KEYPAD, CHINA CM MANUFACTURING LICENSED RDR, LEAD FREE	783.79	RC	Readers
Y	5355AGK00-N1001	RDR, PROXPRO, HONEYWELL, LEAD FREE	783.79	RC	Readers
Y	5355AGK01-3451	PROXPRO WIEGAND, GRAY, KEYPAD, WIEGAND PULSE WIDTH TIME=200US,WIEGAND PULSE INTERVAL TIME=400US, GROVENSOR TECHNOLOGY, LEAD FREE	783.79	RC	Readers

Y	5355AGK09	PROXPRO WIEGAND, GRAY, KEYPAD, LEAD FREE	783.79	RC	Readers
Y	5355AGK09-A1028	RDR, PROXPRO, WIEG, GRY, KEYPAD, ANDOVER LBL, PN:01-7000-213, 8 BIT BURST, LEAD FREE	783.79	RC	Readers
Y	5355AGK09-CHINA	PROXPRO WIEGAND, GRAY, KEYPAD, BUFFER ONE KEY AND ADD COMPLIMENT, 8 BIT MESSAGE (DORADO, CARDKEY)	783.79	RC	Readers
Y	5355AGK10	PROXPRO WIEGAND, GRAY, KEYPAD, LEAD FREE	783.79	RC	Readers
Y	5355AGK11	PROXPRO WIEGAND, GRAY, KEYPAD, LEAD FREE	783.79	RC	Readers
Y	5355AGK14	PROXPRO WIEGAND, GRAY, KEYPAD, LEAD FREE	783.79	RC	Readers
Y	5355AGK14-S1291	PROXPRO WIEGAND, GRAY, KEYPAD, LEAD FREE	783.79	RC	Readers
Y	5355AGK15	PROXPRO WIEGAND, GRAY, KEYPAD, LEAD FREE	783.79	RC	Readers
Y	5355AGK17	PROXPRO WIEGAND, GRAY, KEYPAD, LEAD FREE	783.79	RC	Readers
Y	5355AGK19	PROXPRO WIEGAND, GRAY, KEYPAD, LEAD FREE	783.79	RC	Readers
Y	5355AGK20	PROXPRO WIEGAND, GRAY, KEYPAD, LEAD FREE	783.79	RC	Readers
Y	5355AGK23	PROXPRO WIEGAND, GRAY, KEYPAD, 11 KEY BUFFERED OUTPUT, LEAD FREE	783.79	RC	Readers
Y	5355AGN00	PROXPRO WIEGAND, GRAY, NO KEYPAD LEAD FREE	494.68	RB	Readers
Y	5355AGN00-11711	RDR, PROXPRO, WIEGAND, GRY, NO KPAD, LOGIPLEX, LEAD FREE	494.68	RB	Readers
Y	5355AGN00-1575A	PROXPRO, ARITECH ACI755, LEAD FREE	494.68	RB	Readers
Y	5355AGN00-2065A	RDR, PROXPRO, WIEGAND, GRY, NO KPAD, NAT'L CTRL SYSTEMS, LEAD FREE	494.68	RB	Readers
Y	5355AGN00-310006	PROXPRO WIEG, GRY, NO KEYPAD, INNER RANGE LABEL, LEAD FREE	494.68	RB	Readers
Y	5355AGN00-A1041	RDR, PROXPRO, CSTM, APLD RLTM, LEAD FREE	494.68	RB	Readers
Y	5355AGN00-C1221	RDR, PROXPRO, WIEGAND, GRY, NO KPAD, CSTM, CHUBB, LEAD FREE	494.68	RB	Readers
Y	5355AGN00-CHINA	RDR, PROXPRO WIEGAND, GRAY, NO KEYPAD, CHINA CM MANUFACTURING LICENSED RDR, LEAD FREE	494.68	RB	Readers
Y	5355AGN00-G104E	RDR,PROXPRO, WIEGAND, GRY, NO KPAD, CSTM FRMWR RDR, GIC, LEAD FREE	494.68	RB	Readers
Y	5355AGN00-G1201	RDR, PROXPRO, CSTM, GEOFF UK-SKB, LEAD FREE	494.68	RB	Readers
Y	5355AGN00-R1001	RDR, PROXPRO, GRY, RADIONICS, D8223, LEAD FREE	494.68	RB	Readers
Y	5355AGN00-T1212	RDR, PROXPRO, WIEGAND, GRY, NO KPAD, TECKTALK, BELGIUM, LEAD FREE	494.68	RB	Readers
Y	5355AGN01	PROXPRO WIEGAND, GRAY, NO KEYPAD, LEAD FREE	494.68	RB	Readers
Y	5355AGN01-3451	PROXPRO WIEGAND, GRAY, NO KEYPAD,WIEGAND PULSE WIDTH TIME=200US,WIEGAND PULSE INTERVAL TIME=400US, GROSVENSOR TECHNOLOGY, LEAD FREE	494.68	RB	Readers
Y	5355AGN02	PROXPRO WIEGAND, GRAY, NO KEYPAD, LEAD FREE	494.68	RB	Readers
Y	5355AGN02-T1212	PROXPRO WIEGAND, GRAY, NO KEYPAD, LEAD FREE	494.68	RB	Readers
Y	5355AGN04	PROXPRO WIEGAND, GRAY, NO KEYPAD, LEAD FREE	494.68	RB	Readers
Y	5355AGN10	PROXPRO WIEGAND, GRAY, NO KEYPAD, LEAD FREE	494.68	RB	Readers
Y	5355AGN11	PROXPRO WIEGAND, GRAY, NO KEYPAD, LEAD FREE	494.68	RB	Readers
Y	5355AGN17	PROXPRO WIEGAND, GRAY, NO KEYPAD, LEAD FREE	494.68	RB	Readers
Y	5358ABN00	PROXPRO CLOCK & DATA, BEIGE, NO KEYPAD, SW1-P1=OFF	494.68	RB	Readers
Y	5358AGK00	PROXPRO CLOCK & DATA, GRAY, KEYPAD, SW1-P1=OFF	783.79	RC	Readers
Y	5358AGK09	PROXPRO CLOCK & DATA, GRAY, KEYPAD, (SW -P1=OFF)	783.79	RC	Readers
Y	5358AGK11	PROXPRO CLOCK & DATA, GRAY, KEYPAD	783.79	RC	Readers
Y	5358AGK14	PROXPRO CLOCK & DATA, CLASSIC GRAY, KEYPAD	783.79	RC	Readers
Y	5358AGN00	PROXPRO CLOCK & DATA, GRAY, NO KEYPAD, SW1-P1=OFF	494.68	RB	Readers
Y	5365-108-02	BOX, HAZ ALTRD W/MTG HOLES, ROHS	467.80	RC	Readers
Y	5365-359-01	ACC KIT, MP	6.80	ZB	Product Components
Y	5365-371-01	COV ASSY, UNIV MP, GRY LEAD FREE	31.19	ZB	Readers
Y	5365-371-02	COV ASSY, MP, BEI LEAD FREE	31.19	ZB	Readers
Y	5365-371-03	COV ASSY, MP, BLK, LEAD FREE	31.19	ZB	Readers
Y	5365-371-04	COV ASSY, MP, WHT LEAD FREE	31.19	ZB	Readers
Y	5365-372-01	COV ASSY, MP, DSGNR, BLK	31.19	ZB	Readers
Y	5365-372-02	COV ASSY, UNIV MP, DSGNR, GRY	31.19	ZB	Readers
Y	5365E1H00	MINIPROX WIEGAND, DESIGNER BLACK, HAZARDOUS BOX, LEAD FREE	896.21	RA	Readers
Y	5365E1P00	MINIPROX WIEGAND, DESIGNER BLACK, CABLE, LEAD FREE	430.44	RA	Readers
Y	5365E1P00-110315	MINIPROX WIEGAND, DESIGNER BLACK, CABLE, HID SLEEVE & LABEL.	430.44	RA	Readers
Y	5365E1P00-S107R	MINIPROX WIEGAND, DESIGNER BLACK, CABLE, SENSORMATIC	430.44	RA	Readers
Y	5365E1P01	MINIPROX WIEGAND, DESIGNER BLACK, CABLE	430.44	RA	Readers
Y	5365E1P04	MINIPROX WIEGAND, DESIGNER BLACK, CABLE	430.44	RA	Readers
Y	5365E1P06	MINIPROX WIEGAND, DESIGNER BLACK, CABLE	430.44	RA	Readers
Y	5365E1P07	MINIPROX WIEGAND, DESIGNER BLACK, CABLE	430.44	RA	Readers
Y	5365E1T00	MINIPROX WIEGAND, DESIGNER BLACK, TERMINAL, LEAD FREE	430.44	RA	Readers
Y	5365E1T00-110315	MINIPROX WIEGAND, DESIGNER BLACK, TERMINAL, HID SLEEVE & LABEL	430.44	RA	Readers
Y	5365E1T06	MINIPROX WIEGAND, DESIGNER BLACK, TERMINAL	430.44	RA	Readers
Y	5365E2P00	MINIPROX WIEGAND, DESIGNER GRAY, CABLE, LEAD FREE	430.44	RA	Readers
Y	5365E2P00-110315	MINIPROX WIEGAND, DESIGNER GRAY, CABLE, HID SLEEVE & LABEL	430.44	RA	Readers
Y	5365E2P00-S107R	MINIPROX WIEGAND, DESIGNER GRAY, CABLE, SENSORMATIC	430.44	RA	Readers
Y	5365E2P00-S1291	MINIPROX WIEGAND, DESIGNER CHARCOAL GRAY, CABLE, SIMPLEX	430.44	RA	Readers
Y	5365E2P01	MINIPROX WIEGAND, DESIGNER GRAY, CABLE	430.44	RA	Readers
Y	5365E2P04	MP WIEG, DSGNR GRY, CBL	430.44	RA	Readers
Y	5365E2P05	MINIPROX WIEGAND, DESIGNER GRAY, CABLE	430.44	RA	Readers
Y	5365E2P06	MINIPROX WIEGAND, DESIGNER GRAY, CABLE	430.44	RA	Readers
Y	5365E2T00	MINIPROX WIEGAND, DESIGNER GRAY, TERMINAL, LEAD FREE	430.44	RA	Readers
Y	5365E2T00-110315	MINIPROX WIEGAND, DESIGNER GRAY, TERMINAL, HID SLEEVE & LABEL	430.44	RA	Readers
Y	5365E2T04	MINIPROX WIEGAND, DESIGNER GRAY, TERMINAL	430.44	RA	Readers
Y	5365E2T06	MINIPROX WIEGAND, DESIGNER GRAY, TERMINAL	430.44	RA	Readers
Y	5365EBH00	MINIPROX WEIGAND, BEIGE, HAZARDOUS BOX	896.21	RC	Readers
Y	5365EBP00	MP WIEG, CLASSIC BEI, 18" PIGTAIL, ROHS PROX DFM	430.44	RA	Readers
Y	5365EBP00-110315	MINIPROX WIEGAND, CLASSIC BEIGE, CABLE, HID SLEEVE & LABEL.	430.44	RA	Readers
Y	5365EBP00-CHINA	MINIPROX, WIEG, CLASSIC BEIGE, 18" CBL, CHINA CM MANUFACTURING LICENSED RDR, LEAD FREE	430.44	RA	Readers
Y	5365EBP00-J1221	MP WIEG, CLASSIC BEI, 18" PIGTAIL, ROHS PROX, W/JCI LOGO	430.44	RA	Readers
Y	5365EBP00-N1001	RDR, MP, WIEG, BEI, PIG, HONEYWELL	430.44	RA	Readers
Y	5365EBP00-S107R	MINIPROX WIEGAND, CLASSIC BEIGE, CABLE, SENSORMATIC	430.44	RA	Readers
Y	5365EBP01	MINIPROX WIEGAND, BEIGE, CABLE	436.44	RA	Readers

Y	5365EBP02	MINIPROX WIEGAND, BEIGE, CABLE	430.44	RA	Readers
Y	5365EBP04	MINIPROX WIEGAND, CLASSIC BEIGE, CABLE	430.44	RA	Readers
Y	5365EBP05	MINIPROX WIEGAND,CLASSIC BEIGE,CABLE,LEAD FREE.	430.44	RA	Readers
Y	5365EBP06	MINIPROX WIEGAND, CLASSIC BEIGE, CABLE	430.44	RA	Readers
Y	5365EBT00	MP WIEG, CLASSIC BEI, TERMINAL, ROHS PROX DFM	430.44	RA	Readers
Y	5365EBT00-C1221	MINIPROX WIEGAND, BEIGE, TERMINAL, CHUBB LOGO	430.44	RA	Readers
Y	5365EBT00-J1221	MINIPROX WIEGAND, BEIGE, TERMINAL, JOHNSON CONTROL LABEL	430.44	RA	Readers
Y	5365EBT04	MINIPROX WIEGAND, BEIGE, TERMINAL	430.44	RA	Readers
Y	5365EBT06	MINIPROX WIEGAND, CLASSIC BEIGE, TERMINAL	430.44	RA	Readers
Y	5365EBT07	MINIPROX WIEGAND, BEIGE, TERMINAL	430.44	RA	Readers
Y	5365EGH00	MP WIEG, CLASSIC GRY, HAZ BOX, LEAD FREE	896.21	RC	Readers
Y	5365EGH00-310006	MINIPROX WIEGAND, CLASSIC GRAY, HAZARDOUS BOX, CUSTOM INNER RANGE LABEL	896.21	RC	Readers
Y	5365EGH00-S107R	MINIPROX WIEGAND, GRAY, HAZARDOUS BOX, SENSORMATIC, SW PT# 140-330-HAZ	896.21	RC	Readers
Y	5365EGH01	MINIPROX WIEGAND, CLASSIC GRAY, HAZARDOUS BOX	896.21	RC	Readers
Y	5365EGH04	MINIPROX WIEGAND, GRAY, HAZARDOUS BOX	896.21	RC	Readers
Y	5365EGH06	MP WIEG, CLASSIC GRY, HAZ BOX	896.21	RC	Readers
Y	5365EGL04	MP WIEG, CLASSIC GRY, 9FT CBL, LEAD FREE	436.44	RA	Readers
Y	5365EGP00	MP WIEG, CLASSIC GRY, CBL, LEAD FREE	430.44	RA	Readers
Y	5365EGP00-12421	MINIPROX WIEGAND, CLASSIC GRAY, (KEYSCAN), CABLE	430.44	RA	Readers
Y	5365EGP00-1575A	MINIPROX, ARITECH ACI765	430.44	RA	Readers
Y	5365EGP00-A1028	RDR, MP, WIEG, GRY, ANDOVER LBL, PN:01-7000-117	430.44	RA	Readers
Y	5365EGP00-CHINA	MINIPROX WIEG, CLASSIC GRY, 18" CBL, CHINA CM MANUFACTURING LICENSED RDR, LEAD FREE	430.44	RA	Readers
Y	5365EGP00-R1001	RDR, MP, WIEG, GRY, CABLE, RADIONICS	430.44	RA	Readers
Y	5365EGP00-S1291	RDR, MP, SIMPLEX	430.44	RA	Readers
Y	5365EGP01	MINIPROX WIEGAND, CLASSIC GRAY, CABLE	430.44	RA	Readers
Y	5365EGP01-110315	MINIPROX WIEGAND, CLASSIC GRAY, CABLE, WITH SLEEVE	430.44	RA	Readers
Y	5365EGP01-3451	MINIPROX WIEGAND, CLASSIC GRAY,CABLE, WIEGAND PULSE WIDTH TIME=200US,WIEGAND PULSE INTERVAL TIME=400US, GROSVENOR TECHNOLOGY, LTD	430.44	RA	Readers
Y	5365EGP02	MINIPROX WIEGAND, CLASSIC GRAY, CABLE	430.44	RA	Readers
Y	5365EGP02-T1212	MINIPROX WIEGAND, CLASSIC GRAY, CABLE	430.44	RA	Readers
Y	5365EGP03	MINIPROX WIEGAND, CLASSIC GRAY, CABLE	430.44	RA	Readers
Y	5365EGP04	MINIPROX WIEGAND, CLASSIC GRAY, CABLE	430.44	RA	Readers
Y	5365EGP05	MINIPROX WIEGAND, CLASSIC GRAY, CABLE	430.44	RA	Readers
Y	5365EGP06	MINIPROX WIEGAND, CLASSIC GRAY, CABLE	430.44	RA	Readers
Y	5365EGP07	MINIPROX WIEGAND, CLASSIC GRAY, CABLE	430.44	RA	Readers
Y	5365EGP17	MINIPROX WIEGAND, CLASSIC GRAY, CABLE	430.44	RA	Readers
Y	5365EGT00	MP WIEG, CLASSIC GRY, TERM, LEAD FREE	430.44	RA	Readers
Y	5365EGT00-110315	MINIPROX WIEGAND, CLASSIC GRAY, TERMINAL, HID SLEEVE & LABEL	430.44	RA	Readers
Y	5365EGT00-1575A	RDR, MINIPROX, ARITECH ACI766	430.44	RA	Readers
Y	5365EGT00-C1221	RDR, MP, CSTM, CHUBB	430.44	RA	Readers
Y	5365EGT00-CHINA	MINIPROX WIEG, CLASSIC GRY, TERM STP, CHINA CM MANUFACTURING LICENSED RDR, LEAD FREE	430.44	RA	Readers
Y	5365EGT00-N1001	RDR, MP, WIEG, GRY, TER, HONEYWELL	430.44	RA	Readers
Y	5365EGT01	MINIPROX WIEGAND, CLASSIC GRAY, TERMINAL	430.44	RA	Readers
Y	5365EGT02	MINIPROX WIEGAND, CLASSIC GRAY, TERMINAL	430.44	RA	Readers
Y	5365EGT02-T1212	RDR, MP, CUSTOM, TECHTALK	430.44	RA	Readers
Y	5365EGT03	MINIPROX WIEGAND, CLASSIC GRAY, TERMINAL	430.44	RA	Readers
Y	5365EGT04	MINIPROX WIEGAND, CLASSIC GRAY, TERMINAL	430.44	RA	Readers
Y	5365EGT04-J1221	RDR, MP, JOHNSON CONTROLS, GRAY, TERMINAL	430.44	RA	Readers
Y	5365EGT05	MINIPROX WIEGAND, CLASSIC GRAY, TERMINAL	430.44	RA	Readers
Y	5365EGT06	MINIPROX WIEGAND, CLASSIC GRAY, TERMINAL	430.44	RA	Readers
Y	5365EGT06-2065A	MINIPROX WIEGAND, CLASSIC GRAY, TERMINAL, NAT'L CTRL SYSTEMS	430.44	RA	Readers
Y	5365EGT06-SES	RDR, MP, SIEMENS, GRY, TERM	430.44	RA	Readers
Y	5365EGT07	MP WIEG, CLASSIC GRY, TERM	430.44	RA	Readers
Y	5365EGT07-45526	MP WIEG, CLASSIC GRY, TERM	430.44	RA	Readers
Y	5365EKH00	MINIPROX WIEGAND, CLASSIC BLACK, HAZARDOUS BOX, LEAD FREE	896.21	RC	Readers
Y	5365EKH01	MINIPROX WIEGAND, CLASSIC BLACK, HAZARDOUS BOX	896.21	RC	Readers
Y	5365EKH04	MINIPROX WIEGAND, CLASSIC BLACK, HAZARDOUS BOX	896.21	RC	Readers
Y	5365EKP00	MP WIEG, CLASSIC BLK, 18" PIGTAIL, ROHS PROX DFM	430.44	RA	Readers
Y	5365EKP00-110315	MINIPROX WIEGAND,CLASSIC BLACK,CABLE, HID SLEEVE & LABEL.	430.44	RA	Readers
Y	5365EKP00-2941	MP WIEG, CLASSIC BLK, 18" PIGTAIL, ROHS PROX DFM, IMRON	430.44	RA	Readers
Y	5365EKP00-CHINA	MINIPROX WIEG, CLASSIC BLACK, 18" CBL, CHINA CM MANUFACTURING LICENSED RDR, LEAD FREE	430.44	RA	Readers
Y	5365EKP00-RB	MINIPROX WIEGAND, CLASSIC BLACK, CABLE, BOSCH	430.44	RA	Readers
Y	5365EKP01	MINIPROX WIEGAND, BLACK, CABLE	430.44	RA	Readers
Y	5365EKP02	MINIPROX WIEGAND, CLASSIC BLACK, CABLE	430.44	RA	Readers
Y	5365EKP03	MP WIEG, CLASSIC BLK, CBL	430.44	RA	Readers
Y	5365EKP04	MP WIEG, CLASSIC BLK, CBL	430.44	RA	Readers
Y	5365EKP05	MINIPROX WIEGAND,CLASSIC BLACK,CABLE.	430.44	RA	Readers
Y	5365EKP06	MP WIEG, CLASSIC BLK, CBL	430.44	RA	Readers
Y	5365EKP07	MINIPROX WIEGAND, BLACK, CABLE	430.44	RA	Readers
Y	5365EKT00	MP WIEG, CLASSIC BLK, TERMINAL, ROHS PROX DFM	430.44	RA	Readers
Y	5365EKT00-110315	MINIPROX WIEGAND, CLASSIC BLACK, TERMINAL, HID SLEEVE & LABEL	430.44	RA	Readers
Y	5365EKT00-CHINA	MINIPROX WIEG, CLASSIC BLK, TERM STP, CHINA CM MANUFACTURING LICENSED RDR, LEAD FREE	430.44	RA	Readers
Y	5365EKT00-S1291	RDR, MP, BLK, SIMPLEX	430.44	RA	Readers
Y	5365EKT01	MINIPROX WIEGAND, BLACK, TERMINAL	430.44	RA	Readers
Y	5365EKT02	MINIPROX WIEGAND, BLACK, TERMINAL	430.44	RA	Readers
Y	5365EKT03	MINIPROX WIEGAND, BLACK, TERMINAL	430.44	RA	Readers
Y	5365EKT04	MINIPROX WIEGAND, CLASSIC BLACK, TERMINAL	430.44	RA	Readers
Y	5365EKT05	MINI PROX WIEGAND, BLACK, TERMINAL	430.44	RA	Readers

Y	5365EKT06	MINIPROX WIEGAND, CLASSIC BLACK, TERMINAL	430.44	RA	Readers
Y	5365EKT07	MINIPROX WIEGAND, BLACK, TERMINAL	430.44	RA	Readers
Y	5365EWH00	MP WIEG, CLASSIC WHT, WITH HAZARDOUS BACK BOX, LEAD FREE	896.21	RC	Readers
Y	5365EWP00	MP WIEG, CLASSIC WHT, CBL LEAD FREE	430.44	RA	Readers
Y	5365EWP00-110315	MINIPROX WIEGAND, CLASSIC WHITE, CABLE, HID SLEEVE & LABEL	430.44	RA	Readers
Y	5365EWP00-12421	MP WIEG, CLASSIC WHT, CBL LEAD FREE, KEYSCAN	430.44	RA	Readers
Y	5365EWP00-S107R	MINIPROX WIEGAND, CLASSIC WHITE, CABLE, SENSORMATIC	430.44	RA	Readers
Y	5365EWP01	MP WIEG, CLASSIC WHT, CBL LEAD FREE	430.44	RA	Readers
Y	5365EWP02	MP WIEG, CLASSIC WHT, CBL LEAD FREE	430.44	RA	Readers
Y	5365EWP04	MINIPROX WIEGAND, CLASSIC WHITE, CABLE	430.44	RA	Readers
Y	5365EWP06	MINIPROX WIEGAND, CLASSIC WHITE, CABLE	430.44	RA	Readers
Y	5365EWT00	MP WIEG, CLASSIC WHT, TERM LEAD FREE	430.44	RA	Readers
Y	5365EWT00-110315	MINIPROX WIEGAND, WHITE, TERMINAL, STANDARD, HID SLEEVE & LABEL.	430.44	RA	Readers
Y	5365EWT01	MINIPROX WIEGAND, WHITE, TERMINAL	430.44	RA	Readers
Y	5365EWT02	MINIPROX WIEGAND, WHITE, TERMINAL, STANDARD, 26 BIT	430.44	RA	Readers
Y	5365EWT04	MINIPROX,WIEGAND,WHITE,TERMINAL,LED FREE	430.44	RA	Readers
Y	5365EWT07	MINIPROX WIEGAND, WHITE, TERMINAL	430.44	RA	Readers
Y	5365EWT17	MINIPROX WIEGAND, CLASSIC WHITE, TERMINAL, CUSTOM FOR HAVERHILL	430.44	RA	Readers
Y	5368E1P00	MINIPROX CLOCK & DATA, DESIGNER BLACK, CABLE	430.44	RA	Readers
Y	5368E1T00	MINIPROX CLOCK & DATA, DESIGNER BLACK, TERMINAL	430.44	RA	Readers
Y	5368E2P00	MINIPROX CLOCK & DATA, DESIGNER GRAY, CABLE	430.44	RA	Readers
Y	5368E2P04	MINIPROX CLOCK & DATA, DESIGNER GRAY, CABLE	430.44	RA	Readers
Y	5368E2T00	MINIPROX CLOCK & DATA, DESIGNER GRAY, TERMINAL	430.44	RA	Readers
Y	5368E2T04	MINIPROX CLOCK & DATA, DESIGNER GRAY, TERMINAL	430.44	RA	Readers
Y	5368EBP00	MP C&D, CLASSIC BEI, CBL	430.44	RA	Readers
Y	5368EBP06	MP C&D, CLASSIC BEI, CBL	430.44	RA	Readers
Y	5368EBP07	MP C&D, CLASSIC BEI, CBL	430.44	RA	Readers
Y	5368EBT00	MP C&D, CLASSIC BEI, TERM	430.44	RA	Readers
Y	5368EBT06	MP C&D, CLASSIC BEI, TERM	430.44	RA	Readers
Y	5368EGH00	MINIPROX CLOCK & DATA, CLASSIC GRAY, HAZARDOUS BOX	896.21	RC	Readers
Y	5368EGP00	MINIPROX CLOCK & DATA, CLASSIC GRAY, CABLE	430.44	RA	Readers
Y	5368EGP01	MP C&D, CLASSIC GRY, CBL	430.44	RA	Readers
Y	5368EGP02	MP C&D, CLASSIC GRY, CBL	430.44	RA	Readers
Y	5368EGP03	MP C&D, CLASSIC GRY, CBL	430.44	RA	Readers
Y	5368EGP04	MP C&D, CLASSIC GRY, CBL	430.44	RA	Readers
Y	5368EGP06	MP C&D, CLASSIC GRY, CBL	430.44	RA	Readers
Y	5368EGP07	MP C&D, CLASSIC GRY, CBL	430.44	RA	Readers
Y	5368EGP13	MP C&D, CLASSIC GRY, CBL	430.44	RA	Readers
Y	5368EGT00	MINIPROX CLOCK & DATA, CLASSIC GRAY, TERMINAL	430.44	RA	Readers
Y	5368EGT01	MINIPROX CLOCK & DATA,CLASSIC GRAY,TERMINAL,LEAD FREE.	430.44	RA	Readers
Y	5368EGT02	MINIPROX CLOCK & DATA, CLASSIC GRAY, TERMINAL	430.44	RA	Readers
Y	5368EGT03	MINIPROX CLOCK & DATA, CLASSIC GRAY, TERMINAL	430.44	RA	Readers
Y	5368EGT04	MINIPROX CLOCK & DATA, GRAY, TERMINAL	430.44	RA	Readers
Y	5368EGT06	MINIPROX CLOCK & DATA, CLASSIC GRAY, TERMINAL	430.44	RA	Readers
Y	5368EKH00	MINIPROX CLOCK & DATA, CLASSIC BLACK, HAZARDOUS BOX	896.21	RC	Readers
Y	5368EKL00	MINIPROX CLOCK & DATA, BLACK, 9FT CABLE	436.44	RA	Readers
Y	5368EKP00	MINIPROX CLOCK & DATA, CLASSIC BLK, CBL, LEAD FREE	430.44	RA	Readers
Y	5368EKP04	MINIPROX CLOCK & DATA, CLASSIC BLK, CBL, LEAD FREE	430.44	RA	Readers
Y	5368EKP06	MINIPROX CLOCK & DATA, CLASSIC BLK, CBL, LEAD FREE	430.44	RA	Readers
Y	5368EKT00	MP C&D, CLASSIC BLK, TERM	430.44	RA	Readers
Y	5368EKT01	MINIPROX CLOCK & DATA, CLASSIC BLACK, TERMINAL	430.44	RA	Readers
Y	5368EKT04	MINIPROX CLOCK & DATA, BLACK, TERMINAL	430.44	RA	Readers
Y	5368EKT06	MINIPROX CLOCK & DATA, BLACK, TERMINAL	430.44	RA	Readers
Y	5368EKT07	MINIPROX CLOCK & DATA, CLASSIC BLACK, TERMINAL	430.44	RA	Readers
Y	5368EWP00	MINIPROX CLOCK & DATA, CLASSIC WHITE, PIGTAIL	430.44	RA	Readers
Y	5368EWT00	MINIPROX CLOCK & DATA, CLASSIC WHITE, TERMINAL	430.44	RA	Readers
Y	5370A-305-01	COV ASSY, MAXIPROX, GRY, NO BUZ	93.58	ZB	Readers
Y	5375-106-01	LBL, LOGO, MAXIPROX DFM	2.42	ZB	Readers
Y	5375-313-01	ACC KIT, MAXIPROX DFM LEAD FREE	46.79	ZB	Readers
Y	5375-325-01	PRGMD ASSY, MICPROCESSOR, MAXIPROX DFM	196.81	ZB	Readers
Y	5375AGN00	MAXIPROX WIEGAND, GRAY, TERMINAL, LEAD FREE	1,281.69	RC	Readers
Y	5375AGN00-110315	MAXIPROX WIEGAND, GRAY, TERMINAL, LEAD FREE, HID SLEEVE & LABEL	1,281.69	RC	Readers
Y	5375AGN00-12421	MAXIPROX WIEGAND, GRAY, TERMINAL, (KEYSCAN), LEAD FREE	1,281.69	RC	Readers
Y	5375AGN00-1575A	MAXIPROX, ARITECH ACI775, LEAD FREE	1,281.69	RC	Readers
Y	5375AGN00-2065A	RDR, MAXIPROX, NAT'L CTRL SYS, LEAD FREE	1,281.69	RC	Readers
Y	5375AGN00-310006	MAXIPROX WIEGAND, GRAY, TERMINAL, LEAD FREE	1,281.69	RC	Readers
Y	5375AGN00-A1071	466027-001, MAXIPROX, GRY, AM MAG, LEAD FREE	1,281.69	RC	Readers
Y	5375AGN00-ADT1	RDR, MAXIPROX, CSTM, GRAY, LEAD FREE, ADT	1,208.12	RC	Readers
Y	5375AGN00-CHINA	MAXIPROX WIEGAND, GRAY, TERMINAL, CHINA CM MANUFACTURING LICENSED RDR, LEAD FREE	1,281.69	RC	Readers
Y	5375AGN00-G1021	RDR, MAXIPROX, CSTM, GIC, LEAD FREE	1,281.69	RC	Readers
Y	5375AGN00-S107R	RDR, MAXIPROX, SENSORMATIC, CHARCOAL, LEAD FREE	1,281.69	RC	Readers
Y	5375AGN00-S1431	RDR, MAXIPROX, WIEG, SMF SYS SFWR, LEAD FREE	1,281.69	RC	Readers
Y	5375AGN00-T1212	RDR, MAXIPROX, TECHTALK, LEAD FREE	1,281.69	RC	Readers
Y	5375AGN04	MAXIPROX WIEGAND, GRAY, TERMINAL, LEAD FREE	1,281.69	RC	Readers
Y	5375AGN06	MAXIPROX WIEGAND, GRAY, TERMINAL, LEAD FREE	1,281.69	RC	Readers
Y	5375AGN17	MAXIPROX WIEGAND, GRAY, TERMINAL, LEAD FREE	1,281.69	RC	Readers
Y	5375AGN18	MAXIPROX WIEGAND, GRAY, TERMINAL, LEAD FREE	1,281.69	RC	Readers

Y	5395-103-01	BASE, THINLINE DFM LEAD FREE	45.42	ZB	Readers
Y	5395-104-01	COV, THINLINE DFM, WHT	46.79	ZB	Readers
Y	5395-104-02	COV, THINLINE DFM, BEI	46.79	ZB	Readers
Y	5395-104-03	COV, THINLINE DFM, BLK LEAD FREE	46.79	ZB	Readers
Y	5395-104-04	COV, THINLINE DFM, GRY LEAD FREE	46.79	ZB	Readers
Y	5395-371-01	COV ASSY, THINLINE UNIV, DSGNR, BLK	46.79	ZB	Readers
Y	5395-371-02	COV ASSY, THINLINE UNIV, DSGNR, GRY	46.79	ZB	Readers
Y	5395C1100	THINLINE II WIEGAND, DESIGNER BLACK, CABLE, ROHS PROX DFM	438.48	RA	Readers
Y	5395C1100-110315	THINLINE II WIEGAND, DESIGNER BLACK, CABLE, LEAD FREE, HID SLEEVE & LABEL.	438.48	RA	Readers
Y	5395C1100-S107R	THINELINE II WIEGAND, DESIGNER BLACK, CABLE, SENSORMATIC, LEAD FREE	438.48	RA	Readers
Y	5395C1101	RDR, THINLINE, WIEG, PGTL18, DSNR BLK CVR, BEEP OFF, LED ON, SINGLE LINE, LEAD FREE	438.48	RA	Readers
Y	5395C1104	THINLINE II WIEGAND, DESIGNER BLACK, CABLE, LEAD FREE	438.48	RA	Readers
Y	5395C1105	THINLINE II WIEGAND, DESIGNER BLACK, CABLE, LEAD FREE	438.48	RA	Readers
Y	5395C1106	THINLINE II WIEGAND, DESIGNER BLACK, CABLE, LEAD FREE	438.48	RA	Readers
Y	5395C2100	THINLINE II WIEGAND, DESIGNER GRAY, CABLE, ROHS PROX DFM	438.48	RA	Readers
Y	5395C2100-110315	THINLINE II WIEGAND, DESIGNER GRAY, CABLE, LEAD FREE, HID SLEEVE & LABEL.	438.48	RA	Readers
Y	5395C2100-1575A	THINLINE II WIEGAND, DESIGNER GRAY, CABLE, ARITECH ACI795, LEAD FREE	438.48	RA	Readers
Y	5395C2100-CHINA	THINLINE II WIEGAND, DESIGNER GRAY, CABLE, CHINA CM MANUFACTURING LICENSED RDR, ROHS PROX DFM	438.48	RA	Readers
Y	5395C2100-S1291	THINLINE II WIEGAND, DESIGNER GRAY, CABLE, SIMPLEX, LEAD FREE	438.48	RA	Readers
Y	5395C2104	THINLINE II WIEGAND, DESIGNER GRAY, CABLE, LEAD FREE	438.48	RA	Readers
Y	5395C2106	THINLINE II WIEGAND, DESIGNER GRAY, CABLE, LEAD FREE	438.48	RA	Readers
Y	5395CB100	THINLINE II WIEGAND, CLASSIC BEIGE, CABLE, ROHS PROX DFM	438.48	RA	Readers
Y	5395CB100-110315	THINLINE II WIEGAND, CLASSIC BEIGE, CABLE, LEAD FREE, HID SLEEVE & LABEL	438.48	RA	Readers
Y	5395CB100-12421	THINLINE II WIEGAND, CLASSIC BEIGE, CABLE, (KEYSCAN), LEAD FREE	438.48	RA	Readers
Y	5395CB100-A1028	RDR, THINLINE, WIEG, BEIGE, ANDOVER LBL, PN:01-7000-142, LEAD FREE	438.48	RA	Readers
Y	5395CB100-CHINA	THINLINE II WIEGAND, BEIGE, CABLE, CHINA CM MANUFACTURING LICENSED RDR, ROHS PROX DFM	438.48	RA	Readers
Y	5395CB100-N1001	RDR, TL, BEI, CSTM-HONEYWELL, LEAD FREE	438.48	RA	Readers
Y	5395CB100-S107R	RDR, THINLINE, SENSORMATIC, BEI, LEAD FREE	438.48	RA	Readers
Y	5395CB101	THINLINE II WIEGAND, CLASSIC BEIGE, CABLE, LEAD FREE	438.48	RA	Readers
Y	5395CB102	THINLINE II WIEGAND, CLASSIC BEIGE, CABLE, LEAD FREE	438.48	RA	Readers
Y	5395CB103	THINLINE II WIEGAND, CLASSIC BEIGE, CABLE, LEAD FREE	438.48	RA	Readers
Y	5395CB104	THINLINE II WIEGAND, CLASSIC BEIGE, CABLE, LEAD FREE	438.48	RA	Readers
Y	5395CB105	THINLINE II WIEGAND, CLASSIC BEIGE, CABLE, LEAD FREE	438.48	RA	Readers
Y	5395CB106	THINLINE II WIEGAND, CLASSIC BEIGE, CABLE, LEAD FREE	438.48	RA	Readers
Y	5395CB107	THINLINE II WIEGAND, CLASSIC BEIGE, CABLE, LEAD FREE	438.48	RA	Readers
Y	5395CG100	THINLINE II WIEGAND, CLASSIC GRAY, CABLE, ROHS PROX DFM	438.48	RA	Readers
Y	5395CG100-12421	THINLINE II WIEGAND, CLASSIC GRAY, CABLE, (KEYSCAN), LEAD FREE	438.48	RA	Readers
Y	5395CG100-A1028	RDR, THINLINE, WIEG, GRY, ANDOVER LBL, PN:01-7000-204, LEAD FREE	438.48	RA	Readers
Y	5395CG100-CHINA	THINLINE II WIEGAND, CLASSIC GRAY, CABLE, CHINA CM MANUFACTURING LICENSED RDR, ROHS PROX DFM	438.48	RA	Readers
Y	5395CG100-N1001	RDR, TL, GRY, CSTM-NORHTERN CMPTR, LEAD FREE	438.48	RA	Readers
Y	5395CG100-S107R	RDR, THINLINE, SENSORMATIC, CHARCOAL, LEAD FREE	438.48	RA	Readers
Y	5395CG101	THINLINE II WIEGAND, CLASSIC GRAY, CABLE, LEAD FREE	438.48	RA	Readers
Y	5395CG102	THINLINE II WIEGAND, CLASSIC GRAY, CABLE, LEAD FREE	438.48	RA	Readers
Y	5395CG102-21381	RDR, THINLINE II, WALL MT GRY, EST CTN LBL, LEAD FREE	438.48	RA	Readers
Y	5395CG102-T1212	THINLINE II WIEGAND, CLASSIC GRAY, CABLE, TECHTALK, LEAD FREE	438.48	RA	Readers
Y	5395CG103	THINLINE II WIEGAND, CLASSIC GRAY, CABLE, LEAD FREE	438.48	RA	Readers
Y	5395CG104	THINLINE II WIEGAND, CLASSIC GRAY, CABLE, LEAD FREE	438.48	RA	Readers
Y	5395CG105	THINLINE II WIEGAND, CLASSIC GRAY, CABLE, LEAD FREE	438.48	RA	Readers
Y	5395CG106	THINLINE II WIEGAND, CLASSIC GRAY, CABLE, LEAD FREE	438.48	RA	Readers
Y	5395CG107	THINLINE II WIEGAND, CLASSIC GRAY, CABLE, LEAD FREE	438.48	RA	Readers
Y	5395CK100	THINLINE II WIEGAND, CLASSIC BLACK, CABLE, ROHS PROX DFM	438.48	RA	Readers
Y	5395CK100-110315	THINLINE II WIEGAND, CLASSIC BLACK, CABLE LEAD FREE, HID SLEEVE & LABEL	438.48	RA	Readers
Y	5395CK100-1575A	THINLINE II, ARITECH ACI795, LEAD FREE	438.48	RA	Readers
Y	5395CK100-2941	THINLINE II WIEGAND, CLASSIC BLACK, CABLE, ROHS PROX DFM, IMRON	438.48	RA	Readers
Y	5395CK100-A1028	RDR, THINLINE, WIEG, BLK, ANDOVER LBL, PN:01-7000-144, LEAD FREE	438.48	RA	Readers
Y	5395CK100-CHINA	THINLINE II WIEGAND, CLASSIC BLACK, CABLE, CHINA CM MANUFACTURING LICENSED RDR, ROHS PROX DFM	438.48	RA	Readers
Y	5395CK101	THINLINE II WIEGAND, CLASSIC BLACK, CABLE, LEAD FREE	438.48	RA	Readers
Y	5395CK102	THINLINE II WIEGAND, CLASSIC BLACK, CABLE, LEAD FREE	438.48	RA	Readers
Y	5395CK103	THINLINE II WIEGAND, CLASSIC BLACK, CABLE, LEAD FREE	438.48	RA	Readers
Y	5395CK104	THINLINE II WIEGAND, CLASSIC BLACK, CABLE, LEAD FREE	438.48	RA	Readers
Y	5395CK105	THINLINE II WIEGAND, CLASSIC BLACK, CABLE, LEAD FREE	438.48	RA	Readers
Y	5395CK106	THINLINE II WIEGAND, CLASSIC BLACK, CABLE, LEAD FREE	438.48	RA	Readers
Y	5395CK107	THINLINE II WIEGAND, CLASSIC BLACK, CABLE, LEAD FREE	438.48	RA	Readers
Y	5395CK117	THINLINE II WIEGAND, CLASSIC BLACK, CABLE, LEAD FREE	438.48	RA	Readers
Y	5395CN100	RDR, TL, WIEG, NO-COV, STD-PIG, POT, LEAD FREE	438.48	RA	Readers
Y	5395CW100	THINLINE II WIEGAND, CLASSIC WHITE, CABLE, ROHS PROX DFM	438.48	RA	Readers
Y	5395CW100-110315	THINLINE II WIEGAND, CLASSIC WHITE, CABLE, LEAD FREE, HID SLEEVE & LABEL	438.48	RA	Readers
Y	5395CW100-12421	RDR, TL, WHT, CSTM ,LEAD FREE, KEYSCAN	438.48	RA	Readers
Y	5395CW100-1575A	THINLINE II, ARITECH ACI795W, LEAD FREE	438.48	RA	Readers
Y	5395CW100-A1028	RDR, THINLINE, WIEG, WHT, ANDOVER LBL, PN:01-7000-143, LEAD FREE	438.48	RA	Readers
Y	5395CW100-A1366	RDR, THINLINE, WIEG, WHT, PN: 08061935, LEAD FREE	438.48	RA	Readers
Y	5395CW100-CHINA	THINLINE II WIEGAND, CLASSIC WHITE, CABLE, CHINA CM MANUFACTURING LICENSED RDR, ROHS PROX DFM	438.48	RA	Readers
Y	5395CW100-N1001	RDR, TL, WHT, CSTM-HONEYWELL, LEAD FREE	438.48	RA	Readers
Y	5395CW100-S107R	RDR, THINLINE, SENSORMATIC, WHT, LEAD FREE	438.48	RA	Readers
Y	5395CW101	THINLINE II WIEGAND, CLASSIC WHITE, CABLE, LEAD FREE	438.48	RA	Readers
Y	5395CW102	THINLINE II WIEGAND, CLASSIC WHITE, CABLE, LEAD FREE	438.48	RA	Readers
Y	5395CW104	THINLINE II WIEGAND, CLASSIC WHITE, CABLE, LEAD FREE	438.48	RA	Readers

Y	5395CW105	THINLINE II WIEGAND, CLASSIC WHITE, CABLE, LEAD FREE	438.48	RA	Readers
Y	5395CW106	THINLINE II WIEGAND, CLASSIC WHITE, CABLE, LEAD FREE	438.48	RA	Readers
Y	5395CW107	THINLINE II WIEGAND, CLASSIC WHITE, CABLE, LEAD FREE	438.48	RA	Readers
Y	5398C1100	THINLINE II CLOCK & DATA, DESIGNER BLACK, CABLE	438.48	RA	Readers
Y	5398C1104	THINLINE II CLOCK & DATA, DESIGNER BLACK, CABLE	438.48	RA	Readers
Y	5398CB100	THINLINE II CLOCK & DATA, CLASSIC BEIGE, CABLE	438.48	RA	Readers
Y	5398CB104	THINLINE II CLOCK & DATA, CLASSIC BEIGE, CABLE	438.48	RA	Readers
Y	5398CB106	THINLINE II CLOCK & DATA, CLASSIC BEIGE, CABLE	438.48	RA	Readers
Y	5398CG100	THINLINE II CLOCK & DATA, CLASSIC GRAY, CABLE	438.48	RA	Readers
Y	5398CG104	THINLINE II CLOCK & DATA, CLASSIC GRAY, CABLE	438.48	RA	Readers
Y	5398CG107	THINLINE II CLOCK & DATA, CLASSIC GRAY, CABLE	438.48	RA	Readers
Y	5398CK100	THINLINE II CLOCK & DATA, CLASSIC BLACK, CABLE LEAD FREE	438.48	RA	Readers
Y	5398CK101	THINLINE II CLOCK & DATA, CLASSIC BLACK, CABLE	438.48	RA	Readers
Y	5398CK102	THINLINE II CLOCK & DATA, CLASSIC BLACK, CABLE	438.48	RA	Readers
Y	5398CK103	THINLINE II CLOCK & DATA, CLASSIC BLACK, CABLE	438.48	RA	Readers
Y	5398CK106	THINLINE II CLOCK & DATA, CLASSIC BLACK, CABLE	438.48	RA	Readers
Y	5398CW100	THINLINE II CLOCK & DATA, CLASSIC WHITE, CABLE	438.48	RA	Readers
Y	5398CW104	THINLINE II CLOCK & DATA, CLASSIC WHITE, CABLE	438.48	RA	Readers
Y	5455-311-01	COV ASSY, PROXPRO II, GRY LEAD FREE	46.79	ZB	Readers
Y	5455-311-02	COV ASSY, PROXPRO II, BEI LEAD FREE	46.79	ZB	Readers
Y	5455-311-03	COV ASSY, PROXPRO II, BLK LEAD FREE	46.79	ZB	Readers
Y	5455-311-04	COV ASSY, PROXPRO II, WHT	46.79	ZB	Readers
Y	5455AGM00	ACC KIT, PROXPRO/PROXPRO II, GL MT	28.08	ZB	Readers
Y	5455BBN00	PROXPRO II WIEGAND, BEIGE, NO KEYPAD, CABLE, ROHS PROX DFM	446.49	RB	Readers
Y	5455BBN00-C1221	RDR, PROXPRO II, WIEG, BEIGE, CHUBB LABEL	446.49	RB	Readers
Y	5455BBN00-CHINA	PROXPRO II WIEG, BEIGE, NO KEYPAD, CBL, CHINA CM MANUFACTURING LICENSED RDR, LEAD FREE	446.49	RB	Readers
Y	5455BBN00-S107R	PROXPRO II WIEGAND, BEIGE, NO KEYPAD, CABLE,SENSORMATIC	446.49	RB	Readers
Y	5455BBN00-S1291	RDR, PROXPRO II, WIEG, BEI	446.49	RB	Readers
Y	5455BBN02	PROXPRO II WIEGAND, BEIGE, NO KEYPAD, CABLE	446.49	RB	Readers
Y	5455BBN04-110315	PROXPRO II WIEGAND, BEIGE, NO KEYPAD, CABLE, HID SLEEVE & LABEL, ADI	446.49	RB	Readers
Y	5455BBN06	PROXPRO II WIEGAND, BEIGE, CABLE	446.49	RB	Readers
Y	5455BBN06-2065A	PROXPRO II WIEGAND, BEIGE, NO KEY PAD, CABLE, NAT'LCTRL SYSTEMS, CUSTOM SOFTWARE	446.49	RB	Readers
Y	5455BGN00	PROXPRO II WIEG, GRY, NO KEYPAD, CBL, LEAD FREE	446.49	RB	Readers
Y	5455BGN00-12421	PROXPRO II WIEGAND, GRAY, NO KEYPAD, CABLE, (KEYSCAN)	446.49	RB	Readers
Y	5455BGN00-2065A	PROXPRO II WIEGAND, GRAY, NO KEY PAD, CABLE, NAT'L CTRL SYSTEMS, CUSTOM SOFTWARE	446.49	RB	Readers
Y	5455BGN00-CHINA	PROXPRO II WIEG, GRY, NO KEYPAD, CBL, CHINA CM MANUFACTURING LICENSED RDR, LEAD FREE	446.49	RB	Readers
Y	5455BGN00-N1001	RDR, PROXPRO II, WIEGAND, GRY, HONEYWELL	446.49	RB	Readers
Y	5455BGN00-S107R	PROXPRO II WIEGAND, GRAY, NO KEYPAD, CABLE, SENSORMATIC	446.49	RB	Readers
Y	5455BGN01	PROXPRO II WIEGAND, GRAY, NO KEYPAD, CABLE, STANDARD, REVERSE 32 BIT	446.49	RB	Readers
Y	5455BGN02	PROXPRO II WIEGAND, GRAY, NO KEYPAD, CABLE	446.49	RB	Readers
Y	5455BGN03	PROXPRO II WIEGAND, CLASSIC GRAY, NO KEYPAD	446.49	RB	Readers
Y	5455BGN04	PROXPRO II WIEGAND, GRAY, NO KEYPAD, CABLE	446.49	RB	Readers
Y	5455BGN05	PROXPRO II WIEGAND, GRAY, NO KEYPAD, CABLE	446.49	RB	Readers
Y	5455BGN06	PROXPRO II WIEGAND, GRAY, NO KEYPAD, CABLE	446.49	RB	Readers
Y	5455BGN06-2065A	PROXPRO II WIEGAND, GRAY, NO KEY PAD, CABLE, NAT'L CTRL SYSTEMS, CUSTOM SOFTWARE	446.49	RB	Readers
Y	5455BGN07	PROXPRO II WIEGAND,GRAY,NO KEYPAD,CABLE,LEAD FREE.	446.49	RB	Readers
Y	5455BKN00	PROXPRO II WIEGAND, BLACK, NO KEYPAD, CABLE, LEAD FREE	446.49	RB	Readers
Y	5455BKN00-110315	PROXPRO II WIEGAND, BLACK, NO KEYPAD, CABLE, HID SLEEVE & LABEL	446.49	RB	Readers
Y	5455BKN00-CHINA	PROXPRO II WIEG, BLK, NO KEYPAD, CBL, CHINA CM MANUFACTURING LICENSED RDR, LEAD FREE	446.49	RB	Readers
Y	5455BKN00-S1291	RDR, PROXPRO II, WEIG, 18-IN-PIG, BLK	446.49	RB	Readers
Y	5455BKN01	PROXPRO II WIEGAND, BLACK, NO KEYPAD, CABLE	446.49	RB	Readers
Y	5455BKN02	PROXPRO II WIEGAND, BLACK, NO KEYPAD, CABLE	446.49	RB	Readers
Y	5455BKN03	PROXPRO II WIEGAND, BLACK, NO KEYPAD, CABLE	446.49	RB	Readers
Y	5455BKN04	PROXPRO II WIEGAND, BLACK, NO KEYPAD, CABLE	446.49	RB	Readers
Y	5455BKN05	PROXPRO II WIEGAND, BLACK, NO KEYPAD, CABLE	446.49	RB	Readers
Y	5455BKN06	PROXPRO II WIEGAND, BLACK, NO KEYPAD, CABLE	446.49	RB	Readers
Y	5455BKN07	PROXPRO II WIEGAND, BLACK, NO KEYPAD, CABLE	446.49	RB	Readers
Y	5455BWN00	PROXPRO II WIEGAND, WHITE, NO KEYPAD, CABLE, LEAD FREE	446.49	RB	Readers
Y	5455BWN00-110315	PROXPRO II WIEGAND, WHITE, NO KEYPAD, CABLE, HID SLEEVE & LABEL	446.49	RB	Readers
Y	5455BWN00-S107R	PROXPRO II WIEGAND, WHITE, NO KEYPAD, CABLE,SENSORMATIC	446.49	RB	Readers
Y	5455BWN00-S1291	RDR, PROXPRO II, WIEG, WHT, SIMPLEX	446.49	RB	Readers
Y	5455BWN00-T1212	PROXPRO II WIEGAND, GRAY, NO KEYPAD, CABLE, TECHTALK	446.49	RB	Readers
Y	5455BWN02	PROXPRO II WIEGAND, WHITE, CABLE, STANDARD, 26 BIT	446.49	RB	Readers
Y	5455BWN04	PROXPRO II WIEGAND, WHITE, NO KEYPAD, CABLE	446.49	RB	Readers
Y	5455BWN05	PROXPRO II WIEGAND, WHITE, NO KEYPAD, CABLE	446.49	RB	Readers
Y	5455BWN06	PROXPRO II WIEGAND, WHITE, NO KEYPAD, CABLE	446.49	RB	Readers
Y	5458BBN00	PROXPRO II CLOCK & DATA, BEIGE, NO KEYPAD, CABLE	446.49	RB	Readers
Y	5458BBN04	PROXPRO II CLOCK & DATA, BEIGE, NO KEY PAD	446.49	RB	Readers
Y	5458BGN00	PROXPRO II CLOCK & DATA, GRAY, NO KEYPAD, CABLE	446.49	RB	Readers
Y	5458BGN04	PROXPRO II CLOCK & DATA, GRAY, NO KEYPAD, CABLE	446.49	RB	Readers
Y	5458BGN06	PROXPRO II CLOCK & DATA, GRAY, NO KEYPAD, CABLE	446.49	RB	Readers
Y	5458BGN07	PROXPRO II CLOCK & DATA, GRAY, CABLE	446.49	RB	Readers
Y	5458BKN00	PROXPRO II CLOCK & DATA, BLACK, NO KEYPAD, CABLE LEAD FREE	446.49	RB	Readers
Y	5458BKN01	PROXPRO II CLOCK & DATA, BLACK, NO KEYPAD, CABLE	446.49	RB	Readers
Y	5458BWN00	PROXPRO II CLOCK & DATA, WHITE, NO KEYPAD, CABLE	446.49	RB	Readers
Y	550PGGAN	COMPOSITE SEOS ESSENTIAL CARD, PROG SEOS, F-GLOSS, B-GLOSS, LASER MATCH SEOS #, NO SLOT	4.07	IA	Credentials
Y	551PPGGANA	COMPOSITE SEOS ESSENTIAL PROX CARD, PROG SEOS, PROG PROX, F-GLOSS, B-GLOSS, LASER MATCH SEOS #, NO SLOT, LASER MATCH PROX #	8.19	II	Credentials

Y	551PPGGNNN	COMPOSITE SEOS ESSENTIAL PROX CARD, PROG SEOS, PROG PROX, F-GLOSS, B-GLOSS, NO SEOS #, NO SLOT, NO PROX #	8.19	II	Credentials
Y	56-0001-01	GSKT, PROXPRO, LEAD FREE	3.33	ZB	Readers
Y	56-0002-01	O-RING, MAXIPROX LEAD FREE	23.42	ZB	Readers
Y	5656PMSAV	SEOS CLAMSHELL 8K, PROG. SEOS, F-MATT, B-HID LOGO, LASER MATCH SEOS#	6.02	IC	Credentials
Y	5656PMSAV7	SEOS CLAMSHELL 8K, PROG. SEOS, F-MATT, B-HID LOGO, LASER MATCH SEOS#, 7 BYTE STATIC UID	6.02	IC	Credentials
Y	5656PMSBV	SEOS CLAMSHELL 8K, PROG. SEOS, F-MATT, B-HID LOGO, LASER NON-MATCH SEOS#	6.02	IC	Credentials
Y	5656PMSBV7	SEOS CLAMSHELL 8K, PROG. SEOS, F-MATT, B-HID LOGO, LASER NON-MATCH SEOS#, 7 BYTE STATIC UID	6.02	IC	Credentials
Y	5656PMSCV	SEOS CLAMSHELL 8K, PROG. SEOS, F-MATT, B-HID LOGO, LASER RANDOM SEOS#	6.02	IC	Credentials
Y	5656PMSCV7	SEOS CLAMSHELL 8K, PROG. SEOS, F-MATT, B-HID LOGO, LASER RANDOM SEOS#, 7 BYTE STATIC UID	6.02	IC	Credentials
Y	5656PMSNV7	SEOS CLAMSHELL 8K, PROG. SEOS, F-MATT, B-HID LOGO, NO SEOS#, 7 BYTE STATIC UID	6.02	IC	Credentials
Y	5656VMSBV	SEOS CLAMSHELL 8K, ER PROG. SEOS, F-MATT, B-HID LOGO, LASER NON-MATCH SEOS#	6.02	IC	Credentials
Y	5656VMSBV7	SEOS CLAMSHELL 8K, ER PROG. SEOS, F-MATT, B-HID LOGO, LASER NON-MATCH SEOS#, 7 BYTE STATIC UID	6.02	IC	Credentials
Y	5656VMSNV	SEOS CLAMSHELL 8K, ER PROG. SEOS, F-MATT, B-HID LOGO, NO SEOS#	6.02	IC	Credentials
Y	5656VMSNV7	SEOS CLAMSHELL 8K, ER PROG. SEOS, F-MATT, B-HID LOGO, NO SEOS#, 7 BYTE STATIC UID	6.02	IC	Credentials
Y	5746PGGNV	SEOS BAMBOO CARD 8K, SEOS PROG, F-BAMBOO, B-BAMBOO, NO #, VERTICAL SLOT	6.64	IC	Credentials
Y	5746PGGNV7	SEOS BAMBOO CARD 8K, SEOS PROG, F-BAMBOO, B-BAMBOO, NO #, VERTICAL SLOT	6.64	IC	Credentials
Y	5746VGGNV	SEOS BAMBOO CARD 8K, SEOS PROG, F-BAMBOO, B-BAMBOO, NO #, VERTICAL SLOT	6.64	IC	Credentials
Y	5806PMGGAAN4-TEST	ISO CARD COMPOSITE SEOS 8K, MIFARE 4K IMPLEMENTATION, PROG SEOS, PROG HID MIFARE, F-GLOSS, B-GLOSS, LASER MATCH SEOS #, LASER MATCH MIFARE #, NO SLOT, 4 BYTE NUID - FOR TEST PURPOSES ONLY	16.51	IC	Credentials
Y	5806PNGGANN4-TEST	ISO CARD COMPOSITE SEOS 8K, MIFARE 4K IMPLEMENTATION, PROG SEOS, NON-PROG MIFARE, F-GLOSS, B-GLOSS, LASER MATCHING SEOS #, NO MIFARE #, NO SLOT, 4 BYTE NUID - FOR TEST PURPOSES ONLY	16.41	IC	Credentials
Y	5906PNGGANN7-TEST	ISO CARD COMPOSITE SEOS 8K, DESFIRE EV1 IMPLEMENTATION, PROG SEOS, NON-PROG DESFIRE, F-GLOSS, B-GLOSS, LASER MATCH SEOS #, NO DESFIRE #, NO SLOT, 7 BYTE STATIC UID - FOR TEST PURPOSES ONLY	16.41	IC	Credentials
Y	60-0107-BLK	LBL,CUSTOM, ICLASS/ARTEMIS RDR, BLACK. NO LOGO	4.10	ZB	Readers
Y	6005-111-01	COV, PROXPT, THICK, WHT LEAD FREE	23.42	ZB	Readers
Y	6005-111-02	COV, PROXPT, THICK, BEI LEAD FREE	23.42	ZB	Readers
Y	6005-111-03	COV, PROXPT, THICK, BLK LEAD FREE	23.42	ZB	Readers
Y	6005-111-04	COV, PROXPT, THICK, GRY LEAD FREE	23.42	ZB	Readers
Y	6005-312-01	COV ASSY, PROXPT, DSGNR, BLK LEAD FREE	23.42	ZB	Readers
Y	6005-312-02	COV ASSY, PROXPT, DSGNR, GRY LEAD FREE	23.42	ZB	Readers
Y	6005B1B00	PROXPOINT WIEGAND, DESIGNER BLACK, CABLE LEAD FREE	221.71	RD	Readers
Y	6005B1B00-110315	PROXPOINT WIEGAND, UNIV DFM, DESIGNER BLACK, CABLE, HID SLEEVE & LABEL	221.71	RD	Readers
Y	6005B1B00-S107R	PROXPOINT WIEGAND, DESIGNER BLACK, CABLE, SENSORMATIC	221.71	RD	Readers
Y	6005B1B01	PROXPOINT WIEGAND, DESIGNER BLACK, CABLE	221.71	RD	Readers
Y	6005B1B02	RDR, PP, WIEG, PGTL-18, BLK, DSGN CVR, BEEP ON, LED OFF	221.71	RD	Readers
Y	6005B1B04	PROXPT WIEG, DSGNR BLK, CBL	221.71	RD	Readers
Y	6005B1B05	PROXPOINT WIEGAND, DESIGNER BLACK, CABLE	221.71	RD	Readers
Y	6005B1B06	PROXPOINT WIEGAND, DESIGNER BLACK, CABLE	221.71	RD	Readers
Y	6005B1B07	PROXPOINT WIEGAND, DESIGNER BLACK, CABLE	221.71	RD	Readers
Y	6005B1L00	PROXPOINT WIEGAND, DESIGNER BLACK, 9FT CABLE, LEAD FREE	227.71	RD	Readers
Y	6005B1L01	PROXPOINT WIEGAND, DESIGNER BLACK, 9 FT CABLE	227.71	RD	Readers
Y	6005B1L04	PROXPOINT WIEGAND, DESIGNER BLACK, 9 FT CABLE	227.71	RD	Readers
Y	6005B1L06	PROXPOINT WEIGAND, DESIGNER BLACK, 9FT CABLE	227.71	RD	Readers
Y	6005B1L07	PROXPOINT WIEGAND, DESIGNER BLACK, 9 FT CABLE	227.71	RD	Readers
Y	6005B2B00	PROXPOINT WIEGAND, DESIGNER GRAY, CABLE, ROHS PROX DFM	221.71	RD	Readers
Y	6005B2B00-110315	PROXPOINT WIEGAND, UNIV DFM, DESIGNER GRAY, CABLE, LEAD FREE, HID SLEEVE & LABEL.	221.71	RD	Readers
Y	6005B2B00-S107R	PROXPOINT WIEGAND, DESIGNER GRAY, CABLE, SENSORMATIC	221.71	RD	Readers
Y	6005B2B01	PROXPOINT WIEGAND, DESIGNER GRAY, CABLE	221.71	RD	Readers
Y	6005B2B03	PROXPOINT WIEGAND, DESIGNER GRAY, CABLE	221.71	RD	Readers
Y	6005B2B04	PROXPOINT WIEGAND, DESIGNER GRAY, CABLE	221.71	RD	Readers
Y	6005B2B05	PROXPOINT WIEGAND, DESIGNER GRAY, CABLE	221.71	RD	Readers
Y	6005B2B06	PROXPOINT WIEGAND, DESIGNER GRAY, CABLE	221.71	RD	Readers
Y	6005B2B07	PROXPOINT WIEGAND, DESIGNER GRAY, CABLE	221.71	RD	Readers
Y	6005B2L00	PROXPOINT WIEGAND, DESIGNER GRAY, 9FT CABLE, LEAD FREE	227.71	RD	Readers
Y	6005B2L00-H1111	PROXPOINT, WIEGAND, DESIGNER GRAY, 9FT CABLE, LEAD FREE, HONEYWELL	221.71	RD	Readers
Y	6005B2L04	PROXPOINT WIEGAND, DESIGNER GRAY, 9FT CABLE	227.71	RD	Readers
Y	6005B2L06	PROXPOINT WIEGAND, DESIGNER GRAY, 9FT CABLE	227.71	RD	Readers
Y	6005BBB00	PROXPT WIEG, CLASSIC BEI, CBL, ROHS PROX DFM	221.71	RD	Readers
Y	6005BBB00-110315	PROXPOINT WIEGAND, UNIV DFM, CLASSIC BEIGE, CABLE, HID SLEEVE & LABEL	221.71	RD	Readers
Y	6005BBB00-C1221	RDR, PROXPT, WIEG, BLK, BOXED, CHUBB	221.71	RD	Readers
Y	6005BBB00-CHINA	PROXPOINT PLUS WIEG, BEIGE, CBL, CHINA CM MANUFACTURING LICENSED RDR, LEAD FREE	221.71	RD	Readers
Y	6005BBB01	PROXPOINT WIEGAND, CLASSIC BEIGE, CABLE	221.71	RD	Readers
Y	6005BBB01-I1491	RDR, PROXPOINT, BEI, INT'L ELEK	221.71	RD	Readers
Y	6005BBB02	PROXPOINT WIEGAND, CLASSIC BEIGE, CABLE	221.71	RD	Readers
Y	6005BBB04	PROXPOINT WIEGAND, CLASSIC BEIGE, CABLE	221.71	RD	Readers
Y	6005BBB06	PROXPOINT WIEGAND, CLASSIC BEIGE, CABLE	221.71	RD	Readers
Y	6005BBB06-2065A	PROXPOINT WIEGAND, CLASSIC BEIGE, CABLE	221.71	RD	Readers
Y	6005BBB07	PROXPT WIEG, CLC BEI, CBL	221.71	RD	Readers
Y	6005BBL00	PROXPOINT WIEGAND, CLASSIC BEIGE, 9FT CABLE, LEAD FREE	227.71	RD	Readers
Y	6005BBL06	PROXPOINT WIEGAND, BEIGE, 9FT CABLE	227.71	RD	Readers
Y	6005BBL07	PROXPOINT WIEGAND, CLASSIC BEIGE, 9FT CABLE	227.71	RD	Readers
Y	6005BGB00	PROXP WIEG, CLASSIC GRY, CBL, LEAD FREE	221.71	RD	Readers
Y	6005BGB00-12421	PROXPOINT WIEGAND, CLASSIC GRAY, CABLE, (KEYSCAN)	221.71	RD	Readers
Y	6005BGB00-1575A	PROXPT, BOXED, ARITECH AC1760	221.71	RD	Readers
Y	6005BGB00-21381	RDR, PROXPOINT, MULLION MOUNT, GRAY, EST CARTON LABEL	221.71	RD	Readers
Y	6005BGB00-A1028	RDR, PROXPT, PLUS, WIEG, GRY, ANDOVER LBL, PN:01-7000-249	221.71	RD	Readers
Y	6005BGB00-A1366	RDR, PROXPT, WIEG, GREY	221.71	RD	Readers
Y	6005BGB00-CHINA	PROXPOINT PLUS WIEG, CLASSIC GRY, CBL, CHINA CM MANUFACTURING LICENSED RDR, LEAD FREE	221.71	RD	Readers
Y	6005BGB00-S107R	RDR, PROXPT, SENSORMATIC, CHARCOAL	221.71	RD	Readers
Y	6005BGB00-S1291	RDR, PROXPT, SPLX LOGO, P/N 655144, PID 3209-9508	221.71	RD	Readers

Y	6005BGB00-T1212	RDR, PROXPT, TECHTALK, BELGIUM	221.71	RD	Readers
Y	6005BGB01	PROXPOINT WIEGAND, CLASSIC GRAY, CABLE	221.71	RD	Readers
Y	6005BGB01-CHINA-I1491	RDR, PROXPT, GRY, INT'L ELEK, CHINA	221.71	RD	Readers
Y	6005BGB02	PROXPOINT WIEGAND, CLASSIC GRAY, CABLE	221.71	RD	Readers
Y	6005BGB02-T1212	PROXPOINT WIEGAND, GRAY, CABLE, TECHTALK, BELGIUM	221.71	RD	Readers
Y	6005BGB03	PROXPOINT WIEGAND, CLASSIC GRAY, CABLE	221.71	RD	Readers
Y	6005BGB04	PROXPOINT WIEGAND, CLASSIC GRAY, CABLE	221.71	RD	Readers
Y	6005BGB05	PROXPT WIEG, CLAC GRY, CBL	221.71	RD	Readers
Y	6005BGB06	PROXPOINT WIEGAND, CLASSIC GRAY, CABLE	221.71	RD	Readers
Y	6005BGB06-2065A	RDR, PROXPOINT, NAT'L CTRL SYSTEMS, GRAY	221.71	RD	Readers
Y	6005BGB07	PROXPOINT WIEGAND, CLASSIC GRAY, CABLE	221.71	RD	Readers
Y	6005BGB17	PROXPOINT WIEGAND, CLASSIC GRAY, CABLE	221.71	RD	Readers
Y	6005BGL00	PROXPOINT WIEGAND, CLASSIC GRAY, 9FT CABLE, LEAD FREE	227.71	RD	Readers
Y	6005BGL01	PROXPOINT WIEGAND, CLASSIC GRAY, 9FT CABLE	227.71	RD	Readers
Y	6005BGL02-T1212	PROXPOINT WIEGAND, CLASSIC GRAY, 9FT CABLE, TECK TALK	221.71	RD	Readers
Y	6005BGL04	PROXPOINT WIEGAND, CLASSIC GRAY, 9FT CABLE	227.71	RD	Readers
Y	6005BGL06	PROXPOINT WIEGAND, CLASSIC GRAY, 9FT CABLE	227.71	RD	Readers
Y	6005BGL07	PROXPOINT WIEGAND, CLASSIC GRAY, 9FT CABLE	227.71	RD	Readers
Y	6005BGL07-45526	PROXPOINT WIEGAND, CLASSIC GRAY, 9FT CABLE	221.71	RD	Readers
Y	6005BKB00	PROXPT WIEG, CLASSIC BLK, CBL, ROHS PROX DFM	221.71	RD	Readers
Y	6005BKB00-2941	PROXPT WIEG, CLASSIC BLK, CBL, ROHS, CUSTOM IMRON	221.71	RD	Readers
Y	6005BKB00-A1028	RDR, PROXPT PLUS, WIEG, BLK, ANDOVER LBL, PN:01-7000-252	221.71	RD	Readers
Y	6005BKB00-C1221	RDR, PROXPT, WIEG, BLK, BOXED, CHUBB	221.71	RD	Readers
Y	6005BKB00-CHINA	PROXPOINT PLUS WIEG, BLK, CBL, CHINA CM MANUFACTURING LICENSED RDR, LEAD FREE	221.71	RD	Readers
Y	6005BKB00-H1112	RDR, PROXPOINT, HONEYWELL	221.71	RD	Readers
Y	6005BKB00-S107R	RDR, PROXPOINT, SENSORMATIC, BLK	221.71	RD	Readers
Y	6005BKB01	PROXPOINT WIEGAND, CLASSIC BLACK, CABLE	221.71	RD	Readers
Y	6005BKB01-CHINA-I1491	RDR, PROXPT, BLK, INT'L ELEK, CHINA	221.71	RD	Readers
Y	6005BKB02	PROXPOINT WIEGAND, BLACK, CABLE	221.71	RD	Readers
Y	6005BKB03	PROXPOINT WIEGAND, CLASSIC BLACK, CABLE	221.71	RD	Readers
Y	6005BKB04	PROXPT WIEG, CLASSC BLK, CBL	221.71	RD	Readers
Y	6005BKB05	PROXPT WIEG, CLC BLK, CBL	221.71	RD	Readers
Y	6005BKB06	PROXPT WIEG, CLC BLK, CBL	221.71	RD	Readers
Y	6005BKB06-SES	PROXPT WIEG, CLC BLK, CBL, SIEMENS	221.71	RD	Readers
Y	6005BKB07	PROXPT WIEG, CLAC BLK, CBL	221.71	RD	Readers
Y	6005BKL00	PROXPOINT WIEGAND, CLASSIC BLACK, 9FT CABLE, LEAD FREE	227.71	RD	Readers
Y	6005BKL06	PROXPOINT WIEGAND, BLACK, 9FT CABLE	227.71	RD	Readers
Y	6005BWB00	PROXPOINT WIEGAND, CLASSIC WHITE, CABLE, ROHS PROX DFM	221.71	RD	Readers
Y	6005BWB00-CHINA	PROXPOINT PLUS WIEG, CLASSIC WHITE, CBL, CHINA CM MANUFACTURING LICENSED RDR, LEAD FREE	221.71	RD	Readers
Y	6005BWB00-S107R	RDR, PROXPOINT, SENSORMATIC, WHITE	221.71	RD	Readers
Y	6005BWB00-S1291	RDR, PROXPT, WHT, SPLX LOGO	221.71	RD	Readers
Y	6005BWB01	PROXPOINT WIEGAND, CLASSIC WHITE, CABLE	221.71	RD	Readers
Y	6005BWB02	PROXPOINT WIEGAND, CLASSIC WHITE, CABLE	221.71	RD	Readers
Y	6005BWB04	PROXPOINT WIEGAND, CLASSIC WHITE, CABLE	221.71	RD	Readers
Y	6005BWB05	PROXPOINT WIEGAND, CLASSIC WHITE, CABLE	221.71	RD	Readers
Y	6005BWB06	PROXPOINT WIEGAND, CLASSIC WHITE, CABLE	221.71	RD	Readers
Y	6005BWB06-2065A	RDR, PROXPOINT, NAT'L CTRL SYSTEMS, WHT	221.71	RD	Readers
Y	6005BWB07	PROXPOINT WIEGAND, CLASSIC WHITE, CABLE	221.71	RD	Readers
Y	6005BWL00	PROXPOINT WIEGAND, CLASSIC WHITE, 9FT CABLE, LEAD FREE	227.71	RD	Readers
Y	6005BWL07	PROXPOINT WIEGAND, CLASSIC WHITE, 9 FT CABLE	227.71	RD	Readers
Y	6008B1B00	PROXPOINT CLOCK & DATA, DESIGNER BLACK, CABLE	221.71	RD	Readers
Y	6008B1B01	PROXPOINT CLOCK & DATA, DESIGNER BLACK, CABLE	221.71	RD	Readers
Y	6008B1B04	PROXPOINT CLOCK & DATA, DESIGNER BLACK, CABLE	221.71	RD	Readers
Y	6008B1B05	PROXPOINT CLOCK & DATA, DESIGNER BLACK, CABLE	221.71	RD	Readers
Y	6008B1B07	PROXPOINT CLOCK & DATA, DESIGNER BLACK, CABLE	221.71	RD	Readers
Y	6008B1L00	PROXPOINT CLOCK & DATA, DESIGNER BLACK, 9FT CABLE	227.71	RD	Readers
Y	6008B2B00	PROXPOINT CLOCK & DATA, DESIGNER GRAY, CABLE	221.71	RD	Readers
Y	6008B2B01	PROXPOINT CLOCK & DATA, DESIGNER GRAY, CABLE	221.71	RD	Readers
Y	6008B2B04	PROXPOINT CLOCK & DATA, DESIGNER GRAY, CABLE	221.71	RD	Readers
Y	6008B2B05	PROXPOINT CLOCK & DATA, DESIGNER GRAY, CABLE	221.71	RD	Readers
Y	6008B2B07	PROXPOINT CLOCK & DATA, DESIGNER GRAY, CABLE	221.71	RD	Readers
Y	6008BBB00	PROXPOINT CLOCK & DATA, CLASSIC BEIGE, CABLE	221.71	RD	Readers
Y	6008BBB02	PROXPOINT CLOCK & DATA, CLASSIC BEIGE, CABLE	221.71	RD	Readers
Y	6008BBB04	PROXPOINT CLOCK & DATA, CLASSIC BEIGE, CABLE	221.71	RD	Readers
Y	6008BBB06	PROXPT C & D, CLC BEI, CBL	221.71	RD	Readers
Y	6008BBL06	PROXPOINT CLOCK & DATA, CLASSIC BEIGE, 9FT CABLE	227.71	RD	Readers
Y	6008BGB00	PROXPOINT CLOCK & DATA, CLASSIC GRAY, CABLE	221.71	RD	Readers
Y	6008BGB00-1575A	RDR, PROXPT MCM, C&D, GRY, BOXED, ARITECH AC1760	221.71	RD	Readers
Y	6008BGB01	PROXPOINT CLOCK & DATA, CLASSIC GRAY, CABLE	221.71	RD	Readers
Y	6008BGB01-CHINA	PROXPOINT CLOCK & DATA, CLASSIC GRAY, CHINA CM MANUFACTURING LICENSED RDR, CABLE	221.71	RD	Readers
Y	6008BGB03	PROXPOINT CLOCK & DATA, CLASSIC GRAY, CABLE	221.71	RD	Readers
Y	6008BGB03-8478A	PROXPT C&D, CLASSIC GRY, CBL, CSTM, ID SYS	221.71	RD	Readers
Y	6008BGB04	PROXPOINT CLOCK & DATA, CLASSIC GRAY, CABLE	221.71	RD	Readers
Y	6008BGB05	PROXPT C & D, CLC GRY, CBL	221.71	RD	Readers
Y	6008BGB06	PROXPT, C & D, CLC GRY, CBL	221.71	RD	Readers
Y	6008BGB07	PROXPT, C & D, CLC GRY, CBL	221.71	RD	Readers
Y	6008BGL00	PROXPOINT CLOCK & DATA, CLASSIC GRAY, 9FT CABLE	227.71	RD	Readers

Y	6008BGL01	PROXPOINT CLOCK & DATA, CLASSIC GRAY, 9FT CABLE	227.71	RD	Readers
Y	6008BGL07	PROXPOINT CLOCK & DATA, CLASSIC GRAY, 9FT CABLE	227.71	RD	Readers
Y	6008BKB00	PROXPOINT CLOCK & DATA, CLASSIC BLACK, CABLE LEAD FREE	221.71	RD	Readers
Y	6008BKB01	PROXPOINT CLOCK & DATA, CLASSIC BLACK, CABLE	221.71	RD	Readers
Y	6008BKB02	PROXPOINT CLOCK & DATA, CLASSIC BLACK, CABLE	221.71	RD	Readers
Y	6008BKB03	PROXPOINT CLOCK & DATA, CLASSIC BLACK, CABLE	221.71	RD	Readers
Y	6008BKB04	RDR, PROXPOINT MCM, CLOCK & DATA, BLACK	221.71	RD	Readers
Y	6008BKB06	PROXPOINT CLOCK & DATA, CLASSIC BLACK, CABLE	221.71	RD	Readers
Y	6008BKB07	PROXPOINT CLOCK & DATA, CLASSIC BLACK, CABLE	221.71	RD	Readers
Y	6008BKL00	PROXPOINT CLOCK & DATA, CLASSIC BLACK, 9FT CABLE	227.71	RD	Readers
Y	6008BKL01	PROXPOINT CLOCK & DATA, BLACK, 9FT CABLE	227.71	RD	Readers
Y	6008BKL06	PROXPOINT CLOCK & DATA, CLASSIC BLACK, 9FT CABLE	227.71	RD	Readers
Y	6008BWB00	PROXPOINT CLOCK & DATA, CLASSIC WHITE, CABLE	221.71	RD	Readers
Y	6008BWB03	PROXPOINT CLOCK & DATA, WHITE, CABLE	221.71	RD	Readers
Y	600TG1AN	ISO CARD COMPOSITE MONZA 4QT, PROG, WHITE, MAGSTRIPE 4000OE, LASER MATCHING	10.63	IC	Credentials
Y	600TG1BN	ISO CARD COMPOSITE MONZA 4QT, PROG, WHITE, MAGSTRIPE 4000OE, LASER NON-MATCHING	10.63	IC	Credentials
Y	600TG1CN	ISO CARD COMPOSITE MONZA 4QT, PROG, WHITE, MAGSTRIPE 4000OE, LASER RANDOM	10.63	IC	Credentials
Y	600TG1NN	ISO CARD COMPOSITE MONZA 4QT, PROG, WHITE, MAGSTRIPE 4000OE	10.63	IC	Credentials
Y	600TGGAN	ISO CARD COMPOSITE MONZA 4QT, PROG, WHITE, LASER MATCHING	10.08	IC	Credentials
Y	600TGGBN	ISO CARD COMPOSITE MONZA 4QT, PROG, WHITE, LASER NON-MATCHING	10.08	IC	Credentials
Y	600TGGBN-PACK50	ISO CARD COMPOSITE MONZA 4QT, PROG, F-GLOSS, B-GLOSS, SEQ NON-MATCHING LASER #, NO SLOT, PACK 50 CARDS PER BOX	504.00	IC	Credentials
Y	600TGGCN	ISO CARD COMPOSITE MONZA 4QT, PROG, WHITE, LASER RANDOM	10.08	IC	Credentials
Y	600TGGNN	ISO CARD COMPOSITE MONZA 4QT, INITIALISED, WHITE	10.08	IC	Credentials
Y	6011TGGANA	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/2), PROG UHF/ICLASS SE, F-GLOSS, B-GLOSS, MATCHING UHF LASER #, NO SLOT, LASER MATCH ICLASS #	13.42	IC	Credentials
Y	6011TGGNNN-001	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/2), PROG UHF/ICLASS SE, F-GLOSS, B-GLOSS, NO UHF #, NO ICLASS #, NO SLOT	13.03	IC	Credentials
Y	6013CGGANN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/2+16K/1), PROG UHF/CONFIG ICLASS, F-GLOSS, B-GLOSS, MATCHING UHF LASER #, NO ICLASS #, NO SLOT	13.03	IC	Credentials
Y	6013CGGNNN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/2+16K/1), PROG UHF/CONFIG ICLASS, F-GLOSS, B-GLOSS, NO UHF #, NO ICLASS #, NO SLOT	13.03	IC	Credentials
Y	6013FGGNAN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/2+16K/1), NON-PROG UHF/ICLASS SE, F-GLOSS, B-GLOSS, NO UHF #, MATCHING ICLASS LASER #, NO SLOT	13.16	IC	Credentials
Y	6013HG1AAN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/2+16K/1), PROG UHF/STD ICLASS, F-GLOSS, B-GLOSS W/MAG, MATCHING UHF LASER #, MATCHING ICLASS LASER #, NO SLOT	13.58	IC	Credentials
Y	6013HGGAAN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/2+16K/1), PROG UHF/STD ICLASS, F-GLOSS, B-GLOSS, MATCHING UHF LASER #, MATCHING ICLASS LASER #, NO SLOT	13.03	IC	Credentials
Y	6013HGGANN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/2+16K/1), PROG UHF/STD ICLASS, F-GLOSS, B-GLOSS, MATCHING UHF LASER #, NO ICLASS #, NO SLOT	13.03	IC	Credentials
Y	6013HGGBBN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/2+16K/1), PROG UHF/STD ICLASS, F-GLOSS, B-GLOSS, SEQ NON-MATCHING UHF LASER #, SEQ NON-MATCHING ICLASS LASER #, NO SLOT	13.03	IC	Credentials
Y	6013HGGNAN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/2+16K/1), PROG UHF/STD ICLASS, F-GLOSS, B-GLOSS, NO UHF #, MATCHING ICLASS LASER #, NO SLOT	13.03	IC	Credentials
Y	6013SG1AAN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/2+16K/1), PROG UHF/ICLASS SR, F-GLOSS, B-GLOSS W/MAG, MATCHING UHF LASER #, MATCHING ICLASS LASER #, NO SLOT	13.58	IC	Credentials
Y	6013SGGAAN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/2+16K/1), PROG UHF/ICLASS SR, F-GLOSS, B-GLOSS, MATCHING UHF LASER #, MATCHING ICLASS LASER #, NO SLOT	13.03	IC	Credentials
Y	6013SGGAAN-A002178	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/2+16K/1), PROG UHF/ICLASS SR, F-GLOSS, B-GLOSS, MATCHING UHF LASER #, MATCHING ICLASS LASER #, NO SLOT	13.03	IC	Credentials
Y	6013SGGANN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/2+16K/1), PROG UHF/ICLASS SR, F-GLOSS, B-GLOSS, MATCHING UHF LASER #, NO ICLASS #, NO SLOT	13.03	IC	Credentials
Y	6013SGGBBN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/2+16K/1), PROG SIO/UHF/ICLASS, F-GLOSS, B-GLOSS, UHF # LASER SEQUENTIAL, ICLASS # LASER SEQUENTIAL, NO SLOT	13.03	IC	Credentials
Y	6013SGGNNN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/2+16K/1), PROG UHF/ICLASS SR, F-GLOSS, B-GLOSS, NO UHF #, NO ICLASS #, NO SLOT	13.03	IC	Credentials
Y	6013TG1AAN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/2+16K/1), PROG UHF/ICLASS SE, F-GLOSS, B-GLOSS W/MAG, MATCHING UHF LASER #, MATCHING ICLASS LASER #, NO SLOT	13.58	IC	Credentials
Y	6013TG1ANN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/2+16K/1), PROG UHF/ICLASS SE, F-GLOSS, B-GLOSS W/MAG, MATCHING UHF LASER #, NO ICLASS #, NO SLOT	13.58	IC	Credentials
Y	6013TG1BNN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/2+16K/1), PROG UHF/ICLASS SE, F-GLOSS, B-GLOSS W/MAG, SEQ NON-MATCHING UHF LASER #, NO ICLASS #, NO SLOT	13.58	IC	Credentials
Y	6013TG1CNN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/2+16K/1), PROG UHF/ICLASS SE, F-GLOSS, B-GLOSS W/MAG, RANDOM NON-MATCHING SEQ UHF LASER #, NO ICLASS #, NO SLOT	13.58	IC	Credentials
Y	6013TG1NAN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/2+16K/1), PROG UHF/ICLASS SE, F-GLOSS, B-GLOSS W/MAG, NO UHF #, MATCHING ICLASS LASER #, NO SLOT	13.58	IC	Credentials
Y	6013TG1NBN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/2+16K/1), PROG UHF/ICLASS SE, F-GLOSS, B-GLOSS W/MAG, NO UHF #, SEQ NON-MATCHING ICLASS LASER #, NO SLOT	13.58	IC	Credentials
Y	6013TG1NCN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/2+16K/1), PROG UHF/ICLASS SE, F-GLOSS, B-GLOSS W/MAG, NO UHF #, RANDOM NON-MATCHING SEQ ICLASS LASER #, NO SLOT	13.58	IC	Credentials
Y	6013TG1NNN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/2+16K/1), PROG UHF/ICLASS SE, F-GLOSS, B-GLOSS W/MAG, NO UHF #, NO ICLASS #, NO SLOT	13.58	IC	Credentials
Y	6013TGGAAN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/2+16K/1), PROG UHF/ICLASS SE, F-GLOSS, B-GLOSS, MATCHING UHF LASER #, MATCHING ICLASS LASER #, NO SLOT	13.03	IC	Credentials
Y	6013TGGANN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/2+16K/1), PROG UHF/ICLASS SE, F-GLOSS, B-GLOSS, MATCHING UHF LASER #, NO ICLASS #, NO SLOT	13.03	IC	Credentials
Y	6013TGGBNN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/2+16K/1), PROG UHF/ICLASS SE, F-GLOSS, B-GLOSS, SEQ NON-MATCHING UHF LASER #, NO ICLASS #, NO SLOT	13.03	IC	Credentials
Y	6013TGGBNN-PACK50	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/2+16K/1), PROG UHF/ICLASS SE, F-GLOSS, B-GLOSS, SEQ NON-MATCHING UHF LASER #, NO ICLASS #, NO SLOT, CUSTOM PACKAGING-SHRINK WRAP IN LOTS OF 50, PACK 50/BOX	651.61	IC	Credentials
Y	6013TGGCNN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/2+16K/1), PROG UHF/ICLASS SE, F-GLOSS, B-GLOSS, RANDOM NON-MATCHING SEQ UHF LASER #, NO ICLASS #, NO SLOT	13.03	IC	Credentials
Y	6013TGGNAN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/2+16K/1), PROG UHF/ICLASS SE, F-GLOSS, B-GLOSS, NO UHF #, MATCHING ICLASS LASER #, NO SLOT	13.03	IC	Credentials
Y	6013TGGNBN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/2+16K/1), PROG UHF/ICLASS SE, F-GLOSS, B-GLOSS, NO UHF #, SEQ NON-MATCHING ICLASS LASER #, NO SLOT	13.03	IC	Credentials
Y	6013TGGNCN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/2+16K/1), PROG UHF/ICLASS SE, F-GLOSS, B-GLOSS, NO UHF #, RANDOM NON-MATCHING SEQ ICLASS LASER #, NO SLOT	13.03	IC	Credentials
Y	6013TGGNNN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/2+16K/1), PROG UHF/ICLASS SE, F-GLOSS, B-GLOSS, NO UHF #, NO ICLASS #, NO SLOT	13.03	IC	Credentials
Y	6014CGGANN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/16+16K/1), PROG UHF/CONFIG ICLASS, F-GLOSS, B-GLOSS, MATCHING UHF LASER #, NO ICLASS #, NO SLOT	13.03	IC	Credentials
Y	6014CGGNNN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/16+16K/1), PROG UHF/CONFIG ICLASS, F-GLOSS, B-GLOSS, NO UHF #, NO ICLASS #, NO SLOT	13.03	IC	Credentials
Y	6014HGGAAN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/16+16K/1), PROG UHF/STD ICLASS, F-GLOSS, B-GLOSS, MATCHING UHF LASER #, MATCHING ICLASS LASER #, NO SLOT	13.03	IC	Credentials
Y	6014HGGANN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/16+16K/1), PROG UHF/STD ICLASS, F-GLOSS, B-GLOSS, MATCHING UHF LASER #, NO ICLASS #, NO SLOT	13.03	IC	Credentials
Y	6014SG1ANN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/16+16K/1), PROG UHF/ICLASS SR, F-GLOSS, B-GLOSS W/MAG, MATCHING UHF LASER #, NO ICLASS #, NO SLOT	13.58	IC	Credentials
Y	6014SGGAAN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/16+16K/1), PROG UHF/ICLASS SR, F-GLOSS, B-GLOSS, MATCHING UHF LASER #, MATCHING ICLASS LASER #, NO SLOT	13.03	IC	Credentials
Y	6014SGGANN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/16+16K/1), PROG UHF/ICLASS SR, F-GLOSS, B-GLOSS, MATCHING UHF LASER #, NO ICLASS #, NO SLOT	13.03	IC	Credentials
Y	6014SGGNAN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/16+16K/1), PROG UHF/ICLASS SR, F-GLOSS, B-GLOSS, NO UHF #, MATCHING ICLASS LASER #, NO SLOT	13.03	IC	Credentials
Y	6014SGGNNN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/16+16K/1), PROG UHF/ICLASS SR, F-GLOSS, B-GLOSS, NO UHF #, NO ICLASS #, NO SLOT	13.03	IC	Credentials
Y	6014TG1ANN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/16+16K/1), PROG UHF/ICLASS SE, F-GLOSS, B-GLOSS W/MAG, MATCHING UHF LASER #, NO ICLASS #, NO SLOT	13.58	IC	Credentials
Y	6014TG1BNN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/16+16K/1), PROG UHF/ICLASS SE, F-GLOSS, B-GLOSS W/MAG, SEQ NON-MATCHING UHF LASER #, NO ICLASS #, NO SLOT	13.58	IC	Credentials
Y	6014TG1CNN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/16+16K/1), PROG UHF/ICLASS SE, F-GLOSS, B-GLOSS W/MAG, RANDOM NON-MATCHING SEQ UHF LASER #, NO ICLASS #, NO SLOT	13.58	IC	Credentials
Y	6014TG1NAN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/16+16K/1), PROG UHF/ICLASS SE, F-GLOSS, B-GLOSS W/MAG, NO UHF #, MATCHING ICLASS LASER #, NO SLOT	13.58	IC	Credentials
Y	6014TG1NBN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/16+16K/1), PROG UHF/ICLASS SE, F-GLOSS, B-GLOSS W/MAG, NO UHF #, SEQ NON-MATCHING ICLASS LASER #, NO SLOT	13.58	IC	Credentials
Y	6014TG1NCN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/16+16K/1), PROG UHF/ICLASS SE, F-GLOSS, B-GLOSS W/MAG, NO UHF #, RANDOM NON-MATCHING SEQ ICLASS LASER #, NO SLOT	13.58	IC	Credentials
Y	6014TGGAAN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/16+16K/1), PROG UHF/ICLASS SE, F-GLOSS, B-GLOSS, MATCHING UHF LASER #, MATCHING ICLASS LASER #, NO SLOT	13.03	IC	Credentials
Y	6014TGGANN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/16+16K/1), PROG UHF/ICLASS SE, F-GLOSS, B-GLOSS, MATCHING UHF LASER #, NO ICLASS #, NO SLOT	13.03	IC	Credentials
Y	6014TGGBNN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/16+16K/1), PROG UHF/ICLASS SE, F-GLOSS, B-GLOSS, SEQ NON-MATCHING UHF LASER #, NO ICLASS #, NO SLOT	13.03	IC	Credentials
Y	6014TGGCNN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/16+16K/1), PROG UHF/ICLASS SE, F-GLOSS, B-GLOSS, RANDOM NON-MATCHING SEQ UHF LASER #, NO ICLASS #, NO SLOT	13.03	IC	Credentials
Y	6014TGGNAN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/16+16K/1), PROG UHF/ICLASS SE, F-GLOSS, B-GLOSS, NO UHF #, MATCHING ICLASS LASER #, NO SLOT	13.03	IC	Credentials
Y	6014TGGNBN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/16+16K/1), PROG UHF/ICLASS SE, F-GLOSS, B-GLOSS, NO UHF #, SEQ NON-MATCHING ICLASS LASER #, NO SLOT	13.03	IC	Credentials

Y	6014TGGNCN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/16+16K/1), PROG UHF/ICLASS SE, F-GLOSS, B-GLOSS, NO UHF #, RANDOM NON-MATCHING SEQ ICLASS LASER #, NO SLOT	13.03	IC	Credentials
Y	6014TGGNNN	ISO CARD COMPOSITE UHF + ICLASS 32K (16K/16+16K/1), PROG UHF/ICLASS SE, F-GLOSS, B-GLOSS, NO UHF #, NO ICLASS #, NO SLOT	13.03	IC	Credentials
Y	603HMGGANA	ISO CARD COMPOSITE UHF/HF MIFARE CLASSIC 4K, WHITE, MATCHING UHF (SIO LOADED) + HF (HID MIFARE), NO SLOT	13.44	IC	Credentials
Y	603HMGGANN	ISO CARD COMPOSITE UHF/HF MIFARE CLASSIC 4K, WHITE, UHF (SIO LOADED) + HF (HID MIFARE), BLANK	13.44	IC	Credentials
Y	603JMGGANA	ISO CARD COMPOSITE UHF/HF (UHF SIO LOADED / MIFARE CLASSIC 4K SIO LOADED), BLANK, WHITE	13.44	IC	Credentials
Y	603JMGGNNN	ISO CARD COMPOSITE UHF/HF, UHF PROG SE / MIFARE CLASSIC 4K PROG SE, F - GLOSS WHITE, B - GLOSS WHITE, NO UHF #, NO SLOT, NO MIFARE #	13.44	IC	Credentials
Y	603KMGGANA	ISO CARD COMPOSITE UHF/HF (UHF SIO LOADED / MIFARE CLASSIC 4K PROGRAMMED), WHITE	13.44	IC	Credentials
Y	603NMGGNNN	ISO CARD COMPOSITE UHF/HF MIFARE CLASSIC 4K, BLANK, WHITE	13.44	IC	Credentials
Y	603PMGGANN	ISO CARD COMPOSITE UHF (SIO) / MIFARE CLASSIC 4K (NO SIO) WHITE	13.44	IC	Credentials
Y	603PMGGCNN	ISO CARD COMPOSITE UHF/HF (MONZA 4QT WITH SIO LOADED / MIFARE EV1 4K), BLANK, WHITE, LASER RANDOM	13.44	IC	Credentials
Y	6080-515	NAS GPL SOURCE CD	157.50	ZB	Product Components
Y	6092-302-01	BEZEL ASSY, ICLASS RDR, EURO, BLK, LEAD FREE	39.35	ZB	Readers
Y	6092-302-02	BEZEL ASSY, ICLASS RDR, EURO, GRY	39.35	ZB	Readers
Y	6093-101-01	MTG PL, ICLASS RDR, US, LEAD FREE	39.35	ZB	Readers
Y	6093-302-01	BEZEL ASSY, ICLASS RDR, U.S., BLK, LEAD FREE	39.35	ZB	Readers
Y	6093-302-02	BEZEL ASSY, ICLASS RDR, U.S., GRY	39.35	ZB	Readers
Y	6094-101-01	MT PLATE, ICLASS RDR, KEYPAD, BLK, LEAD FREE	18.36	ZB	Readers
Y	6094-107-01	LBL, OVERLAY, KEYPAD, ICLASS, BLK, LEAD FREE	5.41	ZB	Readers
Y	61-0008-01	BEZEL, SW PL, WHT	11.55	ZB	Product Components
Y	61-0008-03	BEZEL, SW PL, BLK	11.55	ZB	Product Components
Y	6125CGE0000	RDR, RP40 MULTICLASS DFM, GRY, 18" PIG, STNDRD CONFIG, 32 BIT, EM (ASK) PROX,NO SAMX	384.45	IR	Readers
Y	6130CKN000000-F	RDR, RK40, ICLASS DFM II KEYPAD, BLK, PIG, 32 BIT, NO SAMX, FOB & TAG VERSION, BUFFER ONE KEY, NO PARITY, 4 BIT, LEAD FREE	612.44	IR	Readers
Y	6132AGT	SPACER KIT, ICLASS SE, R40/RP40, 0.5", GRY	19.67	ZB	Readers
Y	6132AGT-M	END ITEM, SPACER ACC KIT, ICLASS R40/RP40 RDR, 0.5", GRY, BLE	26.23	ZB	Readers
Y	6132AK	SPACER ACC KIT, ICLASS RK40/RPK40 RDR, 1.0", BLK	19.67	ZB	Readers
Y	6132AKB	SPACER ACC KIT, ICLASS R10/RP10 RDR, 0.5", BLK	19.67	ZB	Readers
Y	6132AKB-M	END ITEM, SPACER ACC KIT, ICLASS R10/RP10 RDR, 0.5", BLK, BLE	26.23	ZB	Readers
Y	6132AKC	SPACER ACC KIT, ICLASS R15/RP15, RDR, 0.5", BLK	19.67	ZB	Readers
Y	6132AKC-M	END ITEM, SPACER ACC KIT, ICLASS R15/RP15 RDR, 0.5", BLK, BLE	26.23	ZB	Readers
Y	6132AKD	SPACER ACC KIT, ICLASS R30/RP30 RDR, 1.0", BLK	19.67	ZB	Readers
Y	6132AKE	SPACER ACC KIT, ICLASS R40/RP40 RDR, 1.0", BLK	19.67	ZB	Readers
Y	6132AKE-M	END ITEM, SPACER ACC KIT, ICLASS R40/RP40 RDR, 1.0", BLK, BLE	26.23	ZB	Readers
Y	6132AKF	SPACER ACC KIT, ICLASS RMP40 AND RMPK40 MAG STRIPE RDR, BLK	19.67	ZB	Readers
Y	6132AKG	SPACER ACC KIT, ICLASS RMP40 AND RMPK40 MAG STRIPE RDR, BLK, ERGO ANGLE, LEFT	37.19	ZB	Readers
Y	6132AKK	SPACER ACC KIT, PIVCLASS RDR, BLK, ERGO ANGLE, RIGHT	20.23	ZB	Readers
Y	6132AKL	SPACER ACC KIT, PIVCLASS RDR, BLK, ERGO ANGLE, LEFT	20.23	ZB	Readers
Y	6132AKP	SPACER ACC KIT, STANDARD, SE MAGNETO	19.67	ZB	Readers
Y	6132AKR	SPACER ACC KIT, ANGLED, SE MAGSTRIPE	19.67	ZB	Readers
Y	6132AKT	SPACER KIT, ICLASS SE, R40/RP40, 0.5", BLK	19.67	ZB	Readers
Y	6132AKT-M	END ITEM, SPACER ACC KIT, ICLASS R40/RP40 RDR, 0.5", BLK, BLE	26.23	ZB	Readers
Y	6132AKU	SPACER KIT, ICLASS SE, RK40/RPK40, 0.5", BLK	19.67	ZB	Readers
Y	6132AKU-M	END ITEM, SPACER ACC KIT, ICLASS RK40/RPK40 RDR, 0.5", BLK, BLE	26.23	ZB	Readers
Y	6134CGD000600	ICLASS DFM II KEYPAD RPK40 RDR, GRY, PIGTAIL, INDALA PROX, NO SAMX, LEAD FREE, FELICA OR CEPAS, BEEP/LED = 00, MIFARE_CSN = 07, FELICA 64 BIT CSN LSB 1ST OR CEPAS 64 BIT CSN LSB 1ST, KEYPAD = 00	794.36	IR	Readers
Y	6145CGE0000	RDR, RP15 MULTICLASS DFM, GRY, 18" PIG, STNDRD CONFIG, 32 BIT, EM (ASK) PROX,NO SAMX	384.45	IR	Readers
Y	6145CGX0000	RDR, RP15 MULTICLASS DFM, GRY, 18" PIG, STNDRD CONFIG, 32 BIT, NO MODULE,NO SAMX	384.45	IR	Readers
Y	6190BKN000000	RDR, BIO 500, ICLASS, BLK, STD CONFIG, LEAD FREE	794.36	IR	Readers
Y	6305-312-01	BEZEL ASSY, ICLASS RDR, U.S., BLK, LEAD FREE	37.47	ZB	Readers
Y	6309-103-01	MOUNTING PLATE, HSG, ICLASS RDR R15/RP15	18.36	ZB	Readers
Y	6402-103-01	BASEPLATE, ICLASS DFM, R30, BLK	18.36	ZB	Readers
Y	6403-109-01	BASEPLATE, ICLASS DFM, R40, BLK, NEW TOOL	18.36	ZB	Readers
Y	6700-306-05	FNL ASSY, RS485 FDX/HDX COMBO PWB, UART CFG, NO SIDECAR CONN, NO MAG CONN, NO XCVR, NO MICRO, NO TEMP SNSR, NO FLASH, UART X-OVER, LOW PROFILE COVER, SUPERVISOR IC	36.05	IR	Readers
Y	6706-303-03	ACC KIT, ICLASS SE, REV E KPD, ARTEMIS, PIG VERSIONS, LEAD FREE	10.49	ZB	Readers
Y	6706-303-04	ACC KIT, ICLASS SE, REV E KPD, ARTEMIS RDR, TERM STP VERSIONS, LEAD FREE	13.13	ZB	Readers
Y	6715-305-01	SUB ASSY, COVER ASSY, EURO, ARCHITECTURAL RDR, WHT/WHT	18.36	ZB	Readers
Y	6715-305-04	SUB ASSY, COVER ASSY, EURO, ARCHITECTURAL RDR, BLK/BLK	18.36	ZB	Readers
Y	71309630-01	STICKER, FRONT, NO LOGO, SMART READER	2.63	ZB	Other Products
Y	800FNG1NN	COMPOSITE DESFIRE EV3 8K, NON-PROG, F-GLOSS, B-GLOSS W/MAG, NO #, NO SLOT, LAM	7.79	MD	Credentials
Y	800FNGGBN	COMPOSITE DESFIRE EV3 8K, NON-PROG, F-GLOSS, B-GLOSS, LASER SEQ/NON MATCH EXT #, NO SLOT	7.24	MD	Credentials
Y	800FNGGNN	COMPOSITE DESFIRE EV3 8K, NON-PROG, F-GLOSS, B-GLOSS, NO #, NO SLOT	7.24	MD	Credentials
Y	800FNGGZN	COMPOSITE DESFIRE EV3 8K, NON-PROG, F-GLOSS, B-GLOSS, LASER UID REVERSE DECIMAL #, NO SLOT	7.24	MD	Credentials
Y	800FSGGAN-210334	HID DESFIRE EV1 8KB, CUSTOME PROG, F-GLOSS, B-GLOSS, LASER #, NO SLOT, LAM	6.60	MD	Credentials
Y	800FSGGCB-120509	COMPOSITE DESFIRE EV3 8K, CUSTOM PROG, F-GLOSS, B-GLOSS, RANDOM NON-MATCHING SEQ LASER #, VERT/HORZ SLOT COMPATIBLE, CUSTOM .044" THICKNESS, GENERAL MOTORS, LAM	7.34	MD	Credentials
Y	801FPG1AN	COMPOSITE DESFIRE EV3 8K,PROG SIO COMPATIBILITY, F-GLOSS, B-GLOSS W/MAG, LASER MATCH #, NO SLOT	7.79	MD	Credentials
Y	801FPG1NN	COMPOSITE DESFIRE EV3 8K,SE, PROG COMPATIBILITY, F-GLOSS, B-GLOSS W/MAG, NO #, NO SLOT	7.79	MD	Credentials
Y	801FPGGAN	COMPOSITE MIFARE DESFIRE EV3 8K, PROG SIO COMPATIBILITY, F-GLOSS, B-GLOSS, LASER MATCH #, NO SLOT	7.24	MD	Credentials
	801FPGGAN-A002844	COMPOSITE MIFARE DESFIRE EV3 8K, PROG SIO COMPATIBILITY, F-GLOSS, B-GLOSS, LASER MATCH #, NO SLOT	7.03	MD	Credentials
Y	801FPGGBN	COMPOSITE DESFIRE EV3 8K,PROG SIO COMPATIBILITY, F-GLOSS, B-GLOSS, LASER SEQ/NON MATCH EXT #, NO SLOT	7.24	MD	Credentials
Y	801FPGGCN	COMPOSITE DESFIRE EV3 8K, SE, PROG COMPATIBILITY, F-GLOSS, B-GLOSS, RANDOM LASER INT/SEQ EXT #, NO SLOT	7.24	MD	Credentials
Y	801FPGGNN	COMPOSITE DESFIRE EV3 8K,PROG SIO COMPATIBILITY, F-GLOSS, B-GLOSS, NO #, NO SLOT	7.24	MD	Credentials
Y	801FVG1NN	COMPOSITE MIFARE DESFIRE EV3 8K, ENCODER READY COMPATIBILITY, F-GLOSS, B-GLOSS, NO #, NO SLOT	7.79	MD	Credentials
Y	801FVGGBN	COMPOSITE DESFIRE EV3 8K, SE, ENCODER READY COMPATIBILITY, F-GLOSS, B-GLOSS, LASER SEQ/NON MATCH EXT #,NO SLOT	7.24	MD	Credentials
Y	801FVGGNN	COMPOSITE MIFARE DESFIRE EV3 8K, ENCODER READY COMPATIBILITY, F-GLOSS, B-GLOSS, NO #, NO SLOT	7.24	MD	Credentials
Y	802FPG1AN	COMPOSITE DESFIRE EV3 8K,PROG SIO HIGH SECURITY, F-GLOSS, B-GLOSS W/MAG, LASER MATCH #, NO SLOT	7.23	MD	Credentials
Y	802FPG1BN	COMPOSITE DESFIRE EV3 8K,PROG SIO HIGH SECURITY, F-GLOSS, B-GLOSS W/MAG, LASER SEQ/NON MATCH EXT #, NO SLOT	7.23	MD	Credentials
Y	802FPGGAN	COMPOSITE HID DESFIRE EV3 8K, RANDOM UID, PROG SIO HIGH SECURITY, F-GLOSS, B-GLOSS, LASER MATCH #, NO SLOT	6.68	MD	Credentials
Y	802FPGGBN	COMPOSITE DESFIRE EV3 8K,PROG SIO HIGH SECURITY, F-GLOSS, B-GLOSS, LASER SEQ/NON MATCH EXT #, NO SLOT	6.68	MD	Credentials
Y	802FPGGNN	COMPOSITE DESFIRE EV3 8K,PROG SIO HIGH SECURITY, F-GLOSS, B-GLOSS, NO #, NO SLOT	6.68	MD	Credentials

Y	810FNNG1NNN	COMPOSITE DESFIRE EV3 8K + PROX, NON-PROG DESFIRE/PROX, F-GLOSS, B-GLOSS W/MAG, NO DESFIRE #, NO SLOT, NO PROX #, LAM	12.81	MD	Credentials
Y	810FNNGGBNN	COMPOSITE DESFIRE EV3 8K/PROX, DESFIRE NON-PROG, HID PROX NON-PROG, F-GLOSS, B-GLOSS, LASER SEQ/NON MATCH EXT DESFIRE #, NO SLOT, NO PROX #	12.26	MD	Credentials
Y	810FNNGGNNN	COMPOSITE DESFIRE EV3 8K/PROX, DESFIRE NON-PROG, HID PROX NON-PROG, F-GLOSS, B-GLOSS, NO DESFIRE #, NO SLOT, NO PROX #	12.26	MD	Credentials
Y	810FNPG1NNA	COMPOSITE DESFIRE EV3 8K/PROX, DESFIRE NON-PROG, PROX PROG, F-GLOSS, B-GLOSS W/MAG, NO DESFIRE #, NO SLOT, LASER MATCH PROX #	12.81	MD	Credentials
Y	810FNPGGNNA	COMPOSITE DESFIRE EV3 8K/PROX, DESFIRE NON-PROG, PROX PROG, F-GLOSS, B-GLOSS, NO DESFIRE #, NO SLOT, LASER MATCH PROX #	12.26	MD	Credentials
Y	810FSPGGANA-A002650	COMPOSITE HID DESFIRE EV3 8K/PROX, DESFIRE CUST-PROG, HID PROX-PROG, F-GLOSS, B-GLOSS, NO DESFIRE #, NO SLOT, LASER MATCH PROX #	11.43	MD	UNIDENTIFIED
Y	810FSPGGANN-A002694	COMPOSITE, HID DESFIRE EV3 8K/PROX, DESFIRE CUST-PROG, PROX PROG, F-GLOSS, B-GLOSS, LASER MATCH DESFIRE #, NO SLOT, NO PROX #, NVIDIA	12.36	MD	Credentials
Y	811FPNGGANN	COMPOSITE DESFIRE EV3 8K/PROX,DESFIRE PROG SIO COMPATIBILITY, HID PROX NON-PROG, F-GLOSS, B-GLOSS, LASER MATCH DESFIRE #, NO SLOT, NO PROX #	12.26	MD	Credentials
Y	811FPNGGBNN	COMPOSITE DESFIRE EV3 8K/PROX,DESFIRE PROG SIO COMPATIBILITY, HID PROX NON-PROG, F-GLOSS, B-GLOSS, LASER SEQ/NON MATCH EXT DESFIRE #, NO SLOT, NO PROX #	12.26	MD	Credentials
Y	811FPPG1ANA	COMPOSITE DESFIRE EV3 8K/PROX,DESFIRE PROG SIO COMPATIBILITY, PROX PROG, F-GLOSS, B-GLOSS W/MAG, LASER MATCH DESFIRE #, NO SLOT, LASER MATCH PROX #	12.81	MD	Credentials
Y	811FPPG1NNA	COMPOSITE DESFIRE EV3 8K + PROX, DESFIRE PROG COMPATIBILITY, PROG PROX, F-GLOSS, B-GLOSS W/MAG, NO DESFIRE #, NO SLOT, NO PROX #	12.81	MD	Credentials
Y	811FPPG1NNN	COMPOSITE DESFIRE EV3 8K, DESFIRE PROG COMPATIBILITY, PROG PROX, F-GLOSS, B-GLOSS W/MAG, NO DESFIRE #, NO SLOT, NO PROX #	12.81	MD	Credentials
Y	811FPPGGANA	COMPOSITE HID DESFIRE EV3 8K/PROX, DESFIRE PROG SIO COMPATIBILITY, PROX PROG, F-GLOSS, B-GLOSS, LASER MATCH DESFIRE #,NO SLOT, LASER MATCH PROX #	12.26	MD	Credentials
	811FPPGGANA-A002844	COMPOSITE HID DESFIRE EV3 8K/PROX, DESFIRE PROG SIO COMPATIBILITY, PROX PROG, F-GLOSS, B-GLOSS, LASER MATCH DESFIRE #,NO SLOT, LASER MATCH PROX #,NXP	11.90	MD	Credentials
Y	811FPPGGANN	COMPOSITE DESFIRE EV3 8K/PROX,DESFIRE PROG SIO COMPATIBILITY, PROX PROG, F-GLOSS, B-GLOSS, LASER MATCH DESFIRE #, NO SLOT, NO PROX #	12.26	MD	Credentials
Y	811FPPGGCNC	COMPOSITE DESFIRE EV3 8K, DESFIRE PROG COMPATIBILITY, PROG PROX, F-GLOSS, B-GLOSS, LASER RANDOM INT/SEQ EXT DESFIRE #, NO SLOT, LASER RANDOM INT/SEQ EXT PROX #	12.26	MD	Credentials
Y	811FPPGGNNC	COMPOSITE DESFIRE EV3 8K/PROX,DESFIRE PROG SIO COMPATIBILITY, PROX PROG, F-GLOSS, B-GLOSS, NO DESFIRE #, NO SLOT, LASER RANDOM INT/SEQ EXT PROX #	12.26	MD	Credentials
Y	811FPPGGNNN	COMPOSITE DESFIRE EV3 8K/PROX,DESFIRE PROG SIO COMPATIBILITY, PROX PROG, F-GLOSS, B-GLOSS, NO DESFIRE #, NO SLOT, NO PROX #	12.26	MD	Credentials
Y	811FVNGGNNN	COMPOSITE DESFIRE EV3 8K/PROX, DESFIRE ENCODER READY COMPATIBILITY, PROX PROG, F-GLOSS, B-GLOSS, NO DESFIRE #, NO SLOT, NO PROX #	12.26	MD	Credentials
Y	811FVPGGNNA	COMPOSITE DESFIRE EV3 8K/PROX, DESFIRE ENCODER READY COMPATIBILITY, PROX PROG, F-GLOSS, B-GLOSS, NO DESFIRE #, NO SLOT, PROX #	12.26	MD	Credentials
Y	811FVPGGNNN	COMPOSITE DESFIRE EV3 8K/PROX, DESFIRE ENCODER READY COMPATIBILITY, PROX PROG, F-GLOSS, B-GLOSS, NO DESFIRE #, NO SLOT, NO PROX #	12.26	MD	Credentials
Y	812FPNGGANN	COMPOSITE DESFIRE EV3 8K/PROX,DESFIRE PROG SIO HIGH SECURITY, HID PROX NON-PROG, F-GLOSS, B-GLOSS, LASER MATCH DESFIRE #, NO SLOT, NO PROX #	11.70	MD	Credentials
Y	812FPPG1ANA	COMPOSITE DESFIRE EV3 8K/PROX,DESFIRE PROG SIO HIGH SECURITY, PROX PROG, F-GLOSS, B-GLOSS W/MAG, LASER MATCH DESFIRE #, NO SLOT, LASER MATCH PROX #	12.25	MD	Credentials
Y	812FPPG1ANN	COMPOSITE DESFIRE EV3 8K/PROX,DESFIRE PROG SIO HIGH SECURITY, PROX PROG, F-GLOSS, B-GLOSS W/MAG, LASER MATCH DESFIRE #, NO SLOT, NO PROX #	12.25	MD	Credentials
Y	812FPPGGANA	COMPOSITE HID DESFIRE EV3 8K/PROX, RANDOM UID, DESFIRE PROG SIO HIGH SECURITY, PROX PROG, F-GLOSS, B-GLOSS, LASER MATCH DESFIRE #,NO SLOT, LASER MATCH PROX #	11.70	MD	Credentials
Y	812FPPGGANN	COMPOSITE DESFIRE EV3 8K/PROX,DESFIRE PROG SIO HIGH SECURITY, PROX PROG, F-GLOSS, B-GLOSS, LASER MATCH DESFIRE #, NO SLOT, NO PROX #	11.70	MD	Credentials
Y	812FPPGGBNN	COMPOSITE DESFIRE EV3 8K/PROX,DESFIRE PROG SIO HIGH SECURITY, PROX PROG, F-GLOSS, B-GLOSS, LASER SEQ/NON MATCH EXT DESFIRE #, NO SLOT, NO PROX #	11.70	MD	Credentials
Y	82000-114-01	BASEPLATE, EDGE A7, BLK	21.00	ZB	Controllers
Y	82000-126-01	BASEPLATE, EDGE A7 CNTL W MOD, BLK	21.00	ZB	Controllers
Y	82000-130-01	BASEPLATE, EDGE A7 DUAL MOD, BLK	21.00	ZB	Controllers
Y	82000-325-02	ACC KIT, EDGE EVO, EHR40 & ERHP40	12.60	ZB	Controllers
Y	82000-342-01	ACC KIT, EDGE EVO EH400-K CNTLR	12.60	ZB	Controllers
Y	82000-342-02	ACC KIT, EDGE EVO, DOOR & WIEGAND MOUNTABLE DUAL MOD, EDWM-M	12.60	ZB	Controllers
Y	82000-342-03	ACC KIT, EDGE A7 DOOR MOUNTABLE MOD, EDM-M	12.60	ZB	Controllers
Y	82000-342-05	ACC KIT, EDGE A7 WIEGAND MOD,EWM-M	12.60	ZB	Controllers
Y	820F3NCG1NNN	COMPOSITE DESFIRE EV3 8K, ICLASS 32K (16K2/16K1), DESFIRE NON-PROG, ICLASS CONFIG, F-GLOSS, B-MAG STRIPE,NO DESFIRE #, NO SLOT, NO ICLASS #	18.04	IC	Credentials
Y	820F3NCGGNNN	COMPOSITE DESFIRE EV3 8K, ICLASS 32K (16K2/16K1), DESFIRE NON-PROG, ICLASS CONFIG, F-GLOSS, B-GLOSS,NO DESFIRE #, NO SLOT, NO ICLASS #	17.49	IC	Credentials
Y	820F3NHGGNNA	COMPOSITE DESFIRE EV3 8K, ICLASS 32K(16K2/16K1), DESFIRE NON-PROG, ICLASS PROG STD, F-GLOSS, B-GLOSS,NO DESFIRE #, NO SLOT, LASER MATCH ICLASS #	17.49	IC	Credentials
Y	820F3NPGGNNA	COMPOSITE DESFIRE EV3 8K, ICLASS 32K (16K2/16K1), DESFIRE NON-PROG, PROG ICLASS SE, F-GLOSS, B-GLOSS,NO DESFIRE #, NO SLOT, MATCH ICLASS #	17.49	IC	Credentials
Y	820F3NSGGNNA	COMPOSITE DESFIRE EV3 8K, ICLASS 32K(16K2/16K1), DESFIRE NON-PROG, ICLASS PROG SE & STD, F-GLOSS, B-GLOSS,NO DESFIRE #, NO SLOT, MATCH ICLASS #	17.49	IC	Credentials
Y	820F3NVGGNNN		17.49	IC	Credentials
Y	820F4NCGGNNN	COMPOSITE DESFIRE EV3 8K, ICLASS 32K (16K16/16K1), DESFIRE NON-PROG, ICLASS CONFIG, F-GLOSS, B-GLOSS, NO DESFIRE #, NO SLOT, NO ICLASS #	17.49	IC	Credentials
Y	820F4NHGGNNA	COMPOSITE DESFIRE EV3 8K, ICLASS 32K (16K16/16K1), DESFIRE NON-PROG, ICLASS PROG STD, F-GLOSS, B-GLOSS,NO DESFIRE #, NO SLOT, MATCH ICLASS #	17.49	IC	Credentials
Y	820F4NPG1NNA	COMPOSITE DESFIRE EV3 8K, ICLASS 32K (16K16/16K1), DESFIRE NON-PROG, PROG ICLASS SE, F-GLOSS, B-GLOSS W/MAG,NO DESFIRE #, NO SLOT, MATCH ICLASS #	17.49	IC	Credentials
Y	820F4NSGGNNA	COMPOSITE DESFIRE EV3 8K, ICLASS 32K (16K16/16K1), DESFIRE NON-PROG, ICLASS PROG SE & STD, F-GLOSS, B-GLOSS,NO DESFIRE #, NO SLOT, LASER MATCH ICLASS #	17.49	IC	Credentials
Y	820F4NVGGNNN	COMPOSITE DESFIRE EV3 8K, ICLASS 32K (16K16/16K1), DESFIRE NON-PROG, ICLASS ER, F-GLOSS, B-GLOSS, NO DESFIRE #, NO SLOT, NO ICLASS #	17.49	IC	Credentials
Y	82100AKC	SPACER ACC KIT, EDGE MODULE, BLK	26.25	ZB	Controllers
Y	82100AKC-R	REVERSE MT ACC KIT, EDGE MODULE, BLK	26.25	ZB	Controllers
Y	82100AKD-R	REVERSE MT ACC KIT, EDGE CNTL, EH400-K, BLK	26.25	ZB	Controllers
Y	821F3PPGGANA	COMPOSITE DESFIRE EV3 8K, ICLASS 32K(16K2/16K1), DESFIRE PROG SIO COMPATIBILITY, ICLASS PROG SE, F-GLOSS, B-GLOSS, MATCH DESFIRE #, NO SLOT, LASER MATCH ICLASS #	17.49	IC	Credentials
Y	821F3PSGGANA	COMPOSITE DESFIRE EV3 8K, ICLASS 32K(16K2/16K1), DESFIRE PROG SIO COMPATIBILITY, ICLASS PROG SE & STD, F-GLOSS, B-GLOSS, MATCH DESFIRE #, NO SLOT, LASER MATCH ICLASS #	17.49	IC	Credentials
	821F3VCGGNNN		16.98	IC	Credentials
Y	821F3VVGGNNN	COMPOSITE DESFIRE EV3 8K, ICLASS 32K(16K2/16K1),DESFIRE ER COMPATIBILITY, ICLASS ER, F-GLOSS, B-GLOSS, NO DESFIRE #, NO SLOT, NO ICLASS #	17.49	IC	Credentials
Y	821F4PCGGANN		17.49	IC	Credentials
Y	821F4PPGGANA	COMPOSITE HID DESFIRE EV3 8K, RANDOM UID, PROG SIO HIGH SECURITY, F-GLOSS, B-GLOSS, LASER MATCH #, NO SLOT	17.49	IC	Credentials
Y	821F4PVGGANN		17.49	IC	Credentials
Y	821F4VCGGNNN	COMPOSITE DESFIRE EV3 8K, ICLASS 32K(16K16/16K2),DESFIRE ER COMPATIBILITY, ICLASS CONFIG, F-GLOSS, B-GLOSS, NO DESFIRE #, NO SLOT, NO ICLASS #	17.49	IC	Credentials
Y	821F4VSGGNNA	COMPOSITE, DESFIRE EV3 8K, ICLASS 32K (16K16/16K1), DESFIRE ER COMPATIBILITY, ICLASS PROG SE & STD, F-GLOSS, B-GLOSS, NO DESFIRE #, NO SLOT, LASER MATCH ICLASS #	17.49	IC	Credentials
Y	822F4PPGGANA	COMPOSITE HID DESFIRE EV3 8K, RANDOM UID, PROG SIO HIGH SECURITY, F-GLOSS, B-GLOSS, LASER MATCH #, NO SLOT	16.93	IC	Credentials
Y	830F3NPPGGNNAA	COMPOSITE DESFIRE EV3 8K, ICLASS 32K(16K2/16K1), DESFIRE NON PROG, ICLASS PROG SE, PROX PROG, F-GLOSS, B-GLOSS, NO DESFIRE #, NO SLOT, LASER MATCH ICLASS #,LASER MATCH PROX #	21.38	IC	Credentials
Y	830F4NCNGGNNNN	COMPOSITE, HID DESFIRE EV3 8K, ICLASS 32K (16K16/16K1)/PROX, DESFIRE NON-PROG, ICLASS CONFIG, PROX NON-PROG, F-GLOSS, B-GLOSS, NO DESFIRE #, NO SLOT, NO ICLASS #, NO PROX #	21.38	IC	Credentials
Y	830F4NHPG1NNAA		21.93	IC	Credentials
Y	830F4NHPGGNNAN	COMPOSITE HID DESFIRE EV3 8K, RANDOM UID, PROG SIO HIGH SECURITY, F-GLOSS, B-GLOSS, LASER MATCH #, NO SLOT	21.38	IC	Credentials
Y	830F4NPPGGNNAA	COMPOSITE DESFIRE EV3 8K, ICLASS 32K (16K16/16K2), DESFIRE NON PROG, ICLASS PROG SE, PROX PROG, F-GLOSS, B-GLOSS, NO DESFIRE #, NO SLOT, LASER MATCH ICLASS #,LASER MATCH PROX #	21.38	IC	Credentials
Y	830F4NSNGGNNAN	COMPOSITE HID DESFIRE EV3 8K ICLASS 32K (16K16/16K1) DESFIRE NON-PROG ICLASS PROG SE & STD PROX CONFIG F-GLOSS B-GLOSS NO DESFIRE # NO SLOT LASER MATCH ICLASS # NO PROX #	21.38	IC	Credentials
Y	830F4NSPG1NNAA		21.93	IC	Credentials
Y	830F4NSPGGNNAA		21.38	IC	Credentials
Y	830F4SSPG1NNAN-A002209	COMPOSITE DESFIRE EV3 8K + ICLASS 32K (16K/16+16K/1) + PROX, CUSTOM PROG DESFIRE/ICLASS SR/PROX, F-GLOSS, B-GLOSS W/MAG, NO DESFIRE #, NO SLOT, MATCHING ICLASS LASER #, NO PROX #, MTA/NYCTA, LAM	21.38	IC	Credentials
Y	831F3PPPGGANAA	COMPOSITE DESFIRE EV3 8K, ICLASS 32K(16K2/16K1), DESFIRE PROG COMPATIBILITY, ICLASS PROG SE, PROX PROG F-GLOSS, B-GLOSS, LASER MATCH DESFIRE #, NO SLOT, LASER MATCH ICLASS #,LASER MATCH PROX #	21.38	IC	Credentials
Y	831F3PPPGGNNNA	COMPOSITE DESFIRE EV3 8K, ICLASS 32K(16K2/16K1), DESFIRE PROG COMPATIBILITY, ICLASS PROG SE, PROX PROG F-GLOSS, B-GLOSS, NO DESFIRE #, NO SLOT, NO ICLASS #,LASER MATCH PROX #	21.38	IC	Credentials
Y	831F4PPPGGANAA	COMPOSITE HID DESFIRE EV3 8K, RANDOM UID, PROG SIO HIGH SECURITY, F-GLOSS, B-GLOSS, LASER MATCH #, NO SLOT	21.38	IC	Credentials
Y	831F4PSPGGNNAN	COMPOSITE DESFIRE EV3 8K, ICLASS 32K(16K16/16K2), DESFIRE PROG COMPATIBILITY, ICLASS PROG SE & STD, PROX PROG F-GLOSS, B-GLOSS, NO DESFIRE #, NO SLOT, LASER MATCH ICLASS #, NO PROX #	21.38	IC	Credentials
Y	831F4VHPGGNNAA	COMPOSITE DESFIRE EV3 8K, ICLASS 32K(16K16/16K1), DESFIRE ER COMPATIBILE, ICLASS PROG STANDARD, PROX PROG, F-GLOSS, B-GLOSS, NO DESFIRE #, NO SLOT, LASER MATCH ICLASS #,LASER MATCH PROX #	21.38	IC	Credentials
Y	832F4PPPGGANAA	COMPOSITE HID DESFIRE EV3 8K, RANDOM UID, PROG SIO HIGH SECURITY, F-GLOSS, B-GLOSS, LASER MATCH #, NO SLOT	21.64	MD	Credentials
Y	900LHRNEK0003Q	RDR, RP10-H, PIVCLASS, SE E, LF CST, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	318.34	IR	Readers
Y	900LHRNEK0039V	RDR, RP10-H, PIVCLASS, SE E, LF CST, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, IPM OFF, UART ON, WIEG OFF	318.34	IR	Readers
Y	900LHRNEK00405	RDR, RP10-H, PIVCLASS, SE E, LF CST, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 40-BIT, RVRS BCD, IPM OFF, UART OFF, WIEG ON	318.34	IR	Readers

Y	900LWNNEK00324	RDR, RP10, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIGR, HTRC110 BASE RDR, HF MIGR PFL EVP00000, IPM OFF, NO KPD, PROX	358.43	IR	Readers
Y	900NBNNFK20000	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN SUPPR, IPM OFF, VEL OFF, METAL OFF	230.12	IR	Readers
Y	900NBNNFK20001	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN SUPPR, IPM OFF, VEL OFF, METAL ON	230.12	IR	Readers
Y	900NBNNFK20002	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN SUPPR, IPM ON, VEL OFF, METAL OFF	230.12	IR	Readers
Y	900NBNNFK20003	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN SUPPR, IPM ON, VEL OFF, METAL ON	230.12	IR	Readers
Y	900NBNNFK20004	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN SUPPR, IPM OFF, VEL ON, METAL OFF	230.12	IR	Readers
Y	900NBNNFK20005	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN SUPPR, IPM OFF, VEL ON, METAL ON	230.12	IR	Readers
Y	900NBNNFK20006	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN SUPPR, IPM ON, VEL ON, METAL OFF	230.12	IR	Readers
Y	900NBNNFK20007	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN SUPPR, IPM ON, VEL ON, METAL ON	230.12	IR	Readers
Y	900NBNNFK20072	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR OFF, OPT TAMP, CSN SUPPR, IPM OFF, VEL OFF, METAL OFF	230.12	IR	Readers
Y	900NBNNFK20073	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR OFF, OPT TAMP, CSN SUPPR, IPM OFF, VEL OFF, METAL ON	230.12	IR	Readers
Y	900NBNNFK20074	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR OFF, OPT TAMP, CSN SUPPR, IPM ON, VEL OFF, METAL OFF	230.12	IR	Readers
Y	900NBNNFK20075	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR OFF, OPT TAMP, CSN SUPPR, IPM ON, VEL OFF, METAL ON	230.12	IR	Readers
Y	900NBNNFK20076	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR OFF, OPT TAMP, CSN SUPPR, IPM OFF, VEL ON, METAL OFF	230.12	IR	Readers
Y	900NBNNFK20077	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR OFF, OPT TAMP, CSN SUPPR, IPM OFF, VEL ON, METAL ON	230.12	IR	Readers
Y	900NBNNFK20078	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR OFF, OPT TAMP, CSN SUPPR, IPM ON, VEL ON, METAL OFF	230.12	IR	Readers
Y	900NBNNFK20079	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR OFF, OPT TAMP, CSN SUPPR, IPM ON, VEL ON, METAL ON	230.12	IR	Readers
Y	900NBNNFK20144	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN SUPPR, IPM OFF, VEL OFF, METAL OFF	230.12	IR	Readers
Y	900NBNNFK20145	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN SUPPR, IPM OFF, VEL OFF, METAL ON	230.12	IR	Readers
Y	900NBNNFK20146	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN SUPPR, IPM ON, VEL OFF, METAL OFF	230.12	IR	Readers
Y	900NBNNFK20147	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN SUPPR, IPM ON, VEL OFF, METAL ON	230.12	IR	Readers
Y	900NBNNFK20148	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN SUPPR, IPM OFF, VEL ON, METAL OFF	230.12	IR	Readers
Y	900NBNNFK20149	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN SUPPR, IPM OFF, VEL ON, METAL ON	230.12	IR	Readers
Y	900NBNNFK20150	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN SUPPR, IPM ON, VEL ON, METAL OFF	230.12	IR	Readers
Y	900NBNNFK20151	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN SUPPR, IPM ON, VEL ON, METAL ON	230.12	IR	Readers
Y	900NBNNFK20216	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR OFF, OPT TAMP, CSN SUPPR, IPM OFF, VEL OFF, METAL OFF	230.12	IR	Readers
Y	900NBNNFK20217	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR OFF, OPT TAMP, CSN SUPPR, IPM OFF, VEL OFF, METAL ON	230.12	IR	Readers
Y	900NBNNFK20218	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR OFF, OPT TAMP, CSN SUPPR, IPM ON, VEL OFF, METAL OFF	230.12	IR	Readers
Y	900NBNNFK20219	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR OFF, OPT TAMP, CSN SUPPR, IPM ON, VEL OFF, METAL ON	230.12	IR	Readers
Y	900NBNNFK20220	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR OFF, OPT TAMP, CSN SUPPR, IPM OFF, VEL ON, METAL OFF	230.12	IR	Readers
Y	900NBNNFK20221	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR OFF, OPT TAMP, CSN SUPPR, IPM OFF, VEL ON, METAL ON	230.12	IR	Readers
Y	900NBNNFK20222	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR OFF, OPT TAMP, CSN SUPPR, IPM ON, VEL ON, METAL OFF	230.12	IR	Readers
Y	900NBNNFK20223	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR OFF, OPT TAMP, CSN SUPPR, IPM ON, VEL ON, METAL ON	230.12	IR	Readers
Y	900NBNNFK20288	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED BLUE, FLSH GRN, BZR ON, OPT TAMP, CSN SUPPR, IPM OFF, VEL OFF, METAL OFF	230.12	IR	Readers
Y	900NBNNFK20289	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED BLUE, FLSH GRN, BZR ON, OPT TAMP, CSN SUPPR, IPM OFF, VEL OFF, METAL ON	230.12	IR	Readers
Y	900NBNNFK20290	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED BLUE, FLSH GRN, BZR ON, OPT TAMP, CSN SUPPR, IPM ON, VEL OFF, METAL OFF	230.12	IR	Readers
Y	900NBNNFK20291	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED BLUE, FLSH GRN, BZR ON, OPT TAMP, CSN SUPPR, IPM ON, VEL OFF, METAL ON	230.12	IR	Readers
Y	900NBNNFK20292	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED BLUE, FLSH GRN, BZR ON, OPT TAMP, CSN SUPPR, IPM OFF, VEL ON, METAL OFF	230.12	IR	Readers
Y	900NBNNFK20293	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED BLUE, FLSH GRN, BZR ON, OPT TAMP, CSN SUPPR, IPM OFF, VEL ON, METAL ON	230.12	IR	Readers
Y	900NBNNFK20294	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED BLUE, FLSH GRN, BZR ON, OPT TAMP, CSN SUPPR, IPM ON, VEL ON, METAL OFF	230.12	IR	Readers
Y	900NBNNFK20295	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED BLUE, FLSH GRN, BZR ON, OPT TAMP, CSN SUPPR, IPM ON, VEL ON, METAL ON	230.12	IR	Readers
Y	900NBNNFK20360	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED BLUE, FLSH GRN, BZR OFF, OPT TAMP, CSN SUPPR, IPM OFF, VEL OFF, METAL OFF	230.12	IR	Readers
Y	900NBNNFK20361	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED BLUE, FLSH GRN, BZR OFF, OPT TAMP, CSN SUPPR, IPM OFF, VEL OFF, METAL ON	230.12	IR	Readers
Y	900NBNNFK20362	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED BLUE, FLSH GRN, BZR OFF, OPT TAMP, CSN SUPPR, IPM ON, VEL OFF, METAL OFF	230.12	IR	Readers
Y	900NBNNFK20363	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED BLUE, FLSH GRN, BZR OFF, OPT TAMP, CSN SUPPR, IPM ON, VEL OFF, METAL ON	230.12	IR	Readers
Y	900NBNNFK20364	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED BLUE, FLSH GRN, BZR OFF, OPT TAMP, CSN SUPPR, IPM OFF, VEL ON, METAL OFF	230.12	IR	Readers
Y	900NBNNFK20365	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED BLUE, FLSH GRN, BZR OFF, OPT TAMP, CSN SUPPR, IPM OFF, VEL ON, METAL ON	230.12	IR	Readers
Y	900NBNNFK20366	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED BLUE, FLSH GRN, BZR OFF, OPT TAMP, CSN SUPPR, IPM ON, VEL ON, METAL OFF	230.12	IR	Readers
Y	900NBNNFK20367	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED BLUE, FLSH GRN, BZR OFF, OPT TAMP, CSN SUPPR, IPM ON, VEL ON, METAL ON	230.12	IR	Readers
Y	900NBNNFK20432	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED BLUE, FLSH OFF, BZR ON, OPT TAMP, CSN SUPPR, IPM OFF, VEL OFF, METAL OFF	230.12	IR	Readers
Y	900NBNNFK20433	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED BLUE, FLSH OFF, BZR ON, OPT TAMP, CSN SUPPR, IPM OFF, VEL OFF, METAL ON	230.12	IR	Readers
Y	900NBNNFK20434	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED BLUE, FLSH OFF, BZR ON, OPT TAMP, CSN SUPPR, IPM ON, VEL OFF, METAL OFF	230.12	IR	Readers
Y	900NBNNFK20435	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED BLUE, FLSH OFF, BZR ON, OPT TAMP, CSN SUPPR, IPM ON, VEL OFF, METAL ON	230.12	IR	Readers
Y	900NBNNFK20436	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED BLUE, FLSH OFF, BZR ON, OPT TAMP, CSN SUPPR, IPM OFF, VEL ON, METAL OFF	230.12	IR	Readers
Y	900NBNNFK20437	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED BLUE, FLSH OFF, BZR ON, OPT TAMP, CSN SUPPR, IPM OFF, VEL ON, METAL ON	230.12	IR	Readers
Y	900NBNNFK20438	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED BLUE, FLSH OFF, BZR ON, OPT TAMP, CSN SUPPR, IPM ON, VEL ON, METAL OFF	230.12	IR	Readers
Y	900NBNNFK20439	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED BLUE, FLSH OFF, BZR ON, OPT TAMP, CSN SUPPR, IPM ON, VEL ON, METAL ON	230.12	IR	Readers
Y	900NBNNFK20504	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED BLUE, FLSH OFF, BZR OFF, OPT TAMP, CSN SUPPR, IPM OFF, VEL OFF, METAL OFF	230.12	IR	Readers
Y	900NBNNFK20505	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED BLUE, FLSH OFF, BZR OFF, OPT TAMP, CSN SUPPR, IPM OFF, VEL OFF, METAL ON	230.12	IR	Readers
Y	900NBNNFK20506	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED BLUE, FLSH OFF, BZR OFF, OPT TAMP, CSN SUPPR, IPM ON, VEL OFF, METAL OFF	230.12	IR	Readers
Y	900NBNNFK20507	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED BLUE, FLSH OFF, BZR OFF, OPT TAMP, CSN SUPPR, IPM ON, VEL OFF, METAL ON	230.12	IR	Readers
Y	900NBNNFK20508	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED BLUE, FLSH OFF, BZR OFF, OPT TAMP, CSN SUPPR, IPM OFF, VEL ON, METAL OFF	230.12	IR	Readers
Y	900NBNNFK20509	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED BLUE, FLSH OFF, BZR OFF, OPT TAMP, CSN SUPPR, IPM OFF, VEL ON, METAL ON	230.12	IR	Readers
Y	900NBNNFK20510	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED BLUE, FLSH OFF, BZR OFF, OPT TAMP, CSN SUPPR, IPM ON, VEL ON, METAL OFF	230.12	IR	Readers
Y	900NBNNFK20511	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED BLUE, FLSH OFF, BZR OFF, OPT TAMP, CSN SUPPR, IPM ON, VEL ON, METAL ON	230.12	IR	Readers
Y	900NBNNFKE0000	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN SUPPR, IPM OFF, VEL OFF, METAL OFF	230.12	IR	Readers
Y	900NBNNFKE0001	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN SUPPR, IPM OFF, VEL OFF, METAL ON	230.12	IR	Readers
Y	900NBNNFKE0002	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN SUPPR, IPM ON, VEL OFF, METAL OFF	230.12	IR	Readers
Y	900NBNNFKE0003	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN SUPPR, IPM ON, VEL OFF, METAL ON	230.12	IR	Readers
Y	900NBNNFKE0004	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN SUPPR, IPM OFF, VEL ON, METAL OFF	230.12	IR	Readers
Y	900NBNNFKE0005	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN SUPPR, IPM OFF, VEL ON, METAL ON	230.12	IR	Readers
Y	900NBNNFKE0006	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN SUPPR, IPM ON, VEL ON, METAL OFF	230.12	IR	Readers
Y	900NBNNFKE0007	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN SUPPR, IPM ON, VEL ON, METAL ON	230.12	IR	Readers
Y	900NBNNFKE0072	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED RED, FLSH GRN, BZR OFF, OPT TAMP, CSN SUPPR, IPM OFF, VEL OFF, METAL OFF	230.12	IR	Readers
Y	900NBNNFKE0073	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED RED, FLSH GRN, BZR OFF, OPT TAMP, CSN SUPPR, IPM OFF, VEL OFF, METAL ON	230.12	IR	Readers
Y	900NBNNFKE0074	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED RED, FLSH GRN, BZR OFF, OPT TAMP, CSN SUPPR, IPM ON, VEL OFF, METAL OFF	230.12	IR	Readers
Y	900NBNNFKE0075	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED RED, FLSH GRN, BZR OFF, OPT TAMP, CSN SUPPR, IPM ON, VEL OFF, METAL ON	230.12	IR	Readers

Y	900NBNNFKE0076	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED RED, FLSH GRN, BZR OFF, OPT TAMP, CSN SUPPR, IPM OFF, VEL ON, METAL OFF	230.12	IR	Readers
Y	900NBNNFKE0077	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED RED, FLSH GRN, BZR OFF, OPT TAMP, CSN SUPPR, IPM OFF, VEL ON, METAL ON	230.12	IR	Readers
Y	900NBNNFKE0078	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED RED, FLSH GRN, BZR OFF, OPT TAMP, CSN SUPPR, IPM ON, VEL ON, METAL OFF	230.12	IR	Readers
Y	900NBNNFKE0079	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED RED, FLSH GRN, BZR OFF, OPT TAMP, CSN SUPPR, IPM ON, VEL ON, METAL ON	230.12	IR	Readers
Y	900NBNNFKE0144	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN SUPPR, IPM OFF, VEL OFF, METAL OFF	230.12	IR	Readers
Y	900NBNNFKE0145	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN SUPPR, IPM OFF, VEL OFF, METAL ON	230.12	IR	Readers
Y	900NBNNFKE0146	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN SUPPR, IPM ON, VEL OFF, METAL OFF	230.12	IR	Readers
Y	900NBNNFKE0147	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN SUPPR, IPM ON, VEL OFF, METAL ON	230.12	IR	Readers
Y	900NBNNFKE0148	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN SUPPR, IPM OFF, VEL ON, METAL OFF	230.12	IR	Readers
Y	900NBNNFKE0149	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN SUPPR, IPM OFF, VEL ON, METAL ON	230.12	IR	Readers
Y	900NBNNFKE0150	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN SUPPR, IPM ON, VEL ON, METAL OFF	230.12	IR	Readers
Y	900NBNNFKE0151	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN SUPPR, IPM ON, VEL ON, METAL ON	230.12	IR	Readers
Y	900NBNNFKE0216	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED RED, FLSH OFF, BZR OFF, OPT TAMP, CSN SUPPR, IPM OFF, VEL OFF, METAL OFF	230.12	IR	Readers
Y	900NBNNFKE0217	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED RED, FLSH OFF, BZR OFF, OPT TAMP, CSN SUPPR, IPM OFF, VEL OFF, METAL ON	230.12	IR	Readers
Y	900NBNNFKE0218	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED RED, FLSH OFF, BZR OFF, OPT TAMP, CSN SUPPR, IPM ON, VEL OFF, METAL OFF	230.12	IR	Readers
Y	900NBNNFKE0219	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED RED, FLSH OFF, BZR OFF, OPT TAMP, CSN SUPPR, IPM ON, VEL OFF, METAL ON	230.12	IR	Readers
Y	900NBNNFKE0220	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED RED, FLSH OFF, BZR OFF, OPT TAMP, CSN SUPPR, IPM OFF, VEL ON, METAL OFF	230.12	IR	Readers
Y	900NBNNFKE0221	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED RED, FLSH OFF, BZR OFF, OPT TAMP, CSN SUPPR, IPM OFF, VEL ON, METAL ON	230.12	IR	Readers
Y	900NBNNFKE0222	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED RED, FLSH OFF, BZR OFF, OPT TAMP, CSN SUPPR, IPM ON, VEL ON, METAL OFF	230.12	IR	Readers
Y	900NBNNFKE0223	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED RED, FLSH OFF, BZR OFF, OPT TAMP, CSN SUPPR, IPM ON, VEL ON, METAL ON	230.12	IR	Readers
Y	900NBNNFKE0288	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED BLUE, FLSH GRN, BZR ON, OPT TAMP, CSN SUPPR, IPM OFF, VEL OFF, METAL OFF	230.12	IR	Readers
Y	900NBNNFKE0289	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED BLUE, FLSH GRN, BZR ON, OPT TAMP, CSN SUPPR, IPM OFF, VEL OFF, METAL ON	230.12	IR	Readers
Y	900NBNNFKE0290	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED BLUE, FLSH GRN, BZR ON, OPT TAMP, CSN SUPPR, IPM ON, VEL OFF, METAL OFF	230.12	IR	Readers
Y	900NBNNFKE0291	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED BLUE, FLSH GRN, BZR ON, OPT TAMP, CSN SUPPR, IPM ON, VEL OFF, METAL ON	230.12	IR	Readers
Y	900NBNNFKE0292	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED BLUE, FLSH GRN, BZR ON, OPT TAMP, CSN SUPPR, IPM OFF, VEL ON, METAL OFF	230.12	IR	Readers
Y	900NBNNFKE0293	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED BLUE, FLSH GRN, BZR ON, OPT TAMP, CSN SUPPR, IPM OFF, VEL ON, METAL ON	230.12	IR	Readers
Y	900NBNNFKE0294	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED BLUE, FLSH GRN, BZR ON, OPT TAMP, CSN SUPPR, IPM ON, VEL ON, METAL OFF	230.12	IR	Readers
Y	900NBNNFKE0295	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED BLUE, FLSH GRN, BZR ON, OPT TAMP, CSN SUPPR, IPM ON, VEL ON, METAL ON	230.12	IR	Readers
Y	900NBNNFKE0360	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED BLUE, FLSH GRN, BZR OFF, OPT TAMP, CSN SUPPR, IPM OFF, VEL OFF, METAL OFF	230.12	IR	Readers
Y	900NBNNFKE0361	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED BLUE, FLSH GRN, BZR OFF, OPT TAMP, CSN SUPPR, IPM OFF, VEL OFF, METAL ON	230.12	IR	Readers
Y	900NBNNFKE0362	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED BLUE, FLSH GRN, BZR OFF, OPT TAMP, CSN SUPPR, IPM ON, VEL OFF, METAL OFF	230.12	IR	Readers
Y	900NBNNFKE0363	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED BLUE, FLSH GRN, BZR OFF, OPT TAMP, CSN SUPPR, IPM ON, VEL OFF, METAL ON	230.12	IR	Readers
Y	900NBNNFKE0364	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED BLUE, FLSH GRN, BZR OFF, OPT TAMP, CSN SUPPR, IPM OFF, VEL ON, METAL OFF	230.12	IR	Readers
Y	900NBNNFKE0365	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED BLUE, FLSH GRN, BZR OFF, OPT TAMP, CSN SUPPR, IPM OFF, VEL ON, METAL ON	230.12	IR	Readers
Y	900NBNNFKE0366	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED BLUE, FLSH GRN, BZR OFF, OPT TAMP, CSN SUPPR, IPM ON, VEL ON, METAL OFF	230.12	IR	Readers
Y	900NBNNFKE0367	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED BLUE, FLSH GRN, BZR OFF, OPT TAMP, CSN SUPPR, IPM ON, VEL ON, METAL ON	230.12	IR	Readers
Y	900NBNNFKE0432	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED BLUE, FLSH OFF, BZR ON, OPT TAMP, CSN SUPPR, IPM OFF, VEL OFF, METAL OFF	230.12	IR	Readers
Y	900NBNNFKE0433	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED BLUE, FLSH OFF, BZR ON, OPT TAMP, CSN SUPPR, IPM OFF, VEL OFF, METAL ON	230.12	IR	Readers
Y	900NBNNFKE0434	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED BLUE, FLSH OFF, BZR ON, OPT TAMP, CSN SUPPR, IPM ON, VEL OFF, METAL OFF	230.12	IR	Readers
Y	900NBNNFKE0435	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED BLUE, FLSH OFF, BZR ON, OPT TAMP, CSN SUPPR, IPM ON, VEL OFF, METAL ON	230.12	IR	Readers
Y	900NBNNFKE0436	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED BLUE, FLSH OFF, BZR ON, OPT TAMP, CSN SUPPR, IPM OFF, VEL ON, METAL OFF	230.12	IR	Readers
Y	900NBNNFKE0437	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED BLUE, FLSH OFF, BZR ON, OPT TAMP, CSN SUPPR, IPM OFF, VEL ON, METAL ON	230.12	IR	Readers
Y	900NBNNFKE0438	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED BLUE, FLSH OFF, BZR ON, OPT TAMP, CSN SUPPR, IPM ON, VEL ON, METAL OFF	230.12	IR	Readers
Y	900NBNNFKE0439	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED BLUE, FLSH OFF, BZR ON, OPT TAMP, CSN SUPPR, IPM ON, VEL ON, METAL ON	230.12	IR	Readers
Y	900NBNNFKE0504	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED BLUE, FLSH OFF, BZR OFF, OPT TAMP, CSN SUPPR, IPM OFF, VEL OFF, METAL OFF	230.12	IR	Readers
Y	900NBNNFKE0505	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED BLUE, FLSH OFF, BZR OFF, OPT TAMP, CSN SUPPR, IPM OFF, VEL OFF, METAL ON	230.12	IR	Readers
Y	900NBNNFKE0506	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED BLUE, FLSH OFF, BZR OFF, OPT TAMP, CSN SUPPR, IPM ON, VEL OFF, METAL OFF	230.12	IR	Readers
Y	900NBNNFKE0507	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED BLUE, FLSH OFF, BZR OFF, OPT TAMP, CSN SUPPR, IPM ON, VEL OFF, METAL ON	230.12	IR	Readers
Y	900NBNNFKE0508	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED BLUE, FLSH OFF, BZR OFF, OPT TAMP, CSN SUPPR, IPM OFF, VEL ON, METAL OFF	230.12	IR	Readers
Y	900NBNNFKE0509	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED BLUE, FLSH OFF, BZR OFF, OPT TAMP, CSN SUPPR, IPM OFF, VEL ON, METAL ON	230.12	IR	Readers
Y	900NBNNFKE0510	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED BLUE, FLSH OFF, BZR OFF, OPT TAMP, CSN SUPPR, IPM ON, VEL ON, METAL OFF	230.12	IR	Readers
Y	900NBNNFKE0511	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA, WIEG, PIG, BLK, ELITE, LED BLUE, FLSH OFF, BZR OFF, OPT TAMP, CSN SUPPR, IPM ON, VEL ON, METAL ON	230.12	IR	Readers
Y	900NCNNFK20000	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN 32-BIT MSB, IPM OFF, VEL OFF, METAL OFF	216.18	IR	Readers
Y	900NCNNFK20001	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN 32-BIT MSB, IPM OFF, VEL OFF, METAL ON	216.18	IR	Readers
Y	900NCNNFK20002	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN 32-BIT MSB, IPM ON, VEL OFF, METAL OFF	216.18	IR	Readers
Y	900NCNNFK20003	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN 32-BIT MSB, IPM ON, VEL OFF, METAL ON	216.18	IR	Readers
Y	900NCNNFK20004	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN 32-BIT MSB, IPM OFF, VEL ON, METAL OFF	216.18	IR	Readers
Y	900NCNNFK20005	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN 32-BIT MSB, IPM OFF, VEL ON, METAL ON	216.18	IR	Readers
Y	900NCNNFK20006	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN 32-BIT MSB, IPM ON, VEL ON, METAL OFF	216.18	IR	Readers
Y	900NCNNFK20007	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN 32-BIT MSB, IPM ON, VEL ON, METAL ON	216.18	IR	Readers
Y	900NCNNFK20008	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN 32-BIT LSB, IPM OFF, VEL OFF, METAL OFF	216.18	IR	Readers
Y	900NCNNFK20009	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN 32-BIT LSB, IPM OFF, VEL OFF, METAL ON	216.18	IR	Readers
Y	900NCNNFK20010	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN 32-BIT LSB, IPM ON, VEL OFF, METAL OFF	216.18	IR	Readers
Y	900NCNNFK20011	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN 32-BIT LSB, IPM ON, VEL OFF, METAL ON	216.18	IR	Readers
Y	900NCNNFK20012	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN 32-BIT LSB, IPM OFF, VEL ON, METAL OFF	216.18	IR	Readers
Y	900NCNNFK20013	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN 32-BIT LSB, IPM OFF, VEL ON, METAL ON	216.18	IR	Readers
Y	900NCNNFK20014	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN 32-BIT LSB, IPM ON, VEL ON, METAL OFF	216.18	IR	Readers
Y	900NCNNFK20015	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN 32-BIT LSB, IPM ON, VEL ON, METAL ON	216.18	IR	Readers
Y	900NCNNFK20016	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN 26-BIT (W/DEFAULT FC), IPM OFF, VEL OFF, METAL OFF	216.18	IR	Readers
Y	900NCNNFK20017	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN 26-BIT (W/DEFAULT FC), IPM OFF, VEL OFF, METAL ON	216.18	IR	Readers
Y	900NCNNFK20018	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN 26-BIT (W/DEFAULT FC), IPM ON, VEL OFF, METAL OFF	216.18	IR	Readers
Y	900NCNNFK20019	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN 26-BIT (W/DEFAULT FC), IPM ON, VEL OFF, METAL ON	216.18	IR	Readers
Y	900NCNNFK20020	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN 26-BIT (W/DEFAULT FC), IPM OFF, VEL ON, METAL OFF	216.18	IR	Readers
Y	900NCNNFK20021	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN 26-BIT (W/DEFAULT FC), IPM OFF, VEL ON, METAL ON	216.18	IR	Readers
Y	900NCNNFK20022	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN 26-BIT (W/DEFAULT FC), IPM ON, VEL ON, METAL OFF	216.18	IR	Readers
Y	900NCNNFK20023	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN 26-BIT (W/DEFAULT FC), IPM ON, VEL ON, METAL ON	216.18	IR	Readers
Y	900NCNNFK20024	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN 34-BIT MSB, IPM OFF, VEL OFF, METAL OFF	216.18	IR	Readers

Y	900NCNNFK20025	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN 34-BIT MSB, IPM OFF, VEL OFF, METAL ON	216.18	IR	Readers
Y	900NCNNFK20026	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN 34-BIT MSB, IPM ON, VEL OFF, METAL OFF	216.18	IR	Readers
Y	900NCNNFK20027	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN 34-BIT MSB, IPM ON, VEL OFF, METAL ON	216.18	IR	Readers
Y	900NCNNFK20028	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN 34-BIT MSB, IPM OFF, VEL ON, METAL OFF	216.18	IR	Readers
Y	900NCNNFK20029	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN 34-BIT MSB, IPM OFF, VEL ON, METAL ON	216.18	IR	Readers
Y	900NDNNFK20000	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN 32-BIT MSB, IPM OFF, VEL OFF, METAL OFF	271.96	IR	Readers
Y	900NDNNFK20001	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN 32-BIT MSB, IPM OFF, VEL OFF, METAL ON	271.96	IR	Readers
Y	900NDNNFK20015	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN 32-BIT LSB, IPM ON, VEL ON, METAL ON	271.96	IR	Readers
Y	900NDNNFK20020	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN 26-BIT (W/DEFAULT FC), IPM OFF, VEL ON, METAL OFF	271.96	IR	Readers
Y	900NDNNFK20119	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR OFF, OPT TAMP, CSN 37-BIT LSB, IPM ON, VEL ON, METAL ON	271.96	IR	Readers
Y	900NDNNFK20120	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR OFF, OPT TAMP, CSN 56-BIT LSB, IPM OFF, VEL OFF, METAL OFF	271.96	IR	Readers
Y	900NDNNFK20121	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR OFF, OPT TAMP, CSN 56-BIT LSB, IPM OFF, VEL OFF, METAL ON	271.96	IR	Readers
Y	900NDNNFK20122	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR OFF, OPT TAMP, CSN 56-BIT LSB, IPM ON, VEL OFF, METAL OFF	271.96	IR	Readers
Y	900NDNNFK20123	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR OFF, OPT TAMP, CSN 56-BIT LSB, IPM ON, VEL OFF, METAL ON	271.96	IR	Readers
Y	900NDNNFK20124	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR OFF, OPT TAMP, CSN 56-BIT LSB, IPM OFF, VEL ON, METAL OFF	271.96	IR	Readers
Y	900NDNNFK20125	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR OFF, OPT TAMP, CSN 56-BIT LSB, IPM OFF, VEL ON, METAL ON	271.96	IR	Readers
Y	900NDNNFK20126	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR OFF, OPT TAMP, CSN 56-BIT LSB, IPM ON, VEL ON, METAL OFF	271.96	IR	Readers
Y	900NDNNFK20127	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR OFF, OPT TAMP, CSN 56-BIT LSB, IPM ON, VEL ON, METAL ON	271.96	IR	Readers
Y	900NDNNFK20128	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR OFF, OPT TAMP, CSN 26-BIT MSB, IPM OFF, VEL OFF, METAL OFF	271.96	IR	Readers
Y	900NDNNFK20129	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR OFF, OPT TAMP, CSN 26-BIT MSB, IPM OFF, VEL OFF, METAL ON	271.96	IR	Readers
Y	900NDNNFK20130	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR OFF, OPT TAMP, CSN 26-BIT MSB, IPM ON, VEL OFF, METAL OFF	271.96	IR	Readers
Y	900NDNNFK20131	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR OFF, OPT TAMP, CSN 26-BIT MSB, IPM ON, VEL OFF, METAL ON	271.96	IR	Readers
Y	900NDNNFK20132	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR OFF, OPT TAMP, CSN 26-BIT MSB, IPM OFF, VEL ON, METAL OFF	271.96	IR	Readers
Y	900NDNNFK20133	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR OFF, OPT TAMP, CSN 26-BIT MSB, IPM OFF, VEL ON, METAL ON	271.96	IR	Readers
Y	900NDNNFK20134	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR OFF, OPT TAMP, CSN 26-BIT MSB, IPM ON, VEL ON, METAL OFF	271.96	IR	Readers
Y	900NDNNFK20135	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR OFF, OPT TAMP, CSN 26-BIT MSB, IPM ON, VEL ON, METAL ON	271.96	IR	Readers
Y	900NDNNFK20136	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR OFF, OPT TAMP, CSN 56-BIT MSB, IPM OFF, VEL OFF, METAL OFF	271.96	IR	Readers
Y	900NDNNFK20137	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR OFF, OPT TAMP, CSN 56-BIT MSB, IPM OFF, VEL OFF, METAL ON	271.96	IR	Readers
Y	900NDNNFK20138	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR OFF, OPT TAMP, CSN 56-BIT MSB, IPM ON, VEL OFF, METAL OFF	271.96	IR	Readers
Y	900NDNNFK20139	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR OFF, OPT TAMP, CSN 56-BIT MSB, IPM ON, VEL OFF, METAL ON	271.96	IR	Readers
Y	900NDNNFK20140	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR OFF, OPT TAMP, CSN 56-BIT MSB, IPM OFF, VEL ON, METAL OFF	271.96	IR	Readers
Y	900NDNNFK20141	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR OFF, OPT TAMP, CSN 56-BIT MSB, IPM OFF, VEL ON, METAL ON	271.96	IR	Readers
Y	900NDNNFK20142	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR OFF, OPT TAMP, CSN 56-BIT MSB, IPM ON, VEL ON, METAL OFF	271.96	IR	Readers
Y	900NDNNFK20143	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR OFF, OPT TAMP, CSN 56-BIT MSB, IPM ON, VEL ON, METAL ON	271.96	IR	Readers
Y	900NDNNFK20144	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 32-BIT MSB, IPM OFF, VEL OFF, METAL OFF	271.96	IR	Readers
Y	900NDNNFK20145	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 32-BIT MSB, IPM OFF, VEL OFF, METAL ON	271.96	IR	Readers
Y	900NDNNFK20146	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 32-BIT MSB, IPM ON, VEL OFF, METAL OFF	271.96	IR	Readers
Y	900NDNNFK20147	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 32-BIT MSB, IPM ON, VEL OFF, METAL ON	271.96	IR	Readers
Y	900NDNNFK20148	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 32-BIT MSB, IPM OFF, VEL ON, METAL OFF	271.96	IR	Readers
Y	900NDNNFK20149	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 32-BIT MSB, IPM OFF, VEL ON, METAL ON	271.96	IR	Readers
Y	900NDNNFK20150	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 32-BIT MSB, IPM ON, VEL ON, METAL OFF	271.96	IR	Readers
Y	900NDNNFK20151	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 32-BIT MSB, IPM ON, VEL ON, METAL ON	271.96	IR	Readers
Y	900NDNNFK20152	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 32-BIT LSB, IPM OFF, VEL OFF, METAL OFF	271.96	IR	Readers
Y	900NDNNFK20153	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 32-BIT LSB, IPM OFF, VEL OFF, METAL ON	271.96	IR	Readers
Y	900NDNNFK20154	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 32-BIT LSB, IPM ON, VEL OFF, METAL OFF	271.96	IR	Readers
Y	900NDNNFK20155	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 32-BIT LSB, IPM ON, VEL OFF, METAL ON	271.96	IR	Readers
Y	900NDNNFK20156	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 32-BIT LSB, IPM OFF, VEL ON, METAL OFF	271.96	IR	Readers
Y	900NDNNFK20157	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 32-BIT LSB, IPM OFF, VEL ON, METAL ON	271.96	IR	Readers
Y	900NDNNFK20158	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 32-BIT LSB, IPM ON, VEL ON, METAL OFF	271.96	IR	Readers
Y	900NDNNFK20159	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 32-BIT LSB, IPM ON, VEL ON, METAL ON	271.96	IR	Readers
Y	900NDNNFK20160	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 26-BIT (W/DEFAULT FC), IPM OFF, VEL OFF, METAL OFF	271.96	IR	Readers
Y	900NDNNFK20161	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 26-BIT (W/DEFAULT FC), IPM OFF, VEL OFF, METAL ON	271.96	IR	Readers
Y	900NDNNFK20162	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 26-BIT (W/DEFAULT FC), IPM ON, VEL OFF, METAL OFF	271.96	IR	Readers
Y	900NDNNFK20163	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 26-BIT (W/DEFAULT FC), IPM ON, VEL OFF, METAL ON	271.96	IR	Readers
Y	900NDNNFK20164	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 26-BIT (W/DEFAULT FC), IPM OFF, VEL ON, METAL OFF	271.96	IR	Readers
Y	900NDNNFK20165	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 26-BIT (W/DEFAULT FC), IPM OFF, VEL ON, METAL ON	271.96	IR	Readers
Y	900NDNNFK20166	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 26-BIT (W/DEFAULT FC), IPM ON, VEL ON, METAL OFF	271.96	IR	Readers
Y	900NDNNFK20167	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 26-BIT (W/DEFAULT FC), IPM ON, VEL ON, METAL ON	271.96	IR	Readers
Y	900NDNNFK20168	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 34-BIT MSB, IPM OFF, VEL OFF, METAL OFF	271.96	IR	Readers
Y	900NDNNFK20169	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 34-BIT MSB, IPM OFF, VEL OFF, METAL ON	271.96	IR	Readers
Y	900NDNNFK20170	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 34-BIT MSB, IPM ON, VEL OFF, METAL OFF	271.96	IR	Readers
Y	900NDNNFK20171	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 34-BIT MSB, IPM ON, VEL OFF, METAL ON	271.96	IR	Readers
Y	900NDNNFK20172	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 34-BIT MSB, IPM OFF, VEL ON, METAL OFF	271.96	IR	Readers
Y	900NDNNFK20173	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 34-BIT MSB, IPM OFF, VEL ON, METAL ON	271.96	IR	Readers
Y	900NDNNFK20174	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 34-BIT MSB, IPM ON, VEL ON, METAL OFF	271.96	IR	Readers
Y	900NDNNFK20175	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 34-BIT MSB, IPM ON, VEL ON, METAL ON	271.96	IR	Readers
Y	900NDNNFK20176	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 40-BIT MSB, IPM OFF, VEL OFF, METAL OFF	271.96	IR	Readers
Y	900NDNNFK20177	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 40-BIT MSB, IPM OFF, VEL OFF, METAL ON	271.96	IR	Readers
Y	900NDNNFK20178	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 40-BIT MSB, IPM ON, VEL OFF, METAL OFF	271.96	IR	Readers
Y	900NDNNFK20179	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 40-BIT MSB, IPM ON, VEL OFF, METAL ON	271.96	IR	Readers
Y	900NDNNFK20180	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 40-BIT MSB, IPM OFF, VEL ON, METAL OFF	271.96	IR	Readers
Y	900NDNNFK20181	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 40-BIT MSB, IPM OFF, VEL ON, METAL ON	271.96	IR	Readers
Y	900NDNNFK20182	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 40-BIT MSB, IPM ON, VEL ON, METAL OFF	271.96	IR	Readers
Y	900NDNNFK20183	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 40-BIT MSB, IPM ON, VEL ON, METAL ON	271.96	IR	Readers
Y	900NDNNFK20184	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 37-BIT LSB, IPM OFF, VEL OFF, METAL OFF	271.96	IR	Readers
Y	900NDNNFK20185	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 37-BIT LSB, IPM OFF, VEL OFF, METAL ON	271.96	IR	Readers
Y	900NDNNFK20186	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 37-BIT LSB, IPM ON, VEL OFF, METAL OFF	271.96	IR	Readers

Y	900NDNNFK20187	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 37-BIT LSB, IPM ON, VEL OFF, METAL ON	271.96	IR	Readers
Y	900NDNNFK20188	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 37-BIT LSB, IPM OFF, VEL ON, METAL OFF	271.96	IR	Readers
Y	900NDNNFK20189	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 37-BIT LSB, IPM OFF, VEL ON, METAL ON	271.96	IR	Readers
Y	900NDNNFK20190	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 37-BIT LSB, IPM ON, VEL ON, METAL OFF	271.96	IR	Readers
Y	900NDNNFK20191	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 37-BIT LSB, IPM ON, VEL ON, METAL ON	271.96	IR	Readers
Y	900NDNNFK20192	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 56-BIT LSB, IPM OFF, VEL OFF, METAL OFF	271.96	IR	Readers
Y	900NDNNFK20193	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 56-BIT LSB, IPM OFF, VEL OFF, METAL ON	271.96	IR	Readers
Y	900NDNNFK20194	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 56-BIT LSB, IPM ON, VEL OFF, METAL OFF	271.96	IR	Readers
Y	900NDNNFK20195	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 56-BIT LSB, IPM ON, VEL OFF, METAL ON	271.96	IR	Readers
Y	900NDNNFK20196	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 56-BIT LSB, IPM OFF, VEL ON, METAL OFF	271.96	IR	Readers
Y	900NDNNFK20197	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 56-BIT LSB, IPM OFF, VEL ON, METAL ON	271.96	IR	Readers
Y	900NDNNFK20198	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 56-BIT LSB, IPM ON, VEL ON, METAL OFF	271.96	IR	Readers
Y	900NDNNFK20199	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 56-BIT LSB, IPM ON, VEL ON, METAL ON	271.96	IR	Readers
Y	900NDNNFK20200	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 26-BIT MSB, IPM OFF, VEL OFF, METAL OFF	271.96	IR	Readers
Y	900NDNNFK20201	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 26-BIT MSB, IPM OFF, VEL OFF, METAL ON	271.96	IR	Readers
Y	900NDNNFK20202	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 26-BIT MSB, IPM ON, VEL OFF, METAL OFF	271.96	IR	Readers
Y	900NDNNFK20203	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 26-BIT MSB, IPM ON, VEL OFF, METAL ON	271.96	IR	Readers
Y	900NDNNFK20204	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 26-BIT MSB, IPM OFF, VEL ON, METAL OFF	271.96	IR	Readers
Y	900NDNNFK20205	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 26-BIT MSB, IPM OFF, VEL ON, METAL ON	271.96	IR	Readers
Y	900NDNNFK20206	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 26-BIT MSB, IPM ON, VEL ON, METAL OFF	271.96	IR	Readers
Y	900NDNNFK20207	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 26-BIT MSB, IPM ON, VEL ON, METAL ON	271.96	IR	Readers
Y	900NDNNFK20208	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 56-BIT MSB, IPM OFF, VEL OFF, METAL OFF	271.96	IR	Readers
Y	900NDNNFK20209	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 56-BIT MSB, IPM OFF, VEL OFF, METAL ON	271.96	IR	Readers
Y	900NDNNFK20210	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 56-BIT MSB, IPM ON, VEL OFF, METAL OFF	271.96	IR	Readers
Y	900NDNNFK20211	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 56-BIT MSB, IPM ON, VEL OFF, METAL ON	271.96	IR	Readers
Y	900NDNNFK20212	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 56-BIT MSB, IPM OFF, VEL ON, METAL OFF	271.96	IR	Readers
Y	900NDNNFK20213	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 56-BIT MSB, IPM OFF, VEL ON, METAL ON	271.96	IR	Readers
Y	900NDNNFK20214	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 56-BIT MSB, IPM ON, VEL ON, METAL OFF	271.96	IR	Readers
Y	900NDNNFK20215	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, CSN 56-BIT MSB, IPM ON, VEL ON, METAL ON	271.96	IR	Readers
Y	900NDNNFK20216	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR OFF, OPT TAMP, CSN 32-BIT MSB, IPM OFF, VEL OFF, METAL OFF	271.96	IR	Readers
Y	900NDNNFK20217	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR OFF, OPT TAMP, CSN 32-BIT MSB, IPM OFF, VEL OFF, METAL ON	271.96	IR	Readers
Y	900NDNNFK20218	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, STD-2, LED RED, FLSH OFF, BZR OFF, OPT TAMP, CSN 32-BIT MSB, IPM ON, VEL OFF, METAL OFF	271.96	IR	Readers
Y	900NDNNFKE0000	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS/MA/CSN, WIEG, PIG, BLK, ELITE, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN 32-BIT MSB, IPM OFF, VEL OFF, METAL OFF	271.96	IR	Readers
Y	900NHPNEK0000R	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	260.71	IR	Readers
Y	900NHPNEK00088	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	260.71	IR	Readers
Y	900NHPNEK0032Q	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	260.71	IR	Readers
Y	900NHPNEK00336	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	260.71	IR	Readers
Y	900NHPNEKE032Q	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	260.71	IR	Readers
Y	900NHPTEK0000R	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	260.71	IR	Readers
Y	900NHPTEK00088	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	260.71	IR	Readers
Y	900NHPTEK000UF	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, OSDP V2, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	260.71	IR	Readers
Y	900NHPTEK0032Q	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	260.71	IR	Readers
Y	900NHPTEK00336	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	260.71	IR	Readers
Y	900NHPTEK00337	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, IPM OFF, UART OFF, WIEG ON	260.71	IR	Readers
Y	900NHPTEK0036L	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, A/V OFF, OSDP V1, OPT TAMP, OPEN COLL, OSDP TAMP DISBLD, TEST KEYS, POLL=75MS, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	260.71	IR	Readers
Y	900NHPTEKE036N	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, ELITE, A/V OFF, OSDP V1, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	260.71	IR	Readers
Y	900NHRNEK0000C	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	260.71	IR	Readers
Y	900NHRNEK00018	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, MIF/DES 56-BIT CSN, IPM OFF, UART OFF, WIEG ON	260.71	IR	Readers
Y	900NHRNEK0001T	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	260.71	IR	Readers
Y	900NHRNEK0001Y	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, BCD, IPM OFF, UART OFF, WIEG ON	260.71	IR	Readers
Y	900NHRNEK00032	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, RVRS BCD, IPM OFF, UART OFF, WIEG ON	260.71	IR	Readers
Y	900NHRNEK00038	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, MIF/DES 56-BIT CSN, IPM OFF, UART OFF, WIEG ON	260.71	IR	Readers
Y	900NHRNEK0005W	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, BCD, IPM OFF, UART OFF, WIEG ON	260.71	IR	Readers
Y	900NHRNEK00110	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 40-BIT, BCD, IPM OFF, UART OFF, WIEG ON	260.71	IR	Readers
Y	900NHRNEK0012W	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	260.71	IR	Readers
Y	900NHRNEK00220	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 128-BIT, FASCN + RMV OVRHD, IPM OFF, UART OFF, WIEG ON	260.71	IR	Readers
Y	900NHRNEK00226	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED OFF, FLSH GRN, BZR OFF, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	260.71	IR	Readers
Y	900NHRNEK0032Y	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, IPM OFF, UART ON, WIEG OFF	260.71	IR	Readers
Y	900NHRNEK0037D	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	260.71	IR	Readers
Y	900NHRNEK000C	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, ELITE KEYS, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	260.71	IR	Readers
Y	900NHRNEKE001T	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, ELITE KEYS, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	260.71	IR	Readers
Y	900NHRTEK0000C	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	260.71	IR	Readers
Y	900NHRTEK00018	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, MIF/DES 56-BIT CSN, IPM OFF, UART OFF, WIEG ON	260.71	IR	Readers
Y	900NHRTEK0001T	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	260.71	IR	Readers
Y	900NHRTEK00038	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, MIF/DES 56-BIT CSN, IPM OFF, UART OFF, WIEG ON	260.71	IR	Readers
Y	900NHRTEK0003C	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	260.71	IR	Readers
Y	900NHRTEK0032Y	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, IPM OFF, UART ON, WIEG OFF	260.71	IR	Readers
Y	900NHRTEK000C	RDR, R10-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	260.71	IR	Readers
Y	900NSNNFK20000	RDR, R10, ICLASS, SE F, LF OFF, HF STD, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN SUPPR, IPM OFF	174.33	IR	Readers
Y	900NSNNFK20001	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN SUPPR, IPM OFF, VEL OFF, METAL ON	174.33	IR	Readers
Y	900NSNNFKE0000	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS, WIEG, PIG, BLK, ELITE, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN SUPPR, IPM OFF, VEL OFF, METAL OFF	174.33	IR	Readers
Y	900NSNNFKE0001	RDR, R10, ICLASS, SE F, LF OFF, HF SEOS, WIEG, PIG, BLK, ELITE, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN SUPPR, IPM OFF, VEL OFF, METAL ON	174.33	IR	Readers
Y	900NWNNEK000BK	RDR, R10, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, WIEG, PIG, BLK, LED OFF, FLSH AMBER, BZR OFF, CSN 56-BIT MSB, HF MIGR PFL EVP00000, IPM OFF	321.47	IR	Readers
Y	900NWNNEK00324	RDR, R10, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, WIEG, PIG, BLK, HF MIGR PFL EVP00000, IPM OFF	321.47	IR	Readers
Y	900NWNNEKE00AT	RDR, R10, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, WIEG, PIG, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, IPM OFF, HF MIGR PFL EVP00000_ICE0318, IPM OFF	321.47	IR	Readers
Y	900NWNNEKE00FL	RDR, R10, ICLASS, SE E, LF OFF, HF MIGR ONLY, WIEG, PIG, BLK, LED RED, FLSH GRN, BZR ON, IPM OFF, HF MIGR PFL EVC00000_ICE0619, ABP_GROSVENOR	321.47	IR	Readers
Y	900NWNNEKE00G4	RDR, R10, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR/HID MIFARE APPLICATION/MF CSN SUPPR, WIEG, PIG, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, IPM OFF	321.47	IR	Readers

Y	900NWNNEKE00GK	RDR, R10, ICLASS, SE E, LF OFF, HF MIGR ONLY, WIEG, PIG, BLK,LED RED, FLSH GRN, BZR ON, IPM OFF, HF MIGR PFL EVC23807_ICE0705, CBORD	321.47	IR	Readers
Y	900NWNNEKE014Q	RDR, R10, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, WIEG, PIG, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, HF MIGR PFL EVP00000, IPM OFF	321.47	IR	Readers
Y	900NWNNEKE0317	RDR, R10, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, WIEG, PIG, BLK, HF MIGR PFL EVC179421, IPM OFF	321.47	IR	Readers
Y	900NWNNEKE049B	RDR, R10, ICLASS, SE E, LF OFF, HF MIGRATION ONLY, WIEG, PIG, BLK, HF MIGR PFL EVC302415, IPM OFF	321.47	IR	Readers
Y	900NWNNEKE0533	RDR, R10, ICLASS, SE E, LF OFF, HF CST LEG/HID MIFARE APPL/MF CSN SUPPR, WIEG, PIG, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, IPM OFF MIGR PFL EVPH0026	321.47	IR	Readers
Y	900NWNNEKE0536	RDR, R10, ICLASS, SE E, LF OFF, HF MIGR, WIEG, PIG, BLK, LED OFF, FLSH OFF, BZR ON, IPM OFF, HF MIGR PFL EVC00000_ICE0440, DIVERSIFIED KEY DISABLED	321.47	IR	Readers
Y	900NWNNEKE05A7	RDR, R10, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, WIEG, PIG, BLK, LED RED, FLSH OFF, BZR ON, WIEGAND PULSE TIME 100US, IPM OFF, HF MIGR PFL EVCS5164	321.47	IR	Readers
Y	900NWNTEK000BK	RDR, R10, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, WIEG, TERM, BLK, LED OFF, FLSH AMBER, BZR OFF, CSN 56-BIT MSB, HF MIGR PFL EVP00000, IPM OFF	321.47	IR	Readers
Y	900NWNTEK00324	RDR, R10, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, WIEG, TERM, BLK, HF MIGR PFL EVP00000, IPM OFF	321.47	IR	Readers
Y	900NWNTEK00328	RDR, R10, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, WIEG, TERM, BLK, HF MIGR PFL EVP156537, IPM OFF	321.47	IR	Readers
Y	900NWNTEK00329	RDR, R10, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, WIEG, TERM, BLK, HF MIGR PFL EVP185091, IPM OFF	321.47	IR	Readers
Y	900NWNTEK0042Y	RDR, R10, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIG, WIEG, TERM, BLK, HF MIGR PFL EVP219587, IPM OFF	321.47	IR	Readers
Y	900NWNTEK0043A	RDR, R10, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIG, WIEG, TERM, BLK, HF MIGR PFL EVP237805, IPM OFF	321.47	IR	Readers
Y	900NWNTEKE006X	RDR, R40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIG, WIEG, TERM, BLK, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN SUPPR, HF MIGR PFL EVP00000, IPM OFF	321.47	IR	Readers
Y	900NWNTEKE00AT	RDR, R10, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, IPM OFF, HF MIGR PFL EVP00000_ICE0318, IPM OFF	321.47	IR	Readers
Y	900NWNTEKE00JE	RDR, R10, ICLASS, SE E, LF OFF, HF SIO/SEOS/MIGR, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, IPM OFF, HF MIGR PFL EVCS5713_ICE0596	321.47	IR	Readers
Y	900NWNTEKE00U2	RDR, R10, ICLASS, LF OFF, HF STD/SIO/SEOS/MIGR, WIEG, TERM, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, HF MIGR PFL EVP00000, IPM OFF	321.47	IR	Readers
Y	900NWNTEKE00UM	RDR, R10, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, WIEG, TERM, BLK, LED RED, FSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN-56-BIT MSB, HF MIGR PFL EVP00000, IPM OFF	321.47	IR	Readers
Y	900NWNTEKE014Q	RDR, R10, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, HF MIGR PFL EVP00000, IPM OFF	321.47	IR	Readers
Y	900NWNTEKE030N	RDR, R10, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, WIEG, TERM, BLK, HF MIGR PFL EVC111086, IPM OFF	321.47	IR	Readers
Y	900NWNTEKE0311	RDR, R10, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, WIEG, TERM, BLK, HF MIGR PFL EVC128877, IPM OFF	321.47	IR	Readers
Y	900NWNTEKE031J	RDR, R10, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, WIEG, TERM, BLK, HF MIGR PFL EVC63410, IPM OFF	321.47	IR	Readers
Y	900NWNTEKE042A	RDR, R10, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIG, WIEG, TERM, BLK, HF MIGR PFL EVC01210, IPM OFF	321.47	IR	Readers
Y	900NWNTEKE042R	RDR, R10, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIG, WIEG, TERM, BLK, HF MIGR PFL EVC244856, IPM OFF	321.47	IR	Readers
Y	900NWNTEKE0533	RDR, R10, ICLASS, SE E, LF OFF, HF CST LEG/HID MIFARE APPL/MF CSN SUPPR, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, IPM OFF MIGR PFL EVPH0026	321.47	IR	Readers
Y	900NWNTEKE0536	RDR, R10, ICLASS, SE E, LF OFF, HF MIGR, WIEG, TERM, BLK, LED OFF, FLSH OFF, BZR ON, IPM OFF, HF MIGR PFL EVC00000_ICE0440, DIVERSIFIED KEY DISABLED	321.47	IR	Readers
Y	900NWNTEKE054T	RDR, R10, ICLASS, SE E, LF OFF, HF SEOS/MIG, WIEG, TERM, BLK, HF MIGR PFL EVCF0114_ICE0363, IPM OFF, ADOBE	321.47	IR	Readers
Y	900NWPNEK0047N	RDR, R10, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, 485HDX, PIG, BLK, HF MIGR A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENABLED, TEST KEY, POLL=75MS, CSN 56-BIT MSB, IPM OFF, UART OFF, WIEG OFF, EVP00000	370.29	IR	Readers
Y	900NWPNEK00483	RDR, R10, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, 485HDX, PIG, BLK, HF MIGR,WIEG, LED OFF, FLSH OFF, BZR OFF,, OPT TAMP, OPEN COLL, CSN 56-BIT MSB, IPM OFF, UART OFF, WIEG ON, EVP00000	370.29	IR	Readers
Y	900NWPNEKE00KV	RDR, R10, ICLASS, LF OFF, HF STD/SIO/SEOS/MIGR, 485HDX, PIG, BLK, STD-1, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, HF MIGR PFL EVP00000, IPM OFF	370.29	IR	Readers
Y	900NWPNEKE00VE	RDR, R10, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, 485HDX, PIG, BLK, OSDP V2, A/V OFF, OPT TAMP, OPEN COLL, OPT TAMP, CSN 32-BIT MSB, HF MIGR PFL EVP00000, IPM OFF	370.29	IR	Readers
Y	900NWPNEKE014K	RDR, R10, ICLASS, SE E, LF OFF, HF CST/SIO/SEOS/MIGR/MF CSN SUPPR, 485HDX, PIG, BLK, STD-1, A/V OFF, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, HF MIGR PFL EVP00000, IPM OFF	370.29	IR	Readers
Y	900NWPNEKE01A1	RDR, R10, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, 485HDX, PIG, BLK, HF MIGR PFL EVP00000_ICE0318, IPM OFF, NO KPD, NO PROX, OSDPV1, MIFARE CSN 32-BIT MSB	370.29	IR	Readers
Y	900NWPTEK00324	RDR, R10, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, 485HDX, TERM, BLK, HF MIGR PFL EVP00000_ICE0318, IPM OFF, NO KPD, NO PROX, OSDPV1	370.29	IR	Readers
Y	900NWPTEK00327	RDR, R10, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, 485HDX, TERM, BLK, HF MIGR PFL EVP00120, IPM OFF	370.29	IR	Readers
Y	900NWPTEK0047N	RDR, R10, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, 485HDX, TERM, BLK, HF MIGR A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENABLED, TEST KEY, POLL=75MS, CSN 56-BIT MSB, IPM OFF, UART OFF, WIEG OFF, EVP00000	370.29	IR	Readers
Y	900NWPTEK00483	RDR, R10, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, 485HDX, TERM, BLK, HF MIGR,WIEG, LED OFF, FLSH OFF, BZR OFF,, OPT TAMP, OPEN COLL, CSN 56-BIT MSB, A/V IPM OFF, UART OFF, WIEG ON, EVP00000	370.29	IR	Readers
Y	900NWPTEKE00KV	RDR, R10, ICLASS, LF OFF, HF STD/SIO/SEOS/MIGR, 485HDX, TERM, BLK, STD-1, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, HF MIGR PFL EVP00000, IPM OFF	370.29	IR	Readers
Y	900NWPTEKE00YV	RDR, R10, ICLASS, SE E, LF OFF, HF MIGR ONLY, 485HDX, TERM, BLK, A/V OFF, OSDP V1, OPT TAMP, OPEN COLL, OSDP TAMP, CSN SUPPR, IPM OFF, HF MIGR PFL EVC51076_ICE1066	370.29	IR	Readers
Y	900NWPTEKE01A1	RDR, R10, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, 485HDX, TERM, BLK, HF MIGR PFL EVP00000_ICE0318, IPM OFF, NO KPD, NO PROX, OSDPV1, MIFARE CSN 32-BIT MSB	370.29	IR	Readers
Y	900NWPTEKE056U	RDR, R10, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, 485HDX, TERM, BLK, A/V OFF, OSDP V1, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, HF MIGR PFL EVCE26503_ICE0315_ICE0324_ICE0178, IPM OFF, AKER SOLUTION	370.29	IR	Readers
Y	900PHPNEK0000V	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	318.34	IR	Readers
Y	900PHPNEK0003Y	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	318.34	IR	Readers
Y	900PHPNEK000HA	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, IPM OFF, UART OFF, WIEG ON	318.34	IR	Readers
Y	900PHPNEK000UH	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, OSDP V2, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	318.34	IR	Readers
Y	900PHPNEK0032U	RDR, RP10-H, PIVCLASS, SE E, LF STD,HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	318.34	IR	Readers
Y	900PHPNEK00332	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 75-BIT, IPM OFF, UART OFF, WIEG OFF	318.34	IR	Readers
Y	900PHPNEK00335	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 64-BIT, IPM OFF, UART OFF, WIEG OFF	318.34	IR	Readers
Y	900PHPNEK00338	RDR, RP10-H, PIVCLASS, SE E, LF STD,HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	318.34	IR	Readers
Y	900PHPNEK00339	RDR, RP10-H, PIVCLASS, SE E, LF STD,HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, IPM OFF, UART OFF, WIEG ON	318.34	IR	Readers
Y	900PHPNEKE000V	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	318.34	IR	Readers
Y	900PHPNEKE003Y	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	318.34	IR	Readers
Y	900PHPNEKE00HA	RDR, RP10-H, PIVCLASS, SE E, LF STD,HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, ELITE, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, IPM OFF, UART OFF, WIEG ON	318.34	IR	Readers
Y	900PHPNEKE032U	RDR, RP10-H, PIVCLASS, SE E, LF STD,HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	318.34	IR	Readers
Y	900PHPNEKE0332	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 75-BIT, IPM OFF, UART OFF, WIEG OFF	318.34	IR	Readers
Y	900PHPNEKE0335	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 64-BIT, IPM OFF, UART OFF, WIEG OFF	318.34	IR	Readers
Y	900PHPNEKE0338	RDR, RP10-H, PIVCLASS, SE E, LF STD,HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	318.34	IR	Readers
Y	900PHPNEKE0339	RDR, RP10-H, PIVCLASS, SE E, LF STD,HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, IPM OFF, UART OFF, WIEG ON	318.34	IR	Readers
Y	900PHPTEK0000V	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	318.34	IR	Readers
Y	900PHPTEK0003Y	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	318.34	IR	Readers
Y	900PHPTEK000HA	RDR, RP10-H, PIVCLASS, SE E, LF STD,HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, IPM OFF, UART OFF, WIEG ON	318.34	IR	Readers
Y	900PHPTEK000UH	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, OSDP V2, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	318.34	IR	Readers
Y	900PHPTEK0032U	RDR, RP10-H, PIVCLASS, SE E, LF STD,HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	318.34	IR	Readers
Y	900PHPTEK00332	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 75-BIT, IPM OFF, UART OFF, WIEG OFF	318.34	IR	Readers
Y	900PHPTEK00335	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 64-BIT, IPM OFF, UART OFF, WIEG OFF	318.34	IR	Readers
Y	900PHPTEK00338	RDR, RP10-H, PIVCLASS, SE E, LF STD,HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	318.34	IR	Readers
Y	900PHPTEK00339	RDR, RP10-H, PIVCLASS, SE E, LF STD,HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, IPM OFF, UART OFF, WIEG ON	318.34	IR	Readers
Y	900PHPTEKE000V	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	318.34	IR	Readers
Y	900PHPTEKE003Y	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	318.34	IR	Readers
Y	900PHPTEKE00HA	RDR, RP10-H, PIVCLASS, SE E, LF STD,HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, ELITE, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, IPM OFF, UART OFF, WIEG ON	318.34	IR	Readers
Y	900PHPTEKE032U	RDR, RP10-H, PIVCLASS, SE E, LF STD,HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	318.34	IR	Readers
Y	900PHPTEKE0332	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 75-BIT, IPM OFF, UART OFF, WIEG OFF	318.34	IR	Readers
Y	900PHPTEKE0335	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 64-BIT, IPM OFF, UART OFF, WIEG OFF	318.34	IR	Readers
Y	900PHPTEKE0338	RDR, RP10-H, PIVCLASS, SE E, LF STD,HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	318.34	IR	Readers
Y	900PHPTEKE0339	RDR, RP10-H, PIVCLASS, SE E, LF STD,HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, IPM OFF, UART OFF, WIEG ON	318.34	IR	Readers
Y	900PHRNEK00004	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	318.34	IR	Readers
Y	900PHRNEK00005	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	318.34	IR	Readers

Y	900PHRNEK00006	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, IPM OFF, UART OFF, WIEG ON	318.34	IR	Readers
Y	900PHRNEK00007	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, IPM OFF, UART ON, WIEG OFF	318.34	IR	Readers
Y	900PHRNEK00016	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, MIF/DES 56-BIT CSN, IPM OFF, UART OFF, WIEG ON	318.34	IR	Readers
Y	900PHRNEK0003U	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 40-BIT, BCD, IPM OFF, UART OFF, WIEG ON	318.34	IR	Readers
Y	900PHRNEK000HA	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, IPM OFF, UART OFF, WIEG ON	318.34	IR	Readers
Y	900PHRNEK000K2	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED ON, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 200 BIT, PROX FSK, IPM OFF, UART OFF, WIEG ON, CSTM SEOS LEDS	318.34	IR	Readers
Y	900PHRNEK0012K	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, RVRS BCD, IPM OFF, UART OFF, WIEG ON	318.34	IR	Readers
Y	900PHRNEK0037E	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	318.34	IR	Readers
Y	900PHRNEK00466	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1,CSN SUPPRESSED, LED RED, FLSH GRN, BZR ON, IPM OFF, UART OFF, WIEG ON	318.34	IR	Readers
Y	900PHRNEK00479	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF CSTM, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 200-BIT, OPT TAMP OPN COLL, IPM OFF, UART OFF, WIEG ON, CSTM STD/SIO/SEOS/FIPS/CAK/MIGR, LF ENBLD, PATH NY NJ	318.34	IR	Readers
Y	900PHRNEKE0004	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	318.34	IR	Readers
Y	900PHRNEKE0005	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	318.34	IR	Readers
Y	900PHRNEKE0006	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, IPM OFF, UART OFF, WIEG ON	318.34	IR	Readers
Y	900PHRNEKE0007	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, IPM OFF, UART ON, WIEG OFF	318.34	IR	Readers
Y	900PHRNEKE00HA	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, ELITE, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, IPM OFF, UART OFF, WIEG ON	318.34	IR	Readers
Y	900PHRNEKE037E	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	318.34	IR	Readers
Y	900PHRTEK00004	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	318.34	IR	Readers
Y	900PHRTEK00005	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	318.34	IR	Readers
Y	900PHRTEK00006	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, IPM OFF, UART OFF, WIEG ON	318.34	IR	Readers
Y	900PHRTEK00007	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, IPM OFF, UART ON, WIEG OFF	318.34	IR	Readers
Y	900PHRTEK00016	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	318.34	IR	Readers
Y	900PHRTEK000HA	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, IPM OFF, UART OFF, WIEG ON	318.34	IR	Readers
Y	900PHRTEK0037E	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	318.34	IR	Readers
Y	900PHRTEK00466	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1,CSN SUPPRESSED, LED RED, FLSH GRN, BZR ON, IPM OFF, UART OFF, WIEG ON	318.34	IR	Readers
Y	900PHRTEK0059B	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPN COL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON, PATH NY NJ	318.34	IR	Readers
Y	900PHRTEKE0004	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	318.34	IR	Readers
Y	900PHRTEKE0005	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	318.34	IR	Readers
Y	900PHRTEKE0006	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, IPM OFF, UART OFF, WIEG ON	318.34	IR	Readers
Y	900PHRTEKE0007	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, IPM OFF, UART ON, WIEG OFF	318.34	IR	Readers
Y	900PHRTEKE00HA	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, ELITE, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 128-BIT REVERSED, IPM OFF, UART OFF, WIEG ON	318.34	IR	Readers
Y	900PHRTEKE037E	RDR, RP10-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	318.34	IR	Readers
Y	900PWNNEK00324	RDR, RP10, MULTICLASS, SE, LF STD, HF STD/SIO/SEOS/MIGR, WIEG, PIG, HF MIGR PFL EVP00000, IPM OFF	380.05	IR	Readers
Y	900PWNNEK00473	RDR, RP10, MULTICLASS, SE, LF OFF, HF STD/SIO/SEOS/MIGR, WIEG, PIG, CSTM KEYS, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, IPM OFF, HF MIGR PFL EVP00000, CSTM KEYS, CSTM DATAMOD, HID DEMO	380.05	IR	Readers
Y	900PWNNEKE00U3	RDR, RP10, MULTICLASS, LF STD, HF STD/SIO/SEOS/MIGR, WIEG, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, OSDP TAMP, CSN 32-BIT MSB, EM4102 32-BIT, HF MIGR PFL EVP00000, IPM OFF	380.05	IR	Readers
Y	900PWNTEK00324	RDR, RP10, MULTICLASS, SE, LF STD, HF STD/SIO/SEOS/MIGR, WIEG, TERM, HF MIGR PFL EVP00000, IPM OFF	380.05	IR	Readers
Y	900PWNTEK00473	RDR, RP10, MULTICLASS, SE, LF OFF, HF STD/SIO/SEOS/MIGR, WIEG, TERM, CSTM KEYS, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, IPM OFF, HF MIGR PFL EVP00000, CSTM KEYS, CSTM DATAMOD, HID DEMO	380.05	IR	Readers
Y	900PWNTEKE00GE	RDR, RP10, MULTICLASS, SE, LF STD, HF SIO/SEOS/MIFSPR/MIGR, WIEG, TERM, BLK, STD-2, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, HF MIGR PFL EVC00000_ICE0636, IPM OFF	380.05	IR	Readers
Y	900PWNTEKE00U3	RDR, RP10, MULTICLASS, LF STD, HF STD/SIO/SEOS/MIGR, WIEG, TERM, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, OSDP TAMP, CSN 32-BIT MSB, EM4102 32-BIT, HF MIGR PFL EVP00000, IPM OFF	380.05	IR	Readers
Y	900PWPNEKE008N	RDR, RP10,MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/TRANS/MIGR, 485HDX, PIG, BLK, A/V OFF, OSDP V2, OPT TAMP, OC, OSDP TAMP ENBLD, TK, POLL=75MS, 64-BIT LSB FELICA, 64-BIT MSB CEPAS CAN OR MIFARE,EM4102 40-BIT, HF MIGR PFL EVP00000, IPM O	428.87	IR	Readers
Y	900PWPNEKE00KY	RDR, RP10, MULTICLASS, LF STD, HF STD/SIO/SEOS/MIGR, 485HDX, PIG, BLK, STD-1, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP, CSN 32-BIT MSB, EM4102 32-BIT, HF MIGR PFL EVP00000, IPM OFF	428.87	IR	Readers
Y	900PWPNEKE016M	RDR, RP10, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIGR, 485HDX, PIG, BLK, A/V OFF, OSDP V2, IPM OFF, EVP00000_ICE0371, SOLVAY	428.87	IR	Readers
Y	900PWPTEK000HG	RDR, RP10, ICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIGR, 485HDX, WIEG, TERM, BLK, A/V OFF, OSDP V1, OPT TAMP, OPEN COLL, TEST KEY, POLL=75MS, EM4102 40-BIT, CSN MIF SUPPR, IPM OFF, UART OFF, WIEG OFF	428.87	IR	Readers
Y	900PWPTEK0047V	RDR, RP10, ICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIGR, 485HDX, WIEG, TERM, BLK, A/V OFF, OSDP V1, OPT TAMP, OPEN COLL, TEST KEY, POLL=75MS, EM4102 40-BIT, CSN MIF SUPPR, HF MIGR PFL EVP00000, IPM OFF	428.87	IR	Readers
Y	900PWPTEKE00KY	RDR, RP10, MULTICLASS, LF STD, HF STD/SIO/SEOS/MIGR, 485HDX, TERM, BLK, STD-1, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP, CSN 32-BIT MSB, EM4102 32-BIT, HF MIGR PFL EVP00000, IPM OFF	428.87	IR	Readers
Y	900PWPTEKE00VG	RDR, RP10, ICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIGR, 485HDX, TERM, BLK, OSDP V2, A/V OFF, OPT TAMP, OPEN COLL, OPT TAMP, CSN 32-BIT MSB, EM4102 32-BIT, HF MIGR PFL EVP00000, IPM OFF	428.87	IR	Readers
Y	9033ANN00	MDL, WIEG INTFC, CDKEY W/O RDR, LEAD FREE	52.91	ZB	Readers
Y	9033ANR00	MDL, WIEG INTFC, CDKEY W/ RDR	36.00	ZB	Readers
Y	910NWNNEK00324	RDR, R15, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, WIEG, PIG, BLK, HF MIGR PFL EVP00000, IPM OFF	505.57	IR	Readers
Y	910NWNTEK00324	RDR, R15, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, WIEG, TERM, BLK, HF MIGR PFL EVP00000, IPM OFF	505.57	IR	Readers
Y	910NWNTEKE006X	RDR, R15, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIG, WIEG, TERM, BLK, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN SUPPR, HF MIGR PFL EVP00000, IPM OFF	505.57	IR	Readers
Y	910NWNTEKE00CH	RDR, R15, ICLASS, SE E, LF OFF, HF MIGR ONLY, MIFARE/DESFIRE CSN 56-BIT, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, IPM OFF, HF MIGR PFL EVCS4041_ICE0632	505.57	IR	Readers
Y	910NWNTEKE00NG	RDR, R15, ICLASS, SE E, LF OFF, HF MIGR ONLY, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, IPM OFF, HF MIGR PFL EVCS5160_ICE0744, MIFARE 7-BYTE UID CARDS ONLY	505.57	IR	Readers
Y	910NWNTEKE00U2	RDR, R15, ICLASS, LF OFF, HF STD/SIO/SEOS/MIGR, WIEG, TERM, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, HF MIGR PFL EVP00000, IPM OFF	505.57	IR	Readers
Y	910NWNTEKE05A7	RDR, R15, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, WIEG, TERM, BLK, LED RED, FLSH OFF, BZR ON, WIEGAND PULSE TIME 100US, IPM OFF, HF MIGR PFL EVCS5164	505.57	IR	Readers
Y	910NWPTEKE00UR	RDR, R15, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, 485HDX, TERM, BLK, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OPT TAMP ENBLD, CSN SUPPR, IPM OFF, HF MIGR PFL EVP00000_ICE0318	516.03	IR	Readers
Y	910NWPTEKE00WK	RDR, R15, ICLASS, SE E, LF OFF, HF SEOS/MIGR, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, CSN 56-BIT, IPM OFF, HF MIGR PFL EVCS4041_ICE0632, OSDP-READY	516.03	IR	Readers
Y	910PWNNEK00324	RDR, RP15, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIGR, WIEG, PIG, BLK, HF MIGR PFL EVP00000, IPM OFF	564.14	IR	Readers
Y	910PWNNEKE00U3	RDR, RP15, MULTICLASS, LF STD, HF STD/SIO/SEOS/MIGR, WIEG, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, OSDP TAMP, CSN 32-BIT MSB, EM4102 32-BIT, HF MIGR PFL EVP00000, IPM OFF	564.14	IR	Readers
Y	910PWNNEKE030A	RDR, RP15, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIGR, WIEG, PIG, BLK, HF MIGR PFL EVC01123, IPM OFF	564.14	IR	Readers
Y	910PWNNEKE0502	RDR, RP15, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIGR, WIEG, PIG, BLK, HF MIGR PFL EVCS5821, IPM OFF	564.14	IR	Readers
Y	910PWNTEK00324	RDR, RP15, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIGR, WIEG, TERM, BLK, HF MIGR PFL EVP00000, IPM OFF	564.14	IR	Readers
Y	910PWNTEKE00GE	RDR, RP15, MULTICLASS, SE E, LF STD, HF SIO/SEOS/MIFSPR/MIGR, WIEG, TERM, BLK, STD-2, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, HF MIGR PFL EVC00000_ICE0636, IPM OFF	564.14	IR	Readers
Y	910PWNTEKE00U3	RDR, RP15, MULTICLASS, LF STD, HF STD/SIO/SEOS/MIGR, WIEG, TERM, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, OSDP TAMP, CSN 32-BIT MSB, EM4102 32-BIT, HF MIGR PFL EVP00000, IPM OFF	564.14	IR	Readers
Y	910PWPNEKE016M	RDR, RP15, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIGR, 485HDX, PIG, BLK, A/V OFF, OSDP V2, IPM OFF, EVP00000_ICE0371, SOLVAY	612.96	IR	Readers
Y	920LHRNEK0001R	RDR, RP40-H, PIVCLASS, SE E, LF CST, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	482.99	IR	Readers
Y	920LHRNEK0003Q	RDR, RP40-H, PIVCLASS, SE E, LF CST, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	482.99	IR	Readers
Y	920LHRNEK0011P	RDR, RP40-H, PIVCLASS, SE E, LF CST, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, MIF/DES 56-BIT CSN, IPM OFF, UART OFF, WIEG ON	482.99	IR	Readers
Y	920LHRNEK200MM	RDR, RP40-H, PIVCLASS, SE E, LF CST, HF /SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-2, LED OFF, FLSH WHT, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	482.99	IR	Readers
Y	920NHPNEK0000R	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	425.36	IR	Readers
Y	920NHPNEK00088	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	425.36	IR	Readers
Y	920NHPNEK000P1	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, IPM OFF	425.36	IR	Readers
Y	920NHPNEK0032Q	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	425.36	IR	Readers
Y	920NHPNEK00330	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 75-BIT, IPM OFF, UART OFF, WIEG OFF	425.36	IR	Readers
Y	920NHPNEK00336	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	425.36	IR	Readers
Y	920NHPNEKE032Q	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	425.36	IR	Readers
Y	920NHPTEK0000R	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	425.36	IR	Readers
Y	920NHPTEK00088	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	425.36	IR	Readers

Y	920NHPTEK000P1	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, IPM OFF	425.36	IR	Readers
Y	920NHPTEK0032Q	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	425.36	IR	Readers
Y	920NHPTEK00336	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	425.36	IR	Readers
Y	920NHPTEK0036L	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, A/V OFF, OSDP V1, OPEN COLL, OSDP TAMP DISBLD, TEST KEYS, POLL=75MS, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	425.36	IR	Readers
Y	920NHPTEK0036N	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, A/V OFF, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	425.36	IR	Readers
Y	920NHPTEKE036N	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, ELITE KEYS, A/V OFF, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	425.36	IR	Readers
Y	920NHRNEK0000C	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	425.36	IR	Readers
Y	920NHRNEK00018	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, MIF/DES 56-BIT CSN, IPM OFF, UART OFF, WIEG ON	425.36	IR	Readers
Y	920NHRNEK0001T	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	425.36	IR	Readers
Y	920NHRNEK0001Y	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, BCD, IPM OFF, UART OFF, WIEG ON	425.36	IR	Readers
Y	920NHRNEK00032	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, RVRS BCD, IPM OFF, UART OFF, WIEG ON	425.36	IR	Readers
Y	920NHRNEK00038	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, MIF/DES 56-BIT CSN, IPM OFF, UART OFF, WIEG ON	425.36	IR	Readers
Y	920NHRNEK0005W	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, BCD, IPM OFF, UART OFF, WIEG ON	425.36	IR	Readers
Y	920NHRNEK0007J	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, MIF/DES 26-BIT CSN, IPM OFF, UART OFF, WIEG ON	425.36	IR	Readers
Y	920NHRNEK00110	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 40-BIT, BCD, IPM OFF, UART OFF, WIEG ON	425.36	IR	Readers
Y	920NHRNEK0012W	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	425.36	IR	Readers
Y	920NHRNEK00220	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 128-BIT, FASCN + RMV OVRHD, IPM OFF, UART OFF, WIEG ON	425.36	IR	Readers
Y	920NHRNEK0032Y	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, IPM OFF, UART ON, WIEG OFF	425.36	IR	Readers
Y	920NHRNEK0032Y-KIT	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, IPM OFF, UART ON, WIEG OFF, PIVCLASS BUNDLE PRODUCTION MAKE P/N ONLY	425.36	IR	Readers
Y	920NHRNEK0037D	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, RVRS BCD, IPM OFF, UART OFF, WIEG ON	425.36	IR	Readers
Y	920NHRNEK0043W	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, 14443A DES 56-BIT CSN, IPM OFF, UART OFF, WIEG ON	425.36	IR	Readers
Y	920NHRNEK00578	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT,FASCN+RMV OVRHD+RMV PAR , IPM OFF	425.36	IR	Readers
Y	920NHRNEKE000C	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, ELITE KEYS, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	425.36	IR	Readers
Y	920NHRTEK0000C	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	425.36	IR	Readers
Y	920NHRTEK00018	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, MIF/DES 56-BIT CSN, IPM OFF, UART OFF, WIEG ON	425.36	IR	Readers
Y	920NHRTEK0001T	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	425.36	IR	Readers
Y	920NHRTEK00038	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, MIF/DES 56-BIT CSN, IPM OFF, UART OFF, WIEG ON	425.36	IR	Readers
Y	920NHRTEK0003C	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	425.36	IR	Readers
Y	920NHRTEK0007J	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, MIF/DES 26-BIT CSN, IPM OFF, UART OFF, WIEG ON	425.36	IR	Readers
Y	920NHRTEK000H9	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, IPM OFF, UART OFF, WIEG ON	425.36	IR	Readers
Y	920NHRTEK000Q6	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, A/V OFF, OPT TAMP, OPEN COLL, FIPS 58-BIT AMAG, IPM OFF, UART OFF, WIEG ON	425.36	IR	Readers
Y	920NHRTEK00220	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 128-BIT, FASCN + RMV OVRHD, IPM OFF, UART OFF, WIEG ON	425.36	IR	Readers
Y	920NHRTEK0032Y	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, IPM OFF, UART ON, WIEG OFF	425.36	IR	Readers
Y	920NHRTEK0032Y-KIT	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, IPM OFF, UART ON, WIEG OFF, PIVCLASS BUNDLE PRODUCTION MAKE P/N ONLY	425.36	IR	Readers
Y	920NHRTEK0037D	RDR, R40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	425.36	IR	Readers
Y	920NWNNEK00324	RDR, R40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, WIEG, PIG, BLK, HF MIGR PFL EVP00000, IPM OFF	505.57	IR	Readers
Y	920NWNNEKE00U2	RDR, R40, ICLASS, LF OFF, HF STD/SIO/SEOS/MIGR, WIEG, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, HF MIGR PFL EVP00000, IPM OFF	505.57	IR	Readers
Y	920NWNNEKE0533	RDR, R40, ICLASS, SE E, LF OFF, HF CST LEG/HID MIFARE APPL/MF CSN SUPPR, WIEG, PIG, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, IPM OFF MIGR PFL EVPH0026	505.57	IR	Readers
Y	920NWNTEK00324	RDR, R40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, WIEG, TERM, BLK, HF MIGR PFL EVP00000, IPM OFF	505.57	IR	Readers
Y	920NWNTEKE00CH	RDR, R40, ICLASS, SE E, LF OFF, HF MIGR ONLY, MIFARE/DESFIRE CSN 56-BIT, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, IPM OFF, HF MIGR PFL EVCS4041_ICE0632	505.57	IR	Readers
Y	920NWNTEKE00U2	RDR, R40, ICLASS, LF OFF, HF STD/SIO/SEOS/MIGR, WIEG, TERM, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, HF MIGR PFL EVP00000, IPM OFF	505.57	IR	Readers
Y	920NWNTEKE030Q	RDR, R40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, WIEG, TERM, BLK, ELITE KEYS, HF MIGR PFL EVC118844, IPM OFF	505.57	IR	Readers
Y	920NWNTEKE031K	RDR, R40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, WIEG, TERM, BLK, HF MIGR PFL EVC99133, IPM OFF	505.57	IR	Readers
Y	920NWNTEKE042R	RDR, R40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIG, WIEG, TERM, BLK, HF MIGR PFL EVC244856, IPM OFF	505.57	IR	Readers
Y	920NWNTEKE0533	RDR, R40, ICLASS, SE E, LF OFF, HF CST LEG/HID MIFARE APPL/MF CSN SUPPR, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, IPM OFF MIGR PFL EVPH0026	505.57	IR	Readers
Y	920NWNTEKE054T	RDR, R40, ICLASS, SE E, LF OFF, HF SEOS/MIGR, WIEG, TERM, BLK, HF MIGR PFL EVCF0114_ICE0363, CST HID MIFARE, IPM OFF, ADOBE	505.57	IR	Readers
Y	920NWNTEKE05A7	RDR, R40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, WIEG, TERM, BLK, LED RED, FLSH OFF, BZR ON, WIEGAND PULSE TIME 100US, IPM OFF, HF MIGR PFL EVCS5164	505.57	IR	Readers
Y	920NWPNEKE00VE	RDR, R40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, 485HDX, PIG, BLK, OSDP V2, A/V OFF, OPT TAMP, OPEN COLL, OPT TAMP, CSN 32-BIT MSB, HF MIGR PFL EVP00000, IPM OFF	554.38	IR	Readers
Y	920NWPNEKE01A1	RDR, R40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, 485HDX, PIG, BLK, HF MIGR PFL EVP00000_ICE0318, IPM OFF, NO KPD, NO PROX, OSDPV1, MIFARE CSN 32-BIT MSB	554.38	IR	Readers
Y	920NWPNEKE0483	RDR, R40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, 485HDX, PIG, BLK, LED ON, FLSH ON, BZR ON, OPT TAMP, OPEN COLL, CSN 56-BIT MSB, IPM OFF, UART OFF, WIEG ON	554.38	IR	Readers
Y	920NWPTEK00324	RDR, R40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, 485HDX, TERM, BLK, HF MIGR PFL EVP00000, IPM OFF	554.38	IR	Readers
Y	920NWPTEK00327	RDR, R40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, 485HDX, TERM, BLK, HF MIGR PFL EVP00120, IPM OFF	554.38	IR	Readers
Y	920NWPTEKE00KV	RDR, R40, ICLASS, LF OFF, HF STD/SIO/SEOS/MIGR, 485HDX, TERM, BLK, STD-1, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, HF MIGR PFL EVP00000, IPM OFF	554.38	IR	Readers
Y	920NWPTEKE00WK	RDR, R40, ICLASS, SE E, LF OFF, HF SEOS/MIGR, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, CSN 56-BIT, IPM OFF, HF MIGR PFL EVCS4041_ICE0632, OSDP-READY	554.38	IR	Readers
Y	920NWPTEKE01A1	RDR, R40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, 485HDX, TERM, BLK, HF MIGR PFL EVP00000_ICE0318, IPM OFF, NO KPD, NO PROX, OSDPV1, MIFARE CSN 32-BIT MSB	554.38	IR	Readers
Y	920NWPTEKE0483	RDR, R40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, 485HDX, TERM, BLK, LED ON, FLSH ON, BZR ON, OPT TAMP, OPEN COLL, CSN 56-BIT MSB, IPM OFF, UART OFF, WIEG ON	554.38	IR	Readers
Y	920PHPNEK0000V	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	482.99	IR	Readers
Y	920PHPNEK0003Y	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	482.99	IR	Readers
Y	920PHPNEK000P2	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, FIPS 200-BIT, IPM OFF	482.99	IR	Readers
Y	920PHPNEK0032U	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	482.99	IR	Readers
Y	920PHPNEK00332	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 75-BIT, IPM OFF, UART OFF, WIEG OFF	482.99	IR	Readers
Y	920PHPNEK00338	RDR, RP40-H, PIVCLASS, SE E, LF STD,HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	482.99	IR	Readers
Y	920PHPNEK00339	RDR, RP40-H, PIVCLASS, SE E, LF STD,HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, IPM OFF, UART OFF, WIEG ON	482.99	IR	Readers
Y	920PHPNEKE01A0	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, ELITE, A/V OFF, OSDP V2, OSDP TEST KEY, ADDRESS 0, 9600 BAUD, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, FIPS 200-BIT, IPM OFF	482.99	IR	Readers
Y	920PHPNEKE0332	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 75-BIT, IPM OFF, UART OFF, WIEG OFF	482.99	IR	Readers
Y	920PHPNEKE0338	RDR, RP40-H, PIVCLASS, SE E, LF STD,HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	482.99	IR	Readers
Y	920PHPTEK0000V	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	482.99	IR	Readers
Y	920PHPTEK000HA	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, IPM OFF, UART OFF, WIEG ON	482.99	IR	Readers
Y	920PHPTEK000P2	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, FIPS 200-BIT, IPM OFF	482.99	IR	Readers
Y	920PHPTEK0032U	RDR, RP40-H, PIVCLASS, SE E, LF STD,HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	482.99	IR	Readers
Y	920PHPTEK00332	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 75-BIT, IPM OFF, UART OFF, WIEG OFF	482.99	IR	Readers
Y	920PHPTEK00335	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 64-BIT, IPM OFF, UART OFF, WIEG OFF	482.99	IR	Readers
Y	920PHPTEK00338	RDR, RP40-H, PIVCLASS, SE E, LF STD,HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	482.99	IR	Readers
Y	920PHPTEK00339	RDR, RP40-H, PIVCLASS, SE E, LF STD,HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, IPM OFF, UART OFF, WIEG ON	482.99	IR	Readers
Y	920PHPTEKE000V	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	482.99	IR	Readers
Y	920PHPTEKE003Y	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	482.99	IR	Readers
Y	920PHRNEK00004	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	482.99	IR	Readers

Y	920PHRNEK00005	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	482.99	IR	Readers
Y	920PHRNEK00006	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, BCD, IPM OFF, UART OFF, WIEG ON	482.99	IR	Readers
Y	920PHRNEK00007	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, IPM OFF, UART ON, WIEG OFF	482.99	IR	Readers
Y	920PHRNEK00016	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, MIF/DES 56-BIT CSN, IPM OFF, UART OFF, WIEG ON	482.99	IR	Readers
Y	920PHRNEK0003U	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 40-BIT, BCD, IPM OFF, UART OFF, WIEG ON	482.99	IR	Readers
Y	920PHRNEK0004A	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	482.99	IR	Readers
Y	920PHRNEK0004V	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 40-BIT, BCD, IPM OFF, UART OFF, WIEG ON	482.99	IR	Readers
Y	920PHRNEK0006T	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, MIF/DES 56-BIT CSN, IPM OFF, UART OFF, WIEG ON	482.99	IR	Readers
Y	920PHRNEK0008U	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	482.99	IR	Readers
Y	920PHRNEK00097	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, MIF/DES 26-BIT CSN, IPM OFF, UART OFF, WIEG ON	482.99	IR	Readers
Y	920PHRNEK000AA	RDR, RP40, PIVCLASS, SE E, LF CST, PROX GIC ONLY, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON, PROX PRIORITY	482.99	IR	Readers
Y	920PHRNEK000CV	RDR, RP40-H, PIVCLASS, SE E, LF CSTM, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 200-BIT, OPT TAMP OPN COLL, IPM OFF, UART OFF, WIEG ON, CSTM /FIPS/CAK/MIGR, LF ENBLD, PATH NY NJ	482.99	IR	Readers
Y	920PHRNEK000H4	RDR, RP40-H, PIVCLASS, SE E, LF CST, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TMP, OPEN COLL, FIPS-128-BIT, FASCN+RMVOVRHD+RMVPAR, IPM OFF, UART OFF, WIEG ON	482.99	IR	Readers
Y	920PHRNEK000HA	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, IPM OFF, UART OFF, WIEG ON	482.99	IR	Readers
Y	920PHRNEK000MR	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 75-BIT, PROX PRIORITY, IPM OFF, UART OFF, WIEG ON	482.99	IR	Readers
Y	920PHRNEK0012K	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, RVRS BCD, IPM OFF, UART OFF, WIEG ON	482.99	IR	Readers
Y	920PHRNEK00143	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF	482.99	IR	Readers
Y	920PHRNEK00157	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 14443A 32-BIT CSN, IPM OFF	482.99	IR	Readers
Y	920PHRNEK00202	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, MIF/DES 56-BIT CSN, IPM OFF	482.99	IR	Readers
Y	920PHRNEK00203	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR OFF, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF	482.99	IR	Readers
Y	920PHRNEK0020A	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, C/D ON	482.99	IR	Readers
Y	920PHRNEK00245	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, RVRS BCD, IPM OFF, UART OFF, WIEG ON	482.99	IR	Readers
Y	920PHRNEK00365	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED OFF, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	482.99	IR	Readers
Y	920PHRNEK0037E	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, RVRS BCD, IPM OFF, UART OFF, WIEG ON	482.99	IR	Readers
Y	920PHRNEK0043V	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, 14443A MIF 56-BIT CSN, IPM OFF, UART OFF, WIEG ON	482.99	IR	Readers
Y	920PHRNEK00466	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF OFF, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, IPM OFF, UART OFF, WIEG ON	482.99	IR	Readers
Y	920PHRNEK0046G	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, IPM OFF, UART OFF, WIEG ON	482.99	IR	Readers
Y	920PHRNEK00479	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF CSTM, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 200-BIT, OPT TAMP OPN COLL, IPM OFF, UART OFF, WIEG ON, CSTM STD/SIO/SEOS/FIPS/CAK/MIGR, LF ENBLD, PATH NY NJ	482.99	IR	Readers
Y	920PHRNEK0059A	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 58-BIT AMAG, IPM OFF, HID PROX ONLY, UART OFF, WIEG ON	482.99	IR	Readers
Y	920PHRNEKE0005	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, ELITE KEYS, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	482.99	IR	Readers
Y	920PHRTEK00004	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	482.99	IR	Readers
Y	920PHRTEK00005	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	482.99	IR	Readers
Y	920PHRTEK00006	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, IPM OFF, UART OFF, WIEG ON	482.99	IR	Readers
Y	920PHRTEK00007	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, IPM OFF, UART ON, WIEG OFF	482.99	IR	Readers
Y	920PHRTEK0037E	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	482.99	IR	Readers
Y	920PHRTEK0043V	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, UART, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, 14443A MIF 56-BIT CSN, IPM OFF	482.99	IR	Readers
Y	920PHRTEK00449	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, UART, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART ON, UART CSTM, WIEG OFF	482.99	IR	Readers
Y	920PHRTEK00466	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF OFF, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, IPM OFF, UART OFF, WIEG ON	482.99	IR	Readers
Y	920PHRTEKE0005	RDR, RP40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	482.99	IR	Readers
Y	920PWNNEK00324	RDR, RP40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIGR, WIEG, PIG, BLK, HF MIGR PFL EVP00000, IPM OFF	564.14	IR	Readers
Y	920PWNNEKE00FV	RDR, RP40, MULTICLASS, SE E, LF STD, HF MIGR ONLY, WIEG, PIG, BLK, HF MIGR PFL EVC00000_ICE0600, PROX FSK ONLY, IPM OFF, ERICSSON	564.14	IR	Readers
Y	920PWNNEKE030A	RDR, RP40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIGR, WIEG, PIG, BLK, HF MIGR PFL EVC01123, IPM OFF	564.14	IR	Readers
Y	920PWNTEK00324	RDR, RP40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIGR, WIEG, TERM, BLK, HF MIGR PFL EVP00000, IPM OFF	564.14	IR	Readers
Y	920PWNTEK00473	RDR, RP40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIGR, WIEG, TERM, BLK, CSTM KEYS, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLLECTOR, 32 BIT MSB, IPM OFF, HF MIGR PFL EVP00000, CSTM KEYS, CSTM FW, CSTM DATAMOD, HID DEMO	564.14	IR	Readers
Y	920PWNTEKE00GE	RDR, RP40, MULTICLASS, SE E, LF STD, HF SIO/SEOS/MIFSPR/MIGR, WIEG, TERM, BLK, STD-2, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, HF MIGR PFL EVC00000_ICE0636, IPM OFF	564.14	IR	Readers
Y	920PWNTEKE00U3	RDR, RP40, MULTICLASS, LF STD, HF STD/SIO/SEOS/MIGR, WIEG, TERM, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, OSDP TAMP, CSN 32-BIT MSB, EM4102 32-BIT, HF MIGR PFL EVP00000, IPM OFF	564.14	IR	Readers
Y	920PWPNEKE008N	RDR, RP40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/TRANS/MIGR, 485HDX, PIG, BLK, A/V OFF, OSDP V2, OPT TAMP, OC, OSDP TAMP ENBLD, TK, POLL=75MS, 64-BIT LSB FELICA, 64-BIT MSB CEPAS CAN OR MIFARE, EM4102 40-BIT,HF MIGR PFL EVP00000,IPM OFF	612.96	IR	Readers
Y	920PWPNEKE016M	RDR, RP40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIGR, 485HDX, PIG, BLK, A/V OFF, OSDP V2, IPM OFF, EVP00000_ICE0371, SOLVAY	612.96	IR	Readers
Y	920PWPTEKE00E2	RDR, RP40, MULTICLASS,SE E,LF STD,HF STD/SIO/SEOS/MIGR,485HDX,TERM,BLK,STD-1, A/V OFF, CSN SUPPRESSED,OSDP V1, CRC REV,,OPEN COLL,OSDP TAMP ENBLD, TEST KEYS,POLL=75MS,EM4102 32-BIT,IPM OFF,UART OFF,WIEG,EVP00000	612.96	IR	Readers
Y	921LHRNEK00106	RDR, RPK40-H, PIVCLASS, SE E, LF CST, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921LHRNEK00112	RDR, RPK40-H, PIVCLASS, SE E, LF CST, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921LHRNEK00215	RDR, RPK40-H, PIVCLASS, SE E, LF CST, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921LHRNEK00261	RDR, RPK40-H, PIVCLASS, SE E, LF CST, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921LHRNEK200MN	RDR, RPK40-H, PIVCLASS, SE E, LF CST, HF /SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-2, LED OFF, FLSH WHT, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921LNNNEK20136	RDR, RPK40, MULTICLASS, SE E, LF PSK, HF OFF, SE INDALA MODULE, WIEG, PIG, BLK, STD-2, LED BLUE, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BUFFER ONE KEY TO FIVE KEYS, 26 BIT, IPM OFF, INDALA FMT ASP17183	830.25	IR	Readers
Y	921LNNNEK20388	RDR, RPK40, MULTICLASS, SE E, LF CST, HF SIO, CUSTOM SETTINGS, CUST PRIORITY, SE INDALA MODULE, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921LNNNEK2038R	RDR, RPK40, MULTICLASS, SE E, LF CST, HF SIO, CUSTOM SETTINGS, PICOPASS-SIO, PROX-PSK ONLY, ALL OTHERS DISABLED, SE INDALA MODULE, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, IPM OFF	830.25	IR	Readers
Y	921LNNNEK2039P	RDR, RPK40, MULTICLASS, SE E, LF CST, HF SIO/SEOS, SE INDALA MODULE, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921LNNNEK2048C	RDR, RPK40, MULTICLASS, SE E, LF CST, HF SIO/SEOS/MIFSPR, SE INDALA MODULE, WIEG, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, KPF, BFFRD 1 KEY, PAR, 6-BIT MSG, IPM OFF, INDALA	830.25	IR	Readers
Y	921LNNNEK20512	RDR, RPK40, MULTICLASS, SE E, LF CST, HF SIO, SE INDALA MODULE, WIEG, CUSTOM SETTINGS, CUST PRIORITY, BLK, STD-2, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, EM4102 32-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921LNNNEK205AM	RDR, RPK40, MULTICLASS, SE E, LF CST, HF OFF, SE INDALA MODULE, WIEG, PIG, BLK, STD-2, LED BLUE, KPF, BFFRED 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, INDALA ONLY	830.25	IR	Readers
Y	921LTCNEK00149	RDR, RPK40, MULTICLASS, SE E, LF CST, HF STD/SIO/SEOS, SE INDALA MODULE, C&D, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR OFF, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921LTNNEK00027	RDR, RPK40, MULTICLASS, SE E, LF CST, HF STD/SIO/SEOS, SE INDALA MODULE, WIEG, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921LTNNEK0002N	RDR, RPK40, MULTICLASS, SE E, LF CST, HF STD/SIO/SEOS, SE INDALA MODULE, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921LTNNEK0003N	RDR, RPK40, MULTICLASS, SE E, LF CST, HF STD/SIO/SEOS, SE INDALA MODULE, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 34-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921LTNNEK0004P	RDR, RPK40, MULTICLASS, SE E, LF CST, HF STD/SIO/SEOS, SE INDALA MODULE, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921LTNNEK0007T	RDR, RPK40, MULTICLASS, SE E, LF CST, HF STD/SIO/SEOS, SE INDALA MODULE, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921LTNNEK000BG	RDR, RPK40, MULTICLASS, SE E, LF CST, HF STD/SIO/SEOS, HTRC110 BASE RDR, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMP, NO PAR, 8-BIT MSG, IPM OFF, FSK/PSK ENABLED	830.25	IR	Readers
Y	921LTNNEK000MG	RDR, RPK40, MULTICLASS, SE E, LF CST, HF STD/SIO/SEOS, SE INDALA MODULE, WIEG, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, PAR, 6-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921LTNNEK000PW	RDR, RPK40, MULTICLASS, SE E, LF CST, HF STD/SIO/SEOS, SE INDALA MODULE., WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 TO 5 KEYS, PAR, FC=17, 26-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921LTNNEK00100	RDR, RPK40, MULTICLASS, SE E, LF CST, HF STD/SIO/SEOS, SE INDALA MODULE, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921LTNNEK0012L	RDR, RPK40, MULTICLASS, SE E, LF CST, HF STD/SIO/SEOS, SE INDALA MODULE, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921LTNNEK0020P	RDR, RPK40, MULTICLASS, SE E, LF CST, HF STD/SIO/SEOS, SE INDALA MODULE, WIEG, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921LTNNEK0044R	RDR, RPK40, MULTICLASS, SE E, LF CST, HF STD/SIO/SEOS, SE INDALA MODULE, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, INDALA ASP15296	830.25	IR	Readers
Y	921LTNNEK0051P	RDR, RPK40, MULTICLASS, SE E, LF CST, HF STD/SIO/SEOS/MF SUPPR, SE INDALA MODULE, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921LTNNEK0053N	RDR, RPK40, MULTICLASS, SE E, LF CST, HF STD/SIO/SEOS, SE INDALA MODULE, WIEG, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921LTNNEK0055J	RDR, RPK40, MULTICLASS, SE E, LF CST, HF CST, SE INDALA MODULE, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, UNIV READ MODE, CST APB AND PROIRITY DELAY, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR 8 BIT MSG, IPM OFF, CITY OF SEATTLE	830.25	IR	Readers

Y	921LTNNEK0058M	RDR, RPK40, MULTICLASS, SE E, LF CST, HF STD/SIO/SEOS, HTRC110, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, OPEN COLL IPM OFF, FSK/ASK/PSK ENABLED, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF,	830.25	IR	Readers
Y	921LTNNEK001V	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, SE INDALA MODULE, WIEG, PIG, BLK, ELITE KEYS, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921LTNNEKE0027	RDR, RPK40, MULTICLASS, SE E, LF CST, HF STD/SIO/SEOS, SE INDALA MODULE, WIEG, PIG, BLK, ELITE KEYS, LED OFF, FLSH OFF, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921LTNNEKE002N	RDR, RPK40, MULTICLASS, SE E, LF CST, HF STD/SIO/SEOS, SE INDALA MODULE, ELITE, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921LTNNEKE020P	RDR, RPK40, MULTICLASS, SE E, LF CST, HF STD/SIO/SEOS, SE INDALA MODULE, WIEG, PIG, BLK, ELITE KEYS, LED OFF, FLSH OFF, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921LTNNEKE0366	RDR, RPK40, MULTICLASS, SE E, LF CST, HF STD/SIO/SEOS, SE INDALA MODULE, WIEG, PIG, BLK, ELITE KEYS, LED RED, FLSH OFF, BZR ON, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921LTNNEKE0485	RDR, RPK40, MULTICLASS, SE E, LF CST, HF STD/SIO/SEOS/MIFSPR, SE INDALA MODULE, WIEG, PIG, BLK, ELITE KEYS, LED OFF, FLSH OFF, BZR ON, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, CSN MIF SUPPR, APB=250MS, CUSTOM DATAMODELS, IPM OFF	830.25	IR	Readers
Y	921LTPNEK00385	RDR, RPK40, MULTICLASS, SE E, LF CST, HF STD/SIO/SEOS, HTRC110 BASE READER, 485HDX, PIG, BLK, STD-1, A/V OFF, OSDP V1, OPN COL, OSDP TMP ENBLD, TEST KEY, POLL=75MS,CSN 32-BIT MSB,KPF,ASCII,BFRD 1 KEY,EM4102 32-BIT,IPM OFF,UART OFF,WIEG OFF	879.06	IR	Readers
Y	921NBNNEK20000	RDR, RK40, ICLASS, SE E, LF OFF, HF SEOS, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, VAR BIT OUTPUT PER SIO, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, VEL ON, MOBILE READY	890.22	IR	Readers
Y	921NBNNEK2S078	RDR,RK40,ICLASS, SE E, LF OFF,HF SEOS,WIEG, PIG, BLK,STD-2,LED BLUE,FLSH GRN,BZR ON,OPT TAMP,OC,IM ALIVE,KPF,BFFRD 1 KEY,NO PAR, 4-BIT MSG,VAR OUTPUT PER SIO,IPM OFF,VELON, RESET TO FACTORY DEFAULTS FOR RK/RPK READERS TARGET, MOBILE-READY	890.22	IR	Readers
Y	921NBNNEKE0000	RDR, RK40, ICLASS, SE E, LF OFF, HF SEOS, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, VAR BIT OUTPUT PER SIO, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, VEL ON, MOBILE-ENABLED-FORMAT	890.22	IR	Readers
Y	921NBNTEK20000	RDR, RK40, ICLASS, SE E, LF OFF, HF SEOS, WIEG, TERM, BLK, STD-2, LED RED, FLSH GRN, BZR ON, VAR BIT OUTPUT PER SIO, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, VEL ON, MOBILE READY	890.22	IR	Readers
Y	921NBNTEKE0000	RDR, RK40, ICLASS, SE E, LF OFF, HF SEOS, WIEG, TERM, BLK, STD-2, LED RED, FLSH GRN, BZR ON, VAR BIT OUTPUT PER SIO, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, VEL ON, MOBILE-ENABLED-FORMAT	890.22	IR	Readers
Y	921NBPNEKMA07L	RDR, RK40, ICLASS, SE E, LF OFF, HF SEOS/MA, 485HDX, PIG, BLK, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=50MS, CSN SUPPR, KPF, ASCII, BFFRD 1 KEY, IPM OFF, MOBILE-READY	890.22	IR	Readers
Y	921NBPTEKMA0PC	RDR, RK40, ICLASS, SE E, LF OFF, HF SEOS/MA, 485HDX, TERM, BLK, A/V OFF, OSDP V1, OPT TAMP, OPEN COLL, CSN SUPPR, KPF, ASCII, BFFRD 1 KEY, IPM OFF, MOBA31D KEYS, MOBILE ENABLED, ECP V2	890.22	IR	Readers
Y	921NHPNEK0000T	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	740.96	IR	Readers
Y	921NHPNEK000UG	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, OSDP V2, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	740.96	IR	Readers
Y	921NHPNEK0019D	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	740.96	IR	Readers
Y	921NHPNEK0032R	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	740.96	IR	Readers
Y	921NHPNEK0033E	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	740.96	IR	Readers
Y	921NHPNEKE032R	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	740.96	IR	Readers
Y	921NHPTEK0000T	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	740.96	IR	Readers
Y	921NHPTEK000UG	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, OSDP V2, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	740.96	IR	Readers
Y	921NHPTEK0013T	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, A/V OFF, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, FIPS 200-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM	740.96	IR	Readers
Y	921NHPTEK0019D	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	740.96	IR	Readers
Y	921NHPTEK0032R	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	740.96	IR	Readers
Y	921NHPTEK0033C	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 75-BIT, IPM OFF, UART OFF, WIEG OFF	740.96	IR	Readers
Y	921NHPTEK0033D	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 64-BIT, IPM OFF, UART OFF, WIEG OFF	740.96	IR	Readers
Y	921NHPTEK0033E	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	740.96	IR	Readers
Y	921NHPTEK0036M	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, A/V OFF, OSDP V1, OPEN COLL, OSDP TAMP DISBLD, TEST KEYS, POLL=75MS, FIPS 200-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IP	740.96	IR	Readers
Y	921NHPTEK0036V	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, A/V OFF, OSDP V1, OPEN COLL, OSDP TAMP DISBLD, TEST KEYS, POLL=75MS, FIPS 200-BIT, KPF, ASCII, BFFRD 1 KEY, IPM OFF, UART	740.96	IR	Readers
Y	921NHPTEKE013T	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, ELITE KEYS, A/V OFF, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, FIPS 200-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG	740.96	IR	Readers
Y	921NHRNEK0000C	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	740.96	IR	Readers
Y	921NHRNEK00039	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	740.96	IR	Readers
Y	921NHRNEK00044	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, BCD, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	740.96	IR	Readers
Y	921NHRNEK0004K	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, MIF/DES 56-BIT CSN, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	740.96	IR	Readers
Y	921NHRNEK0004M	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	740.96	IR	Readers
Y	921NHRNEK00062	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	740.96	IR	Readers
Y	921NHRNEK0006V	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, MIF/DES 26-BIT CSN, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	740.96	IR	Readers
Y	921NHRNEK0008P	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, UART OFF, WIEG ON	740.96	IR	Readers
Y	921NHRNEK000Y5	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, DOR COMPL, BFFRD 1 KEY, NO PAR, 8 BIT-MSG, IPM OFF, UART OFF, WIEG ON	740.96	IR	Readers
Y	921NHRNEK0011K	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, MIF/DES 56-BIT CSN, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	740.96	IR	Readers
Y	921NHRNEK00121	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 128-BIT, FASCN + RMV OVRHD, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	740.96	IR	Readers
Y	921NHRNEK00139	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, BCD, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	740.96	IR	Readers
Y	921NHRNEK0013W	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	740.96	IR	Readers
Y	921NHRNEK0016Y	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, MIF/DES 56-BIT CSN, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	740.96	IR	Readers
Y	921NHRNEK0024J	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, UART OFF, WIEG ON	740.96	IR	Readers
Y	921NHRNEK0033A	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, ASCII, XMIT CMPLT, IPM OFF, UART ON, WIEG OFF	740.96	IR	Readers
Y	921NHRNEK0037F	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	740.96	IR	Readers
Y	921NHRNEKE004M	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, ELITE KEYS, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	740.96	IR	Readers
Y	921NHRNEKE0062	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, ELITE KEYS, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	740.96	IR	Readers
Y	921NHRTEK00039	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	740.96	IR	Readers
Y	921NHRTEK0004K	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, MIF/DES 56-BIT CSN, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	740.96	IR	Readers
Y	921NHRTEK0004M	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	740.96	IR	Readers
Y	921NHRTEK00054	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, RVRS BCD, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	740.96	IR	Readers
Y	921NHRTEK00062	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	740.96	IR	Readers
Y	921NHRTEK0006Q	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	740.96	IR	Readers
Y	921NHRTEK0006V	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, MIF/DES 26-BIT CSN, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	740.96	IR	Readers
Y	921NHRTEK00073	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, BCD, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	740.96	IR	Readers
Y	921NHRTEK0008P	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, UART OFF, WIEG ON	740.96	IR	Readers
Y	921NHRTEK000NL	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1,LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL,FIPS 200-BIT,MIF/DES 56-BIT MSB CSN,KPF,BFFRD 1 KEY,DOR COMPL,NO PAR, 8-BIT MSG,IPM OFF,UART OFF, WIEG ON	740.96	IR	Readers
Y	921NHRTEK000Q7	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, A/V OFF, OPT TAMP, OPEN COLL, FIPS 58-BIT AMAG, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8 BIT MSG, IPM OFF, UART OFF, WIEG ON	740.96	IR	Readers
Y	921NHRTEK000Y5	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, DOR COMPL, BFFRD 1 KEY, NO PAR, 8 BIT-MSG, IPM OFF, UART OFF, WIEG ON	740.96	IR	Readers
Y	921NHRTEK0011G	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, 14443A 56-BIT CSN, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG	740.96	IR	Readers
Y	921NHRTEK0011J	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, BCD, KPF, BFFRD 1 KEY, PAR, 6-BIT MSG, IPM OFF, UART OFF, WIEG ON	740.96	IR	Readers
Y	921NHRTEK00121	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 128-BIT, FASCN + RMV OVRHD, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	740.96	IR	Readers
Y	921NHRTEK00123	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 40-BIT, BCD, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, UART OFF, WIEG ON	740.96	IR	Readers
Y	921NHRTEK0013W	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	740.96	IR	Readers
Y	921NHRTEK0033A	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, ASCII, XMIT CMPLT, IPM OFF, UART ON, WIEG OFF	740.96	IR	Readers
Y	921NHRTEK0037F	RDR, RK40-H, PIVCLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	740.96	IR	Readers
Y	921NMNNEKEA002	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	890.22	IR	Readers
Y	921NMNNEKEA06R	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	890.22	IR	Readers
Y	921NMNNEKEA06Y	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	890.22	IR	Readers
Y	921NMNNEKEA088	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA/MIFSPR, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	890.22	IR	Readers
Y	921NMNNEKEA08Y	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, CSN 34-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	890.22	IR	Readers
Y	921NMNNEKEA0CJ	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED BLUE, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	890.22	IR	Readers
Y	921NMNNEKEA0DG	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, LED BLUE, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	890.22	IR	Readers

Y	921NMNNEKEA0N1	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA/MIFSPR, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	890.22	IR	Readers
Y	921NMNNEKEA0VU	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/TRANS/MA, WIEG, PIG, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, 64-BIT LSB FELICA OR 64-BIT MIFARE, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	973.90	IR	Readers
Y	921NMNNEKEA119	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR OFF, CSN 26-BIT (W/DEFAULT FC), KPF, LOCAL PIN VERIFY, IPM OFF, MOBILE-ENABLED-FMT	890.22	IR	Readers
Y	921NMNNEKEA11A	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 56-BIT LSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	890.22	IR	Readers
Y	921NMNNEKEA11B	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	890.22	IR	Readers
Y	921NMNNEKEA11R	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 TO 11 KEYS, NO PAR, 4- TO 44-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	890.22	IR	Readers
Y	921NMNNEKEA129	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA/MIGR, WIEG, PIG, BLK, HF MIGR PFL EVP00000, IPM OFF, MOBILE-ENABLED-FMT	973.90	IR	Readers
Y	921NMNNEKMA002	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-READY	890.22	IR	Readers
Y	921NMNNEKMA023-MAD	RDR,RK40,ICLASS,SE E,LF OFF,HF LEG/SIO/SEOS/MA,WIEG,PIG,BLK,LED BLU,FLSH GRN,BZR ON,OPT TAMP,OPEN COL,CSN 32-BIT MSB,KPF,BFFRD 1 KEY, NO PAR,4-BIT MSG,IPM OFF,DEMO STD/ICE0235/MOB0001 KEYS,MOBILE-ENABLED,W/MOBILE ADMIN CARD,TAP/TWIST N	890.22	IR	Readers
Y	921NMNNEKMA03K	RDR, RK40, ICLASS, SE E, LF OFF, HF LEG/SIO/SEOS/MA, WIEG, LED BLUE, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, MOBILE-READY	890.22	IR	Readers
Y	921NMNNEKMA0AB	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA/MIFSPR, WIEG, PIG, BLK, LED BLUE, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN MIF SUPPR, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-READY	890.22	IR	Readers
Y	921NMNNEKMA0CA	RDR, RK40, ICLASS,SE E,LF OFF, HF STD/SIO/SEOS/MIG/MA, WIEG, PIG, BLK, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-READY	973.90	IR	Readers
Y	921NMNNEKMA0CJ	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, LED BLUE, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-READY	890.22	IR	Readers
Y	921NMNNEKMA0CV	RDR, RK40, ICLASS, SE E, LF OFF, HF CST LEG/HID MIFARE APPLICATION/MF CSN SUPPR/MA, WIEG, PIG, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE READY	890.22	IR	Readers
Y	921NMNNEKMA0DG	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, LED BLUE, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, MOBILE-READY	890.22	IR	Readers
Y	921NMNNEKMA0N1	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA/MIFSPR, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-READY	890.22	IR	Readers
Y	921NMNNEKMA0NY	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, LED BLUE, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, STD/ICE1373 KEYS, MOBILE-ENABLED, ECP V2	890.22	IR	Readers
Y	921NMNNEKMA0Q8	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIG/MA, WIEG, PIG, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, HF MIGR PFL EVP00000, IPM OFF, MOBILE READY	973.90	IR	Readers
Y	921NMNTEKEA002	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	890.22	IR	Readers
Y	921NMNTEKEA06R	RDR, RK40, ICLASS, SE REV E, LF OFF, HF STD/SIO/SEOS/MA, WIEG, BLK, TERM, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DORADO COMPL, NO PAR, 8-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	890.22	IR	Readers
Y	921NMNTEKEA06Y	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	890.22	IR	Readers
Y	921NMNTEKEA07J	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, WIEG, TERM, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	890.22	IR	Readers
Y	921NMNTEKEA08Y	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, WIEG, TERM, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, CSN 34-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	890.22	IR	Readers
Y	921NMNTEKEA091	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 34-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	890.22	IR	Readers
Y	921NMNTEKEA09G	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, WIEG, TERM, BLK, STD-1, LED RED, FLSH OFF, BZR ON, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	890.22	IR	Readers
Y	921NMNTEKEA09K	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, WIEG, TERM, BLK, STD-1, LED OFF, FLSH OFF, BZR OFF, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	890.22	IR	Readers
Y	921NMNTEKEA0CA	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIG/MA, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	973.90	IR	Readers
Y	921NMNTEKEA0CJ	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, WIEG, TERM, BLK, LED BLUE, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	890.22	IR	Readers
Y	921NMNTEKEA0DW	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, WIEG, TERM, BLK, LED OFF, FLSH OFF, BZR OFF, CSN 34-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	890.22	IR	Readers
Y	921NMNTEKEA0EU	RDR, RK40, ICLASS, SE E, LF OFF, HF SIO/SEOS/MA, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN RAW, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	890.22	IR	Readers
Y	921NMNTEKEA0N1	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA/MIFSPR, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	890.22	IR	Readers
Y	921NMNTEKEA0ND	RDR, RK40, ICLASS, SE E, LF OFF, HF LEG/SIO/SEOS/MA/MIFARE SIO DISABLED, WIEG, TERM, BLK, LED BLUE, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN SUPPR, KPF, BFFRD 1 KEY, NO PAR, 4 BIT-MSG, IPM OFF, MOBILE-ENABLED-FMT	890.22	IR	Readers
Y	921NMNTEKEA129	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA/MIGR, WIEG, TERM, BLK, HF MIGR PFL EVP00000, IPM OFF, MOBILE-ENABLED-FMT	973.90	IR	Readers
Y	921NMNTEKMA002	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-READY	890.22	IR	Readers
Y	921NMNTEKMA013	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, MOBILE-READY	890.22	IR	Readers
Y	921NMNTEKMA023	RDR, RK40, ICLASS, SE E, LF OFF, HF LEG/SIO/SEOS/MA, WIEG, LED BLUE, FLSH GRN, BZR ON, OPT TAMP,OPN COL,32-BIT MSB, KPF,BFFRD 1 KEY, NO PAR,4-BIT MSG, IPM OFF,DEMO STD/ICE0235/MOB0001/MOB0022 KEYS MOBILE ENABLED,TAP/TWIST N GO ENBL, ECP V2	890.22	IR	Readers
Y	921NMNTEKMA077	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIG/MA, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, TEST KEY, POLL=75MS, CSN SUPPR, KPF, ASCII, BFFRD 1 KEY, HF MIGR PFL EVP00000, IPM OFF, MOBILE-READY	973.90	IR	Readers
Y	921NMNTEKMA0CA	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIG/MA, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-READY	973.90	IR	Readers
Y	921NMNTEKMA0CJ	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, WIEG, TERM, BLK, LED BLUE, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-READY	890.22	IR	Readers
Y	921NMNTEKMA0CV	RDR, RK40, ICLASS, SE E, LF OFF, HF CST LEG/HID MIFARE APPLICATION/MF CSN SUPPR/MA, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE READY	890.22	IR	Readers
Y	921NMNTEKMA0N1	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA/MIFSPR, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-READY	890.22	IR	Readers
Y	921NMPNEKEA006	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, OSDP, PIG, BLK, A/V OFF, OPT TAMP, OPEN COLL, CSN 32-BIT LSB, EM4102 32-BIT, KPF, ASCII, BFFRD 1 KEY, IPM OFF, MOBILE-ENABLED-FMT	890.22	IR	Readers
Y	921NMPNEKEA0EV	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, 485HDX, PIG, BLK, STD-1, A/V OFF, OSDP V2, SECURE MODE OFF, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, B-RATE 115.2K, CSN 32-BIT MSB, KPF, ASCII, BFFRD 1 KEY, IPM OFF, APB 250MS, MOB-EN-FMT	890.22	IR	Readers
Y	921NMPNEKMA006	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, OSDP, PIG, BLK, A/V OFF, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, KPF, ASCII, BFFRD 1 KEY, IPM OFF, MOBILE-READY	890.22	IR	Readers
Y	921NMPNEKMA00E	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIG/MA, 485HDX, PIG, BLK, A/V OFF, OSDP V1, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN SUPPR, KPF, ASCII, BFFRD 1 KEY, HF MIGR PFL EVP00000, IPM OFF, MOBILE-READY	973.90	IR	Readers
Y	921NMPNEKMA0BR	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, 485HDX, PIG, BLK, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=50MS, CSN 32-BIT MSB, KPF, ASCII, BFFRD 1 KEY, IPM OFF, MOBILE-READY	890.22	IR	Readers
Y	921NMPNEKMA0DM	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIG/MA, 485HDX, PIG, BLK, A/V OFF, OSDP V1, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, KPF, ASCII, BFFRD 1 KEY, HF MIGR PFL EVP00000, IPM OFF, MOBILE-READY	973.90	IR	Readers
Y	921NMPTEKEA006	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, OSDP, TERM, BLK, A/V OFF, OPT TAMP, OPEN COLL, CSN 32-BIT LSB, KPF, ASCII, BFFRD 1 KEY, IPM OFF, MOBILE-ENABLED-FMT	890.22	IR	Readers
Y	921NMPTEKEA00E	RDR, RK40, ICLASS, SE E,LF OFF,HF STD/SIO/SEOS/MIG/MA, 485HDX, TERM, BLK, A/V OFF, OSDP V1, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN SUPPR, KPF, ASCII, BFFRD 1 KEY, HF MIGR PFL EVP00000, IPM OFF, MOBILE-ENABLED-FMT	973.90	IR	Readers
Y	921NMPTEKEA0DM	RDR, RK40, ICLASS, SE E,LF OFF,HF STD/SIO/SEOS/MIG/MA, 485HDX,TERM, BLK, A/V OFF, OSDP V1, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, KPF, ASCII, BFFRD 1 KEY, HF MIGR PFL EVP00000, IPM OFF, MOBILE-ENABLED-FMT	973.90	IR	Readers
Y	921NMPTEKEA0EV	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, 485HDX, TERM, BLK, STD-1, A/V OFF, OSDP V2, SEC MODE OFF, OSDP TAMP ENBLD, TST KEYS, POLL=75MS, B-RATE 115.2K, CSN 32-BIT MSB, KPF, ASCII, BFFRD 1 KEY, IPM OFF, APB 250MS, MOBILE-EN-FMT	890.22	IR	Readers
Y	921NMPTEKMA006	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, OSDP, TERM, BLK, A/V OFF, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, KPF, ASCII, BFFRD 1 KEY, IPM OFF, MOBILE-READY	890.22	IR	Readers
Y	921NMPTEKMA00E	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIG/MA, 485HDX, TERM, BLK, A/V OFF, OSDP V1, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN SUPPR, KPF, ASCII, BFFRD 1 KEY, HF MIGR PFL EVP00000, IPM OFF, MOBILE-READY	973.90	IR	Readers
Y	921NMPTEKMA033	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIG/MA, OSDP, TERM, BLK, HF MIGR PFL EVC26503, IPM OFF, OSDP V1, ICE0178/MOB0038 KEYS, MOBILE ENABLED, ECP V2	973.90	IR	Readers
Y	921NMPTEKMA067	RDR, RK40, ICLASS, SE E, LF OFF, HF ICLASS SIO/SEOS/MA, OSDP V2, TERM, BLK, A/V OFF, OPT TAMP, OPEN COLL, OSDP TAMP, TEST KEYS, CSN SUPPR, KPF, ASCII, BFFRD 1 KEY, IPM OFF, UART OFF	890.22	IR	Readers
Y	921NMPTEKMA0BL	RDR,RK40,ICLASS,SE E,LFOFF,HF STD/SIO/SEOS/MIG/MA,485HDX,TERM,BLK, A/V OFF, OSDP V1,OPT TAMP, OC, OSDP TAMP ENBLD,TEST KEYS,POLL=75MS,CSN56-BIT MSB,HF MIGR PFL EVP00000,KPF,BFFRD1KEY,NOPAR,4-BITMSG,IPMOFF,MOBILE-READY	973.90	IR	Readers
Y	921NMPTEKMA0DM	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIG/MA, 485HDX, TERM, BLK, A/V OFF, OSDP V1, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, KPF, ASCII, BFFRD 1 KEY, HF MIGR PFL EVP00000, IPM OFF, MOBILE-READY	973.90	IR	Readers
Y	921NMPTEKMA0FW	RDR, RK40, ICLASS, LF OFF, HF STD/SIO/SEOS/MIGR/MA, 485HDX, TERM, BLK, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP, KPF, ASCII, BFFRD 1 KEY, CSN SUPPR, HF MIGR PFL EVP00000, IPM OFF, MOBILE-READY	973.90	IR	Readers
Y	921NMPTEKMA0H5	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR/MA, 485HDX, TERM, BLK, OSDP V2, A/V OFF, OPT TAMP, OPEN COLL, OPT TAMP, KPF, ASCII, BFFRD 1 KEY, CSN 32-BIT MSB, HF MIGR PFL EVP00000, IPM OFF, MOBILE-READY	973.90	IR	Readers
Y	921NNNNEK2037R	RDR, RK40, ICLASS, SE E, LF OFF, HF SIO/SEOS, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, VAR BIT OUTPUT PER SIO, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NNNNEK2043H	RDR, RK40, ICLASS, SE E, LF OFF, HF SIO/SEOS, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, VAR BIT OUTPUT PER SIO, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NNNNEK2058Q	RDR, RK40, ICLASS, SE E, LF OFF, HF CST DESFIRE SIO/SEOS ONLY, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NNNNEKE037R	RDR, RK40, ICLASS, SE E, LF OFF, HF SIO/SEOS, WIEG, PIG, BLK, ELITE KEYS, LED RED, FLSH GRN, BZR ON, VAR BIT OUTPUT PER SIO, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NNNNEKE039M	RDR, RK40, ICLASS, SE E, LF OFF, HF SIO/SEOS, WIEG, PIG, BLK, ELITE KEYS, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NNNNEKE039N	RDR, RK40, ICLASS, SE E, LF OFF, HF SIO/SEOS, WIEG, PIG, BLK, ELITE KEYS, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NNNTEK200CD	RDR, RK40, ICLASS, LF OFF, HF SIO/SEOS/MIGR, CSTM HID MIFARE + HID MIFARE KEY, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, VAR BIT OUTPUT PER SIO, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NNNTEK2037R	RDR, RK40, ICLASS, SE E, LF OFF, HF SIO/SEOS, WIEG, TERM, BLK, STD-2, LED RED, FLSH GRN, BZR ON, VAR BIT OUTPUT PER SIO, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NNNTEK2038C	RDR, RK40, ICLASS, SE E, LF OFF, HF SIO/SEOS, WIEG, TERM, BLK, STD-2, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NNNTEKE037R	RDR, RK40, ICLASS, SE E, LF OFF, HF SIO/SEOS, WIEG, TERM, BLK, ELITE KEYS, LED RED, FLSH GRN, BZR ON, VAR BIT OUTPUT PER SIO, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NNPNEK200YT	RDR, RK40, ICLASS, SE E, LF OFF, HF ICLASS SIO/SEOS, WIEG, PIG, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, CSN SUPPR, IPM OFF, OSDP-READY	820.49	IR	Readers
Y	921NNPNEK2038A	RDR, RK40, ICLASS, SE E, LF OFF, HF SIO/SEOS, 485HDX, PIG, BLK, STD-2, A/V OFF, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, KPF, ASCII, BFFRD 1 KEY, IPM OFF, UART OFF, WIEG OFF	820.49	IR	Readers
Y	921NNPNEK2041T	RDR, RK40, ICLASS, SE E, LF OFF, HF SIO/SEOS, 485HDX, PIG, BLK, STD-2, A/V OFF, OSDP V1, OPN COL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, VAR BIT OUTPUT PER SIO, KPF, ASCII, BFFRD 1 KEY, IPM OFF, UART OFF, WIEG OFF	820.49	IR	Readers
Y	921NNPNEKE017M	RDR, RK40, ICLASS, SE E, LF OFF, HF SIO/SEOS, 485HDX, PIG, BLK, ELITE, A/V OFF, OSDP V2, OPN COL, OSDP TAMP ENBLD, TEST KEY, POLL=50MS, VAR BIT OUTPUT PER SIO, KPF, ASCII, BFFRD 1 KEY, IPM OFF, UART OFF, WIEG OFF	820.49	IR	Readers
Y	921NNPNEKE041T	RDR, RK40, ICLASS, SE E, LF OFF, HF SIO/SEOS, 485HDX, PIG, BLK, ELITE, A/V OFF, OSDP V1, OPN COL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, VAR BIT OUTPUT PER SIO, KPF, ASCII, BFFRD 1 KEY, IPM OFF, UART OFF, WIEG OFF	820.49	IR	Readers
Y	921NNPTEK200H3	RDR, RK40, ICLASS, SE E, LF OFF, HF SIO (PICOPASS), 485HDX, TERM, BLK, STD-2, LED RED, FLSH OFF, BZR OFF, OSDP V1, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, CSN SUPPR, KPF, ASCII, BFFRD 1 KEY, IPM OFF	820.49	IR	Readers
Y	921NNPTEK2038A	RDR, RK40, ICLASS, SE E, LF OFF, HF SIO/SEOS, 485HDX, TERM, BLK, STD-2, A/V OFF, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, KPF, ASCII, BFFRD 1 KEY, IPM OFF, UART OFF, WIEG OFF	820.49	IR	Readers
Y	921NNPTEK2041T	RDR, RK40, ICLASS, SE E, LF OFF, HF SIO/SEOS, 485HDX, TERM, BLK, STD-2, A/V OFF, OSDP V1, OPN COL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, VAR BIT OUTPUT PER SIO, KPF, ASCII, BFFRD 1 KEY, IPM OFF, UART OFF, WIEG OFF	820.49	IR	Readers

Y	921NNPTEKE00VM	RDR, RK40, ICLASS, SE E, LF OFF, HF DESFIRE SIO, 485HDX, TERM, BLK, ELITE, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, KPF, ASCII, BFFRD 1 KEY, IPM OFF	820.49	IR	Readers
Y	921NNPTEKE041T	RDR, RK40, ICLASS, SE E, LF OFF, HF SIO/SEOS, 485HDX, TERM, BLK, ELITE, A/V OFF, OSDP V1, OPN COL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, VAR BIT OUTPUT PER SIO, KPF, ASCII, BFFRD 1 KEY, IPM OFF, UART OFF, WIEG OFF	820.49	IR	Readers
Y	921NRNNEK0019P	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/TRANS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, 64-BIT LSB FELICA OR 64-BIT MIFARE, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	855.36	IR	Readers
Y	921NRNNEK0019R	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/TRANS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, 64-BIT LSB FELICA, 64-BIT MSB CEPAS CAN , KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	855.36	IR	Readers
Y	921NRNNEK0019U	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/TRANS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, 64-BIT LSB FELICA, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	855.36	IR	Readers
Y	921NRNNEK0019W	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/TRANS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, 64-BIT LSB FELICA OR 64-BIT MIFARE, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	855.36	IR	Readers
Y	921NRNNEK00276	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/TRANS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, 64-BIT LSB FELCIA, 64-BIT MSB CEPAS CAN OR MIFARE, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	855.36	IR	Readers
Y	921NRNNEK0027A	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/TRANS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, 26-BIT (EP+8BIT FC=01+16BIT CSN MSB+OP) FELICA OR CEPAS CAN OR MIFARE, KPF, BFFRD 1 KEY, NP, 4-BIT MSG, IPM OFF	855.36	IR	Readers
Y	921NRNTEK0019W	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/TRANS, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, 64-BIT LSB FELICA OR 64-BIT MIFARE, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	855.36	IR	Readers
Y	921NSNNEK20000	RDR, RK40, ICLASS, SE E, LF OFF, HF SEOS, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, VAR BIT OUTPUT PER SIO, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, VEL ON	771.67	IR	Readers
Y	921NSNNEK2S07B	RDR, RK40, ICLASS, SE E, LF OFF, HF SEOS ONLY, WIEG, PIG, BLK, STD-2, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NSNTEK20000	RDR, RK40, ICLASS, SE E, LF OFF, HF SEOS, WIEG, TERM, BLK, STD-2, LED RED, FLSH GRN, BZR ON, VAR BIT OUTPUT PER SIO, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, VEL ON	771.67	IR	Readers
Y	921NSNTEKE0000	RDR, RK40, ICLASS, SE E, LF OFF, HF SEOS, WIEG, TERM, BLK, ELITE KEYS, LED RED, FLSH GRN, BZR ON, VAR BIT OUTPUT PER SIO, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, VEL ON	771.67	IR	Readers
Y	921NSPNEK2008K	RDR, RK40, ICLASS, SE E, LF OFF, HF SEOS, 485HDX, PIG, BLK, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=50MS, CSN SUPPR, KPF, ASCII, BFFRD 1 KEY, IPM OFF	820.49	IR	Readers
Y	921NSPNEKE009L	RDR, RK40, ICLASS, SE E, LF OFF, HF SEOS, 485HDX, PIG, BLK, ELITE, LED RED, FLSH GRN, BZR ON, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, TEST KEYS, POLL=50MS, IPM OFF, UART OFF, WIEG ON, OSDP-READY	820.49	IR	Readers
Y	921NSPTEK2008K	RDR, RK40, ICLASS, SE E, LF OFF, HF SEOS, 485HDX, TERM, BLK, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=50MS, CSN SUPPR, KPF, ASCII, BFFRD 1 KEY, IPM OFF	820.49	IR	Readers
Y	921NTCTEK0028B	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, C&D, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, BFFRD 1 KEY, NO PAR, 4 BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNNEK00000	RDR, RK40, ICLASS, SE REV E, KPD, NO PROX, STD, WIEGAND, PIG, BLK, STD 1 SECURITY, LED RED, FLASH GRN, BZR ON, IPM OFF, KPF-4-BIT, 32 BIT	771.67	IR	Readers
Y	921NTNNEK00011	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIFSPR, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON CSTM TMPL, CSN MIF SUPPR, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNNEK0002K	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNNEK0002R	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNNEK0002T	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNNEK0002W	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNNEK00040	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNNEK0004D	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR OFF, CSN 34-BIT MSB, KPF, BFFRD 1 KEY, PAR, 6-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNNEK0004L	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIFSPR, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNNEK00059	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIFSPR, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNNEK0005A	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT LSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNNEK0005J	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 56-BIT LSB, IPM OFF	771.67	IR	Readers
Y	921NTNNEK0005K	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 40-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNNEK0005L	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, LOCAL PIN VERIFY, IPM OFF	771.67	IR	Readers
Y	921NTNNEK00066	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNNEK00071	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 34-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNNEK0007L	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, PAR, 6-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNNEK0007Q	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, PAR, 6-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNNEK0007R	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNNEK0008F	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR OFF, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNNEK0008T	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNNEK000AW	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, PIG, BLK,STD-1, LED OFF, FLSH OFF, BZR OFF, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG,, KP BEEP OFF, IPM	771.67	IR	Readers
Y	921NTNNEK000BL	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIFSPR, WIEG, PIG, BLK, STD-1, LED OFF, FLSH AMBER, BZR OFF, CSN 56-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNNEK000KB	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, WIEG PW 100US - PS 2000US, IPM OFF	771.67	IR	Readers
Y	921NTNNEK000MV	RDR, RK40, ICLASS, SE E, LF OFF, HF ISO14443B CSN ONLY, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, ISO14443B 32-BIT CSN, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNNEK000PF	RDR, RK40, ICLASS, SE E, LF OFF, HF HID MIFARE APPLICATION/MIFARE CSN, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32 BIT MSB, HID MIFARE STANDARD KEY, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNNEK0010T	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNNEK0010U	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT LSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNNEK00116	RDR, RK40, ICLASS, SE E, CSTM, LF OFF, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 34-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF,	771.67	IR	Readers
Y	921NTNNEK0012Y	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNNEK0014Y	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR OFF, CSN 26-BIT (W/DEFAULT FC), KPF, LOCAL PIN VERIFY, IPM OFF	771.67	IR	Readers
Y	921NTNNEK00153	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 56-BIT LSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNNEK00155	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNNEK0016L	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNNEK0017W	RDR, RK40, ICLASS, SE REV E, KPD, NO PROX, STD, WIEGAND, PIG, BLK, STD 1 SECURITY, LED RED, FLASH GRN, BZR ON, IPM OFF, KPF-4-BIT, 32 BIT	771.67	IR	Readers
Y	921NTNNEK0024L	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNNEK0024M	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, CSN 32-BIT LSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNNEK0024T	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIFSPR, WIEG, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR OFF, CSN MIF SUPPR, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNNEK00358	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 34-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNNEK0036A	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED OFF, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNNEK0043P	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, ISO14443B 32-BIT CSN, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNNEK0044V	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32 BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, TAMPER OC	771.67	IR	Readers
Y	921NTNNEK0045D	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED OFF, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, TAMPER OC	771.67	IR	Readers
Y	921NTNNEK0045F	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED BLUE, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BUFFRD 1 KEY, NO PAR, 4 BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNNEK0046C	RDR, RK40, ICLASS, SE REV E, KPD, NO PROX, STD, WIEGAND, PIG, BLK, STD 1 SECURITY, LED RED, FLASH GRN, BZR ON, IPM OFF, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, 32 BIT	771.67	IR	Readers
Y	921NTNNEK0047G	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, MIFARE CSN SUPPR, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, PICO15693 10 PERCENT MODULATION	771.67	IR	Readers
Y	921NTNNEK0051Y	RDR, RK40, ICLASS, SE REV E, LF OFF, HF HF CST ICLASS/MIFARE CSN, WIEG, PIG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNNEK00584	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 TO 5 KEYS, PAR, FC FIXED 96, 26-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNNEKE0000	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, PIG, BLK, ELITE KEYS, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNNEKE002K	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, PIG, BLK, ELITE KEYS, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNNEKE002R	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, PIG, BLK, ELITE KEYS, LED OFF, FLSH OFF, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNNEKE002T	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, PIG, BLK, ELITE KEYS, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNNEKE002W	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, PIG, BLK, ELITE KEYS, LED RED, FLSH GRN, BZR ON, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNNEKE0059	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIFSPR, WIEG, PIG, BLK, ELITE KEYS, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNNEKE017E	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, PIG, BLK, ELITE KEYS, LED OFF, FLSH OFF, BZR ON, CSN 32-BIT LSB, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNNEKE043R	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, PIG, BLK, ELITE KEYS, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, CSTM SO RMV PICO15693, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, UNIVERSITY OF ALABAMA	771.67	IR	Readers
Y	921NTNTEK00000	RDR, RK40, ICLASS, SE REV E, KPD, NO PROX, STD, WIEGAND, TERM, BLK, STD 1 SECURITY, LED RED, FLASH GRN, BZR ON, IPM OFF, KPF-4-BIT, 32 BIT	771.67	IR	Readers
Y	921NTNTEK0001F	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, IPM OFF	771.67	IR	Readers
Y	921NTNTEK0002K	RDR, RK40, ICLASS, SE REV E, LF OFF, HF STD/SIO/SEOS, WIEG, BLK, TERM, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DORADO COMPL, NO PAR, 8-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNTEK0002T	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF	771.67	IR	Readers

Y	921NTNTEK0002W	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNTEK00040	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNTEK0004D	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED OFF, FLSH OFF, BZR OFF, CSN 34-BIT MSB, KPF, BFFRD 1 KEY, PAR, 6-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNTEK0004L	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIFSPR, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNTEK00050	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNTEK00059	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIFSPR, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNTEK0005A	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT LSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNTEK0005L	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, LOCAL PIN VERIFY, IPM OFF	771.67	IR	Readers
Y	921NTNTEK00066	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNTEK0006M	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, CSN 34-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNTEK00071	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 34-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNTEK00072	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIFSPR, WIEG, TERM, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, CSN MIF SUPPR, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNTEK0007L	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, PAR, 6-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNTEK0007R	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNTEK0007W	RDR, RK40, ICLASS, SE E, LF OFF, HF ICLASS SIO/SEOS, WIEG, TERM, BLK, STD-1, LED BLUE, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, TEST KEYS, CSN SUPPR, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF	771.67	IR	Readers
Y	921NTNTEK00089	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED RED, FLSH OFF, BZR ON, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNTEK0008F	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED OFF, FLSH OFF, BZR OFF, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNTEK0008T	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNTEK000BL	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIFSPR, WIEG, TERM, BLK, STD-1, LED OFF, FLSH AMBER, BZR OFF, CSN 56-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNTEK000DJ	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/HID MIFARE APP, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32 BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, HID MIFARE KEY	771.67	IR	Readers
Y	921NTNTEK000KB	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, WIEG PW 100US - PS 2000US, IPM OFF	771.67	IR	Readers
Y	921NTNTEK0010T	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED RED, FLSH OFF, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNTEK0014T	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED OFF, FLSH OFF, BZR OFF, OPT TAMP, OPEN COLL, CSN 56-BIT LSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNTEK0014U	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED OFF, FLSH OFF, BZR OFF, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNTEK0017W	RDR, RK40, ICLASS, SE REV E, KPD, NO PROX, STD, WIEGAND, TERM, BLK, STD 1 SECURITY, LED RED, FLASH GRN, BZR ON, IPM OFF, KPF-4-BIT, 32 BIT	771.67	IR	Readers
Y	921NTNTEK0024T	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIFSPR, WIEG, TERM, BLK, STD-1, LED OFF, FLSH OFF, BZR OFF, CSN MIF SUPPR, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNTEK0036A	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED OFF, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNTEK0047G	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, CSN SUPPR, KPF, BFFRD 1 KEY, NO PAR. 4 BIT MSG, IPM OFF, PICO15693 10 PERCENT MODULATION	771.67	IR	Readers
Y	921NTNTEK0051Y	RDR, RK40, ICLASS, SE REV E, LF OFF, HF HF CST ICLASS/MIFARE CSN, WIEG, TERM, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNTEK0054H	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/HID MIFARE APP, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32 BIT MSB, BFFRD 1 KEY, NO PAR, 4 BIT MSG, IPM OFF, HID MIFARE KEY	771.67	IR	Readers
Y	921NTNTEKE0000	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, BLK, ELITE KEYS, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNTEKE001F	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, BLK, ELITE KEYS, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, IPM OFF	771.67	IR	Readers
Y	921NTNTEKE002K	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, BLK, ELITE KEYS, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNTEKE002R	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, BLK, ELITE KEYS, LED OFF, FLSH OFF, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNTEKE0040	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, BLK, ELITE KEYS, LED OFF, FLSH OFF, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNTEKE0050	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, BLK, ELITE KEYS, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNTEKE0072	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIFSPR, WIEG, TERM, BLK, ELITE KEYS, LED OFF, FLSH OFF, BZR ON, CSN MIF SUPPR, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTNTEKE009N	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIFSPR, WIEG, TERM, BLK, ELITE KEYS, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN MIF SUPPR, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	771.67	IR	Readers
Y	921NTPNEK00035	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, 485HDX, PIG, BLK, STD-1, A/V OFF, OSDP V1, OPN COL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, KPF, ASCII, BFFRD 1 KEY, 8-BIT MSG, IPM OFF, UART OFF, WIEG OFF	820.49	IR	Readers
Y	921NTPNEK0003X	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, 485HDX, PIG, BLK, STD-1, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=50MS, CSN 56-BIT MSB, KPF, ASCII, BFFRD 1 KEY, IPM OFF, UART OFF, WIEG OFF	820.49	IR	Readers
Y	921NTPNEK000FB	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, 485HDX, PIG, BLK, STD-1, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=50MS, CSN 32-BIT MSB, KPF, ASCII, BFFRD 1 KEY, IPM OFF, UART OFF, WIEG OFF	820.49	IR	Readers
Y	921NTPNEK000QM	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIFSPR, 485HDX, PIG, BLK, STD-1, A/V OFF, OSDP V1, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN MIF SUPPR, KPF, ASCII, BFFRD 1 KEY, IPM OFF, UART OFF, WIEG OFF	820.49	IR	Readers
Y	921NTPNEK000R3	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, 485HDX, PIG, BLK, STD-1, A/V OFF, OSDP V1, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, KPF, ASCII, BFFRD 1 KEY, IPM OFF, UART OFF, WIEG OFF	820.49	IR	Readers
Y	921NTPNEK0011U	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, PIG, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, CSN SUPPR, IPM OFF, OSDP-READY	820.49	IR	Readers
Y	921NTPNEK0016H	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, 485HDX, PIG, BLK, STD-1, A/V OFF, OSDP V1, OPN COL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, KPF, ASCII, BFFRD 1 KEY, IPM OFF, UART OFF, WIEG OFF	820.49	IR	Readers
Y	921NTPNEK0017B	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, CSN 32-BIT MSB, IPM OFF, OSDP-READY	820.49	IR	Readers
Y	921NTPNEKE041Q	RDR, RK40, ICLASS, SE E, LF OFF HF ICLASS LEG/SEOS, 485HDX ,PIG, BLK, ELITE, LED OFF, FLSH OFF, BZR ON, OSDP V1, OPN COL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, ASCII, BFFRD 1 KEY, IPM OFF, UART OFF, WIEG OFF, MICROSOFT	820.49	IR	Readers
Y	921NTPTEK00035	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, 485HDX, TERM, BLK, STD-1, A/V OFF, OSDP V1, OPN COL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, KPF, ASCII, BFFRD 1 KEY, IPM OFF, UART OFF, WIEG OFF	820.49	IR	Readers
Y	921NTPTEK00067	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, 485HDX, TERM, BLK, STD-1, A/V OFF, OSDP V1, OPN COL, OSDP TAMP DISBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, KPF, ASCII, BFFRD 1 KEY, IPM OFF, UART OFF, WIEG OFF	820.49	IR	Readers
Y	921NTPTEK000FB	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, 485HDX, TERM, BLK, STD-1, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=50MS, CSN 32-BIT MSB, KPF, ASCII, BFFRD 1 KEY, IPM OFF, UART OFF, WIEG OFF	820.49	IR	Readers
Y	921NTPTEK000QM	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIFSPR, 485HDX, TERM, BLK, STD-1, A/V OFF, OSDP V1, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN MIF SUPPR, KPF, ASCII, BFFRD 1 KEY, IPM OFF, UART OFF, WIEG OFF	820.49	IR	Readers
Y	921NTPTEK0011U	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, CSN SUPPR, IPM OFF, OSDP-READY	820.49	IR	Readers
Y	921NTPTEK0016D	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, 485HDX, TERM, BLK, STD-1, A/V OFF, OSDP V1, OPN COL, OSDP TAMP DISBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, KPF, ASCII, BFFRD 1 KEY, IPM OFF, UART OFF, WIEG OFF	820.49	IR	Readers
Y	921NTPTEK0016H	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, 485HDX, TERM, BLK, STD-1, A/V OFF, OSDP V1, OPN COL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, KPF, ASCII, BFFRD 1 KEY, IPM OFF, UART OFF, WIEG OFF	820.49	IR	Readers
Y	921NTPTEK00181	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, 485HDX, TERM, BLK, STD-1, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=50MS, KPF, ASCII, BFFRD 1 KEY, CSN SUPPR, IPM OFF	820.49	IR	Readers
Y	921NTPTEK00253	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, 485HDX, TERM, BLK, STD-1, A/V OFF, OSDP V1, OPN COL, OSDP TAMP DISBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, KPF, ASCII, BFFRD 1 KEY, IPM OFF, UART OFF, WIEG OFF	820.49	IR	Readers
Y	921NTPTEK00356	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, 485HDX, TERM, BLK, STD-1, A/V OFF, OSDP V1, OPN COL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 56-BIT MSB, KPF, ASCII, BFFRD 1 KEY, IPM OFF, UART OFF, WIEG OFF	820.49	IR	Readers
Y	921NTPTEK0056Q	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, 485HDX,TERM, BLK, STD-1, A/V OFF, OSDP V1, OPT TAMP, OPEN COLL,OSDP TAMP ENABLED, TEST KEY, POLL=75MS,CSN 32-BIT MSB, KPF, ASCII, BFFRD 1 KEY, IPM OFF, UART OFF, WIEG OFF	820.49	IR	Readers
Y	921NTPTEKE0067	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, 485HDX, TERM, BLK, ELITE, A/V OFF, OSDP V1, OPN COL, OSDP TAMP DISBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, KPF, ASCII, BFFRD 1 KEY, IPM OFF, UART OFF, WIEG OFF	820.49	IR	Readers
Y	921NTPTEKE041Q	RDR, RK40, ICLASS, SE E, LF OFF HF ICLASS LEG/SEOS, 485HDX , TERM, BLK, ELITE, LED OFF, FLSH OFF, BZR ON, OSDP V1, OPN COL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, ASCII, BFFRD 1 KEY, IPM OFF, UART OFF, WIEG OFF, MICROSOFT	820.49	IR	Readers
Y	921NWNNEK00324	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, WIEG, PIG, BLK, HF MIGR PFL EVP00000, IPM OFF	855.36	IR	Readers
Y	921NWNNEKE00E4	RDR, RK40, ICLASS, SE E, LF OFF, HF CST LEG/HID MIFARE APPL/MF CSN SUPPR, WIEG, PIG, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 TO 5 KEYS, PAR, FC FIXED 001, 26-BIT MSG, IPM OFF, MIGR PFL EVPH0026	855.36	IR	Readers
Y	921NWNNEKE00GW	RDR, RK40, ICLASS, SE E, LF OFF, HF MIGR ONLY, C&D, PIG, BLK, LED RED, FLSH GRN, BZR ON, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, HF MIGR PFL EVCF0186_ICE0651	855.36	IR	Readers
Y	921NWNNEKE00J6	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, WIEG, PIG, BLK, LED OFF, FLASH OFF, BZR OFF, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, HF MIGR PFL EVP00000_ICE0318, IPM OFF	855.36	IR	Readers
Y	921NWNNEKE00R5	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR/HID MIFARE APPLICATION/MF CSN SUPPR, WIEG, PIG, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 8-BIT MSG, IPM OFF	855.36	IR	Readers
Y	921NWNNEKE044Y	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR CST MIFARE, WIEG, PIG, BLK, KPF, BFFRD 1 KEY, DOR COMPLI, NO PAR, 8 BIT,IPM OFF, HF MIGR PFL EVCF0114_ICE0363, ADOBE	855.36	IR	Readers
Y	921NWNNEKE050K	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, WIEG, PIG, BLK,LED RED, FLSH GRN, BRZ ON, KPF BFFRD 1 KEY, NO PAR, 4 BIT MESG, IPM OFF, HF MIGR PFL EVC5164	855.36	IR	Readers
Y	921NWNNEKE0534	RDR, RK40, ICLASS, SE E, LF OFF, HF CST LEG/HID MIFARE APPLICATION/MF CSN SUPPR, WIEG, PIG, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG IPM OFF	855.36	IR	Readers
Y	921NWNNEKE0537	RDR, RK40, ICLASS, SE E, LF OFF, HF MIGR, WIEG, PIG, BLK, LED OFF, FLSH OFF, BZR ON, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, HF MIGR PFL EVC00000_ICE0440, DIVERSIFIED KEY DISABLED	855.36	IR	Readers
Y	921NWNTEK00324	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, WIEG, TERM, BLK, HF MIGR PFL EVP00000, IPM OFF	855.36	IR	Readers
Y	921NWNTEKE006U	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIG, WIEG, TERM, BLK, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN SUPPR, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, HF MIGR PFL EVP00000, IPM OFF	855.36	IR	Readers
Y	921NWNTEKE00GW	RDR, RK40, ICLASS, SE E, LF OFF, HF MIGR ONLY, C&D, TERM, BLK, LED RED, FLSH GRN, BZR ON, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, HF MIGR PFL EVCF0186_ICE0651	855.36	IR	Readers
Y	921NWNTEKE0137	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIG, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, CSN SUPPR, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, HF MIGR PFL EVC215197, IPM OFF	855.36	IR	Readers
Y	921NWNTEKE042A	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIG, WIEG, TERM, BLK, HF MIGR PFL EVC01210, IPM OFF	855.36	IR	Readers
Y	921NWNTEKE042R	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIG, WIEG, TERM, BLK, HF MIGR PFL EVC244856, IPM OFF	855.36	IR	Readers
Y	921NWNTEKE050K	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, WIEG, TERM, BLK, LED RED, FLSH OFF, BZR ON, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, HF MIGR PFL EVCS5164	855.36	IR	Readers
Y	921NWNTEKE0534	RDR, RK40, ICLASS, SE E, LF OFF, HF CST LEG/HID MIFARE APPL/MF CSN SUPPR, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR. 4 BIT MSG, IPM OFF, MIGR PFL EVPH0026	855.36	IR	Readers

Y	921NWNTEKE054F	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, WIEG, TERM, BLK, HF MIGR PFL EVCF0313_ICE0287, IPM OFF	855.36	IR	Readers
Y	921NWPNEK0047M	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, 485HDX, PIG, BLK, A/V OFF, LED ON, FLSH ON, BZR ON, OSDP V2, OPT TAMP, OC, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 56-BIT MSB, ASCII, BFFRD 1 KEY, IPM OFF, UART OFF, WIEG OFF, EVP0000	904.16	IR	Readers
Y	921NWPNEK00482	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, 485HDX, PIG, BLK, WIEG, LED ON, FLSH ON, BZR ON, OPT TAMP, OPEN COLL, CSN 56-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON, EVP00000	904.16	IR	Readers
Y	921NWPNEKE00VF	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, 485HDX, PIG, BLK, OSDP V2, A/V OFF, OPT TAMP, OPEN COLL, OPT TAMP, KPF, ASCII, BFFRD 1 KEY, CSN 32-BIT MSB, HF MIGR PFL EVP00000, IPM OFF	904.16	IR	Readers
Y	921NWPTEK000HL	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, 485HDX, TERM, BLK, A/V OFF, OSDP V1, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, KPF, ASCII, BFFRD 1 KEY, HF MIGR PFL EVP00000, IPM OFF	904.16	IR	Readers
Y	921NWPTEK00318	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, 485HDX, TERM, BLK, HF MIGR PFL EVC185333, IPM OFF	904.16	IR	Readers
Y	921NWPTEK00324	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, 485HDX, TERM, BLK, HF MIGR PFL EVP00000, IPM OFF	904.16	IR	Readers
Y	921NWPTEK00327	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, 485HDX, TERM, BLK, HF MIGR PFL EVP00120, IPM OFF	904.16	IR	Readers
Y	921NWPTEK0047M	RDR, RK40, ICLASS, SE E,LF OFF, HF STD/SIO/SEOS/MIGR, 485HDX, TERM, BLK A/V OFF, OSDP V2, OPT TAMP, OC, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 56-BIT MSB, KPF, ASCII, BFFRD 1 KEY, IPM OFF, UART OFF, WIEG OFF, EVP00000	904.16	IR	Readers
Y	921NWPTEK00482	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, 485HDX, TERM, BLK, WIEG, LED ON, FLSH ON, BZR ON, OPT TAMP, OPEN COLL, CSN 56-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON, EVP00000	904.16	IR	Readers
Y	921NWPTEKE00KU	RDR, RK40, ICLASS, LF OFF, HF STD/SIO/SEOS/MIGR, 485HDX, TERM, BLK, STD-1, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP, KPF, ASCII, BFFRD 1 KEY, CSN 32-BIT MSB, HF MIGR PFL EVP00000, IPM OFF	904.16	IR	Readers
Y	921NWPTEKE00UP	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, 485HDX, TERM, BLK, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OPT TAMP ENBLD, KPF, ASCII, BFFRD 1 KEY, CSN SUPPR, IPM OFF, HF MIGR PFL EVP00000_ICE0318	904.16	IR	Readers
Y	921NWPTEKE00YW	RDR, RK40, ICLASS, SE E, LF OFF, HF MIGR ONLY, 485HDX, TERM, BLK, A/V OFF, OSDP V1, OPT TAMP, OPEN COLL, OSDP TAMP, CSN SUPPR, KPF, ASCII, BFFRD 1 KEY, IPM OFF, HF MIGR PFL EVC51076_ICE1066	904.16	IR	Readers
Y	921NWPTEKE052M	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, BLK TERM, OSDP V1 485HDX ,HF MIGR PFL EVC26503, IPM OFF,	904.16	IR	Readers
Y	921PBNNEK20000	RDR, RPK40, MULTICLASS, SE E, LF FSK ONLY, HF SEOS, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, VAR BIT OUTPUT PER SIO, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, VEL ON, MOBILE READY	948.80	IR	Readers
Y	921PBNNEK2A0NE	RDR, RPK40, MULTICLASS, SE E, LF FSK, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, I'M ALIVE, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, VEL ON, MOBILE-READY	948.80	IR	Readers
Y	921PBNNEK2S078	RDR, RPK40,MULTICLASS,SE E,HF SEOS/MA,WIEG,PIG,BLK,STD-2,LED BLUE, FLSH GRN, BZR ON, OPT TAMP,OC,IM ALIVE,KPF,BFFRD 1 KEY,NO PAR,4-BIT MSG, VAR OUTPUT PER SIO,IPM OFF, VEL ON, RESET TO FACTORY DEFAULTS FOR RK/RPK READERS TARGET,MOBILE-READY	948.80	IR	Readers
Y	921PBNNEKE0000	RDR, RPK40, MULTICLASS, SE E, LF FSK ONLY, HF SEOS, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, VAR BIT OUTPUT PER SIO, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, VEL ON, MOBILE-ENABLED-FORMAT	948.80	IR	Readers
Y	921PBNNEKMA0NM	RDR, RPK40, MULTICLASS, SE E, LF FSK, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, I'M ALIVE, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, VEL ON, MOB1279 KEYS, MOBILE-ENABLED	948.80	IR	Readers
Y	921PBNNEKMA0P5	RDR, RPK40, MULTICLASS, SE E, LF FSK, HF SEOS/MA, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, I'M ALIVE, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, VEL ON, MOB1279 KEYS, MOBILE-ENABLED, ECPV2	948.80	IR	Readers
Y	921PBNTEK20000	RDR, RPK40, MULTICLASS, SE E, LF FSK ONLY, HF SEOS, WIEG, TERM, BLK, STD-2, LED RED, FLSH GRN, BZR ON, VAR BIT OUTPUT PER SIO, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, VEL ON, MOBILE READY	948.80	IR	Readers
Y	921PBNTEKE0000	RDR, RPK40, MULTICLASS, SE E, LF FSK ONLY, HF SEOS, WIEG, TERM, BLK, STD-2, LED RED, FLSH GRN, BZR ON, VAR BIT OUTPUT PER SIO, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, VEL ON, MOBILE-ENABLED-FORMAT	948.80	IR	Readers
Y	921PBPNEKEA0H9	RDR, RPK40, MULTICLASS, SE E, LF FSK, HF SEOS/MA, 485HDX, PIG, BLK, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, KPF, ASCII, BFFRD 1 KEY, CSN SUPPR, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PHPNEK0000F	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	795.84	IR	Readers
Y	921PHPNEK0004R	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHPNEK000HC	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHPNEK000R2	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1 , LED RED, FLSH GRN, BZR ON, KPF, BFFRD 1 KEY, NO PAR, 8-BIT MSG, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHPNEK000UE	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, OSDP V2, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	795.84	IR	Readers
Y	921PHPNEK0032N	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHPNEK0033G	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 75-BIT, IPM OFF, UART OFF, WIEG OFF	795.84	IR	Readers
Y	921PHPNEK0033H	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 64-BIT, IPM OFF, UART OFF, WIEG OFF	795.84	IR	Readers
Y	921PHPNEK0033J	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHPNEK0033K	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHPNEKE000F	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	795.84	IR	Readers
Y	921PHPNEKE019Y	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, ELITE, A/V OFF, OSDP V2, OSDP TEST KEY, ADDRESS 0, 9600 BAUD, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, KPF, ASCII, BFFRD 1 KEY, FIPS 200-BIT, IPM OFF	465.84	IR	Readers
Y	921PHPNEKE033H	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 64-BIT, IPM OFF, UART OFF, WIEG OFF	795.84	IR	Readers
Y	921PHPNEKE033K	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHPTEK0000F	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	795.84	IR	Readers
Y	921PHPTEK000RY	RDR, RPK40-H, PIVCLASS, SE E, LF FSK ONLY, HF DIW/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON, SPAWAR	795.84	IR	Readers
Y	921PHPTEK000UE	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, OSDP V2, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	795.84	IR	Readers
Y	921PHPTEK0032N	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHPTEK0033G	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 75-BIT, IPM OFF, UART OFF, WIEG OFF	795.84	IR	Readers
Y	921PHPTEK0033J	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHPTEKE032N	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRNEK0001U	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 40-BIT, BCD, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRNEK0002D	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRNEK0002G	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRNEK0002H	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRNEK0004V	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 40-BIT, BCD, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRNEK0004Y	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRNEK0005D	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, MIF/DES 56-BIT CSN, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRNEK0005P	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRNEK0005T	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRNEK00068	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRNEK0006F	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, RVRS BCD, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRNEK000CU	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF CST, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TMP/OPN COL, FIPS200-BIT, KPF BFRD 1 KEY, DOR CMP, NOPAR, 8-BIT, IPM OFF, UART OFF, WIEG ON, CSTM /FIPS/CAK/MIGR,LFENBD,PATHNJ	795.84	IR	Readers
Y	921PHRNEK000E7	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK,485FDX,PIG,BLK,STD-1, LED RED,FLSH GRN,BZR ON,OPT TAMP, OC,CSN 32 BIT MSB,FIPS 75-BIT,BFFRD 1 KEY,DOR COMPL,NO PAR, 8-BIT,IPM OFF,UART ON,WIEG ON,PROX FSK PRIORITY	795.84	IR	Readers
Y	921PHRNEK000EF	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK,485FDX,PIG, BLK,STD-1, LED RED,FLSH ON,BZR ON,OPT TAMP,OPN COL, FIPS 200-BIT,MIF/DES 56-BIT CSN,BFRD 1 KEY, DOR COMPL,NO PAR,8-BIT MSG,IPM OFF,UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRNEK000HC	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRNEK000K3	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED ON, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 200 BIT, PROX FSK, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON, CSTM SEOS LEDS	795.84	IR	Readers
Y	921PHRNEK0010K	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF CST, 485FDX, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS200-BIT, KPF BFRD 1 KEY, DOR CMP, NOPAR, 8-BIT, IPM OFF, UART OFF, WIEG ON, CSTM /FIPS/CAK/MIGR, JFK	795.84	IR	Readers
Y	921PHRNEK0010N	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, RVRS BCD, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRNEK0011B	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRNEK0011R	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, MIF/DES 26-BIT CSN, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRNEK00127	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 40-BIT, BCD, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRNEK0013F	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRNEK00145	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	795.84	IR	Readers
Y	921PHRNEK0015D	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR OFF, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	795.84	IR	Readers
Y	921PHRNEK0020D	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, RVRS BCD, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	795.84	IR	Readers
Y	921PHRNEK0020R	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, BCD, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRNEK0020U	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, RVRS BCD, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF	795.84	IR	Readers
Y	921PHRNEK0026H	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 KEY, ADD PAR, *=E, #=F, 6-BIT MSG, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRNEK0026J	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 40-BIT, BCD, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRNEK0026L	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, MIF/DES 56-BIT CSN, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIE	795.84	IR	Readers
Y	921PHRNEK0026M	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRNEK0026W	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR OFF, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRNEK0026Y	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED OFF, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers

Y	921PHRNEK00273	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRNEK00274	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRNEK0032W	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRNEK0033B	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, ASCII, XMIT CMPLT, IPM OFF, UART ON, WIEG OFF	795.84	IR	Readers
Y	921PHRNEK0037G	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, RVRS BCD, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRNEK0043E	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH ON, BZR ON, OPT TAMP, OPN COL, FIPS 200-BIT, 14443A 56-BIT CSN, KPF, BFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRNEK0043G	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, MIF/DES 56-BIT CSN, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRNEK0043T	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, 14443A MIF 56-BIT CSN, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRNEK0044K	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, BCD, KPF, BFFRD 1 KEY, PAR, 8-BIT MSG, IPM OFF, UART OFF, WEIG ON	795.84	IR	Readers
Y	921PHRNEK00467	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF OFF, 485FDX, PIG, BLK, STD-1, CSN SURPRESSED, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRNEK0046F	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL , KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8 BIT MSG, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRNEK00470	RDR, RPK40-H, PIVCLASS, SE E, LF CST, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 200 BIT, KPF, BFFRD 1 KEY, DOR, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON, FSK, ASK, PSK ENABL	795.84	IR	Readers
Y	921PHRNEK0047A	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF CST, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TMP/OPN COL, FIPS200-BIT, KPF BFRD 1 KEY, DOR CMP, NOPAR, 8-BIT, IPM OFF, UART OFF, WIEG ON, CST STD/SIO/SEOS/FIPS/CAK/MIGR,LFENBD,PATHNJ	795.84	IR	Readers
Y	921PHRNEK0051T	RDR, RPK40-H, PIVCLASS, SE E, LF CST, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT , OC, FIPS 75-BIT, MIF/DES 56-BIT CSN, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FSK PROX READ ONLY, IPM OFF, UART OFF	795.84	IR	Readers
Y	921PHRNEK0051V	RDR, RPK40-H, PIVCLASS, SE E, LF CST, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 200-BIT, FSK PROX READ ONLY, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRNEK0053Q	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON,CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRNEK0057D	RDR, RPK40-H, PIVCLASS,SE E,LF STD,HF STD/SIO/SEOS/FIPS/CAK,485FDX,PIG,BLK,STD-1,LED RED,FLSH GRN,BZR ON,OPT TAMP,OPEN COLL,FIPS 128-BIT,FASCN+RMV OVRHD+RMV PAR ,KPF,BFFRD 1 KEY,DOR COMPL,NO PAR 8-BIT MSG,IPM OFF	795.84	IR	Readers
Y	921PHRNEK00589	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 TO 5 KEYS, PAR, FC FIXED 96, 26-BIT MSG, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRNEKE026V	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, ELITE KEYS, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 40-BIT, RVRS BCD, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRNEKE032W	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRTEK0002D	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRTEK0002G	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRTEK000HC	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRTEK000Y6	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, DOR COMPL, BFFRD 1 KEY, NO PAR, 8 BIT-MSG, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRTEK00127	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 40-BIT, BCD, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRTEK0020R	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRTEK0032W	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRTEK0033B	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, ASCII, XMIT CMPLT, IPM OFF, UART ON, WIEG OFF	795.84	IR	Readers
Y	921PHRTEK0037G	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRTEK0043T	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, 14443A MIF 56-BIT CSN, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRTEK0043U	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, 14443A MIF 56-BIT CSN, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF	795.84	IR	Readers
Y	921PHRTEK00467	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF OFF, 485FDX, TERM, BLK, STD-1, CSN SURPRESSED, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRTEK00478	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF OFF, 485FDX, TERM, BLK, STD-1, CSN SURPRESSED, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRTEK0047A	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF CST, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TMP/OPN COL, FIPS200-BIT, KPF BFRD 1 KEY, DOR CMP, NOPAR, 8-BIT, IPM OFF, UART OFF, WIEG ON, CST STD/SIO/SEOS/FIPS/CAK/MIGR,LFENBD,PATHNJ	795.84	IR	Readers
Y	921PHRTEKE002G	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRTEKE00HC	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, ELITE, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRTEKE020R	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRTEKE032W	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PHRTEKE033B	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, ASCII, XMIT CMPLT, IPM OFF, UART ON, WIEG OFF	795.84	IR	Readers
Y	921PHRTEKE037G	RDR, RPK40-H, PIVCLASS, SE E, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	795.84	IR	Readers
Y	921PMCNEKEA10U	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, C&D, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMCNEKEA11V	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, C&D, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMCNEKEA11X	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, C&D, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 KEY, PAR, 6-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA002	RDR, RPK40, MULTICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA004	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA02X	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED BLUE, FLSH GRN, BZR ON, CSN 40-BIT MSB, KPF, PCSC, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA04P	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, EM4102 32-BIT, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA06A	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA06N	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA/MIFSPR, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA070	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA078	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA07C	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 34-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA07E	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 37-BIT LSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA07F	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA07K	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 40-BIT MSB, KPF, PCSC, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA07V	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA085	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA089	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32 BIT LSB, KPF, BFFRD NO PAR, 4 BIT, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA08B	RDR, RPK40, MULTICLASS, SE E, CSTM, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 34-BIT MSB, EM4102 32-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, MOBILE-ENABLED-FM	948.80	IR	Readers
Y	921PMNNEKEA08H	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA/MIFSPR, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA08K	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA094	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT LSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA09A	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA09M	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA09V	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, PAR, 6-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA0AN	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIFSPR/MA, WIEG, PIG, BLK, LED BLUE, FLSH GRN, BZR ON, CSN MIF SUPPR, PROX AWID ONLY, KPF, BFFRD 1 KEY, DORADO COMPL, NO PAR, 8-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA0CK	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, LED BLUE, FLSH GRN, BZR ON, CSN 32-BIT MSB, EM4102 32-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA0DH	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, LED BLUE, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA0DU	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, LED RED, FLSH GRN, BZR ON, CSN 34-BIT MSB, EM4102 34-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA0HC	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, KPF, BFFRD 4 KEYS, PAR, 18-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA0JC	RDR, RPK40, MULTICLASS, SE E, LF FSK, HF STD/SIO/SEOS/TRANS/MA, WIEG, PIG, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, 64-BIT LSB FELICA OR 64-BIT MIFARE, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	1,032.47	IR	Readers
Y	921PMNNEKEA0M0	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN RAW REVERSED, ISO15693 CSN, EM4102 32-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT, GE	948.80	IR	Readers
Y	921PMNNEKEA102	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA108	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, EM4102 34-BIT, WIEG, PAR MOD, MIFARE CSN SUPPR, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA10B	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, ADD PAR, *=E, #=F, 6-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA10C	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA10F	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 40-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers

Y	921PMNNEKEA10G	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, EM4102 32-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA10H	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, EM4102 32-BIT, MIFARE CSN SUPPR, WIEG, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA10T	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA111	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA/MIFSPR, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA11D	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 37-BIT LSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA11J	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA11K	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 40-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA11Y	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA/MIFSPR, WIEG, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, CSN MIF SUPPR, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA120	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, EM4102 42-BIT, MIFARE CSN SUPPR, WIEG, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA121	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, EM4102 42-BIT WIEG, PAR MOD, MIFARE CSN SUPPR, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA122	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, PAR, 6-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA123	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 TO 11 KEYS, NO PAR, 4- TO 44-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA129	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA/MIGR, WIEG, PIG, BLK, HF MIGR PFL EVP00000, IPM OFF, MOBILE-ENABLED-FMT	1,032.47	IR	Readers
Y	921PMNNEKEA12T	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 37-BIT LSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA12V	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 56-BIT LSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA136	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR OFF, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA139	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA13E	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR OFF, CSN 32-BIT MSB, OPT TAMP, OPEN COLL, LED BLUE FOR ANTIPASSBACK DIABLED, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA13K	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, EM4102, 40-BIT, WIEG, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, PROX PRIORITY, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA13T	RDR, RPK40, MULTICLASS, SE E, CSTM, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR OFF, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, CSTM WIEG TIMING, IPM OFF,GROSVENOR,	948.80	IR	Readers
Y	921PMNNEKEA13V	RDR, RPK40, MULTICLASS, SE E, STD PROX, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, 32 BIT MSB, KYP, BUF 1 KEY, NO PAR,COMPL, 8 BIT MES, IPM OFF, TAMPER OC, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA140	RDR, RPK40, MULTICLASS, SE E, LF STD, HF OFF/MA, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, EM4102 40-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA141	RDR, RPK40, MULTICLASS, SE E, LF STD, HF OFF/MA, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, EM4102 40-BIT, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA14E	RDR, RPK40, MULTICLASS, SE REV E, LF STD, HF STD/MA, WIEGAND, PIG, BLK, STD 1 SECURITY, LED RED, FLASH GRN, BZR ON, IPM OFF, KPF-4-BIT, 32 BIT, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA151	RDR, RPK40, MULTICLASS, SE E, CSTM, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 34-BIT MSB, EM4102 26-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, MOBILE-ENABLED-FM	948.80	IR	Readers
Y	921PMNNEKEA152	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1,LED OFF, FLSH OFF, BZR OFF CSN 32-BIT MSB, OPT TAMP, KPF BUFFRD 1 KEY, NO PAR, 4 BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA15F	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA15G	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR OFF, CSN 32-BIT MSB, EM4102 34-BIT KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA15J	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA/MIFSPR, WIEG, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN MIF SUPPR, FSK PROX READ ONLY, PROX PRIORITY,KPF, BFFRD 1 KEY, NO PAR, 4 BIT MSG, IPM OFF, MOBILE-EN	948.80	IR	Readers
Y	921PMNNEKEA15M	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR OFF, CSN 34-BIT MSB, KPF, BFFRD 1 KEY, PAR, 6-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA15T	RDR, RPK40 MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG. BLK, STD 1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FSK PROX READ ONLY, PROX PRIORITY 500MS, IPM OFF, MOBILE-EN	948.80	IR	Readers
Y	921PMNNEKEA162	RDR, RPK40, MULTICLASS, SE E, LF CST, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR OFF, CSN 32-BIT MSB, LED BLUE FOR ANTPASSBACK DISABLE,KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, FSK/PSK ENABLED, MASTERLOCK, MOBILE-	948.80	IR	Readers
Y	921PMNNEKEA164	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB,EM4102 40-BIT KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, PROX PRIORITY, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKEA167	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, S2 CUSTOM KEYPAD, 26-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNNEKMA004	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-READY	948.80	IR	Readers
Y	921PMNNEKMA004-110315	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, CSN 32-BIT MSB, EM4102 32-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-READY, TOP BOX LABEL, UPC: 639399011450	948.80	IR	Readers
Y	921PMNNEKMA00J	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, MOBILE-ENABLED	948.80	IR	Readers
Y	921PMNNEKMA025-MAD	RDR, RPK40,MULTICLASS,SE E,LF STD,HF LEG/SIO/SEOS/MA,WIEG,PIG,BLK,LED BLUE,FLSH GRN, BZR ON,OPT TAMP,OPEN COL,CSN 32-BIT MSB,KPF,BFFRD 1 KEY,NO PAR,4-BIT MSG,IPM OFF,DEMO STD/ICE0235/MOB0001 KEYS,MOBILE-ENBL,W/MOBILE ADMIN CARD,TAP/TW	948.80	IR	Readers
Y	921PMNNEKMA02P	RDR, RPK40, MULTICLASS, SE E, LF STD, HF LEG/SIO/SEOS/MA, WIEG,LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT LSB, EM4102 32-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, STD/MOB0006 KEYS, MOBILE ENABLED, ECP V2	948.80	IR	Readers
Y	921PMNNEKMA03L	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, LED BLUE, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, MOBILE-READY	948.80	IR	Readers
Y	921PMNNEKMA04P	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, MOBILE-READY	948.80	IR	Readers
Y	921PMNNEKMA06N	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA/MIFSPR, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-READY	948.80	IR	Readers
Y	921PMNNEKMA07D	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIG/MA, WIEG, PIG, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPN COL, TST KEY, POLL=75MS, CSN SUPPR, EM4102 32-BIT, KPF, ASCII, BFFRD 1 KEY, HF MIGR PFL EVP00000, IPM OFF, MOBILE-READY	1,032.47	IR	Readers
Y	921PMNNEKMA0AV	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, KPF, BFFRD 1 KEY, DORADO COMPL, NO PAR, 8-BIT MSG, IPM OFF, MOBILE-READY	948.80	IR	Readers
Y	921PMNNEKMA0BE	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, LED BLUE, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, S2 CUSTOM KEYPAD, 26-BIT MSG, IPM OFF, STD/ICE0235/MOB0001/MOB0022 KEYS MOBILE ENABLED, ECP V2	948.80	IR	Readers
Y	921PMNNEKMA0CC	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIG/MA, WIEG, PIG, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE READY	948.80	IR	Readers
Y	921PMNNEKMA0CK	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, LED BLUE, FLSH GRN, BZR ON, CSN 32-BIT MSB, EM4102 32-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-READY	948.80	IR	Readers
Y	921PMNNEKMA0CN	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, LED RED, FLSH GRN, BZR OFF, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, MOBILE READY	948.80	IR	Readers
Y	921PMNNEKMA0DH	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, LED BLUE, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, MOBILE-READY	948.80	IR	Readers
Y	921PMNNEKMA0LD	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/TRANS/MA, WIEG, PIG, BLK, LED BLUE, FLSH GRN, BZR ON, OPT TAMP, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, CSN 32 MSB, EM4102 32, 64-BIT LSB FELICA, 64-BIT MSB CEPAS CAN OR MIF, MOBILE-READY	1,032.47	IR	Readers
Y	921PMNNEKMA0M0	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN RAW REVERSED, ISO15693 CSN, EM4102 32-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-READY, GE VICINITY	948.80	IR	Readers
Y	921PMNNEKMA0N7	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/TRANS/MA, 485HDX, PIG, BLK, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, KPF, ASCII, BFFRD 1 KEY, EM4102 32-BIT, 64-BIT LSB FELICA, 64-BIT MSB CEPAS CAN OR MIF, MOBILE-READY	1,032.47	IR	Readers
Y	921PMNNEKMA0PA	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/TRANS/MA, WIEG, PIG, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, 34-BIT MSB FELICA OR 34-BIT MIFARE, EM4102 32-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, STD/MOB0781 KEY	1,032.47	IR	Readers
Y	921PMNTEKEA004	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNTEKEA060	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, ASCII, BFFRD 1 KEY, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNTEKEA068	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, TERM, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT,IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNTEKEA06A	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNTEKEA075	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, TERM, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNTEKEA085	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, TERM, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNTEKEA0AN	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIFSPR/MA, WIEG, TERM, BLK, LED BLUE, FLSH GRN, BZR ON, CSN MIF SUPPR, PROX AWID ONLY, KPF, BFFRD 1 KEY, DORADO COMPL, NO PAR, 8-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNTEKEA0CK	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, TERM, BLK, LED BLUE, FLSH GRN, BZR ON, CSN 32-BIT MSB, EM4102 32-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNTEKEA0DH	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, TERM, BLK, LED BLUE, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNTEKEA0L0	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, KPF, DOR COMPL, BFFRD 1 KEY, NO PAR, 8 BIT-MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNTEKEA10E	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, TERM, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, CSN 34-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 8-BIT MSG, IPM OFF,, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNTEKEA129	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA/MIGR, WIEG, TERM, BLK, HF MIGR PFL EVP00000, IPM OFF, MOBILE-ENABLED-FMT	1,032.47	IR	Readers
Y	921PMNTEKEA13T	RDR, RPK40, MULTICLASS, SE E, CSTM, LF STD, HF STD/SIO/SEOS/MA, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR OFF, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, CSTM WIEG TIMING, IPM OFF,GROSVENOR	948.80	IR	Readers
Y	921PMNTEKEA14R	RDR, RK40, ICLASS, SE REV E, LF OFF, HF CST/MA, STD-1 SIO/SEOS/LEG,WIEG, LED OFF, FLASH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 32 BIT MSB, EM4102 32 BIT, BFFRD 1 KEY, DOR COMPL, NO PAR, 8 BIT, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNTEKEA158	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 40-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMNTEKMA004	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, KPF, BUFFRD 1 KEY, NO PAR, 4 BIT MSG, IPM OFF, MOBILE READY	948.80	IR	Readers
Y	921PMNTEKMA01L	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT LSB, EM4102 32-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, STD/MOB0005 KEYS, MOBILE-ENABLED, ECP V2	948.80	IR	Readers
Y	921PMNTEKMA01N	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT LSB, EM4102 32-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, STD/MOB0007 KEYS, MOBILE-ENABLED, ECP V2	948.80	IR	Readers
Y	921PMNTEKMA01P	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT LSB, EM4102 32-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, STD/MOB0008 KEYS, MOBILE-ENABLED, ECP V2	948.80	IR	Readers
Y	921PMNTEKMA01Q	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT LSB, EM4102 32-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, STD/MOB0009 KEYS, MOBILE-ENABLED, ECP V2	948.80	IR	Readers
Y	921PMNTEKMA025	RDR,RPK40,MULTICLASS,SE E,LF STD,HF LEG/SIO/SEOS/MA,WIEG,LED BLU,FLSH GRN,BZR ON,OPT TAMP,OPEN COL,32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, DEMO STD/ICE0235/MOB0001/MOB0022 KEYS MOBILE ENABLED, TAP/TWIST N GO ENBL, ECP V.	948.80	IR	Readers
Y	921PMNTEKMA025-MAD	RDR,RPK40,MULTICLASS,SE E, LF STD,HF LEG/SIO/SEOS/MA,WIEG,TERM,BLK,LED BLU,FLSH GRN,BZR ON,OPT TAMP,OPEN COL,CSN 32-BIT MSB, KPF,BFFRD 1 KEY,NO PAR,4-BIT MSG,IPM OFF,DEMO STD/ICE0235/MOB0001 KEYS,MOBILE-ENBL,W/MOBILE ADMIN CARD,TAP/TV	948.80	IR	Readers
Y	921PMNTEKMA027	RDR, RPK40, MULTICLASS, SE E, LF STD, HF SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, STD/ICE0431/MOB0019 KEYS, MOBILE READY, ECP V2	948.80	IR	Readers
Y	921PMNTEKMA06N	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA/MIFSPR, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-READY	948.80	IR	Readers

Y	921PMNTEKMA07D	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIG/MA, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPN COL, TST KEY, POLL=75MS, CSN SUPPR, EM4102 32-BIT, KPF, ASCII, BFFRD 1 KEY, HF MIGR PFL EVP00000, IPM OFF, MOBILE-READY	948.80	IR	Readers
Y	921PMNTEKMA0AC	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA/MIFSPR, WIEG, TERM, BLK, LED BLUE, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN MIF SUPPR, PROX FSK ONLY, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-READY	948.80	IR	Readers
Y	921PMNTEKMA0CC	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIG/MA, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE READY	948.80	IR	Readers
Y	921PMNTEKMA0CK	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, TERM, BLK, LED BLUE, FLSH GRN, BZR ON, CSN 32-BIT MSB, EM4102 32-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE READY	948.80	IR	Readers
Y	921PMNTEKMA0DH	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, TERM, BLK, LED BLUE, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, MOBILE-READY	948.80	IR	Readers
Y	921PMNTEKMA0G8	RDR, RPK40,MULTICLASS,SE E,LF STD, HF STD/SIO/SEOS/MA, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR OFF, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, CSTM WIEG TIMING, IPM OFF, MOBILE-READY, GROSVENOR	948.80	IR	Readers
Y	921PMNTEKMA0L0	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, KPF, DOR COMPL, BFFRD 1 KEY, NO PAR, 8 BIT-MSG, IPM OFF, MOBILE READY	948.80	IR	Readers
Y	921PMPNEKEA008	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, OSDP, PIG, BLK, A/V OFF, OPT TAMP, OPEN COLL, CSN 32-BIT LSB, EM4102 32-BIT, KPF, ASCII, BFFRD 1 KEY, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMPNEKEA0F0	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, 485HDX, PIG, BLK, STD-1, A/V OFF, OSDP V2, SEC MODE OFF, OSDP TAMP EN, TST KEYS, POLL=75MS, B-RATE 115.2K, CSN 32-BIT MSB, KPF, ASCII, BFFRD 1 KEY, IPM OFF, APB 250MS, MOBILE-EN-FMT	948.80	IR	Readers
Y	921PMPNEKEA0GD	RDR, RPK40, MULTICLASS, SE E, LF FSK, HF STD/SIO/SEOS/MA, 485HDX, PIG, BLK, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, KPF, ASCII, BFFRD 1 KEY, TEST KEY, CSN 32-BIT MSB, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMPNEKEA0LL	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, 485HDX, PIG, BLK, A/V OFF, OSDP V2, OPT TAMP, OPN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN SUPPR, EM4102 32-BIT, KPF, ASCII, BFFRD 1 KEY, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMPNEKEA133	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, 485HDX, PIG, BLK, STD-1, A/V OFF, OSDP V1, OPN COL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, KPF, ASCII, BFFRD 1 KEY, EM4102 32-BIT, IPM OFF, UART OFF, WIEG OFF, MOBILE-	948.80	IR	Readers
Y	921PMPNEKEA138	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, 485HDX, PIG, BLK, STD-1, A/V OFF, CSN 32-BIT MSB, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, EM4102 32-BIT, IPM	948.80	IR	Readers
Y	921PMPNEKMA008	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, OSDP, PIG, BLK, A/V OFF, OSDP V1, OPT TAMP, OPENCOLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, EM4102 32-BIT,KPF,ASCII,BFFRD 1 KEY,IPM OFF,UART OFF,WIEG OFF,MOBILE READY	948.80	IR	Readers
Y	921PMPNEKMA0BT	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, 485HDX, PIG, BLK, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=50MS, CSN 32-BIT MSB, EM4102 32-BIT, KPF, ASCII, BFFRD 1 KEY, IPM OFF, MOBILE READY	948.80	IR	Readers
Y	921PMPNEKMA0EL	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA/MIFSPR, 485HDX, PIG, BLK, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=50MS, CSN MIF SUPPR, EM4102 32-BIT, KPF, ASCII, BFFRD 1 KEY, IPM OFF, MOBILE READY	948.80	IR	Readers
Y	921PMPNEKMA0N6	RDR, RPK40, MULTICLASS, SE E, LF FSK, HF STD/SEOS/MA, 485HDX, PIG, BLK, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, CSN SUPPR, KPF, ASCII, BFFRD 1 KEY, IPM OFF, MOB1376 KEYS, MOBILE-ENABLED	948.80	IR	Readers
Y	921PMPTEKEA008	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, OSDP, TERM, BLK, A/V OFF, OPT TAMP, OPEN COLL, CSN 32-BIT LSB, EM4102 32-BIT, KPF, ASCII, BFFRD 1 KEY, IPM OFF, MOBILE-ENABLED-FMT	948.80	IR	Readers
Y	921PMPTEKEA0F0	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, 485HDX, TERM, BLK, STD-1, A/V OFF, OSDP V2, SEC MODE OFF, OSDP TAMP ENBLD, TST KEYS, POLL=75MS, B-RATE 115.2K, CSN 32-BIT MSB, KPF, ASCII, BFFRD 1 KEY, IPM OFF, APB 250MS, MOB-EN-FMT	948.80	IR	Readers
Y	921PMPTEKEA133	KIT, RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, 485HDX, TERM, BLK, STD-1, A/V OFF, OSDP V1, OPN COL, OSDP TAMP DISBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, EM4102 32-BIT, KPF, ASCII, BFFRD 1 KEY, IPM OFF, UART OFF, WIEG OFF,	948.80	IR	Readers
Y	921PMPTEKMA008	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, OSDP, TERM, BLK, A/V OFF, OSDP V1, OPT TAMP, OC, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, EM4102 32-BIT, KPF, ASCII, BFFRD 1 KEY,IPM OFF,UART OFF,WIEG OFF, MOBILE READY	948.80	IR	Readers
Y	921PMPTEKMA0EJ	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, 485HDX,TERM,BLK, A/V OFF, OSDP V1, OPTTAMP,OP COLL,OSDP TAMP ENBLD, TEST KEY,POLL=75MS,CSN 56-BIT MSB, EM4102 40-BIT, KPF, ASCII,BFFRD 1 KEY,IPM OFF,UART OFF, WIEG OFF, MOBILE READY	948.80	IR	Readers
Y	921PNNNEK20000	RDR, RPK40, MULTICLASS, SE REV E, KPD, STD PROX, SIO, WIEGAND, PIG, BLK, STD 2 SECURITY, LED RED, FLASH GRN, BZR ON, IPM OFF, KPF-4-BIT, 32 BIT	830.25	IR	Readers
Y	921PNNNEK200A5	RDR, RPK40, MULTICLASS, SE E, LF CST, HF SIO, CUSTOM SETTINGS, WIEG, PIG, BLK, STD-2, LED AMBER, FLSH GRN, BZR ON, CSN MIF SUPPR, FSK ONLY, ICLASS SIO AND SEOS ONLY KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PNNNEK200ED	RDR, RPK40, MULTICLASS, SE E, LF STD, HF SIO/SEOS/MIFSPR, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN MIF SUPPR, EM4102 26-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PNNNEK2037T	RDR, RPK40, MULTICLASS, SE E, LF STD, HF SIO/SEOS, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, VAR BIT OUTPUT PER SIO, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PNNNEK2037Y	RDR, RPK40, MULTICLASS, SE E, LF STD, HF SIO/SEOS, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN MIF SUPPR, KPF, BFFRD 1 KEY, NO PAR, 4 BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PNNNEK20388	RDR, RPK40, MULTICLASS, SE E, LF CST, HF SIO, CUSTOM SETTINGS, CUST PRIORITY, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PNNNEK2038F	RDR, RPK40, MULTICLASS, SE E, LF STD, HF SIO/SEOS, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, PCSC, IPM OFF	830.25	IR	Readers
Y	921PNNNEK2038G	RDR, RPK40, MULTICLASS, SE E, LF STD, HF SIO/SEOS, WIEG, PIG, BLK, STD-2, LED BLUE, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PNNNEK2038H	RDR, RPK40, MULTICLASS, SE E, LF STD, HF SIO/SEOS, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM ON (30MIN)	830.25	IR	Readers
Y	921PNNNEK2038J	RDR, RPK40, MULTICLASS, SE E, LF STD, HF SIO/SEOS, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PNNNEK20393	RDR, RPK40, MULTICLASS, SE E, LF STD, HF OFF, CUSTOM SETTINGS, SUPPRESS 13.56 MHZ - HF OFF, WIEG, PIG, BLK, STD-2, LF CST, HF SIO/SEOS, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PNNNEK20507	RDR, RPK40, MULTICLASS, SE E, LF CST, HF SIO/SEOS WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, PROX DORADO EMPI 34 BIT	830.25	IR	Readers
Y	921PNNNEK2059Q	RDR, RPK40, MULTICLASS, SE E, LF STD, HF SIO/SEOS, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, APB DISABLED	830.25	IR	Readers
Y	921PNNNEK2059R	RDR, RPK40, MULTICLASS, SE E, LF STD, HF SIO/SEOS, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, APB DISABLED	830.25	IR	Readers
Y	921PNNNEKE037T	RDR, RPK40, MULTICLASS, SE E, LF STD, HF SIO/SEOS, WIEG, PIG, BLK, ELITE KEYS, LED RED, FLSH GRN, BZR ON, VAR BIT OUTPUT PER SIO, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PNNNEKE0388	RDR, RPK40, MULTICLASS, SE E, LF CST, HF SIO, CUSTOM SETTINGS, CUST PRIORITY, WIEG, PIG, BLK, ELITE KEYS, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PNNNEKE038F	RDR, RPK40, MULTICLASS, SE E, LF STD, HF SIO/SEOS, WIEG, PIG, BLK, ELITE KEYS, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, PCSC, IPM OFF	830.25	IR	Readers
Y	921PNNTEK200A5	RDR, RPK40, MULTICLASS, SE E, LF CST, HF SIO, CUSTOM SETTINGS, WIEG, TERM, BLK, STD-2, LED AMBER, FLSH GRN, BZR ON, CSN MIF SUPPR, FSK ONLY, ICLASS SIO AND SEOS ONLY KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PNNTEK2032C	RDR, RPK40, MULTICLASS, SE REV E, STD PROX, SIO, WIEGAND, TERM, BLK, FELICA CSN, FSK ONLY, STD 2 SECURITY, LED RED, FLASH GRN, BZR ON, IPM OFF, 4 BIT KYD	830.25	IR	Readers
Y	921PNNTEK2037T	RDR, RPK40, MULTICLASS, SE E, LF STD, HF SIO/SEOS, WIEG, TERM, BLK, STD-2, LED RED, FLSH GRN, BZR ON, VAR BIT OUTPUT PER SIO, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PNNTEK2038E	RDR, RPK40, MULTICLASS, SE E, LF STD, HF SIO/SEOS, WIEG, TERM, BLK, STD-2, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PNNTEK20429	RDR, RPK40, MULTICLASS, SE E, LF STD, HF SIO/SEOS, WIEG, TERM, BLK, STD-2, LED OFF, FLSH OFF, BZR ON, VAR BIT OUTPUT PER SIO, OPT TAMP, OPEN COLL, EM4102 40-BIT(RAW), WIEG, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PNNTEK20507	RDR, RPK40, MULTICLASS, SE E, LF CST, HF SIO/SEOS WIEG, TERM, BLK, STD-2, LED RED, FLSH GRN, BZR ON, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, PROX DORADO EMPI 34 BIT	830.25	IR	Readers
Y	921PNNTEKE037T	RDR, RPK40, MULTICLASS, SE E, LF STD, HF SIO/SEOS, WIEG, TERM, BLK, ELITE KEYS, LED RED, FLSH GRN, BZR ON, VAR BIT OUTPUT PER SIO, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PNPNEK2038D	RDR, RPK40, MULTICLASS, SE E, LF STD, HF SIO/SEOS, 485HDX, PIG, BLK, STD-2, A/V OFF, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, KPF, ASCII, BFFRD 1 KEY, EM4102 32-BIT, IPM OFF, UART OFF, WIEG OFF	879.06	IR	Readers
Y	921PNPNEK20392	RDR, RPK40, MULTICLASS, SE E, LF STD, HF SIO/SEOS, 485HDX, PIG, BLK, STD-2, A/V OFF, OSDP V1, OPN COL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, VAR BIT OUTPUT PER SIO, KPF, ASCII, BFFRD 1 KEY, EM4102 32-BIT, IPM OFF, UART OFF, WIEG OFF	879.06	IR	Readers
Y	921PNPNEKE0392	RDR, RPK40, MULTICLASS, SE E, LF STD, HF SIO/SEOS, 485HDX, PIG, BLK, ELITE, A/V OFF, OSDP V1, OPN COL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, VAR BIT OUTPUT PER SIO, KPF, ASCII, BFFRD 1 KEY, EM4102 32-BIT, IPM OFF, UART OFF, WIEG OFF	879.06	IR	Readers
Y	921PNPTEK2038D	RDR, RPK40, MULTICLASS, SE E, LF STD, HF SIO/SEOS, 485HDX, TERM, BLK, STD-2, A/V OFF, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, KPF, ASCII, BFFRD 1 KEY, EM4102 32-BIT, IPM OFF, UART OFF, WIEG OFF	879.06	IR	Readers
Y	921PNPTEK20392	RDR, RPK40, MULTICLASS, SE E, LF STD, HF SIO/SEOS, 485HDX, TERM, BLK, STD-2, A/V OFF, OSDP V1, OPN COL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, VAR BIT OUTPUT PER SIO, KPF, ASCII, BFFRD 1 KEY, EM4102 32-BIT, IPM OFF, UART OFF, WIEG OFF	879.06	IR	Readers
Y	921PNPTEKE0392	RDR, RPK40, MULTICLASS, SE E, LF STD, HF SIO/SEOS, 485HDX, TERM, BLK, ELITE, A/V OFF, OSDP V1, OPN COL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, VAR BIT OUTPUT PER SIO, KPF, ASCII, BFFRD 1 KEY, EM4102 32-BIT, IPM OFF, UART OFF, WIEG OFF	879.06	IR	Readers
Y	921PRNNEK0005H	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/TRANS, WIEG, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR OFF, OPT TAMP, OPEN COLL, 64-BIT LSB FELICA OR 64-BIT MIFARE, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	913.93	IR	Readers
Y	921PRNNEK000B6	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/TRANS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, 26-BIT (EP+8BIT FC=01+16BIT CSN MSB+OP) FELCIA OR CEPAS CAN OR MIFARE, KPF, PCSC, IPM OFF	913.93	IR	Readers
Y	921PRNNEK000B7	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/TRANS,WIEG,PIG,BLK, STD-1,LED RED,FLSH GRN,BZR ON,OPT TAMP,OPEN COLL,26-BIT (EP+8BIT FC=01+16BIT CSN MSB+OP) FELCIA/CEPAS CAN/MIFARE,KPF,BFFRD 1 KEY,DOR COMPL, NP,8-BIT MSG,IPM OFF	913.93	IR	Readers
Y	921PRNNEK000B8	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/TRANS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, 64 BIT CSN LSB FELCIA OR MIFARE, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	913.93	IR	Readers
Y	921PRNNEK000GB	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/TRANS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, 64-BIT LSB FELICA OR 64-BIT MIFARE, KPF, BFFRD 1 TO 11 KEYS, NO PAR, 4- TO 44-BIT MSG, IPM OFF	913.93	IR	Readers
Y	921PRNNEK0010B	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/TRANS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, 64-BIT LSB FELICA, 64-BIT MSB CEPAS CAN , KPF, PCSC, IPM OFF	913.93	IR	Readers
Y	921PRNNEK0011E	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/TRANS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, 64-BIT LSB FELCIA, 64-BIT MSB CEPAS CAN OR MIFARE, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	913.93	IR	Readers
Y	921PRNNEK00120	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/TRANS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, 64-BIT LSB FELICA, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	913.93	IR	Readers
Y	921PRNNEK0021K	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/TRANS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, 64-BIT LSB FELICA OR 64-BIT MIFARE, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	913.93	IR	Readers
Y	921PRNNEK0025J	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/TRANS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, 64-BIT LSB FELICA, 64-BIT MSB CEPAS CAN , KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	913.93	IR	Readers
Y	921PRNNEK0025K	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/TRANS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, 64-BIT LSB FELICA, 64-BIT MSB CEPAS CSN, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	913.93	IR	Readers
Y	921PRNNEK0025L	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/TRANS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, 64-BIT LSB FELCIA, 64-BIT MSB CEPAS CAN OR MIFARE, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	913.93	IR	Readers
Y	921PRNNEK0025M	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/TRANS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, 64-BIT LSB FELICA, 64-BIT MSB CEPAS CSN OR MIFARE, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	913.93	IR	Readers
Y	921PRNNEK0025N	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/TRANS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, 26-BIT (EP+8BIT FC=01+16BIT CSN MSB+OP) FELICA OR CEPAS CAN, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	913.93	IR	Readers
Y	921PRNNEK0025P	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/TRANS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, 26-BIT (EP+8BIT FC=01+16BIT CSN MSB+OP) FELICA OR CEPAS CSN, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	913.93	IR	Readers
Y	921PRNNEK0025Q	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/TRANS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, 26-BIT (EP+8BIT FC=01+16BIT CSN MSB+OP) FELICA/CEPAS CAN/MIFARE, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG,IPM OFF	913.93	IR	Readers
Y	921PRNNEK0025R	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/TRANS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, 26-BIT (EP+8BIT FC=01+16BIT CSN MSB+OP) FELICA OR CEPAS CSN OR MIFARE, KPF,BFFRD 1 KEY,NP, 4-BIT MSG,IPM OFF	913.93	IR	Readers
Y	921PRNNEK0025T	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/TRANS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, 26-BIT (EP+24-BIT+OP) FELICA, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	913.93	IR	Readers
Y	921PRNNEK0034T	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/TRANS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, 64-BIT LSB FELICA, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	913.93	IR	Readers
Y	921PRNNEK0050P	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/TRANS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN,BZR ON, OPT TAMP, OPEN COLL, 64-BIT LSB FELICA, 64-BIT MSB, KPF, BFFRD 4 KEYS, PAR, 18-BIT MSG, IPM OFF	913.93	IR	Readers
Y	921PSNNEK20000	RDR, RPK40, MULTICLASS, SE E, LF FSK ONLY, HF SEOS, WIEG, PIG, BLK, STD-2, LED RED, FLSH GRN, BZR ON, VAR BIT OUTPUT PER SIO, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, VEL ON	830.25	IR	Readers
Y	921PSNNEKE0000	RDR, RPK40, MULTICLASS, SE E, LF FSK ONLY, HF SEOS, WIEG, PIG, BLK, ELITE KEYS, LED RED, FLSH GRN, BZR ON, VAR BIT OUTPUT PER SIO, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, VEL ON	830.25	IR	Readers
Y	921PSNTEK20000	RDR, RPK40, MULTICLASS, SE E, LF FSK ONLY, HF SEOS, WIEG, TERM, BLK, STD-2, LED RED, FLSH GRN, BZR ON, VAR BIT OUTPUT PER SIO, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, VEL ON	830.25	IR	Readers
Y	921PSNTEK200Y2	RDR, RPK40, MULTICLASS, SE E, LF FSK, HF SEOS, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, CSN SUPPR, IPM OFF	830.25	IR	Readers
Y	921PSNTEKE0000	RDR, RPK40, MULTICLASS, SE E, LF FSK ONLY, HF SEOS, WIEG, TERM, BLK, ELITE KEYS, LED RED, FLSH GRN, BZR ON, VAR BIT OUTPUT PER SIO, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, VEL ON	830.25	IR	Readers

Y	921PSPNEKES04D	RDR, RPK40, MULTICLASS, SE E, LF STD, HF SEOS, WIEG, PIG, BLK, ELITE, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, CSN 32-BIT MSB, IPM OFF, OSDP-READY	879.06	IR	Readers
Y	921PTCNEK000AV	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, C&D, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, PAR, 6-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTCNEK00133	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, C&D, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTCNEK00214	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, C&D, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, EM4102 ABA, 10-DIG BCD, MIFARE CSN SUPPR, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTCNEK00255	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, C&D, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTCNEK00256	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, C&D, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 KEY, PAR, 6-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK00000	RDR, RPK40, MULTICLASS, SE REV E, KPD, STD PROX, STD, WIEGAND, PIG, BLK, STD 1 SECURITY, LED RED, FLASH GRN, BZR ON, IPM OFF, KPF-4-BIT, 32 BIT	830.25	IR	Readers
Y	921PTNNEK0001V	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0002E	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIFSPR, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0002U	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0002V	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT LSB, IPM OFF	830.25	IR	Readers
Y	921PTNNEK00033	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0003A	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0003N	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 34-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0003P	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 37-BIT LSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0003R	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0003W	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 TO 6 KEYS, PAR, 26-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK00047	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, EM4102 32-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0004J	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK00057	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0005A	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32 BIT LSB, KPF, BFFRD NO PAR, 4 BIT, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0005E	RDR, RPK40, MULTICLASS, SE E, CSTM, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 34-BIT MSB, EM4102 32-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK00060	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIFSPR, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK00065	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK00074	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, WIEG GUARD TIME 150MS	830.25	IR	Readers
Y	921PTNNEK00076	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT LSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0007G	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK00080	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, CSN 32-BIT MSB, EM4102 32-BIT, KPF, BFFRD 6 KEYS, PAR, 26-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0008D	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED OFF, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0008J	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0009F	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, PAR, 6-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK000A6	RDR, RPK40, MULTICLASS, SE E, LF CST, PROX GIC ONLY, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK000A7	RDR, RPK40, MULTICLASS, SE E, LF CST, PROX GIC ONLY, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK000AK	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR OFF, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK000AR	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, APB DISABLED, IPM OFF	830.25	IR	Readers
Y	921PTNNEK000FE	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, CSN 26-BIT (W/DEFAULT FC), EM4102 32-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK000FF	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, CSN 26-BIT (W/DEFAULT FC), EM4102 32-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK000FY	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED BLUE, FLSH WHT, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, PROX FSK ONLY, IPM OFF	830.25	IR	Readers
Y	921PTNNEK000J5	RDR, RPK40, MULTICLASS, SE E, LF STD, HF ICLASS STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, EM4102 32-BIT, KPF, BFFRD 1 TO 4 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK000KH	RDR, RPK40, MULTICLASS, SE E, LF STD, HF ICLASS SIO & LEG/SEOS/MIFSPR, WIEG, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, CSN MIF SUPPR, HID PROX ONLY, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK000NM	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIFSPR, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, IM ALIVE INVERTED,CSN MIF SUPPR, EM4102 32-BIT, IM ALIVE 60 SEC ,KPF,BFFRD 1 KEY,NO PAR, 4-BIT MSG,IPM OFF	830.25	IR	Readers
Y	921PTNNEK000PB	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED AMBER, FLSH GRN, BZR ON, CSN 32-BIT MSB, PROX FSK ONLY, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK000PE	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG,BLK, STD-1,LED RED,FLSH GRN, BZR ON, OPT TAMP, OC,CSN 32-BIT LSB, ISO14443B 32-BIT CSN, EM4102 32-BIT, RPK40 PICO15693 MOD DEPTH 10%, KPF,BFFRD 1 KEY,NO PAR,4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK000PU	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 TO 5 KEYS, PAR, FC=17, 26-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK00109	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0010E	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, PAR, 6-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0010W	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, EM4102 34-BIT, WIEG, PAR MOD, MIFARE CSN SUPPR, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK00119	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, ADD PAR, *=E, #=F, 6-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0011A	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0011C	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED OFF, FLSH GRN, BZR ON, CSN 32-BIT MSB, EM4102 32-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0011Q	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, CSN 34-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0011T	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 40-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0011V	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, EM4102 32-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0011W	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, EM4102 32-BIT, MIFARE CSN SUPPR, WIEG, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK00126	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0012C	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED OFF, FLSH GRN, BZR ON, CSN SUPPR, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0012N	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 40-BIT MSB, KPF, BFFRD 4 KEYS, PAR, 18-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK00132	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK00144	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIFSPR, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK00146	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, LOCAL PIN VERIFY, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0015E	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 37-BIT LSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0015G	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0015J	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED OFF, FLSH GRN, BZR ON, CSN 26-BIT (W/DEFAULT FC), EM4102 26-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0019N	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR ON, PIG, BLK, STD-1, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 40-BIT, KPF, BFFRD 1 KEY, DORADO COMPL, NO PAR, 8-BIT MSG, IPM OFF, BLE OFF	830.25	IR	Readers
Y	921PTNNEK0020C	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED OFF, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0020E	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0020F	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR OFF, OPT TAMP, OPEN COLL, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0020G	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 40-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0020H	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 37-BIT LSB, KPF, LOCAL PIN VERIFY, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0020L	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, EM4102 34-BIT, WIEG, PAR MOD, MIFARE CSN SUPPR, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK00211	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK00212	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 34-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0025Y	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIFSPR, WIEG, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, CSN MIF SUPPR, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK00267	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 34-BIT MSB, EM4102 34-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK00269	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, EM4102 42-BIT, MIFARE CSN SUPPR, WIEG, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0026A	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, EM4102 42-BIT WIEG, PAR MOD, MIFARE CSN SUPPR, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0026B	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, EM4102, 34-BIT, WIEG, PAR MOD, 34-BIT MIFARE CSN, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers

Y	921PTNNEK0026E	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, PAR, 6-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0026F	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 4 KEYS, PAR, 18-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0026G	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 TO 11 KEYS, NO PAR, 4- TO 44-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0026Q	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK00271	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK00272	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0034P	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 37-BIT LSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0034Y	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 56-BIT LSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK00367	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 40-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0036B	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, CSN 34-BIT MSB, EM4102 34-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0036D	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED OFF, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0039K	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR OFF, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK00403	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0040P	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR OFF, CSN 32-BIT MSB, OPT TAMP, OPEN COLL, LED BLUE FOR ANTIPASSBACK DIABLED, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0040R	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR OFF, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, IPM ON (30MIN)	830.25	IR	Readers
Y	921PTNNEK00431	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, ISO15693 CSN, ISO14443A CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0043K	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, EM4102, 40-BIT, WIEG, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, PROX PRIORITY, IPM OFF	830.25	IR	Readers
Y	921PTNNEK00454	RDR, RPK40, MULTICLASS, SE E, LF STD, HF OFF, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, EM4102 40-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK00455	RDR, RPK40, MULTICLASS, SE E, LF STD, HF OFF, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, EM4102 40-BIT, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0045N	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32 BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, WIEG HOLD APB 500MS, CSN FILTER DISABLED	830.25	IR	Readers
Y	921PTNNEK00464	RDR, RPK40, MULTICLASS, SE REV E, KPD, STD PROX, STD, WIEGAND, PIG, BLK, STD 1 SECURITY, LED RED, FLASH GRN, BZR ON, IPM OFF, KPF-4-BIT, 32 BIT	830.25	IR	Readers
Y	921PTNNEK0046D	RDR, RPK40, MULTICLASS, SE REV E, KPD, STD PROX, STD, WIEGAND, PIG, BLK, STD 1 SECURITY, LED RED, FLASH GRN, BZR ON, IPM OFF, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, 32 BIT	830.25	IR	Readers
Y	921PTNNEK00481	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIFSPR, WIEG, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0048D	RDR, RPK40, MULTICLASS, SE E, CSTM, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 34-BIT MSB, EM4102 26-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0048J	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1,LED OFF, FLSH OFF, BZR OFF CSN 32-BIT MSB, OPT TAMP, KPF BUFFRD 1 KEY, NO PAR, 4 BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK00496	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON,OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 40 BIT KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0050M	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR OFF, CSN 32-BIT MSB, EM4102 34-BIT KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0050X	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIFSPR, WIEG, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN MIF SUPPR, FSK PROX READ ONLY, PROX PRIORITY,KPF, BFFRD 1 KEY, NO PAR, 4 BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK00520	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR OFF, CSN 34-BIT MSB, KPF, BFFRD 1 KEY, PAR, 6-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0052W	RDR, RPK40 MULTICLASS, SE E, STD,/SIO/SEOS, WIEG, PIG. BLK, STD 1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FSK PROX READ ONLY, PROX PRIORITY 500MS, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0052X	RDR, RPK40, MULTICLASS, SE E, LF STD, PROX ONLY, ALL HF DISABLED, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF BFFRD 1 KEY, NO PAR, 4 BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0053F	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIFSPR, WIEG, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, CSN MIF SUPPR, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0053H	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG,PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0053K	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, CSN 32 BIT MSB, KPF, BFFRD NO PAR, 4 BIT, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0054R	RDR, RPK40, MULTICLASS, SE E, LF CST, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR OFF, CSN 32-BIT MSB, LED BLUE FOR ANTPASSBACK DISABLE,KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, FSK/PSK ENABLED, MASTERLOCK	830.25	IR	Readers
Y	921PTNNEK0056A	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB,EM4102 40-BIT KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, PROX PRIORITY, IPM OFF	830.25	IR	Readers
Y	921PTNNEK00573	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, CSN 32-BIT LSB, EM4102 32-BIT, KPF BUFFRD 1 KEY, NO PAR, 4 BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0057V	RDR, RPK40, MULTICLASS, SE E, CSTM, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED MAGENTA, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK00585	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 TO 5 KEYS, PAR, FC FIXED 96, 26-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEK0058F	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, APB DISABLED	830.25	IR	Readers
Y	921PTNNEK00597	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, PROX FSK ONLY, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, APB INDICATOR DISABLED, EXXON	830.25	IR	Readers
Y	921PTNNEK00598	RDR, RPK40, MULTICLASS,SE E LF STD, HF STD/SIO/SEOS,WIEG,PIG,BLK,STD-1,LED RED,FLSH GRN BZR ON,OPT TAMP,OPEN COLL, CSN 32-BIT MSB, PROX FSK ONLY, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, APB INDICATOR DISABLED ,EXXON	830.25	IR	Readers
Y	921PTNNEK0059N	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR. 8 BIT MSG, IPM OFF, APB DISABLED	830.25	IR	Readers
Y	921PTNNEK005AR	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FSK PROX READ ONLY, TECH-TALK T12101, IPM OFF	830.25	IR	Readers
Y	921PTNNEKE0000	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, ELITE KEYS, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEKE001V	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, ELITE KEYS, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEKE002U	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, ELITE KEYS, LED OFF, FLSH OFF, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEKE0057	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, ELITE KEYS, LED OFF, FLSH OFF, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEKE0060	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIFSPR, WIEG, ELITE, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEKE009U	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, ELITE KEYS, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEKE0126	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, ELITE KEYS, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEKE0144	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIFSPR, WIEG, ELITE, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEKE034Y	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG,ELITE, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 56-BIT LSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNNEKE043M	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, ELITE KEYS, LED RED, FLSH GRN, BZR OFF, CSN 32-BIT MSB, EM4102 32-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNTEK00000	RDR, RPK40, MULTICLASS, SE REV E, KPD, STD PROX, STD, WIEGAND, TERM, BLK, STD 1 SECURITY, LED RED, FLASH GRN, BZR ON, IPM OFF, KPF-4-BIT, 32 BIT	830.25	IR	Readers
Y	921PTNTEK0001M	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT,IPM OFF	830.25	IR	Readers
Y	921PTNTEK0001V	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNTEK0002E	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIFSPR, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNTEK00033	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, IPM OFF	830.25	IR	Readers
Y	921PTNTEK0003N	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 34-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNTEK0003R	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNTEK00057	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNTEK000FE	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, CSN 26-BIT (W/DEFAULT FC), EM4102 32-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNTEK000FF	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, CSN 26-BIT (W/DEFAULT FC), EM4102 32-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNTEK000GC	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON,OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 40 BIT KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNTEK0011Q	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, CSN 34-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 8-BIT MSG, IPM OFF,	830.25	IR	Readers
Y	921PTNTEK0016R	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED OFF, FLSH GRN, BZR ON, CSN 26-BIT, KPF, BFFRD 1 KEY, NO PAR, 8-BIT MSG, IPM OFF,	830.25	IR	Readers
Y	921PTNTEK0040R	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED OFF, FLSH OFF, BZR OFF, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, IPM ON (30MIN)	830.25	IR	Readers
Y	921PTNTEK00431	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, ISO15693 CSN, ISO14443A CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNTEK0044F	RDR, RK40, ICLASS, SE REV E, NO PROX, CST, STD-1 SIO/SEOS/LEG,WIEG, LED OFF, FLASH OFF, BZR ON, CSN SUPPRESSED, OPTICAL TAMPER, OPEN COLLECTOR, KPF,BFFRD ONE KEY, DOR, NO PARITY, 8-BIT MSG, IPM OFF"	830.25	IR	Readers
Y	921PTNTEK0045N	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32 BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, WIEG HOLD APB 500MS, CSN FILTER DISABLED	830.25	IR	Readers
Y	921PTNTEK0047P	RDR, RK40, ICLASS, SE REV E, NO PROX, CST, STD-1 SIO/SEOS/LEG,WIEG, LED OFF, FLASH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 32 BIT MSB, EM4102 32 BIT, BFFRD 1 KEY, DOR COMPL, NO PAR, 8 BIT, IPM OFF	830.25	IR	Readers
Y	921PTNTEK0050D	RDR, RK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG,TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON,OPT TAMP, OPEN COLL, CSN 32 BIT MSB, KPF, BFFRD 1 KEY, PAR,4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNTEK0050F	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNTEK00520	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED OFF, FLSH OFF, BZR OFF, CSN 34-BIT MSB, KPF, BFFRD 1 KEY, PAR, 6-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNTEK0053F	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIFSPR, WIEG,TERM, BLK, STD-1, LED RED, FLSH OFF, BZR ON, CSN MIF SUPPR, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNTEK0053H	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG,TERM, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers

Y	921PTNTEK0053K	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, CSN 32 BIT MSB, KPF, BFFRD NO PAR, 4 BIT, IPM OFF	830.25	IR	Readers
Y	921PTNTEK00561	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED OFF FLSH OFF, BZR OFF, OTP TAMP, OPEN COLL, CSN 26 BIT MSB EM4102 26 BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNTEK00562	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED OFF FLSH OFF, BZR OFF, OTP TAMP, OPEN COLL, CSN 34 BIT MSB EM4102, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNTEK00563	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED OFF FLSH OFF, BZR OFF, OTP TAMP, OPEN COLL, CSN 40 BIT MSB EM4102, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNTEKE0000	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, TERM, BLK, ELITE KEYS, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNTEKE0057	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, ELITE, LED OFF, FLSH OFF, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DORADO COMPL, NO PAR, 8-BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTNTEKE006Y	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, TERM, BLK, ELITE KEYS, LED OFF, FLSH OFF, BZR OFF, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, IPM OFF	830.25	IR	Readers
Y	921PTNTEKE0492	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, TERM, BLK, ELITE KEYS, LED OFF, FLSH GRN, BZR OFF, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, BFFR ONE KEY, NO PAR, 4-BIT, IPM OFF	830.25	IR	Readers
Y	921PTNTEKE050M	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, ELITE, LED OFF, FLSH OFF, BZR OFF, OPT TAMP, OPEN COLL,CSN 32-BIT MSB, EM4102 34-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8 BIT MSG, IPM OFF	830.25	IR	Readers
Y	921PTPNEK000AL	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, 485HDX, PIG, BLK, STD-1, A/V OFF, OSDP V1, OPN COL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, KPF, ASCII, BFFRD 1 KEY, 8-BIT MSG, IPM OFF, UART OFF, WIEG OFF	879.06	IR	Readers
Y	921PTPNEK000FD	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, 485HDX, PIG, BLK, STD-1, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=50MS, CSN 32-BIT MSB, EM4102 32-BIT, KPF, ASCII, BFFRD 1 KEY, IPM OFF, UART OFF, WIEG OFF	879.06	IR	Readers
Y	921PTPNEK000RK	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIFSPR, 485HDX, PIG, BLK, STD-1, A/V OFF,OSDP V2,OPT TAMP,OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=50MS, CSN MIF SUPPR, EM4102 32-BIT, KPF,ASCII, BFFR 1 KEY,IPM OFF, UART OFF, WIEG OFF	879.06	IR	Readers
Y	921PTPNEK000YY	RDR, RPK40, MULTICLASS, SE E, LF FSK, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPD, BUFFER 1 TO 11 KEYS, NO PARITY, 4 TO 44-BIT MSG, CSN SUPPR, IPM OFF, OSDP-READY	879.06	IR	Readers
Y	921PTPNEK0017D	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, CSN 32-BIT MSB, IPM OFF, OSDP-READY	879.06	IR	Readers
Y	921PTPNEK00385	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, 485HDX, PIG, BLK, STD-1, A/V OFF, OSDP V1, OPN COL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, KPF, ASCII, BFFRD 1 KEY, EM4102 32-BIT, IPM OFF, UART OFF, WIEG OFF	879.06	IR	Readers
Y	921PTPNEK0039L	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, 485HDX, PIG, BLK, STD-1, A/V OFF, CSN 32-BIT MSB, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, EM4102 32-BIT, IPM OFF	879.06	IR	Readers
Y	921PTPNEK005AN	RDR,RPK40,MULTICLASS,SE E,LF STD,HF STD/SIO/SEOS,485HDX,PIG,BLK, A/V OFF, OSDP V1,OPN COL,OSDP TAMP ENBLD,TEST KEY,POLL=75MS,CSN 32-BIT MSB, ASCII,BFFRD 1 KEY,EM4102 32-BIT,IPM OFF,UART OFF,WIEG OFF	879.06	IR	Readers
Y	921PTPNEKE017D	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, ELITE, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, CSN 32-BIT MSB, IPM OFF, OSDP-READY	879.06	IR	Readers
Y	921PTPNEKE0385	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, 485HDX, PIG, BLK, ELITE, A/V OFF, OSDP V1, OPN COL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, KPF, ASCII, BFFRD 1 KEY, EM4102 32-BIT, IPM OFF, UART OFF, WIEG OFF	879.06	IR	Readers
Y	921PTPNEKE05AN	RDR,RPK40,MULTICLASS,SE E,LF STD,HF STD/SIO/SEOS,485HDX,PIG,BLK,ELITE, A/V OFF, OSDP V1,OPN COL,OSDP TAMP ENBLD,TEST KEY,POLL=75MS,CSN 32-BIT MSB, ASCII,BFFRD 1 KEY,EM4102 32-BIT,IPM OFF,UART OFF,WIEG OFF	879.06	IR	Readers
Y	921PTPTEK000RG	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, 485HDX, TERM, BLK, STD-1, A/V OFF, OSDP V1, OPN COL, OSDP TAMP DISBLD, TEST KEY, POLL=75MS, CSN 56-BIT MSB, EM4102 40-BIT, KPF, ASCII, BFFRD 1 KEY, IPM OFF, UART OFF, WIEG OFF	879.06	IR	Readers
Y	921PTPTEK00385	KIT, RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, 485HDX, TERM, BLK, STD-1, A/V OFF, OSDP V1, OPN COL, OSDP TAMP ENABLED, TEST KEY, POLL=75MS, CSN 32-BIT MSB, EM4102 32-BIT, KPF, ASCII, BFFRD 1 KEY, IPM OFF, UART OFF, WIEG OFF	879.06	IR	Readers
Y	921PTPTEKE0385	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS, 485HDX, TERM, BLK, ELITE, A/V OFF, OSDP V1, OPN COL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, KPF, ASCII, BFFRD 1 KEY, EM4102 32-BIT, IPM OFF, UART OFF, WIEG OFF	879.06	IR	Readers
Y	921PWNNEK00324	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIGR, WIEG, PIG, BLK, HF MIGR PFL EVP00000, IPM OFF	913.93	IR	Readers
Y	921PWNNEKE00EW	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIGR, WIEG, PIG, BLK, LED RED, FLSH GRN, BZR ON, KPF, PCSC, HF MIGR PFL EVP00000, IPM OFF	913.93	IR	Readers
Y	921PWNNEKE00FW	RDR, RPK40, MULTICLASS, SE E, LF STD, HF MIGR ONLY, WIEG, PIG, BLK, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, KP BEEP OFF, HF MIGR PFL EVC00000_ICE0600, PROX FSK ONLY, IPM OFF, ERICSSON	913.93	IR	Readers
Y	921PWNNEKE00QC	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIFSPR/MIGR, WIEG, PIG, BLK, LED OFF, FLSH OFF, BZR OFF, OPT TAMP, OPEN COLL, CSN MIF SUPPR, EM4102 32-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, HF MIGR PFL EVP00000, IPM OFF	913.93	IR	Readers
Y	921PWNNEKE00VD	RDR, RPK40, ICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIGR, WIEG, PIG, BLK, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, PAR, 6-BIT MSG, CSN 32-BIT MSB, EM4102 32-BIT, HF MIGR PFL EVP00000, IPM OFF	913.93	IR	Readers
Y	921PWNTEK00324	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIGR, WIEG, TERM, BLK, HF MIGR PFL EVP00000, IPM OFF	913.93	IR	Readers
Y	921PWNTEK00472	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIGR, WIEG, TERM, BLK, CSTM KEYS, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, BFFRD 1 KEY 4 BIT MSG, IPM OFF, HF MIGR PFL EVP00000, CSTM KEYS, CSTM DATAMOD, HID DEMO	913.93	IR	Readers
Y	921PWNTEKE008Q	RDR, RPK40, MULTICLASS, SE E, LF FSK, HF STD/SIO/SEOS/MIGR/HID MIFARE APP, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, CSN SUPPR, IPM OFF, HF MIGR PFL EVPH0026	913.93	IR	Readers
Y	921PWNTEKE00MU	RDR, RPK40, MULTICLASS, SE E, LF STD, HF SIO/SEOS/MIFSPR/MIGR, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, HF MIGR PFL EVC00000_ICE0636, IPM OFF	913.93	IR	Readers
Y	921PWNTEKE00U1	RDR, RPK40, MULTIICLASS, LF STD, HF STD/SIO/SEOS/MIGR, WIEG, TERM, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, PAR, 6-BIT MSG, CSN 32-BIT MSB, HF MIGR PFL EVP00000, IPM OFF	913.93	IR	Readers
Y	921PWPNEKE00VX	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/TRANS/MIGR, 485HDX, PIG, BLK,A/V OFF, OSDP V2, TAMP OC, OSDP TAMP, KPF, ASCII, BFFRD 1 KEY, POLL=75MS, 64-BIT LSB FELICA,64-BIT MSB CEPAS CAN OR MIF,EM4102 40-BIT, MIGR PFL EVP00000, IPM OFF	962.75	IR	Readers
Y	921PWPNEKE016U	RDR, RPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIGR, 485HDX, PIG, BLK, A/V OFF, OSDP V2, KPF, ASCII, BFFRD 1 KEY, IPM OFF, EVP00000_ICE0371, SOLVAY	962.75	IR	Readers
Y	921PWPTEKE009K	RDR, RPK40, ICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIGR, 485HDX, TERM, BLK, A/V OFF, OSDP V1, OPT TAMP, OC, OSDP TAMP ENBLD, TEST KEYS,CSN SUPPR, KPF, ASCII, BFFRD 1 KEY, HF MIGR PFL EVP00000_ICE0318, IPM OFF, UART OFF, WIEG OFF	962.75	IR	Readers
Y	921PWPTEKE00E3	RDR, RPK40,MULTICLASS,SE E,LF STD,HF STD/SIO/SEOS/MIGR,485HDX,TERM,BLK,STD-1, A/V OFF, CSN SUPPRESSED,OSDP V1,CRC REVERSED,OPEN COLL,OSDP TAMP ENBLD, TEST KEYS,POLL=75MS,EM4102 32-BIT,IPM OFF,UART OFF,WIEG, EVP00000	962.75	IR	Readers
Y	921PWPTEKE00KW	RDR, RPK40, MULTIICLASS, LF STD, HF STD/SIO/SEOS/MIGR, 485HDX, TERM, BLK, STD-1, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP, KPF, ASCII, BFFRD 1 KEY, CSN 32-BIT MSB, HF MIGR PFL EVP00000, IPM OFF	962.75	IR	Readers
Y	921PWPTEKE00VH	RDR, RPK40, ICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIGR, 485HDX, TERM, BLK, OSDP V2, A/V OFF, OPT TAMP, OPEN COLL, OPT TAMP, KPF, ASCII, BFFRD 1 KEY, CSN 32-BIT MSB, EM4102 32-BIT, HF MIGR PFL EVP00000, IPM OFF	962.75	IR	Readers
Y	922NNNNEKE0503	RDR, RM40, ICLASS, SE E, LF OFF, HF SEOS/MAG, WIEG, PIG, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN MIF SUPPR, MAG, ABA ALL DGTS + 10 LEAD/TRAIL ZEREOS, WIEG, IPM OFF	683.39	IR	Readers
Y	922NTCNEK0014F	RDR, RM40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MAG, C&D, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN32-BITMSB, MAG, ABA, ALL BITS RAW, C/D, IPM OFF	683.39	IR	Readers
Y	922NTCNEK0021H	RDR, RM40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MAG, C&D, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN32-BITMSB, MAG, ABA ALL DGTS + 10 LEAD/TRAIL ZEREOS, C/D, IPM OFF	683.39	IR	Readers
Y	922NTCTEK0014F	RDR, RM40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MAG, C&D, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN32-BITMSB, MAG, ABA, ALL BITS RAW, IPM OFF	683.39	IR	Readers
Y	922NTNNEK0006H	RDR, RM40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MAG, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN32-BITMSB, MAG, ABA ALL DGTS + 10 LEAD/TRAIL ZEREOS, WIEG, IPM OFF	683.39	IR	Readers
Y	922NTNNEK0006H-110315	RDR, RM40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MAG, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, MAG, ABA ALL DGTS + 10 LEAD/TRAIL ZEREOS, WIEG, IPM OFF, ADI W/UPC#639399026942	683.39	IR	Readers
Y	922NTNNEK0006N	RDR, RM40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MAG, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN32-BITMSB, MAG, NRTHRN, 32-BIT (FC=16-BIT, ID=16-BIT), WIEG, IPM OFF	683.39	IR	Readers
Y	922NTNNEK00075	RDR, RM40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MAG, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, MAG, BASIC MS RAW OUTPUT AS RECD, WIEG, IPM OFF	683.39	IR	Readers
Y	922NTNNEK0007F	RDR, RM40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MAG, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN32-BITMSB, MAG, ABA CNVRT LAST 9 DIG TO 34-BIT, WIEG, IPM OFF	683.39	IR	Readers
Y	922NTNNEK000GF	RDR, RM40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MAG, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN32-BIT MSB, MAG, ABA ALL DGTS + 10 LEAD/TRAIL ZEREOS, WIEG, TRACK 1, IPM OFF	683.39	IR	Readers
Y	922NTNNEK0014G	RDR, RM40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MAG, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN32-BITMSB, MAG, ABA TO 26-BIT, WIEG, IPM OFF	683.39	IR	Readers
Y	922NTNNEK0014H	RDR, RM40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MAG, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN32-BITMSB, MAG, ABA CNVRT LAST 7 DIG TO 26-BIT BIN, WIEG, IPM OFF	683.39	IR	Readers
Y	922NTNNEK0017N	RDR, RM40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MAG, WIEG, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OC-I'M ALIVE INVERTED, I'M ALIVE 10 SEC, MSG-AA, CSN32-BITMSB, MAG, EMPI CARD TO 34-BIT, TRACK1, WIEG, IPM OFF	683.39	IR	Readers
Y	922NTNNEK00291	RDR, RM40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MAG, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN32-BITMSB, MAG, EMPI CARD TO 34-BIT, WIEG, IPM OFF	683.39	IR	Readers
Y	922NTNNEK00292	RDR, RM40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MAG, WIEG, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN32-BITMSB, MAG, ABA TO 26-BIT, WIEG, IPM OFF	683.39	IR	Readers
Y	922NTNNEK0049D	RDR, RM40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MAG, WIEG, PIG, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, MAG, EMPI CARD TO 26-BIT, IPM OFF	683.39	IR	Readers
Y	922NTNNEK0049E	RDR, RM40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MAG, WIEG, PIG, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, MAG, ABA TO 26-BIT (FC=8-BIT, ID=16-BIT),IPM OFF	683.39	IR	Readers
Y	922NTNNEKE006H	RDR, RM40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MAG, WIEG, PIG, BLK, ELITE KEYS, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN32-BITMSB, MAG, ABA ALL DGTS + 10 LEAD/TRAIL ZEREOS, IPM OFF	683.39	IR	Readers
Y	922NTNNEKE0075	RDR, RM40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MAG, WIEG, PIG, BLK, ELITE KEYS, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL,CSN32-BITMSB, MAG, BASIC MS RAW OUTPUT AS RECD, IPM OFF	683.39	IR	Readers
Y	922NTNTEK0006H	RDR, RM40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MAG, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL,CSN32-BITMSB, MAG, ABA ALL DGTS + 10 LEAD/TRAIL ZEREOS, IPM OFF	683.39	IR	Readers
Y	922NTNTEK0006N	RDR, RM40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MAG, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL,CSN32-BITMSB, MAG, NRTHRN, 32-BIT (FC=16-BIT, ID=16-BIT), WIEG, IPM OFF	683.39	IR	Readers
Y	922NTNTEK00075	RDR, RM40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS.AMG, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, MAG, BASIC MS RAW OUTPUT AS RECD, WIEG, IPM OFF	683.39	IR	Readers
Y	922NTNTEK0007F	RDR, RM40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MAG, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN32-BITMSB, MAG, ABA CNVRT LAST 9 DIG TO 34-BIT, WIEG, IPM OFF	683.39	IR	Readers
Y	922NTNTEK0049F	RDR, RM40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MAG, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, MAG, ABA CNVRT LAST 4 DIG TO 26-BIT BIN, IPM OFF	683.39	IR	Readers
Y	922NTNTEKEA0Q5	RDR, RM40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MAG/MA, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL,CSN32-BITMSB, MAG, ABA ALL DGTS + 10 LEAD/TRAIL ZEREOS, IPM OFF, ECP V2, MOBILE-ENABLED-FMT	683.39	IR	Readers
Y	922NWNNEKE000Y	RDR, RM40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MAG/MIGR, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN SUPPR, MAG, ABA ALL DGTS + 10 LEAD/TRAIL ZEREOS, WIEG, IPM OFF, HF MIGR PFL EVC680433_ICE0903, UPENNHS	767.06	IR	Readers
Y	922NWNNEKE00C6	RDR, RM40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR/MAG, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, IPM OFF, MAG EVCM2000, GENERIC UNIVERSITY	767.06	IR	Readers
Y	922NWNNEKE015X	RDR, RM40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MAG/MIGR, WIEG, PIG, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN SUPPR, MAG, ABA TO 26-BIT(FC=8 BIT,ID=16 BIT), TRACK-2, WIEG, IPM OFF, HF MIGR PFL EVP00000_ICE0318	767.06	IR	Readers
Y	922NWNTEK0055M	RDR, RM40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR/MAG, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL,CSNMIFSUPR, MAG, ABA (FIRST 9 DIGITS) + 10 LEAD/TRAIL ZEROS, IPM OFF	767.06	IR	Readers
Y	922NWNTEKE00C6	RDR, RM40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR/MAG, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, IPM OFF, MAG EVCM2000, GENERIC UNIVERSITY	767.06	IR	Readers
Y	922PNNNEKE045H	RDR, RMP40, MULTICLASS, SE E, LF CSTM, HF CSTM, MAG, WIEG, PIG, BLK, ELITE KEYS, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, IPM OFF, CSTM FSK ONLY, SEOS ONLY, MAG OPT 5	741.96	IR	Readers
Y	922PTCNEK000JK	RDR, RMP40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, PIG, BLK, C&D, LED RED, FLSH GRN, BZR ON, OPT TMP/OPN COL, CSN 32-BIT MSB, EM4102 32-BIT, MAG, ABA, ALL BITS RAW, TRACK 1, IPM OFF	741.96	IR	Readers
Y	922PTCNEK000NV	RDR, RMP40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, C&D, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, MAG, ABA ALL DGTS + 10 LEAD/TRAIL ZEREOS, CUSTOM C/D, IPM OFF	741.96	IR	Readers
Y	922PTCNEK00192	RDR, RMP40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, PIG, BLK, C&D, LEDRED, FLSHGRN, BZRON, OPT TMP/OPN COL, CSN32-BITMSB, EM410232-BIT, MAG, ABA ALL DGTS + 10 LEAD/TRAIL ZEROS, TRACK 3, IPM OFF	741.96	IR	Readers
Y	922PTCNEK00293	RDR, RMP40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, PIG, BLK, C&D, LEDRED, FLSHGRN, BZRON, OPT TMP/OPN COL, CSN32-BITMSB, EM410232-BIT, MAG, ABA, ALL BITS RAW, IPM OFF	741.96	IR	Readers
Y	922PTCNEK00294	RDR, RMP40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, PIG, BLK, C&D, LEDRED, FLSHGRN, BZRON, OPT TMP/OPN COL, CSN32-BITMSB, EM410232-BIT, MAG, ABA ALL DGTS + 10 LEAD/TRAIL ZEREOS, IPM OFF	741.96	IR	Readers
Y	922PTCTEK00293	RDR, RMP40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, C&D, TERM, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, MAG, ABA, ALL BITS RAW, C/D, IPM OFF	741.96	IR	Readers
Y	922PTNNEK0001C	RDR, RMP40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, PIG, BLK, WIEG, LEDRED, FLSHGRN, BZRON, OPT TMP/OPN COL, CSN32-BITMSB, EM410232-BIT, MAG, NRTHRN, 32-BIT (FC=16-BIT, ID=16-BIT), IPM OFF	741.96	IR	Readers

Y	922PTNNEK0003H	RDR, RMP40, MULTICLASS, SE E, LF FSK, HF STD/SIO/SEOS/MAG, WIEG, PIG, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN SUPPR, MAG, ABA, ALL BITS RAW, IPM OFF	741.96	IR	Readers
Y	922PTNNEK00042	RDR, RMP40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, PIG, BLK, WIEG, LEDRED, FLSHGRN, BZRON, OPT TMP/OPN COL, CSN32-BITMSB, EM410232-BIT, MAG, BASIC MS RAW OUT AS RECD, IPM OFF	741.96	IR	Readers
Y	922PTNNEK00051	RDR, RMP40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, PIG, BLK, WIEG, LEDRED, FLSHGRN, BZRON, OPT TMP/OPN COL, CSN32-BITMSB, EM410232-BIT, MAG, ABA ALL DGTS + 10 LEAD/TRAIL ZEREOS, IPM OFF	741.96	IR	Readers
Y	922PTNNEK0007H	RDR, RMP40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, PIG, BLK, WIEG, LEDRED, FLSHGRN, BZRON, OPT TMP/OPN COL, CSN32-BITMSB, EM410232-BIT, MAG, ABA TO 26-BIT, IPM OFF	741.96	IR	Readers
Y	922PTNNEK000D6	RDR, RMP40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, WIEG, PIG, BLK, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, MAG, ABA TO 34-BIT (FC=12-BIT, ID=20-BIT), MERC COMP, IPM OFF	741.96	IR	Readers
Y	922PTNNEK000JL	RDR, RMP40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIFSPR/MAG, 485 HDX, PIG, BLK, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN MIF SUPPR, EM4102 32-BIT, MAG, ABA ALL DGTS + 10 LEAD/TRAIL ZEREOS, IPM OFF	741.96	IR	Readers
Y	922PTNNEK000MB	RDR, RMP40, MULTICLASS, SE E, LF DISABLED, HF MAG ONLY, 485 HDX, WIEG, PIG, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, MAG, ABA ALL DGTS + 10 LEAD/TRAIL ZEROS, TRACK 2, WIEG, IPM OFF	741.96	IR	Readers
Y	922PTNNEK000N0	RDR, RMP40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, WIEG, PIG, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, MAG, ABA TO 26-BIT (FC=8-BIT, ID=16-BIT), TRACK-1, WIEG, IPM OFF	741.96	IR	Readers
Y	922PTNNEK0012E	RDR, RMP40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, PIG, BLK, WIEG, LEDRED, FLSHGRN, BZRON, OPT TMP/OPN COL, CSN32-BITMSB, EM410232-BIT, MAG, EMPI CARD TO 34-BIT, IPM OFF	741.96	IR	Readers
Y	922PTNNEK0012F	RDR, RMP40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, PIG, BLK, WIEG, LEDRED, FLSHGRN, BZRON, OPT TMP/OPN COL, CSN32-BITMSB, EM410232-BIT, MAG, ABA CNVRT LST 7 DIG TO 26-BIT BIN, IPM OFF	741.96	IR	Readers
Y	922PTNNEK00134	RDR, RMP40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, PIG, BLK, WIEG, LEDRED, FLSHGRN, BZR OFF, OPT TMP/OPN COL, CSN32-BITMSB, EM410232-BIT, MAG, NRTHRN, 32-BIT (FC=16-BIT, ID=16-BIT), IPM OFF	741.96	IR	Readers
Y	922PTNNEK0014B	RDR, RMP40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, PIG, BLK, WIEG, LEDRED, FLSHGRN, BZRON, OPT TMP/OPN COL, CSN32-BITMSB, EM410232-BIT, MAG, ABA TO 26-BIT (FC=8-BIT, ID=16-BIT), IPM OFF	741.96	IR	Readers
Y	922PTNNEK0018Q	RDR, RMP40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, PIG, BLK, WIEG, LED RED, FLSH GRN, BZR ON, OPT TMP/OPN COL, CSN 32-BIT MSB, EM 410232-BIT, MAG, NRTHRN, 32-BIT (FC=16-BIT, ID=16-BIT), TRACK-3, IPM OFF	741.96	IR	Readers
Y	922PTNNEK00295	RDR, RMP40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, PIG, BLK, WIEG, LEDRED, FLSHGRN, BZRON, OPT TMP/OPN COL, CSN32-BITMSB, EM410232-BIT, MAG, ABA TO 34-BIT (FC=16-BIT, ID=16-BIT), IPM OFF	741.96	IR	Readers
Y	922PTNNEK0049G	RDR, RMP40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, WIEG, PIG, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, MAG, EMPI CARD TO 26-BIT, IPM OFF	741.96	IR	Readers
Y	922PTNNEK0049H	RDR, RMP40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, WIEG, PIG, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, MAG, ABA TO 34-BIT (FC=12-BIT, ID=20-BIT), MERC COMP, IPM OFF	741.96	IR	Readers
Y	922PTNNEK0054V	RDR, RMP40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, PIG, BLK, WIEG, LEDRED, FLSHGRN, BZRON, OPT TMP/OPN COL, CSN32-BITMSB, PROX FSK ONLY, MAG, ABA CNVRT LAST 9 DIG TO 34-BIT, WIEG, IPM OFF	741.96	IR	Readers
Y	922PTNNEKE001C	RDR, RMP40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, PIG, BLK, WIEG, ELITE, LEDRED, FLSHGRN, BZRON, OPT TMP/OPN COL, CSN32-BITMSB, EM410232-BIT, MAG, NRTHRN, 32-BIT (FC=16-BIT, ID=16-BIT), IPM OFF	741.96	IR	Readers
Y	922PTNNEKE0042	RDR, RMP40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, WIEG, PIG, BLK, ELITE KEYS, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN32-BITMSB, EM410232-BIT, MAG, BASIC MS RAW OUTPUT AS RECD, IPM OFF	741.96	IR	Readers
Y	922PTNNEKE0051	RDR, RMP40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, WIEG, PIG, BLK, ELITE KEYS, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN32-BITMSB, EM410232-BIT, MAG, ABA ALL DGTS + 10 LEAD/TRAIL ZEREOS, IPM OFF	741.96	IR	Readers
Y	922PTNTEK0001C	RDR, RMP40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, TERM, BLK, WIEG, LEDRED, FLSHGRN, BZRON, OPT TMP/OPN COL, CSN32-BITMSB, EM410232-BIT, MAG, NRTHRN, 32-BIT (FC=16-BIT, ID=16-BIT), IPM OFF	741.96	IR	Readers
Y	922PTNTEK00042	RDR, RMP40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, TERM, BLK, WIEG, LEDRED, FLSHGRN, BZRON, OPT TMP/OPN COL, CSN32-BITMSB, EM410232-BIT, MAG, BASIC MS RAW OUT AS RECD, IPM OFF	741.96	IR	Readers
Y	922PTNTEK00051	RDR, RMP40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, TERM, BLK, WIEG, LEDRED, FLSHGRN, BZRON, OPT TMP/OPN COL, CSN32-BITMSB, EM410232-BIT, MAG, ABA ALL DGTS + 10 LEAD/TRAIL, IPM OFF	741.96	IR	Readers
Y	922PTNTEK0007H	RDR, RMP40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, TERM, BLK, WIEG, LEDRED, FLSHGRN, BZRON, OPT TMP/OPN COL, CSN32-BITMSB, EM410232-BIT, MAG, ABA TO 26-BIT, IPM OFF	741.96	IR	Readers
Y	922PTNTEK000N3	RDR, RMP40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, MAG, ABA ALL DGTS + 10 LEAD/TRAIL ZEREOS, WIEG, TRACK-3, IPM OFF	741.96	IR	Readers
Y	922PTNTEK000QR	RDR, RMP40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485HDX, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, MAG, IM ALIVE 10SEC, BASIC MS RAW OUTPUT AS RECD, WIEG, IPM OFF	741.96	IR	Readers
Y	922PTNTEK000V3	RDR, RMP40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, TERM, BLK, WIEG, LEDRED, FLSHGRN, BZRON, OPT TMP/OPN COL, CSN32-BITMSB, EM410232-BIT, MAG, ABA ALL DGTS + 10 LEAD/TRAIL, OUTPUT TRACK 3, IPM OFF	741.96	IR	Readers
Y	922PTNTEK00424	RDR, RMP40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, AMAG PENN STATE (MAG OPT 5), IPM OFF, PENN STATE	741.96	IR	Readers
Y	922PTNTEK0049G	RDR, RMP40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, MAG, EMPI CARD TO 26-BIT, IPM OFF	741.96	IR	Readers
Y	922PTPNEK0017P	RDR, RMP40, MULTICLASS, SE E, LF STD, HF LEG/SIO/SEOS/MAG, BLE SUPPR, 485HDX, PIG, BLK, A/V OFF, OSDP V1, OPT TAMP,OPEN COLL,OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, MAG, ABA ALL DGTS +10 LEAD/TRAIL ZEROS, IPM OFF	790.77	IR	Readers
Y	922PWNTEKE00NK	RDR, RMP40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIFSPR/MIGR/MAG, WIEG,TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN MIF SUPPR, EM4102 40-BIT, MAG, ABA ALL DGTS + 10 LEAD/TRAIL ZEREOS, WIEG, IPM OFF	825.64	IR	Readers
Y	922PWNTEKE00P5	RDR, RMP40, MULTICLASS, SE E, LF STD,HF STD/SIO/SEOS/MIFSPR/MIGR/MAG,WIEG,TERM, BLK,STD-1,LED RED,FLSH GRN, BZR ON,OPT TAMP,OC CSN MIF SUPPR,PROX FSK ONLY,HF MIGR PFL EVP00000,MAG,ABA TO 26-BIT,WIEG, KPF,BFFRD 1 KEY,NO PAR,4-BIT MSG,IPM OI	825.64	IR	Readers
Y	923LPRNEK000K7	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF CST, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,065.68	IR	Readers
Y	923LPRNEK00406	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF CST, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, ASCII, XMIT CMPLT, IPM OFF, UART ON, WIEG OFF	1,065.68	IR	Readers
Y	923LPRTEK00406	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF CST, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, ASCII, XMIT CMPLT, LCD 1F, IPM OFF, UART ON, WIEG OFF	1,065.68	IR	Readers
Y	923NPPNEK0000L	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, RF SUPPR, 485HDX, PIG, BLK, STD-1, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, FIPS 75-BIT, KPF, ASCII, BFFRD 1 KEY, LCD 1F, IPM OFF, UART OFF, WIEG OFF	1,015.67	IR	Readers
Y	923NPPNEK000HD	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,015.67	IR	Readers
Y	923NPPNEK000P3	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, PIG, BLK, STD-1, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, KPF, ASCII, XMIT CMPLT, LCD 1F, IPM OFF	1,015.67	IR	Readers
Y	923NPPNEK0033L	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, PIG, BLK, STD-1, OSDP V2,OPN COL,OSDP TAMP ENBLD,TST KEYS,POLL=75MS,A/V OFF, KPF, ASCII, BFFRD 1 KEY,FIPS 75-BIT,LCD 1F,IPM OFF,UART OFF,WIEG OFF	1,015.67	IR	Readers
Y	923NPPNEK0033M	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, PIG, BLK, STD-1, OSDP V2,OPEN COL,OSDP TAMP ENBLD,TST KEYS,POLL=75MS,A/V OFF,KPF, ASCII, BFFRD 1 KEY,FIPS 64-BIT,LCD 1F,IPM OFF,UART OFF,WIEG OFF	1,015.67	IR	Readers
Y	923NPPNEK0033N	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,015.67	IR	Readers
Y	923NPPNEK0033P	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,015.67	IR	Readers
Y	923NPPNEK0036H	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	1,015.67	IR	Readers
Y	923NPPNEK200KR	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF FIPS/CAK/PKI, 485HDX, PIG, BLK, STD-2, A/V OFF,OSDP V2,OPT TAMP,OPEN COLL,OSDP TAMP ENBLD,TEST KEY, POLL=75MS,FIPS 75-BIT,KPF,ASCII,BFFRD 1 KEY, LCD 1F,IPM OFF,UART OFF,WIEG OFF	1,015.67	IR	Readers
Y	923NPPNEKE000U	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, PIG, BLK, STD-1, OSDP V2,OPN COL,OSDP TAMP ENBLD,TST KEYS,POLL=75MS,A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 200-BIT,LCD 1F,IPM OFF,UART OFF,WIEG OFF	1,015.67	IR	Readers
Y	923NPPNEKE00HD	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, PIG, BLK, ELITE, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,015.67	IR	Readers
Y	923NPPNEKE032T	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 200-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,015.67	IR	Readers
Y	923NPPNEKE033L	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, PIG, BLK, STD-1, OSDP V2,OPN COL,OSDP TAMP ENBLD,TST KEYS,POLL=75MS,A/V OFF, KPF, ASCII, BFFRD 1 KEY ,FIPS 75-BIT,LCD 1F,IPM OFF,UART OFF,WIEG OFF	1,015.67	IR	Readers
Y	923NPPNEKE033M	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, PIG, BLK, STD-1, OSDP V2,OPN COL,OSDP TAMP ENBLD,TEST KEYS,POLL=75MS,A/V OFF, KPF, ASCII, BFFRD 1 KEY, FIPS 64-BIT,LCD 1F,IPM OFF,UART OFF,WIEG OFF	1,015.67	IR	Readers
Y	923NPPNEKE033N	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,015.67	IR	Readers
Y	923NPPNEKE033P	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,015.67	IR	Readers
Y	923NPPTEK0000L	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, RF SUPPR, 485HDX, TERM, BLK, STD-1, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, FIPS 75-BIT, KPF, ASCII, BFFRD 1 KEY, LCD 1F, IPM OFF, UART OFF, WIEG OFF	1,015.67	IR	Readers
Y	923NPPTEK0000U	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1,OSDP V2,OPN COL,OSDP TAMP ENBLD,TST KEYS,POLL=75MS,A/V OFF,KPF, ASCII, BFFRD 1 KEY,FIPS 200-BIT,LCD 1F,IPM OFF,UART OFF,WIEG OFF	1,015.67	IR	Readers
Y	923NPPTEK000HD	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,015.67	IR	Readers
Y	923NPPTEK000P3	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, KPF, ASCII, XMIT CMPLT, LCD 1F, IPM OFF	1,015.67	IR	Readers
Y	923NPPTEK0032T	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 200-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,015.67	IR	Readers
Y	923NPPTEK0033L	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, OSDP V2,OPN COL,OSDP TAMP ENBLD,TST KEYS,POLL=75MS,A/V OFF,KPF, ASCII, BFFRD 1 KEY,FIPS 75-BIT,LCD 1F,IPM OFF,UART OFF,WIEG OFF	1,015.67	IR	Readers
Y	923NPPTEK0033M	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK,STD-1,OSDP V2,OPN COL,OSDP TAMP ENBLD,TST KEYS, POLL=75MS,A/V OFF,KPF, ASCII, BFFRD 1 KEY,FIPS 64-BIT,LCD 1F,IPM OFF,UART OFF,WIEG OFF	1,015.67	IR	Readers
Y	923NPPTEK0033N	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,015.67	IR	Readers
Y	923NPPTEK0033P	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,015.67	IR	Readers
Y	923NPPTEK0036H	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT REVERSE BCD, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,015.67	IR	Readers
Y	923NPPTEK200KR	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-2, A/V OFF,OSDP V2,OPT TAMP,OPEN COLL,OSDP TAMP ENBLD,TEST KEY, POLL=75MS,FIPS 75-BIT,KPF,ASCII,BFFRD 1 KEY, LCD 1F,IPM OFF,UART OFF,WIEG OFF	1,015.67	IR	Readers
Y	923NPPTEKE000U	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1,OSDP V2,OPN COL,OSDP TAMP ENBLD,TST KEYS,POLL=75MS,A/V OFF,KPF, ASCII, BFFRD 1 KEY,FIPS 200-BIT,LCD 1F,IPM OFF,UART OFF,WIEG OFF	1,015.67	IR	Readers
Y	923NPPTEKE00HD	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, ELITE, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,015.67	IR	Readers
Y	923NPPTEKE032T	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 200-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,015.67	IR	Readers
Y	923NPPTEKE033L	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1,OSDP V2,OPN COL,OSDP TAMP ENBLD,TEST KEYS,POLL=75MS,A/V OFF,KPF, ASCII, BFFRD 1 KEY,FIPS 75-BIT,LCD 1F,IPM OFF,UART OFF,WIEG OFF	1,015.67	IR	Readers
Y	923NPPTEKE033M	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, OSDP V2,OPN COL,OSDP TAMP ENBLD,TST KEYS,POLL=75MS,A/V OFF,KPF, ASCII, BFFRD 1 KEY,FIPS 64-BIT,LCD 1F,IPM OFF,UART OFF,WIEG OFF	1,015.67	IR	Readers
Y	923NPPTEKE033N	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,015.67	IR	Readers
Y	923NPPTEKE033P	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,015.67	IR	Readers
Y	923NPPTEKE036H	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG O	1,015.67	IR	Readers
Y	923NPRNEK0000Q	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,015.67	IR	Readers
Y	923NPRNEK000HD	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,015.67	IR	Readers
Y	923NPRNEK000Y7	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, DOR COMPL, BFFRD 1 KEY, NO PAR, 8 BIT-MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,015.67	IR	Readers
Y	923NPRNEK0032V	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, KPF, ASCII, XMIT CMPLT, LCD 1F, IPM OFF, UART ON, WIEG OFF	1,015.67	IR	Readers
Y	923NPRNEK00333	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,015.67	IR	Readers
Y	923NPRNEK00334	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,015.67	IR	Readers

Y	923NPRNEK0037H	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	1,015.67	IR	Readers
Y	923NPRNEK00435	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, 14443 56-BIT MIFARE, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,015.67	IR	Readers
Y	923NPRNEK0052K	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, DESFIRE MIFARE CSN 56 BIT LSB, KPF, ASCII, XMIT CMPLT, LCD 1F, IPM OFF, UART ON, WIEG OFF	1,015.67	IR	Readers
Y	923NPRNEK0057A	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, FIPS 200-BIT, LCD 1F, IPM OFF	1,015.67	IR	Readers
Y	923NPRNEK0057K	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, DESFIRE MIFARE CSN 56 BIT MSB, KPF, ASCII, XMIT CMPLT, LCD 1F, IPM OFF, UART ON, WIEG OFF	1,015.67	IR	Readers
Y	923NPRNEKE000Q	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, ELITE, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,015.67	IR	Readers
Y	923NPRNEKE00HD	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, ELITE, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,015.67	IR	Readers
Y	923NPRNEKE032V	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, ASCII, XMIT CMPLT, LCD 1F, IPM OFF, UART ON, WIEG OFF	1,015.67	IR	Readers
Y	923NPRNEKE0333	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,015.67	IR	Readers
Y	923NPRNEKE0334	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,015.67	IR	Readers
Y	923NPRNEKE037H	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG ON	1,015.67	IR	Readers
Y	923NPRTEK0000Q	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,015.67	IR	Readers
Y	923NPRTEK000HD	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,015.67	IR	Readers
Y	923NPRTEK000Y7	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, DOR COMPL, BFFRD 1 KEY, NO PAR, 8 BIT-MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,015.67	IR	Readers
Y	923NPRTEK0032V	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, KPF, ASCII, XMIT CMPLT, LCD 1F, IPM OFF, UART ON, WIEG OFF	1,015.67	IR	Readers
Y	923NPRTEK0032V-KIT	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, KPF, ASCII, XMIT CMPLT, LCD 1F, IPM OFF, UART ON, WIEG OFF, PIVCLASS BUNDLE PRODUCTION MAKE P/N ONLY	1,015.67	IR	Readers
Y	923NPRTEK00333	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,015.67	IR	Readers
Y	923NPRTEK00334	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,015.67	IR	Readers
Y	923NPRTEK0037H	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG O	1,015.67	IR	Readers
Y	923NPRTEK00381	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM,BLK, STD-1 WEIG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, MIF/DES 56-BIT CSN, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,015.67	IR	Readers
Y	923NPRTEK005A9	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OC, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, FIPS 75-BIT, LCD 1F, IPM OFF, UART OFF,WIEG ON	1,015.67	IR	Readers
Y	923NPRTEKE000Q	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, ELITE, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,015.67	IR	Readers
Y	923NPRTEKE00HD	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, ELITE, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,015.67	IR	Readers
Y	923NPRTEKE032V	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, ASCII, XMIT CMPLT, LCD 1F, IPM OFF, UART ON, WIEG OFF	1,015.67	IR	Readers
Y	923NPRTEKE0333	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,015.67	IR	Readers
Y	923NPRTEKE0334	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,015.67	IR	Readers
Y	923NPRTEKE037H	RDR, RKCL40-P, PIVCLASS, SE E, CONT LCD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT REVERSE BCD, IPM OFF, UART OFF, WIEG O	1,015.67	IR	Readers
Y	923PPPNEK0000G	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, PIG, BLK, STD-1,OSDP V2,OPN COL,OSDP TAMP ENBLD,TST KEYS,POLL=75MS,A/V OFF,KPF, ASCII, BFFRD 1 KEY,FIPS 200-BIT,LCD 1F,IPM OFF,UART OFF,WIEG OFF	1,065.68	IR	Readers
Y	923PPPNEK000HE	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,065.68	IR	Readers
Y	923PPPNEK000K5	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, PIG,BLK, STD-1,A/V OFF,OSDP V2,OPT TAMP,OPEN COLL,OSDP TAMP ENBLD,TEST KEY,POLL=75MS,FIPS 75-BIT,KPF,ASCII,BFFRD 1 KEY,LCD 1F,IPM OFF,UART OFF,WIEG OFF	1,065.68	IR	Readers
Y	923PPPNEK000P4	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, PIG, BLK, STD-1, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, KPF, ASCII, XMIT CMPLT PIN, LCD 1F, IPM OFF	1,065.68	IR	Readers
Y	923PPPNEK0032P	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 200-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,065.68	IR	Readers
Y	923PPPNEK0033Q	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, PIG, BLK, STD-1,OSDP V2,OPN COL,OSDP TAMP ENBLD,TST KEYS,POLL=75MS,A/V OFF,KPF, ASCII, BFFRD 1 KEY,FIPS 75-BIT,LCD 1F,IPM OFF,UART OFF,WIEG OFF	1,065.68	IR	Readers
Y	923PPPNEK0033R	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, PIG, BLK, STD-1, OSDP V2,OPN COL,OSDP TAMP ENBLD,TST KEYS,POLL=75MS,A/V OFF,KPF, ASCII, BFFRD 1 KEY,FIPS 64-BIT,LCD 1F,IPM OFF,UART OFF,WIEG OFF	1,065.68	IR	Readers
Y	923PPPNEK0033T	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,065.68	IR	Readers
Y	923PPPNEK0033U	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,065.68	IR	Readers
Y	923PPPNEK0036J	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT REVERSE BCD, LCD 1F, IPM OFF, UART OFF	1,065.68	IR	Readers
Y	923PPPNEKE000G	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, PIG, BLK,STD-1,OSDP V2,OPN COL,OSDP TAMP ENBLD,TST KEYS,POLL=75MS,A/V OFF,KPF, ASCII, BFFRD 1 KEY,FIPS 200-BIT,LCD 1F,IPM OFF,UART OFF,WIEG OFF	1,065.68	IR	Readers
Y	923PPPNEKE00HE	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, PIG, BLK, ELITE, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,065.68	IR	Readers
Y	923PPPNEKE032P	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 200-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,065.68	IR	Readers
Y	923PPPNEKE033Q	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, PIG, BLK, STD-1, OSDP V2,OPN COL,OSDP TAMP ENBLD,TST KEYS,POLL=75MS,A/V OFF,KPF, ASCII, BFFRD 1 KEY,FIPS 75-BIT,LCD 1F,IPM OFF,UART OFF,WIEG OFF	1,065.68	IR	Readers
Y	923PPPNEKE033R	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, PIG, BLK, STD-1, OSDP V2,OPN COL,OSDP TAMP ENBLD,TST KEYS,POLL=75MS,A/V OFF,KPF, ASCII, BFFRD 1 KEY,FIPS 64-BIT,LCD 1F,IPM OFF,UART OFF,WIEG OFF	1,065.68	IR	Readers
Y	923PPPNEKE033T	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,065.68	IR	Readers
Y	923PPPNEKE033U	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,065.68	IR	Readers
Y	923PPPNEKE036J	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT REVERSE BCD, LCD 0F, IPM OFF, UART OFF	1,065.68	IR	Readers
Y	923PPPTEK0000G	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK,STD-1,OSDP V2,OPN COL,OSDP TAMP ENBLD,TST KEYS,POLL=75MS,A/V OFF,KPF,BFRD 1 KEY,NO PAR,4-BIT MSG,FIPS 200-BIT,LCD 1F,IPM OFF,UART OFF,WIEG OFF	1,065.68	IR	Readers
Y	923PPPTEK000HE	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,065.68	IR	Readers
Y	923PPPTEK000K5	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI,485HDX,TERM, BLK,STD-1,A/V OFF,OSDP V2,OPT TAMP,OPEN COLL,OSDP TAMP ENBLD,TEST KEY,POLL=75MS,FIPS 75-BIT,KPF,ASCII,BFFRD 1 KEY,LCD 1F,IPM OFF,UART OFF,WIEG OFF	1,065.68	IR	Readers
Y	923PPPTEK000P4	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, KPF, ASCII, XMIT CMPLT PIN, LCD 1F, IPM OFF	1,065.68	IR	Readers
Y	923PPPTEK000RW	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF FSK ONLY, HF DIW/FIPS/CAK, 485HDX, TERM, BLK, STD-1, LED RD, FLSH GN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG,FIPS 200-BIT,LCD 1F, IPM OF,URT OFF,WIEG ON,SPAWR	1,065.68	IR	Readers
Y	923PPPTEK0032P	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 200-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,065.68	IR	Readers
Y	923PPPTEK0033Q	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1,OSDP V2,OPN COL,OSDP TAMP ENBLD,TST KEYS,POLL=75MS,A/V OFF,KPF, ASCII, BFFRD 1 KEY,FIPS 75-BIT,LCD 1F,IPM OFF,UART OFF,WIEG OFF	1,065.68	IR	Readers
Y	923PPPTEK0033R	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1,OSDP V2,OPN COL,OSDP TAMP ENBLD,TST KEYS,POLL=75MS,A/V OFF,KPF, ASCII, BFFRD 1 KEY,FIPS 64-BIT,LCD 1F,IPM OFF,UART OFF,WIEG OFF	1,065.68	IR	Readers
Y	923PPPTEK0033T	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,065.68	IR	Readers
Y	923PPPTEK0033U	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,065.68	IR	Readers
Y	923PPPTEK0036J	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT REVERSE BCD, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,065.68	IR	Readers
Y	923PPPTEKE000G	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK,STD-1,OSDP V2,OPN COL,OSDP TAMP ENBLD,TST KEYS,POLL=75MS,A/V OFF,KPF, ASCII, BFFRD 1 KEY,FIPS 200-BIT,LCD 1F,IPM OFF,UART OFF,WIEG OFF	1,065.68	IR	Readers
Y	923PPPTEKE00HE	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, ELITE, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,065.68	IR	Readers
Y	923PPPTEKE032P	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 200-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,065.68	IR	Readers
Y	923PPPTEKE033Q	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1,OSDP V2,OPN COL,OSDP TAMP ENBLD,TST KEYS,POLL=75MS,A/V OFF,KPF, ASCII, BFFRD 1 KEY, FIPS 75-BIT,LCD 1F,IPM OFF,UART OFF,WIEG OFF	1,065.68	IR	Readers
Y	923PPPTEKE033R	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK,STD-1,OSDP V2,OPN COL,OSDP TAMP ENBLD, TST KEYS,POLL=75MS,A/V OFF,KPF, ASCII, BFFRD 1 KEY,FIPS 64-BIT,LCD 1F,IPM OFF,UART OFF,WIEG OFF	1,065.68	IR	Readers
Y	923PPPTEKE033T	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,065.68	IR	Readers
Y	923PPPTEKE033U	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,065.68	IR	Readers
Y	923PPPTEKE036J	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT REVERSE BCD, LCD 0F, IPM OFF, UART OF	1,065.68	IR	Readers
Y	923PPRNEK00008	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 200-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,065.68	IR	Readers
Y	923PPRNEK00009	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,065.68	IR	Readers
Y	923PPRNEK0000A	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,065.68	IR	Readers
Y	923PPRNEK0000B	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, KPF, ASCII, XMIT CMPLT PIN, LCD 1F, IPM OFF, UART ON, WIEG OFF	1,065.68	IR	Readers
Y	923PPRNEK000CC	RDR,RPKCL40-P,PIVCLASS, SE E, CONT LCD,LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, PIG,BLK, STD-1,LED RED,FLSH GRN,BZR ON,OPT,OPEN COLL, CSN 34-BIT MSB,FIPS 75-BIT,KPF,BFFRD 1 KEY,NO PAR,4-BIT MSG, LCD 1F, IPM OFF,UART OFF,WIEG ON	1,065.68	IR	Readers
Y	923PPRNEK000HE	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,065.68	IR	Readers
Y	923PPRNEK000Y8	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, DOR COMPL, BFFRD 1 KEY, NO PAR, 8 BIT-MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,065.68	IR	Readers
Y	923PPRNEK0037J	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT REVERSE BCD, LCD 0F, IPM OFF, UART OFF	1,065.68	IR	Readers
Y	923PPRNEK00427	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 40-BIT, BCD, LCD 0F, IPM OFF, UART OFF, WIEG	1,065.68	IR	Readers
Y	923PPRNEK0044M	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY-5, PAR, 26-BIT MSG, FIPS 200-BIT, LCD 1F, IPM OFF, UART OFF, WEIG ON	1,065.68	IR	Readers
Y	923PPRNEK00474	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1,LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF 1 KEY DOR COMPL, NO PAR. 8 BIT, 200-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,065.68	IR	Readers
Y	923PPRNEK0047L	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1,LED RED,FLSH GRN,BZR ON,OPT,OPEN COLL, FIPS 200 BIT, KPF.BFFRD 1 KEY, NO PAR, 4 BIT MSG, IPM OFF, UART OFF, WIEG ON, WIEG PULSE, 52 USEC	1,065.68	IR	Readers
Y	923PPRNEK00519	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, FIPS 75-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,065.68	IR	Readers

Y	923PPRNEK0057M	RDR, RPKCL40-P,PIVCLASS,SE E,CONT LCD,LF STD,HF STD/SIO/SEOS/FIPS/CAK/PKI,485FDX,PIG BLK,STD-1,LED RED,FLSH GRN,BZR ON, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, FIPS 128-BIT,FASCN+RMV OVRHD+RMV PAR, LCD 1F, IPM OFF,UART OFF,WIEG ON	1,065.68	IR	Readers
Y	923PPRNEKE0008	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 200-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,065.68	IR	Readers
Y	923PPRNEKE0009	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,065.68	IR	Readers
Y	923PPRNEKE000A	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,065.68	IR	Readers
Y	923PPRNEKE000B	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, ASCII, XMIT CMPLT PIN, LCD 1F, IPM OFF, UART ON, WIEG OFF	1,065.68	IR	Readers
Y	923PPRNEKE0044M	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, ELITE, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, KPF, BFFRD 1 KEY- 5 KEYS, PAR, 26 BIT MSG, FIPS 200-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,065.68	IR	Readers
Y	923PPRNEKE00HE	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, ELITE, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,065.68	IR	Readers
Y	923PPRNEKE037J	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT REVERSE BCD, LCD 0F, IPM OFF, UART OFF	1,065.68	IR	Readers
Y	923PPRTEK00008	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 200-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,065.68	IR	Readers
Y	923PPRTEK00009	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,065.68	IR	Readers
Y	923PPRTEK0000A	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,065.68	IR	Readers
Y	923PPRTEK0000B	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, KPF, ASCII, XMIT CMPLT PIN, LCD 1F, IPM OFF, UART ON, WIEG OFF	1,065.68	IR	Readers
Y	923PPRTEK0000B-KIT	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, KPF, ASCII, XMIT CMPLT PIN, LCD 1F, IPM OFF, UART ON, WIEG OFF, PIVCLASS BUNDLE PRODUCTION MAKE P/N ONLY	1,065.68	IR	Readers
Y	923PPRTEK000HE	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,065.68	IR	Readers
Y	923PPRTEK000Y8	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, DOR COMPL, BFFRD 1 KEY, NO PAR, 8 BIT-MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,065.68	IR	Readers
Y	923PPRTEK0037J	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT REVERSE BCD, LCD 0F, IPM OFF, UART OF	1,065.68	IR	Readers
Y	923PPRTEK00382	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF BFFRD 1 KEY, NO PAR, 4 BIT MSG, FIPS 75 BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,065.68	IR	Readers
Y	923PPRTEK00426	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT, FIPS 75-BIT 56 CSN, LCD 0F, IPM OFF, UART OFF, WIE	1,065.68	IR	Readers
Y	923PPRTEK00519	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, FIPS 75-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,065.68	IR	Readers
Y	923PPRTEKE0008	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 200-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,065.68	IR	Readers
Y	923PPRTEKE0009	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,065.68	IR	Readers
Y	923PPRTEKE000A	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,065.68	IR	Readers
Y	923PPRTEKE000B	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, ASCII, XMIT CMPLT PIN, LCD 1F, IPM OFF, UART ON, WIEG OFF	1,065.68	IR	Readers
Y	923PPRTEKE00HE	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, ELITE, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	1,065.68	IR	Readers
Y	923PPRTEKE037J	RDR, RPKCL40-P, PIVCLASS, SE E, CONT LCD, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 64-BIT REVERSE BCD, LCD 0F, IPM OFF, UART OF	1,065.68	IR	Readers
Y	924NPPNEK0000U	RDR, RKCLB40-P, PIVCLASS, SE E, CONT LCD BIO, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI,485HDX,PIG,BLK,A/V OFF,OSDP V2,OPT TAMP,OP COLL, OSDP TAMP EN, TEST KEYS, POLL=75MS,FIPS 200-BIT,KPF,ASCII,BFFRD 1 KEY, LCD 1F, IPM OFF, UART OFF, WEG OFF	1,720.56	IR	Readers
Y	924NPPTEK0000U	RDR, RKCLB40-P, PIVCLASS, SE E, CONT LCD BIO, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI,485HDX,TERM,BLK,A/V OFF,OSDP V2,OPT TAMP,OP COLL, OSDP TAMP EN, TEST KEYS, POLL=75MS,FIPS 200-BIT,KPF,ASCII,BFFRD 1 KEY, LCD 1F, IPM OFF, UART OFF, WEG OFF	1,720.56	IR	Readers
Y	924NPRNEK00504	RDR, RKCLB40-P, PIVCLASS, SE E, CONT LCD BIO, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, KPF, ASCII, XMIT CMPLT, LCD 1F, IPM OFF, UART ON, WIEG OFF	1,720.56	IR	Readers
Y	924NPRNEKE0504	RDR, RKCLB40-P, PIVCLASS, SE E, CONT LCD BIO, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, PIG, BLK, ELITE KEYS, STD-1, LED RED, FLSH GRN, BZR ON, KPF, ASCII, XMIT CMPLT, LCD 1F, IPM OFF, UART ON, WIEG OFF	1,720.56	IR	Readers
Y	924NPRTEK00504	RDR, RKCLB40-P, PIVCLASS, SE E, CONT LCD BIO, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, KPF, ASCII, XMIT CMPLT, LCD 1F, IPM OFF, UART ON, WIEG OFF	1,720.56	IR	Readers
Y	924NPRTEKE0504	RDR, RKCLB40-P, PIVCLASS, SE E, CONT LCD BIO, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, TERM, BLK, ELITE KEYS, STD-1, LED RED, FLSH GRN, BZR ON, KPF, ASCII, XMIT CMPLT, LCD 1F, IPM OFF, UART ON, WIEG OFF	1,720.56	IR	Readers
Y	925NHNTEK000N8	RDR, RMK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/MAG,485HDX,TERM,BLK,STD-1,A/V OFF,OPT TMP,OPN COL,FIPS 58-BIT AMAG,MAG AMAG SEIWG-012,58 BIT WIEGAND,KPF,BFFRD 1 KEY,DOR COMPL,NO PAR,8-BIT MSG,IPM OFF,UART OFF,WIEG ON,NO PRIOR	1,001.36	IR	Readers
Y	925NTCNEK0014D	RDR, RMK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MAG, C&D, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN32-BITMSB, MAG, ABA, ALL BITS RAW, C/D, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	1,001.36	IR	Readers
Y	925NTCNEK0021G	RDR, RMK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MAG, C&D, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN32-BITMSB,MAG, ABA ALL DGTS + 10 LEAD/TRAIL ZEREOS, C/D, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG	1,001.36	IR	Readers
Y	925NTNNEK00094	RDR, RMK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MAG, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, MAG, BASIC MS RAW OUTPUT AS RECD, WIEG, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	1,001.36	IR	Readers
Y	925NTNNEK00101	RDR, RMK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MAG, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN32-BITMSB, MAG, ABA ALL DGTS + 10 LEAD/TRAIL ZEREOS, WIEG, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	1,001.36	IR	Readers
Y	925NTNNEK00102	RDR, RMK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MAG, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN32-BITMSB, MAG, ABA TO 26-BIT (FC=8-BIT, ID=16-BIT), WIEG,KPF,BFFRD 1 KEY,NO PAR,4-BIT MSG,IPM OFF	1,001.36	IR	Readers
Y	925NTNNEK0010F	RDR, RMK40, ICLASS,SE E,LF OFF,HF STD/SIO/SEOS/MAG, WIEG, PIG,BLK, STD-1, LED RED, FLSH GRN,BZR ON,OPT TAMP,OPEN COLL,CSN32-BITMSB, MAG,NRTHRN, 32-BIT (FC=16-BIT, ID=16-BIT), WIEG, KPF,BFFRD 1 KEY,DOR COMPL, NO PAR, 8-BIT MSG	1,001.36	IR	Readers
Y	925NTNNEK0015P	RDR, RMK40,ICLASS, SE E,LF OFF,HF STD/SIO/SEOS/MAG, WIEG,PIG, BLK, STD-1,LED RED,FLSH GRN,BZR ON,OPT TAMP,OPEN COLL,CSN32-BITMSB,MAG, ABA ALL DGTS + 10 LEAD/TRAIL ZEREOS, WIEG,KPF,BFFRD 1 KEY,DOR COMPL,NO PAR, 8-BIT MSG,IPM OFF	1,001.36	IR	Readers
Y	925NTNNEK00169	RDR, RMK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MAG, WIEG, PIG, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN32-BITMSB, MAG, ABA ALL DGTS + 10 LEAD/TRAIL ZEREOS, WIEG, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	1,001.36	IR	Readers
Y	925NTNNEK00200	RDR, RMK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MAG, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB,CSN32-BITMSB MAG, NRTHRN, 32-BIT (FC=16-BIT, ID=16-BIT), WIEG, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG	1,001.36	IR	Readers
Y	925NTNNEK0021N	RDR, RMK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MAG, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL,CSN32-BITMSB, MAG, ABA TO 26-BIT (FC=8-BIT, ID=16-BIT), WIEG, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG	1,001.36	IR	Readers
Y	925NTNNEK00353	RDR, RMK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MAG, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL ,CSN32-BITMSB, MAG, ABA TO 34-BIT (FC=12-BIT, ID=20-BIT), MERC COMP, WIEG, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG	1,001.36	IR	Readers
Y	925NTNNEK00522	RDR, RMK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MAG, WIEG, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, MAG, ABA ALL, WIEG, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	1,001.36	IR	Readers
Y	925NTNNEKE0101	RDR, RMK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MAG, WIEG, PIG, BLK, ELITE KEYS, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, MAG, ABA ALL DGTS + 10 LEAD/TRAIL ZEREOS, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	1,001.36	IR	Readers
Y	925NTNTEK00094	RDR, RMK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MAG, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL,CSN32-BITMSB, MAG, BASIC MS RAW OUTPUT AS RECD, WIEG, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	1,001.36	IR	Readers
Y	925NTNTEK00101	RDR, RMK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MAG, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, MAG, ABA ALL DGTS + 10 LEAD/TRAIL ZEREOS, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	1,001.36	IR	Readers
Y	925NTNTEK0015Q	RDR, RMK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MAG, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN32-BITMSB, MAG, BASIC MS RAW OUTPUT AS RECD, WIEG, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG	1,001.36	IR	Readers
Y	925NTNTEK00200	RDR, RMK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MAG, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, MAG, NRTHRN, 32-BIT (FC=16-BIT, ID=16-BIT), WIEG, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	1,001.36	IR	Readers
Y	925NWNTEK0056C	RDR, RMK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR/MAG, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, MAG, ABA (FIRST 9 DIGITS) + 10 LEAD/TRAIL ZEROS, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	1,085.05	IR	Readers
Y	925NWNTEKE00C7	RDR, RMK40, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR/MAG, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, MAG EVCM2000, GENERIC UNIVERSITY	1,085.05	IR	Readers
Y	925PTCNEK000NW	RDR,RMPK40,MULTICLASS,SE E, LF STD,HF STD/SIO/SEOS/MAG,485 HDX,PIG,BLK,C&D,STD-1,LED RED, FLSH GRN, BZRON,OPT TAMP,OC,CSN 32-BIT MSB,EM4102 32-BIT,MAG,ABA ALL DGTS + 10 LEAD/TRAIL 0S,CUSTOM C/D,KPF,BFFRD1KEY,DORCOMPL,NO PAR,8-BITMSG,IPI	1,059.94	IR	Readers
Y	925PTCNEK0021C	RDR, RMPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, PIG, BLK, C&D, LEDRED, FLSHGRN, BZRON, OPT TMP/OPN COL, CSN32-BITMSB, EM410232-BIT, MAG, ABA, ALL BITS RAW, BFRD 1 KEY, NOPAR, 4-BIT MSG, IPM OFF	1,059.94	IR	Readers
Y	925PTCNEK00351	RDR, RMPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, PIG, BLK, C&D, LED OFF, FLSH OFF, BZRON, OPT TMP/OPN COL, CSN32-BITMSB, EM410232-BIT, MAG, ABA, ALL BITS RAW, BFRD 1 KEY, NOPAR, 4-BIT MSG, IPM OFF	1,059.94	IR	Readers
Y	925PTCNEK0049U	RDR, RMPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, C&D, PIG, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, MAG, ABA, ALL BITS RAW, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	1,059.94	IR	Readers
Y	925PTCNEK0049V	RDR, RMPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, C&D, PIG, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, MAG, ABA ALL DGTS + 10 LEAD/TRAIL ZEREOS, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OF	1,059.94	IR	Readers
Y	925PTCNEK0049Y	RDR,RMPK40,MULTICLAS,SE E,LF STD, HF STD/SIO/SEOS/MAG,C&D,PIG,BLK,LED RED,FLSH GRN, BZR ON,OPT TAMP,OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT,MAG, ABA ALL DGTS + 10 LEAD/TRAIL ZEREOS, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG,IPM OFF	1,059.94	IR	Readers
Y	925PTCTEK0021C	RDR, RMPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, TERM, BLK, C&D, LEDRED, FLSHGRN, BZRON, OPT TMP/OPN COL, CSN32-BITMSB, EM410232-BIT, MAG, ABA, ALL BITS RAW, BFRD 1 KEY, NOPAR, 4-BIT MSG, IPM OFF	1,059.94	IR	Readers
Y	925PTCTEK0021D	RDR, RMPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, TERM, BLK, C&D, LEDRED, FLSHGRN, BZRON, OPT TMP/OPN COL, CSN32-BITMSB, EM410232-BIT, MAG, ABA, ALL BITS RAW, BFRD 1 KEY, DOR COMP, NOPAR, 8-BIT MSG,IPM OFF	1,059.94	IR	Readers
Y	925PTCTEK0049U	RDR, RMPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, C&D, TERM, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, MAG, ABA, ALL BITS RAW, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	1,059.94	IR	Readers
Y	925PTNNEK0002L	RDR, RMPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, PIG, BLK, WIEG, LEDRED, FLSHGRN, BZRON, OPT TMP/OPN COL, CSN32-BITMSB, EM410232-BIT, MAG, ABA ALL DGTS + 10 LEAD/TRAIL, BFRD 1 KEY, DOR COMP, NOPAR, 8-BIT MSG, IPM OFF	1,059.94	IR	Readers
Y	925PTNNEK0003L	RDR, RMPK40, MULTICLASS, SE E, LF FSK, HF STD/SIO/SEOS/MAG, WIEG, PIG, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN SUPPR, MAG, ABA, ALL BITS RAW, BFRD 1 KEY, NOPAR, 4-BIT MSG, IPM OFF	1,059.94	IR	Readers
Y	925PTNNEK0005N	RDR, RMPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, PIG, BLK, WIEG, LEDRED, FLSHGRN, BZRON, OPT TMP/OPN COL, CSN32-BITMSB, EM410232-BIT, MAG, BASIC MS RAW OUT AS RECD, BFRD 1 KEY, NOPAR, 4-BIT MSG, IPM OFF	1,059.94	IR	Readers
Y	925PTNNEK0006E	RDR, RMPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, PIG, BLK, WIEG, LEDRED, FLSHGRN, BZRON, OPT TMP/OPN COL, CSN32-BITMSB, EM410232-BIT, MAG, NRTHRN, 32-BIT (FC=16-BIT, ID=16-BIT), BFRD 1 KEY, NOPAR, 4-BIT MSG, IPM OFF	1,059.94	IR	Readers
Y	925PTNNEK00077	RDR, RMPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, PIG, BLK, WIEG, LEDRED, FLSHGRN,BZRON,OPT TMP/OPN COL,CSN32-BITMSB,EM410232-BIT,MAG,NRTHRN,32-BIT (FC=16-BIT, ID=16-BIT),BFRD 1 TO 5 KEYS,PAR,USR ENT FC,26-BIT MSG,IPM OFF	1,059.94	IR	Readers
Y	925PTNNEK0007C	RDR, RMPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, PIG, BLK, WIEG, LEDRED, FLSHGRN, BZRON, OPT TMP/OPN COL, CSN32-BITMSB, EM410232-BIT, MAG, ABA ALL DGTS + 10 LEAD/TRAIL, BFRD 1 KEY, NOPAR, 4-BIT MSG, IPM OFF	1,059.94	IR	Readers
Y	925PTNNEK0007U	RDR, RMPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, PIG, BLK, WIEG, LEDRED, FLSHGRN, BZRON, OPT TMP/OPN COL, CSN32-BITMSB, EM410232-BIT, MAG, NRTHRN, 32-BIT (FC=16-BIT, ID=16-BIT),BFRD 1 KEY,DOR COMP,NOPAR,8-BIT MSG,IPM OFF	1,059.94	IR	Readers
Y	925PTNNEK000D0	RDR, RMPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, WIEG, PIG, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, MAG, ABA ALL DGTS + 10 LEAD/TRAIL, BFRD 1 KEY, DOR COMP, NO PAR, 8-BIT MSG, IPM OFF	1,059.94	IR	Readers
Y	925PTNNEK000D9	RDR, RMPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, PIG, BLK, WIEG, LED RED, FLSH OFF, BZR OFF, OPT TMP/OPN COL, CSN 37-BIT LSB, EM410232-BIT, MAG, ABA ALL DGTS + 10 LEAD/TRAIL, KPF, BFFRD 4 KEYS, PAR, 18-BIT MSG, IPM OFF	1,059.94	IR	Readers
Y	925PTNNEK000DA	RDR, RMPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, PIG, BLK, WIEG, LED OFF, FLSH OFF, BZR ON, OPT TMP/OPN COL, CSN37-BITLSB, EM410232-BIT, MAG, ABA ALL DGTS + 10 LEAD/TRAIL, KPF, BFFRD 4 KEYS, PAR, 18-BIT MSG, IPM OFF	1,059.94	IR	Readers
Y	925PTNNEK000UN	RDR, RMPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, PIG, BLK, WIEG, LED RED, FLSH GRN, BZR ON, OPT TMP/OPN COL, CSN32-BITMSB, EM410232-BIT, MAG, ABA CNVRT LAST 9 DIG TO 34-BIT, KPF, BFRD 1 KEY, NOPAR, 4-BIT MSG, IPM OFF	1,059.94	IR	Readers
Y	925PTNNEK00114	RDR, RMPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, PIG, BLK, WIEG, LEDRED, FLSHGRN, BZRON, OPT TMP/OPN COL, CSN32-BITMSB, EM410232-BIT, MAG, ABA TO 34-BIT (FC=16-BIT, ID=16-BIT), BFRD 1 KEY,DOR COMP,NOPAR,8-BIT MSG,IPM OFF	1,059.94	IR	Readers
Y	925PTNNEK00135	RDR, RMPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, PIG, BLK, WIEG, LEDRED, FLSHGRN, BZRON, OPT TMP/OPN COL, CSN32-BITMSB, EM410232-BIT, MAG, BASIC MS RAW OUT AS RECD, BFRD 1 KEY, DOR COMP, NOPAR, 8-BIT MSG, IPM OFF	1,059.94	IR	Readers
Y	925PTNNEK0013J	RDR, RMPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX,PIG, BLK, WIEG, LEDRED, FLSHGRN, BZRON, OPT TMP/OPN COL,CSN32-BITMSB,EM410232-BIT, MAG,ABA CNVRT LST 7 DIG TO 26-BIT BIN,BFRD 1 TO 5 KEYS,PAR,USR ENT FC,26-BIT MSG,IPM OFF	1,059.94	IR	Readers
Y	925PTNNEK0013K	RDR, RMPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, PIG, BLK, WIEG, LEDRED, FLSHGRN, BZRON, OPT TMP/OPN COL, CSN32-BITMSB, EM410232-BIT, MAG, ABA TO 26-BIT (FC=8-BIT, ID=16-BIT), BFRD 1 KEY, NOPAR, 4-BIT MSG, IPM OFF	1,059.94	IR	Readers
Y	925PTNNEK00164	RDR, RMPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, PIG, BLK, WIEG, LEDRED, FLSHGRN, BZRON, OPT TMP/OPN COL, CSN32-BITMSB, EM410232-BIT, MAG, ABA TO 26-BIT, BFRD 1 TO 5 KEYS, PAR, USR ENT FC, 26-BIT MSG, IPM OFF	1,059.94	IR	Readers
Y	925PTNNEK0021E	RDR, RMPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, PIG, BLK, WIEG, LEDRED, FLSHGRN, BZRON,OPT TMP/OPN COL,CSN32-BITMSB,EM410232-BIT,MAG,ABA TO 26-BIT (FC=8-BIT, ID=16-BIT),BFRD 1 TO 5 KEYS,PAR,USR ENT FC,26-BIT MSG,IPM OFF	1,059.94	IR	Readers

Y	925PTNNEK0021F	RDR,RMPK40,MULTICLASS,SE E,LF STD,HF STD/SIO/SEOS/MAG,WIEG, PIG,BLK,STD-1,LED RED, FLSH GRN,BZR ON,OPT TAMP,OPN COL,CSN32-BITMSB,EM410232-BIT,MAG,ABA TO 34-BIT (FC=12-BIT, ID=20-BIT),MERC COMP,KPF,BFRD 1 KEY,DOR COMPL, NO PAR,8-BIT MSG	1,059.94	IR	Readers
Y	925PTNNEK0029B	RDR, RMPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG,485 HDX,PIG,BLK,WIEG,LEDRED,FLSHGRN,BZRON,OPT TMP,OPN COL,CSN32-BITMSB,EM410232-BIT,ABA TO 34-BIT (FC=12-BIT, ID=20-BIT),MERC COMP,BFRD 1 TO 5 KEYS,PAR,USR ENT FC,26-BIT MSG,IPM OFF	1,059.94	IR	Readers
Y	925PTNNEK0029C	RDR, RMPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, PIG, BLK, WIEG, LEDRED, FLSHGRN, BZRON, OPT TMP/OPN COL, CSN32-BITMSB, EM410232-BIT, MAG, ABA TO 26-BIT, BFRD 1 KEY, NOPAR, 4-BIT MSG, IPM OFF	1,059.94	IR	Readers
Y	925PTNNEK0029D	RDR, RMPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, PIG, BLK, WIEG,LED OFF,FLSHGRN,BZRON,OPT TMP/OPN COL,CSN32-BITMSB,EM410232-BIT, MAG,NRTHRN,32-BIT (FC=16-BIT, ID=16-BIT),BFRD 1 TO 5 KEYS,PAR,USR ENT FC,26-BIT MSG,IPM OFF	1,059.94	IR	Readers
Y	925PTNNEK0049N	RDR,RMPK40,MULTICLAS,SE E,LF STD,HF STD/SIO/SEOS/MAG,WIEG,PIG,BLK,LED RED,FLSH GRN, BZR ON,OPT TAMP,OPEN COLL,CSN 32-BIT MSB, EM4102 32-BIT,MAG, ABA TO 34-BIT (FC=16-BIT, ID=16-BIT),KPF,BFFRD 1 TO 5 KEYS, PAR,USER ENTRD FC,26-BIT MSG	1,059.94	IR	Readers
Y	925PTNNEK0049P	RDR,RMPK40,MULTICLAS,SE E,LF STD,HF STD/SIO/SEOS/MAG,WIEG,PIG,BLK,LED RED,FLSH GRN, BZR ON,OPT TAMP,OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT,MAG, ABA ALL DGTS + 10 LEAD/TRAIL ZEREOS, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC,26-BIT MSG	1,059.94	IR	Readers
Y	925PTNTEK0002L	RDR, RMPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, TERM, BLK, WIEG, LEDRED, FLSHGRN, BZRON, OPT TMP/OPN COL, CSN32-BITMSB, EM410232-BIT, MAG, ABA ALL DGTS + 10 LEAD/TRAIL, BFRD 1 KEY, DOR COMP, NOPAR, 8-BIT MSG, IPM OFF	1,059.94	IR	Readers
Y	925PTNTEK0005N	RDR, RMPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, TERM, BLK, WIEG, LEDRED, FLSHGRN, BZRON, OPT TMP/OPN COL, CSN32-BITMSB, EM410232-BIT, MAG, BASIC MS RAW OUT AS RECD, BFRD 1 KEY, NOPAR, 4-BIT MSG, IPM OFF	1,059.94	IR	Readers
Y	925PTNTEK0006E	RDR, RMPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, TERM, BLK, WIEG, LEDRED, FLSHGRN, BZRON, OPT TMP/OPN COL, CSN32-BITMSB, EM410232-BIT, MAG, NRTHRN, 32-BIT (FC=16-BIT, ID=16-BIT), BFRD 1 KEY, NOPAR, 4-BIT MSG, IPM OFF	1,059.94	IR	Readers
Y	925PTNTEK0007C	RDR, RMPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, TERM, BLK, WIEG, LEDRED, FLSHGRN, BZRON, OPT TMP/OPN COL, CSN32-BITMSB, EM410232-BIT, MAG, ABA ALL DGTS + 10 LEAD/TRAIL, BFRD 1 KEY, NOPAR, 4-BIT MSG, IPM OFF	1,059.94	IR	Readers
Y	925PTNTEK0007U	RDR, RMPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, TERM, BLK, WIEG, LEDRED, FLSHGRN, BZRON, OPT TMP/OPN COL, CSN32-BITMSB, EM410232-BIT, MAG, NRTHRN,32-BIT (FC=16-BIT, ID=16-BIT),BFRD 1 KEY,DOR COMP,NOPAR,8-BIT MSG,IPM OFF	1,059.94	IR	Readers
Y	925PTNTEK000D0	RDR, RMPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, MAG, ABA ALL DGTS + 10 LEAD/TRAIL, BFRD 1 KEY, DOR COMP, NO PAR, 8-BIT MSG, IPM OFF	1,059.94	IR	Readers
Y	925PTNTEK000QY	RDR,RMPK40,MULTICLASS,SE E,LF STD,HF STD/SIO/SEOS/MAG,485HDX,WIEG, PIG,BLK,STD-1, LEDRED, FLSHGRN, BZRON,OPT TMP/OPNCOL, CSN32-BITMSB, EM4102 32-BIT,MAG,BAS MS RAW OUT AS RECD, KPF,BFRD 1 KEY,DOR COMP,NOPAR, 8-BIT MSG,IM ALIVE 10SEC,IPI	1,059.94	IR	Readers
Y	925PTNTEK000W2	RDR, RMPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, TERM, BLK, WIEG, LEDRED, FLSHGRN, BZRON, OPT TMP/OPN COL, CSN32-BITMSB, EM410232-BIT, MAG, ABA ALL DGTS + 10 LEAD/TRAIL, TRACK 3, BFRD 1 KEY, NOPAR, 4-BIT MSG, IPM OFF	1,059.94	IR	Readers
Y	925PTNTEK00114	RDR, RMPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, TERM, BLK, WIEG, LEDRED, FLSHGRN, BZRON, OPT TMP/OPN COL, CSN32-BITMSB, EM410232-BIT, MAG, ABA TO 34-BIT (FC=16-BIT, ID=16-BIT),BFRD 1 KEY,DOR COMP,NOPAR,8-BIT MSG,IPM OFF	1,059.94	IR	Readers
Y	925PTNTEK00135	RDR, RMPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, TERM, BLK, WIEG, LEDRED, FLSHGRN, BZRON, OPT TMP/OPN COL, CSN32-BITMSB, EM410232-BIT, MAG, BASIC MS RAW OUT AS RECD, KPF, BFRD 1 KEY, DOR COMP, NOPAR, 8-BIT MSG, IPM OFF	1,059.94	IR	Readers
Y	925PTNTEK0014C	RDR, RMPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, TERM, BLK, WIEG, LED OFF, FLSH OFF, BZRON, OPT TMP/OPN COL, CSN32-BITMSB, EM410232-BIT, MAG, ABA TO 26-BIT (FC=8-BIT, ID=16-BIT), BFRD 1 KEY, NOPAR, 4-BIT MSG, IPM OFF	1,059.94	IR	Readers
Y	925PTNTEK00164	RDR, RMPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, TERM, BLK, WIEG, LEDRED, FLSHGRN, BZRON, OPT TMP/OPN COL, CSN32-BITMSB, EM410232-BIT, MAG, ABA TO 26-BIT, BFRD 1 TO 5 KEYS, PAR, USR ENT FC, 26-BIT MSG, IPM OFF	1,059.94	IR	Readers
Y	925PTNTEK0021F	RDR, RMPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, TERM,BLK,WIEG,LEDRED,FLSHGRN,BZRON,OPT TMP/OPN COL,CSN32-BITMSB,EM410232-BIT,MAG,ABA TO 34-BIT (FC=12-BIT, ID=20-BIT),MERC COMP,BFRD 1 KEY,DOR COMP,NOPAR,8-BIT MSG,IPN	1,059.94	IR	Readers
Y	925PTNTEK0029C	RDR, RMPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, TERM, BLK, WIEG, LEDRED, FLSHGRN, BZRON, OPT TMP/OPN COL, CSN32-BITMSB, EM410232-BIT, MAG, ABA TO 26-BIT, BFRD 1 KEY, NOPAR, 4-BIT MSG, IPM OFF	1,059.94	IR	Readers
Y	925PTNTEK0029E	RDR, RMPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, TERM, BLK, WIEG, LEDRED, FLSHGRN, BZR OFF, OPT TMP/OPN COL, CSN32-BITMSB, EM410232-BIT, MAG, ABA TO 26-BIT, BFRD 1 TO 5 KEYS, PAR, USR ENT FC, 26-BIT MSG, IPM OFF	1,059.94	IR	Readers
Y	925PTNTEK00425	RDR, RMPK40, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MAG, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, AMAG PENN STATE (MAG OPT 5), KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, PENN STATE	1,059.94	IR	Readers
Y	925PTNTEK0049P	RDR,RMPK40,MULTICLAS,SE E,LF STD,HF STD/SIO/SEOS/MAG,WIEG,TERM,BLK,LED RED,FLSH GRN,BZR ON,OPT TAMP,OPEN COLL,CSN 32-BIT MSB, EM4102 32-BIT,MAG,ABA ALL DGTS + 10 LEAD/TRAIL ZEREOS,KPF,BFFRD 1 TO 5 KEYS,PAR,USER ENTRD FC,26-BIT MSG	1,059.94	IR	Readers
Y	925PTNTEK0049Q	RDR,RMPK40, MULTICLASS,SE E,LF STD,HF STD/SIO/SEOS/MAG,WIEG,TERM,BLK,LED RED,FLSH GRN,BZR ON,OPT TAMP,OPEN COLL,CSN 32-BIT MSB, EM4102 32-BIT,MAG,ABA TO 26-BIT (FC=8-BIT, ID=16-BIT), KPF,BFFRD 1 KEY,DOR COMPL, NO PAR, 8-BIT MSG,IMP OFF	1,059.94	IR	Readers
Y	925PTNTEK0052Q	RDR,RMPK40, MULTICLASS,SE E,LF STD,HF STD/SIO/SEOS/MAG,WIEG,TERM,BLK,LED RED,FLSH GRN,BZR ON,OPT TAMP,OC,CSN 32-BIT MSB, FSK AWID ONLY, MAG, ABA ALL DGTS + 10 LEAD/TRAIL ZEREOS, WIEG, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	1,059.94	IR	Readers
Y	925PTPNEK000FM	RDR, RMPK40,MULTICLASS,SE E, LF STD,HF STD/SIO/SEOS,485HDX,PIG, BLK,A/V OFF,OSDP V1,OPT TMP,OPN COL,OSDP TMP ENBLD,TEST KEY,POL=75MS,CSN 32-BIT MSB,EM4102 32,DOR PROX,MAG,ABA ALL DGTS +10 LEAD/TRAIL ZEROS,ASCII,BFRD 1 KEY,IPM OFF,UART OFF	1,108.76	IR	Readers
Y	928NFNTEK0001J	RDR/ENROLLER, RKLB40, ICLASS, SE E, HF STD BIO/SEOS BIO, LCD/BIO, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, LCD 1F, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, 10 SEC IMALIVE, MSG AA, , WPC MODEL RKCLB40E	1,661.77	IR	Readers
Y	928NFNTEK0001X	RDR/ENROLLER, RKLB40, ICLASS, SE E, HF STD BIO/SEOS BIO, LCD/BIO, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, LCD 1F, KPF, PCSC, IPM OFF, WPC MODEL RKCLB40E	1,661.77	IR	Readers
Y	928NFNTEK00023	RDR/ENROLLER, RKLB40, ICLASS, SE E, HF STD BIO/SEOS BIO, LCD/BIO, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, LCD 1F, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, WPC MODEL RKCLB40E	1,661.77	IR	Readers
Y	928NFNTEK00024	RDR/ENROLLER, RKLB40, ICLASS, SE E, HF STD BIO/SEOS BIO, LCD/BIO, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, LCD 1F, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, WPC MODEL RKCLB40E	1,661.77	IR	Readers
Y	928NFNTEK0002A	RDR/ENROLLER, RKLB40, ICLASS, SE E, HF STD BIO/SEOS BIO, LCD/BIO, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, LCD 1F, KPF, BFFRD 1 KEY, ADD PAR, *=E, #=F, 6-BIT MSG, IPM OFF, WPC MODEL RKCLB40E	1,661.77	IR	Readers
Y	928NFNTEK0002C	RDR/ENROLLER, RKLB40, ICLASS, SE E, HF STD BIO/SEOS BIO, LCD/BIO, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, LCD 1F, KPF, LOCAL PIN VERIFY, IPM OFF, WPC MODEL RKCLB40E	1,661.77	IR	Readers
Y	928NFNTEK00034	RDR/ENROLLER, RKLB40, ICLASS, SE E, HF STD BIO/SEOS BIO, LCD/BIO, WIEG, TERM, BLK, STD-1, LED OFF, FLSH GRN, BZR OFF, LCD 1F, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, WPC MODEL RKCLB40E	1,661.77	IR	Readers
Y	928NFNTEK00036	RDR/ENROLLER, RKLB40, ICLASS, SE E, HF STD BIO/SEOS BIO, LCD/BIO, WIEG, TERM, BLK, STD-1, LED RED, FLSH OFF, BZR ON, LCD 1F, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, WPC MODEL RKCLB40E	1,661.77	IR	Readers
Y	928NFNTEK00037	RDR/ENROLLER, RKLB40, ICLASS, SE E, HF STD BIO/SEOS BIO, LCD/BIO, WIEG, TERM, BLK, STD-1, LED RED, FLSH OFF, BZR ON, LCD 1F, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, WPC MODEL RKCLB40E	1,661.77	IR	Readers
Y	928NFNTEK0003B	RDR/ENROLLER, RKLB40, ICLASS, SE E, HF STD BIO/SEOS BIO, LCD/BIO, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, LCD 1F, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, WPC MODEL RKCLB40E	1,661.77	IR	Readers
Y	928NFNTEK0003G	RDR/ENROLLER, RKLB40, ICLASS, SE E, HF STD BIO/SEOS BIO, LCD/BIO, WIEG, TERM, BLK, STD-1, LED OFF, FLSH GRN, BZR ON, LCD 1F, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, WPC MODEL RKCLB40E	1,661.77	IR	Readers
Y	928NFNTEK0005G	RDR/ENROLLER, RKLB40, ICLASS, SE E, HF STD BIO/SEOS BIO, LCD/BIO, WIEG, TERM, BLK, STD-1, LED OFF, FLSH GRN, BZR ON, LCD 1F, KPF, LOCAL PIN VERIFY, IPM OFF, WPC MODEL RKCLB40E	1,661.77	IR	Readers
Y	928NFNTEK0005M	RDR/ENROLLER, RKLB40, ICLASS, SE E, HF STD BIO/SEOS BIO, LCD/BIO, WIEG, TERM, BLK, STD-1, LED OFF, FLSH OFF, BZR OFF, LCD 1F, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, WPC MODEL RKCLB40E	1,661.77	IR	Readers
Y	928NFNTEK000TE	RDR/ENROLLER, RKLB40, ICLASS, SE E, HF STD BIO/SEOS BIO, LCD/BIO, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, LCD 1F, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, WPC MODEL RKCLB40	1,661.77	IR	Readers
Y	928NFNTEK0010X	RDR/ENROLLER, RKLB40, ICLASS, SE E, HF STD BIO, LCD/BIO, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, LCD 1F, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, WPC MODEL RKCLB40E	1,661.77	IR	Readers
Y	928NFNTEKE00TE-I0235	RDR/ENROLLER, RKLB40, ICLASS, SE E, HF STD BIO/SEOS BIO, LCD/BIO, WIEG, TERM, BLK, ELITE, LED RED, FLSH GRN, BZR ON, LCD 1F, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, WPC MODEL RKCLB40E, ICE0235	1,661.77	IR	Readers
Y	928NFNTEKE00TE-I0530	RDR/ENROLLER, RKLB40, ICLASS, SE E, HF STD BIO/SEOS BIO, LCD/BIO, WIEG, TERM, BLK, ELITE, LED RED, FLSH GRN, BZR ON, LCD 1F, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, WPC MODEL RKCLB40E, ICE0530	1,661.77	IR	Readers
Y	928NSNTEK200TG	RDR/ENROLLER, RKLB40, ICLASS, SE E, HF SEOS BIO, LCD/BIO, WIEG, TERM, BLK, STD-2, LED RED, FLSH GRN, BZR ON, LCD 1F, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, 32 BIT, WPC MODEL RKCLB40	1,661.77	IR	Readers
Y	940NNNTEK2013Q	RDR, R90, ICLASS, SE E, LF OFF, HF SIO/SEOS/MIFSPR, WIEG, TERM, BLK, STD-2, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN SUPPR, IPM OFF	1,012.35	IR	Readers
Y	940NNNTEK2037P	RDR, R90, ICLASS, SE E, LF OFF, HF SIO/SEOS, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, CSN SURPPRESSED, IPM OFF	1,012.35	IR	Readers
Y	940NNNTEKE037P	RDR, R90, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, BLK, ELITE, LED RED, FLSH GRN, BZR ON, CSN SURPPRESSED, IPM OFF	1,012.35	IR	Readers
Y	940NNPTEKE0053	RDR, R90, ICLASS, SE E, LF OFF, HF SIO/SEOS, 485HDX, TERM, BLK, ELITE KEYS, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, VAR BIT OUTPUT PER SIO, IPM OFF, UART OFF, WIEG OFF	1,056.91	IR	Readers
Y	940NNPTEKE00VL	RDR, R90, ICLASS, SE E, LF OFF, HF DESFIRE SIO, 485HDX, TERM, BLK, ELITE, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, IPM OFF	1,056.91	IR	Readers
Y	940NSPTEK2008H	RDR, R90, ICLASS, SE E, LF OFF, HF SEOS, 485HDX, TERM, BLK, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=50MS, CSN SUPPR, IPM OFF	1,056.91	IR	Readers
Y	940NTNTEK00000	RDR, R90, ICLASS, SE REV E, NO PROX, STD, WIEGAND, TERM, BLK, STD 1 SECURITY, LED RED, FLASH GRN, BZR ON, IPM OFF, 32 BIT	1,012.35	IR	Readers
Y	940NTNTEK00015	RDR, R90, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED OFF, RED, FLSH GRN, BZR ON, CSN 34-BIT MSB, IPM OFF	1,012.35	IR	Readers
Y	940NTNTEK0001F	RDR, R90, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, CSN 32-BIT MSB, IPM OFF	1,012.35	IR	Readers
Y	940NTNTEK00021	RDR, R90, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED OFF, FLSH OFF, BZR OFF, CSN 32-BIT MSB, IPM OFF	1,012.35	IR	Readers
Y	940NTNTEK00029	RDR, R90, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED RED, FLSH OFF, BZR ON, CSN 26-BIT (W/DEFAULT FC), IPM OFF	1,012.35	IR	Readers
Y	940NTNTEK0002B	RDR, R90, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR OFF, CSN 32-BIT MSB, IPM OFF	1,012.35	IR	Readers
Y	940NTNTEK0002J	RDR, R90, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED RED, FLSH OFF, BZR ON, CSN 32-BIT MSB, IPM OFF	1,012.35	IR	Readers
Y	940NTNTEK0002Q	RDR, R90, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 37-BIT LSB, IPM OFF	1,012.35	IR	Readers
Y	940NTNTEK0003V	RDR, R90, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIFSPR, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, IPM OFF	1,012.35	IR	Readers
Y	940NTNTEK0005J	RDR, R90, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 56-BIT LSB, IPM OFF	1,012.35	IR	Readers
Y	940NTNTEK00061	RDR, R90, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED OFF, FLSH OFF, BZR ON, CSN 26-BIT (W/DEFAULT FC), IPM OFF	1,012.35	IR	Readers
Y	940NTNTEK0006K	RDR, R90, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED OFF, FLSH GRN, BZR ON, CSN 32-BIT MSB, IPM OFF	1,012.35	IR	Readers
Y	940NTNTEK0009D	RDR, R90, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED RED, FLSH OFF, BZR OFF, CSN 32-BIT MSB, IPM OFF	1,012.35	IR	Readers
Y	940NTNTEK000DG	RDR, R90, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIFSPR, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR OFF, OPT TAMP, OPEN COLL, CSN MIF SUPPR, IPM OFF, WIEG PW-200US, WIEG SW-400US, GROSVENOR	1,012.35	IR	Readers
Y	940NTNTEK000JF	RDR, R90, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR ON, CSN 56-BIT MSB, IPM OFF	1,012.35	IR	Readers
Y	940NTNTEK000K4	RDR, R90, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIFSPR, WIEG, TERM, BLK, STD-1, CSTM A/V, LED RED, FLSH OFF, BZR ON, CSN MIF SUPPR, IPM OFF	1,012.35	IR	Readers
Y	940NTNTEK00442	RDR, R90, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-1, LED RED, FLSH GRN, BZR OFF, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, CSTM WIEG TIMING, IPM OFF	1,012.35	IR	Readers
Y	940NTNTEKE0000	RDR, R90, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, BLK, ELITE KEYS, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, IPM OFF	1,012.35	IR	Readers
Y	940NTNTEKE001F	RDR, R90, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, BLK, ELITE KEYS, LED OFF, FLSH OFF, BZR ON, CSN 32-BIT MSB, IPM OFF	1,012.35	IR	Readers
Y	940NTNTEKE002B	RDR, R90, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, BLK, ELITE KEYS, LED RED, FLSH GRN, BZR OFF, CSN 32-BIT MSB, IPM OFF	1,012.35	IR	Readers
Y	940NTNTEKE002J	RDR, R90, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, BLK, ELITE KEYS, LED RED, FLSH OFF, BZR ON, CSN 32-BIT MSB, IPM OFF	1,012.35	IR	Readers
Y	940NTNTEKE003V	RDR, R90, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIFSPR, WIEG, TERM, BLK, ELITE KEYS, LED RED, FLSH OFF, BZR ON, CSN MIF SUPPR, IPM OFF	1,012.35	IR	Readers
Y	940NTNTEKE00J8	RDR, R90, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIFSPR, WIEG, TERM, BLK, ELITE, LED OFF, FLSH OFF, BZR ON, CSN MIF SUPPR, APB=250MS, IPM OFF	1,012.35	IR	Readers
Y	940NTNTEKE00PA	RDR, R90, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIFSPR, WIEG, TERM, BLK, ELITE, LED OFF, FLSH OFF, BZR ON, CSN MIF SUPPR, APB=250MS, CUSTOM DATAMODELS, IPM OFF	1,012.35	IR	Readers
Y	940NTNTEKE0465	RDR, R90, ICLASS, SE E, LF OFF, HF ICLASS LEG/SEOS, WIEG, TERM, BLK, STD-1, ELITE, LED OFF, FLSH OFF, BZR ON, OPT TAMPER, OPEN COLL, IPM OFF, MIICROSOFT	1,012.35	IR	Readers
Y	940NTPTEK0007V	RDR, R90, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, 485HDX, TERM, BLK, A/V OFF, OSDP V1, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, IPM OFF, UART OFF, WIEG OFF	1,056.91	IR	Readers
Y	940NTPTEK0019F	RDR, R90, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, 485HDX, TERM, BLK, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, IPM OFF	1,056.91	IR	Readers

Y	940NTPTEKE0082	RDR, R90, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, BLK, ELITE, LED RED, FLSH GRN, BZR ON, OSDP V1, OPT TAMP, OPEN COLL, POLL=75MS, CSN SUPPR, IPM OFF, UART OFF, WIEG ON, ELITE ICE0657 KEYS, OSDP READY	1,056.91	IR	Readers
Y	940NTPTEKE0085	RDR, R90, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, 485HDX, TERM, BLK, ELITE, A/V OFF, OSDP V1, OPT TAMP, OPEN COLL, OSDP TAMP, POLL=75MS, CSN SUPPR, IPM OFF, UART OFF, WIEG OFF, ELITE ICE0657 KEYS, ECP V2	1,056.91	IR	Readers
Y	940NTPTEKE019G	RDR, R90, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, 485HDX, TERM, BLK, ELITE, A/V OFF, OSDP V1, OPT TAMP, OPEN COLL, OSDP TAMP, POLL=75MS, IPM OFF	1,056.91	IR	Readers
Y	940NTPTEKE019H	RDR, R90, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS, 485HDX, TERM, BLK, ELITE, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP, POLL=75MS, IPM OFF	1,056.91	IR	Readers
Y	940NTPTEKE041P	RDR,R90,ICLASS,SE E,LF OFF,HF ICLASS LEG/SEOS,485 HDX,ELITE,WIEG,TERM,BLK,STD-1,LED OFF, FLSH OFF, BZR ON, OSDP V1, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, IPM OFF, UART OFF, WIEG OFF, MICROSOFT	1,056.91	IR	Readers
Y	940NWNTEKE00AT	RDR, R90, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, IPM OFF, HF MIGR PFL EVP00000_ICE0318, IPM OFF	1,088.75	IR	Readers
Y	940NWNTEKE00GD	RDR, R90, ICLASS, SE E, LF OFF, HF SIO/SEOS/MIFSPR/MIGR, WIEG, TERM, BLK, STD-2, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, HF MIGR PFL EVC00000_ICE0636, IPM OFF	1,088.75	IR	Readers
Y	940NWNTEKE0324	RDR, R90, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, WIEG, TERM, BLK, STD-1, HF MIGR PFL EVP00000, IPM OFF, NO KPD, NO PROX	1,088.75	IR	Readers
Y	940NWPTEKE00UA	RDR, R90, ICLASS, SE E, LF OFF, HF SIO/SEOS/MIGR/MIFSPR, 485HDX, TERM, BLK, A/V OFF, STD-2, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, HF MIGR PFL EVP00000, IPM OFF, UART OFF, WIEG OFF	1,133.32	IR	Readers
Y	940NWPTEKE0191	RDR, R90, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR/HID MIFARE APP, 485HDX, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, HF MIGR PFL=DEFAULT, IPM OFF, HID MIFARE APP KEY	1,133.32	IR	Readers
Y	95ANNNTEG2037P	RDR, R95A DECOR RDR, EURO FLUSH MOUNT, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, GRY, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, 32-BIT MSB, IPM OFF	337.45	IR	Readers
Y	95ANNNTEK2037P	RDR, R95A DECOR RDR, EURO FLUSH MOUNT, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, BLK, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, 32-BIT MSB, IPM OFF	337.45	IR	Readers
Y	95ANNNTEW2037P	RDR, R95A DECOR RDR, EURO FLUSH MOUNT, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, WHT, STD-2, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, 32-BIT MSB, IPM OFF	337.45	IR	Readers
Y	95ANRNTEW0008M	RDR, R95A DECOR RDR, EURO FLUSH MOUNT, NO PROX, STD, WIEGAND, TERM, WHT, STD 1 SECURITY, LED RED, FLASH GRN, BZR ON, IPM OFF, FELICA 64 BIT LSB	413.85	IR	Readers
Y	95ANTNTEG00000	RDR, R95A DECOR RDR, EURO FLUSH MOUNT, NO PROX, STD, WIEGAND, TERM, GRY, STD 1 SECURITY, LED RED, FLASH GRN, BZR ON, IPM OFF, 32 BIT	337.45	IR	Readers
Y	95ANTNTEG00015	RDR, R95A DECOR RDR, EURO FLUSH MOUNT, NO PROX, LF OFF, HF STD/SIO/SEOS, WIEG, GRAY, TERM LED RED, FLSH GRN, BZR ON, CSN 34-BIT MSB, IPM OFF	337.45	IR	Readers
Y	95ANTNTEG0001F	RDR, R95A DECOR RDR, EURO FLUSH MOUNT, NO PROX, STD, WIEGAND, TERM, GRY, STD 1 SECURITY, LED OFF, FLASH OFF, BZR ON, CSN 32 BIT MSB, IPM OFF	337.45	IR	Readers
Y	95ANTNTEG00021	RDR, R95A DECOR RDR, EURO FLUSH MOUNT, NO PROX, STD, WIEGAND, TERM, GRY, STD 1 SECURITY, LED OFF, FLSH OFF, BZR OFF, CSN 32-BIT MSB, IPM OFF	337.45	IR	Readers
Y	95ANTNTEG00025	RDR, R95A DECOR RDR, EURO FLUSH MOUNT, NO PROX, STD, WIEGAND, TERM, GRY, STD 1 SECURITY, LED OFF, FLASH OFF, BZR OFF, CSN 34 BIT MSB, IPM OFF	337.45	IR	Readers
Y	95ANTNTEK00000	RDR, R95A DECOR RDR, EURO FLUSH MOUNT, NO PROX, STD, WIEGAND, TERM, BLK, STD 1 SECURITY, LED RED, FLASH GRN, BZR ON, IPM OFF, 32 BIT	337.45	IR	Readers
Y	95ANTNTEK00015	RDR, R95A DECOR RDR, EURO FLUSH MOUNT, NO PROX, STD, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 34-BIT MSB, IPM OFF	337.45	IR	Readers
Y	95ANTNTEK0001F	RDR, R95A DECOR RDR, EURO FLUSH MOUNT, NO PROX, STD, WIEGAND, TERM, BLK, STD 1 SECURITY, LED OFF, FLASH OFF, BZR ON, CSN 32 BIT MSB, IPM OFF	337.45	IR	Readers
Y	95ANTNTEK00025	RDR, R95A DECOR RDR, EURO FLUSH MOUNT, NO PROX, STD, WIEGAND, TERM, BLK, STD 1 SECURITY, LED OFF, FLASH OFF, BZR OFF, CSN 34 BIT MSB, IPM OFF	337.45	IR	Readers
Y	95ANTNTEK00442	RDR, R95A DECOR RDR, EURO FLUSH MOUNT, NO PROX, STD, WIEGAND, TERM, BLK, STD 1 SECURITY, LED RED, FLSH GRN, BZR OFF, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, CSTM WIEG TIMING, IPM OFF	337.45	IR	Readers
Y	95ANTNTEK00570	RDR, R95A DECOR RDR, EURO FLUSH MOUNT, NO PROX, STD, WIEGAND, TERM, BLK, STD 1 SECURITY, LED OFF, FLASH OFF, BZR ON, CSN 32 BIT LSB, IPM OFF	337.45	IR	Readers
Y	95ANTNTEKE0000	RDR, R95A DECOR RDR, EURO FLUSH MOUNT, NO PROX, STD, WIEGAND, TERM, BLK, ELITE, LED RED, FLASH GRN, BZR ON, CSN 32 BIT MSB, IPM OFF	337.45	IR	Readers
Y	95ANTNTEW00000	RDR, R95A DECOR RDR, EURO FLUSH MOUNT, NO PROX, STD, WIEGAND, TERM, WHT, STD 1 SECURITY, LED RED, FLASH GRN, BZR ON, IPM OFF, 32 BIT	337.45	IR	Readers
Y	95ANTNTEW00015	RDR, R95A DECOR RDR, EURO FLUSH MOUNT, NO PROX, STD, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 34-BIT MSB, STD-1, IPM OFF	337.45	IR	Readers
Y	95ANTNTEW0001F	RDR, R95A DECOR RDR, EURO FLUSH MOUNT, NO PROX, STD, WIEGAND, TERM, WHT, STD 1 SECURITY, LED OFF, FLASH OFF, BZR ON, CSN 32 BIT MSB, IPM OFF	337.45	IR	Readers
Y	95ANTNTEW00025	RDR, R95A DECOR RDR, EURO FLUSH MOUNT, NO PROX, STD, WIEGAND, TERM, WHT, STD 1 SECURITY, LED OFF, FLASH OFF, BZR OFF, CSN 34 BIT MSB, IPM OFF	337.45	IR	Readers
Y	95ANTNTEW0051Q	RDR, R95A DECOR RDR, EURO FLUSH MOUNT, NO PROX, LF OFF, HF STD/SIO/SEOS, WIEG, TERM, WHT, STD 1 SECURITY, LED RED, FLASH GRN, BZR ON, CSN 40 BIT MSB, IPM OFF	337.45	IR	Readers
Y	95ANTNTEW00570	RDR, R95A DECOR RDR, EURO FLUSH MOUNT, NO PROX, STD, WIEGAND, TERM, WHT, STD 1 SECURITY, LED OFF, FLASH OFF, BZR ON, CSN 32 BIT LSB, IPM OFF	337.45	IR	Readers
Y	95ANTNTEX00000	RDR, R95A DECOR RDR , EURO FLUSH MOUNT, NO PROX, STD, WIEGAND, TERM, NO COVER, STD 1 SECURITY, LED RED, FLASH GRN, BZR ON, IPM OFF, 32 BIT	337.45	IR	Readers
Y	95ANTPTEG0007V	RDR, R95A DECOR RDR, EURO FLUSH MOUNT, LF OFF, HF STD/SIO/SEOS, 485HDX, TERM, GRY, A/V OFF, OSDP V1, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, IPM OFF, UART OFF, WIEG OFF	382.02	IR	Readers
Y	95ANTPTEK00055	RDR, R95A DECOR RDR, EURO FLUSH MOUNT, F OFF, HF STD/SIO/SEOS, 485HDX, TERM, BLK, A/V OFF, OSDP V1, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, IPM OFF, UART OFF, WIEG OFF	382.02	IR	Readers
Y	95ANTPTEK0007V	RDR, R95A DECOR RDR, EURO FLUSH MOUNT, LF OFF, HF STD/SIO/SEOS, 485HDX, TERM, BLK, A/V OFF, OSDP V1, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, IPM OFF, UART OFF, WIEG OFF	382.02	IR	Readers
Y	95ANTPTEK000FA	RDR, R95A DECOR RDR, EURO FLUSH MOUNT, LF OFF, HF STD/SIO/SEOS, 485HDX, TERM, BLK, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=50MS, CSN 32-BIT MSB, IPM OFF, UART OFF, WIEG OFF	382.02	IR	Readers
Y	95ANTPTEW0007V	RDR, R95A DECOR RDR, EURO FLUSH MOUNT, LF OFF, HF STD/SIO/SEOS, 485HDX, TERM, WHT, A/V OFF, OSDP V1, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, IPM OFF, UART OFF, WIEG OFF	382.02	IR	Readers
Y	95ANWNTEK0048B	RDR, R95A, DECOR RDR, EURO FLUSH MOUNT, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN MIF SUPPR, IPM OFF MIGR PFL EVP00000	413.85	IR	Readers
Y	95ANWNTEKE031H	RDR, R95A, DECOR RDR, EURO FLUSH MOUNT, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, WIEG, TERM, BLK, HF MIGR PFL EVC52545, IPM OFF	413.85	IR	Readers
Y	95ANWNTEW0048B	RDR, R95A, DECOR RDR, EURO FLUSH MOUNT, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR, WIEG, TERM,WHITE, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN MIF SUPPR, IPM OFF MIGR PFL EVP00000	413.85	IR	Readers
Y	95ANWPTEGE0324	RDR, R95A DECOR RDR, EURO FLUSH MOUNT, LF OFF, HF STD/SIO/SEOS/MIGR, 485HDX, TERM, GRY, HF MIGR PFL EVP00000, IPM OFF, NO KPD, NO PROX, OSDPV1	458.42	IR	Readers
Y	95ANWPTEK00324	RDR, R95A DECOR RDR, EURO FLUSH MOUNT, LF OFF, HF STD/SIO/SEOS/MIGR, 485HDX, TERM, BLK, HF MIGR PFL EVP00000, IPM OFF, NO KPD, NO PROX, OSDPV1	458.42	IR	Readers
Y	95ANWPTEWE0324	RDR, R95A DECOR RDR, EURO FLUSH MOUNT, LF OFF, HF STD/SIO/SEOS/MIGR, 485HDX, TERM, WHT, HF MIGR PFL EVP00000, IPM OFF, NO KPD, NO PROX, OSDPV1	458.42	IR	Readers
Y	95BNMNTEGEA001	RDR, R95B DECOR RDR OM, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, WIEG, TERM, GRY, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, IPM OFF, MOBILE-ENABLED-FMT	445.68	IR	Readers
Y	95BNMNTEGMA001	RDR, R95B DECOR RDR OM, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, WIEG, TERM, GRY, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, IPM OFF, MOBILE-READY	445.68	IR	Readers
Y	95BNMNTEGMA0PM	RDR, R95B DECOR RDR OM, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR/MA, WIEG, TERM, GRY, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN SUPPR, IPM OFF, HF MIGR PFL EVP00000, MOBILE-READY	522.09	IR	Readers
Y	95BNMNTEKEA001	RDR, R95B DECOR RDR OM, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, IPM OFF, MOBILE-ENABLED-FMT	445.68	IR	Readers
Y	95BNMNTEKMA001	RDR, R95B DECOR RDR OM, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, IPM OFF, MOBILE-READY	445.68	IR	Readers
Y	95BNMNTEKMA0PM	RDR, R95B DECOR RDR OM, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR/MA, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN SUPPR, IPM OFF, HF MIGR PFL EVP00000, MOBILE-READY	522.09	IR	Readers
Y	95BNMNTEWEA001	RDR, R95B DECOR RDR OM, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, WIEG, TERM, WHT, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, IPM OFF, MOBILE-ENABLED-FMT	445.68	IR	Readers
Y	95BNMNTEWMA001	RDR, R95B DECOR RDR OM, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, WIEG, TERM, WHT, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, IPM OFF, MOBILE-READY	445.68	IR	Readers
Y	95BNMNTEWMA0PM	RDR, R95B DECOR RDR OM, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR/MA, WIEG, TERM, WHT, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN SUPPR, IPM OFF, HF MIGR PFL EVP00000, MOBILE-READY	522.09	IR	Readers
Y	95BNMPTEGEA005	RDR, R95K DECOR RDR OM, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, 485HDX, TERM, GRY, A/V OFF, OSDP V1, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, IPM OFF, UART OFF, WIEG OFF, MOBILE-ENABLED-FMT	445.68	IR	Readers
Y	95BNMPTEGMA005	RDR, R95K DECOR RDR OM, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, 485HDX, TERM, GRY, A/V OFF, OSDP V1, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, IPM OFF, UART OFF, WIEG OFF, MOBILE-READY	445.68	IR	Readers
Y	95BNMPTEGMA0PL	RDR, R95B DECOR RDR OM, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR/MA, 485HDX, TERM, GRY, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN SUPPR, IPM OFF, HF MIGR PFL EVP00000, MOBILE-READY	522.09	IR	Readers
Y	95BNMPTEKEA005	RDR, R95B DECOR RDR OM, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, 485HDX, TERM, BLK, A/V OFF, OSDP V1, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, IPM OFF, UART OFF, WIEG OFF, MOBILE-ENABLED-FMT	445.68	IR	Readers
Y	95BNMPTEKMA005	RDR, R95B DECOR RDR OM, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, 485HDX, TERM, BLK, A/V OFF, OSDP V1, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, IPM OFF, UART OFF, WIEG OFF, MOBILE-READY	445.68	IR	Readers
Y	95BNMPTEKMA0PL	RDR, R95B DECOR RDR OM, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR/MA, 485HDX, TERM, BLK, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN SUPPR, IPM OFF, HF MIGR PFL EVP00000, MOBILE-READY	522.09	IR	Readers
Y	95BNMPTEWEA005	RDR, R95B DECOR RDR OM, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, 485HDX, TERM, WHT, A/V OFF, OSDP V1, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, IPM OFF, UART OFF, WIEG OFF, MOBILE-ENABLED-FMT	445.68	IR	Readers
Y	95BNMPTEWMA005	RDR, R95B DECOR RDR OM, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, 485HDX, TERM, WHT, A/V OFF, OSDP V1, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, IPM OFF, UART OFF, WIEG OFF, MOBILE-READY	445.68	IR	Readers
Y	95BNMPTEWMA0PL	RDR, R95B DECOR RDR OM, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR/MA, 485HDX, TERM, WHT, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN SUPPR, IPM OFF, HF MIGR PFL EVP00000, MOBILE-READY	522.09	IR	Readers
Y	95BNTNTEX00000	RDR, R95B DECOR RDR OM , NO PROX, HF STD, WIEGAND, TERM, NO COVER, STD 1 SECURITY, LED RED, FLASH GRN, BZR ON, IPM OFF, 32 BIT	445.68	IR	Readers
Y	95BPMNTEGEA003	RDR, RP95B DECOR RDR OM, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, TERM, GRY, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, MOBILE-ENABLED-FMT	499.17	IR	Readers
Y	95BPMNTEGMA003	RDR, RP95B DECOR RDR OM, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, TERM, GRY, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, MOBILE-READY	499.17	IR	Readers
Y	95BPMNTEGMA0PN	RDR, RP95B DECOR RDR OM, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIGR/MA, WIEG, TERM, GRY, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN SUPPR, IPM OFF, HF MIGR PFL EVP00000, MOBILE-READY	575.57	IR	Readers
Y	95BPMNTEKEA003	RDR, RP95B DECOR RDR OM, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, MOBILE-ENABLED-FMT	499.17	IR	Readers
Y	95BPMNTEKEA0CB	RDR, RP95B DECOR RDR OM, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIG/MA, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, MOBILE-ENABLED-FMT	445.68	IR	Readers
Y	95BPMNTEKMA003	RDR, RP95B DECOR RDR OM, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, MOBILE-READY	499.17	IR	Readers
Y	95BPMNTEKMA0CB	RDR, RP95B DECOR RDR OM, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIG/MA, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, MOBILE-READY	445.68	IR	Readers
Y	95BPMNTEKMA0PN	RDR, RP95B DECOR RDR OM, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIGR/MA, WIEG, TERM, BLK, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN SUPPR, IPM OFF, HF MIGR PFL EVP00000, MOBILE-READY	575.57	IR	Readers
Y	95BPMNTEWEA003	RDR, RP95B DECOR RDR OM, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, TERM, WHT, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, MOBILE-ENABLED-FMT	499.17	IR	Readers
Y	95BPMNTEWMA003	RDR, RP95B DECOR RDR OM, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, TERM, WHT, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, MOBILE-READY	499.17	IR	Readers
Y	95BPMNTEWMA0PN	RDR, RP95B DECOR RDR OM, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIGR/MA, WIEG, TERM, WHT, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN SUPPR, IPM OFF, HF MIGR PFL EVP00000, MOBILE-READY	575.57	IR	Readers
Y	95BPMPTEGEA007	RDR, RP95B DECOR RDR OM, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, 485HDX, TERM, GRY, A/V OFF, OSDP V1, OPTTAMP, O COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, UART OFF, WIEG OFF, MOB-ENABLED-FMT	499.17	IR	Readers
Y	95BPMPTEGMA0PF	RDR,RP95B DECOR RDR OM,MULTICLASS,SE E,LF STD, HF STD/SIO/SEOS/MIGR/MA, 485HDX, TERM, GRY, A/V OFF, OSDP V1, OPT TAMP,OC, OSDP TAMP ENBLD,TEST KEY, POLL=75MS, CSN 32-BIT MSB, EM4102 32-BIT, HF MIGR PFL EVP00000_ICE0318, IPM OFF,MOBILE-READ	445.68	IR	Readers
Y	95BPMPTEKEA007	RDR, RP95B DECOR RDR OM, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, 485HDX, TERM, BLK, A/V OFF, OSDP V1, OPT TAMP, O COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, UART OFF, WIEG OFF, MOB-ENABLED-FMT	499.17	IR	Readers

Y	95BPMPTEKMA007	RDR, RP95B DECOR RDR OM, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, 485HDX, TERM, BLK, A/V OFF, OSDP V1, OPT TAMP, O COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, UART OFF, WIEG OFF, MOBILE-READY	499.17	IR	Readers
Y	95BPMPTEKMA0PF	RDR,RP95B DECOR RDR OM,MULTICLASS,SE E,LF STD,HF STD/SIO/SEOS/MIGR/MA, 485HDX, TERM, BLK, A/V OFF, OSDP V1,OPT TAMP, OC, OSDP TAMP ENBLD,TEST KEY, POLL=75MS, CSN 32-BIT MSB,EM4102 32-BIT, HF MIGR PFL EVP00000_ICE0318,IPM OFF,MOBILE-READY	445.68	IR	Readers
Y	95BPMPTEWEA007	RDR, RP95B DECOR RDR OM, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, 485HDX, TERM, WHT,A/V OFF, OSDP V1, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, UART OFF, WIEG OFF,MOB-ENABLED-FMT	499.17	IR	Readers
Y	95BPMPTEWMA007	RDR, RP95B DECOR RDR OM, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, 485HDX, TERM, WHT,A/V OFF, OSDP V1, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, UART OFF, WIEG OFF,MOBILE-READY	499.17	IR	Readers
Y	95BPMPTEWMA0PF	RDR,RP95B DECOR RDR OM,MULTICLASS,SE E, LF STD, HF STD/SIO/SEOS/MIGR/MA, 485HDX, TERM, WHT, A/V OFF, OSDP V1,OPT TAMP, OC, OSDP TAMP ENBLD,TEST KEY, POLL=75MS, CSN 32-BIT MSB, EM4102 32-BIT,HF MIGR PFL EVP00000_ICE0318, IPM OFF,MOBILE-REA	445.68	IR	Readers
Y	95BPTNTEX00000	RDR, R95B DECOR RDR OM , PROX STD, HF STD, WIEGAND, TERM, NO COVER, STD 1 SECURITY, LED RED, FLASH GRN, BZR ON, IPM OFF, 32 BIT	499.17	IR	Readers
Y	95KNMNTEXEA001	RDR, R95K DECOR RDR OM , EURO KIT, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, WIEG, TERM, NO COVER, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, IPM OFF, MOBILE-ENABLED-FMT	445.68	IR	Readers
Y	95KNMNTEXMA001	RDR, R95K DECOR RDR OM , EURO KIT, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, WIEG, TERM, NO COVER, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, IPM OFF, MOBILE-READY	445.68	IR	Readers
Y	95KNMNTEXMA0PM	RDR, R95K DECOR RDR OM, EURO KIT, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR/MA, WIEG, TERM, NO COVER, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN SUPPR, IPM OFF, HF MIGR PFL EVP00000, MOBILE-READY	522.09	IR	Readers
Y	95KNMPTEXEA005	RDR, R95K DECOR RDR OM , EURO KIT, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, 485HDX, TERM, NO COVER, A/V OFF, OSDP V1, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, IPM OFF, UART OFF, WIEG OFF, MOB-ENABLED-FMT	445.68	IR	Readers
Y	95KNMPTEXMA005	RDR, R95K DECOR RDR OM , EURO KIT, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MA, 485HDX, TERM, NO COVER, A/V OFF, OSDP V1, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, IPM OFF, UART OFF, WIEG OFF, MOBILE-READY	445.68	IR	Readers
Y	95KNMPTEXMA0PL	RDR, R95K DECOR RDR OM , EURO KIT, ICLASS, SE E, LF OFF, HF STD/SIO/SEOS/MIGR/MA, 485HDX, TERM, NO COVER, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN SUPPR, IPM OFF, HF MIGR PFL EVP00000, MOBILE-READY	522.09	IR	Readers
Y	95KNTNTEX00000	RDR, R95K DECOR RDR OM, EURO KIT, NO PROX, STD, WIEGAND, TERM, NO COVER, STD 1 SECURITY, LED RED, FLASH GRN, BZR ON, IPM OFF, 32 BIT	337.45	IR	Readers
Y	95KPMNTEXEA003	RDR, RP95K DECOR RDR OM, EURO KIT, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, TERM, NO COVER, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, MOBILE-ENABLED-FMT	499.17	IR	Readers
Y	95KPMNTEXMA003	RDR, RP95K DECOR RDR OM, EURO KIT, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, WIEG, TERM, NO COVER, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, MOBILE-READY	499.17	IR	Readers
Y	95KPMNTEXMA0PN	RDR, RP95K DECOR RDR OM, EURO KIT, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIGR/MA, WIEG, TERM, NO COVER, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN SUPPR, IPM OFF, HF MIGR PFL EVP00000, MOBILE-READY	575.57	IR	Readers
Y	95KPMPTEXEA007	RDR,RP95K DECOR RDR OM, EUROKIT, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, 485HDX, TERM, NO COVER, A/V OFF, OSDP V1, O TAMP, O COLL, OSDPTAMPENBLD, T KEY, POLL=75MS,CSN 32-BIT MSB,EM4102 32-BIT, IPM OFF,UART OFF,WIEG OFF,MOB-ENABLE-FM	499.17	IR	Readers
Y	95KPMPTEXMA007	RDR,RP95K DECOR RDR OM, EUROKIT, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MA, 485HDX, TERM, NO COVER, A/V OFF, OSDP V1, O TAMP, O COLL, OSDPTAMPENBLD, T KEY, POLL=75MS,CSN 32-BIT MSB,EM4102 32-BIT, IPM OFF,UART OFF,WIEG OFF, MOBILE-READY	499.17	IR	Readers
Y	95KPMPTEXMA0PF	RDR, RP95K DECOR RDR OM, EUROKIT, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIGR/MA,485HDX, TERM, NO COVER,A/V OFF,OSDP V1,OPT TAMP, OC,OSDP TAMP ENBLD, TEST KEY, POLL=75MS,CSN 32-BIT MSB, EM4102 32-BIT;EVP00000_ICE0318,IPM OFF,MOBILE-RE	445.68	IR	Readers
Y	95KPTNTEX00000	RDR, RP95K DECOR RDR OM , EURO KIT, PROX, STD, WIEGAND, TERM, NO COVER, STD 1 SECURITY, LED RED, FLASH GRN, BZR ON, IPM OFF, 32 BIT	499.17	IR	Readers
Y	95KPWNTEX00324	RDR, RP95K DECOR RDR , EURO KIT, MULTICLASS, SE E, LF STD, HF STD/SIO/SEOS/MIGR, WIEG, TERM, NO COVER, HF MIGR PFL EVP00000, IPM OFF	499.17	IR	Readers
Y	A4MCAXXL	HID APPROVE SECURE CODE TOKEN FOR AAA CONSUMER - USER LICENSE	16.23	XA	Strong Authentication Solution
Y	BLEOSDP-UPG-A-900	R10/RP10 ICLASS/MULTICLASS, SE RDR BLE OSDP UPGRADE KIT, 1 BLE OSDP MODULE, 1 METALIC BACKPLATE STICKER	111.49	ZB	Readers
Y	BLEOSDP-UPG-A-910	R15/RP15 ICLASS/MULTICLASS, SE RDR BLE OSDP UPGRADE KIT, 1 BLE OSDP MODULE, 1 METALIC BACKPLATE STICKER	111.49	ZB	Readers
Y	BLEOSDP-UPG-A-920	R40/RP40 ICLASS/MULTICLASS, SE RDR BLE OSDP UPGRADE KIT, 1 BLE OSDP MODULE, 1 METALIC BACKPLATE STICKER	111.49	ZB	Readers
Y	BLEOSDP-UPG-A-921	RK40/RPK40 ICLASS/MULTICLASS, SE RDR BLE OSDP UPGRADE KIT, 1 BLE OSDP MODULE, 1 METALIC BACKPLATE STICKER	111.49	ZB	Readers
Y	C40-M	MIFARE ONLY READER HID BRANDED PEAKE READER	120.75	IR	Readers
Y	C40-M-CSN00026	MIFARE ONLY READER HID BRANDED PEAKE READER CSN OUTPUT, 26 BITS	120.75	IR	Readers
Y	C40-M-CSN00032	MIFARE ONLY READER HID BRANDED PEAKE READER CSN OUTPUT, 32 BITS	120.75	IR	Readers
Y	C40-M-CSN00034	MIFARE ONLY READER HID BRANDED PEAKE READER CSN OUTPUT, 34 BITS	120.75	IR	Readers
Y	CARDS_CUST_OWNED	CDS CUST OWNED	0.00	ZB	Product Components
Y	CC2000-00-00-000000	CONFIGURATION: CCI, HTOG, MIFARE 32 BIT	12.61	ZB	Credentials
Y	CC2000-00-00-000100	CONFIGURATION: CCI, HTOG, CLASS CFG CARD, LED/BEEP 00, STANDARD 32 BIT REVERSE	12.61	ZB	Credentials
Y	CC2000-00-00-000200	CONFIGURATION: CCI, HTOG, ICLASS CFG CARD, LED/BEEP 00, STANDARD 26 BIT	12.61	ZB	Credentials
Y	CC2000-00-00-000300	CONFIGURATION: CCI, HTOG, ICLASS CFG CARD, LED/BEEP 00, STANDARD 34 BIT	12.61	ZB	Credentials
Y	CC2000-00-00-000400	CONFIGURATION: CCI, HTOG, ICLASS CFG CARD, LED/BEEP 00, STANDARD 40 BIT	12.61	ZB	Credentials
Y	CC2000-00-00-000500	CONFIGURATION: CCI, HTOG, LED/BEEP 00, STANDARD 37 BIT	12.61	ZB	Readers
Y	CC2000-00-00-000600	CONFIGURATION: CCI, HTOG, MIFARE=06 (56 BIT)	12.61	ZB	Credentials
Y	CC2000-00-00-000A00	CONFIGURATION: CCI, HTOG, FIPS 40 BIT BCD	12.61	ZB	Credentials
Y	CC2000-00-00-000C00	CONFIGURATION: CCI, HTOG, FIPS 40 BIT REVERSED BCD	12.61	ZB	Credentials
Y	CC2000-00-00-000Z00	CONFIGURATION: CCI, CSN SURPRESSED	12.61	ZB	Credentials
Y	CC2000-00-00-010000	CONFIGURATION: CCI, HTOG, LED/BEEP 01, STANDARD 32 BIT	12.61	ZB	Credentials
Y	CC2000-00-00-020000	CONFIGURATION: CCI, HTOG, LED/BEEP 02, STANDARD 32 BIT	12.61	ZB	Credentials
Y	CC2000-00-00-030000	CONFIGURATION: CCI, HTOG, BEEP/LED=03,RED LED OFF,BEEP OFF,MIFARE 32 BIT	12.61	ZB	Credentials
Y	CC2000-00-00-040000	CONFIGURATION: CCI, HTOG, LED/BEEP 04, STANDARD 32 BIT	12.61	ZB	Credentials
Y	CC2000-00-00-050000	CONFIGURATION: CCI, HTOG, LED/BEEP 04, STANDARD 32 BIT	12.61	ZB	Credentials
Y	CC2000-00-00-060000	CONFIGURATION: CCI, HTOG, DUAL LED CTL	12.61	ZB	Product Components
Y	CC2000-00-00-060200	CONFIGURATION: CCI, HTOG, BEEP/LED = 06, MIFARE = 02 (26 BIT)	12.61	ZB	Readers
Y	CC2000-00-00-060300	CONFIGURATION: CCI, HTOG, MIFARE=03,RED LED OFF,BEEP ON,HOST FLASH RED/GREEN LED,MIFARE 34 BIT	12.61	ZB	Readers
Y	CC2000-00-00-060Z00	CONFIGURATION: CCI, HTOG, BEEP/LED = 06, MIFARE = CSN SURPRESSED	12.61	ZB	Readers
Y	CC2000-00-00-06C000	CONFIGURATION: CCI, HTOG, BEEP/LED = 06, MIFARE = 00 (32 BIT), TAMPER ENABLED TOGGLE OC	12.61	ZB	Readers
Y	CC2000-00-00-070000	CONFIGURATION: CCI, LED 07	12.61	ZB	Credentials
Y	CC2000-00-01-000000	CONFIGURATION: CCI, HTOG, BEEP/LED = 00, MIFARE = 00 (32 BIT), KEYPAD = 00	12.61	ZB	Product Components
Y	CC2000-00-01-000009	CONFIGURATION: CCI, HTOG,,BUFFER ONE KEY,ADD CMPLMNT,8BIT MSG (DORADO),BEEP/LED=00,MIFARE=00,KYPD=09	12.61	ZB	Product Components
Y	CC2000-00-01-000010	CONFIGURATION: CCI, HTOG, BEEP/LED = 00, MIFARE = 00 (32 BIT), KEYPAD = 10 (BUFFER 6 KEYS, ADD PARITY)	12.61	ZB	Readers
Y	CC2000-00-01-000011	CONFIGURATION: CCI, HTOG, BEEP/LED = 00, MIFARE = 00 (32 BIT), KEYPAD = 11 (BUFFER ONE KEY, ADD PARITY)	12.61	ZB	Readers
Y	CC2000-00-01-000014	CONFIGURATION: CCI, HTOG, BEEP/LED = 00, MIFARE = 00 (32 BIT), KEYPAD = 14 (BUFFER 1 TO 5 KEYS, 26 BIT, FACILITY CODE ENTERED MANUALLY)	12.61	ZB	Product Components
Y	CC2000-00-01-000019	CONFIGURATION: CCI, HTOG, BUFFER 4 KEYS,ADD PARITY,BEEP/LED=00,MIFARE=00,KYPD	12.61	ZB	Readers
Y	CC2000-00-01-000020	CONFIGURATION: CCI, KYPD, BFFR 1 KEY, ADD PARITY	12.61	ZB	UNIDENTIFIED
Y	CC2000-00-01-000022	CONFIGURATION: CCI, HTOG, BEEP/LED = 00, MIFARE = 00 (32 BIT), KEYPAD = 22 (LOCAL PIN VERIFY)	12.61	ZB	Credentials
Y	CC2000-00-01-000023	CONFIGURATION: CCI, KYPD, MAX BUFFER 11 KEYS. NO PARITY	12.61	ZB	UNIDENTIFIED
Y	CC2000-00-01-000209	CONFIGURATION: CCI, HTOG ,KYPD,BUFFER ONE KEY,ADD CMPLMNT,8BIT MSG (DORADO),BEEP/LED=00,MIFARE=02,KYPD=09	12.61	ZB	Readers
Y	CC2000-00-01-000214	CONFIGURATION: CCI, HTOG, BEEP/LED = 00, MIFARE = (26 BIT) KYPAD = 14 (BUFFER 1 TO 5 KEYS, 26 BIT, FACILITY CODE ENTERED MANUALLY)	12.61	ZB	Credentials
Y	CC2000-00-01-000400	CONFIGURATION: CCI, HTOG, BEEP/LED = 00, MIFARE = 40 BIT,	12.61	ZB	Credentials
Y	CC2000-00-01-000Z09	CONFIGURATION: CCI, HTOG ,BEEP/LED = 00, MIFARE = 0Z (CSN DISABLED), KEYPAD = 09 (BUFFER ONE KEY, ADD COMPLIMENT, 8 BIT MESSAGE (DORADO))	12.61	ZB	Readers
Y	CC2000-00-01-060000	CONFIGURATION: CCI, HTOG, RK40 STANDARD, 00=KPYD	12.61	ZB	Credentials
Y	CC2000-00-01-060009	CONFIGURATION: CCI, HTOG, BUFFER ONE KEY,ADD CMPLMNT,8BIT MSG (DORADO),BEEP/LED=06,KYPD=09	12.61	ZB	Readers
Y	CC2000-00-01-060109	CONFIGURATION: CCI, HTOG, BUFFER ONE KEY,ADD CMPLMNT,8BIT MSG (DORADO),BEEP/LED=06,MIFARE=01,KYPD=09	12.61	ZB	Readers
Y	CC2000-00-01-060309	CONFIGURATION: CCI, HTOG, BUFFER ONE KEY,ADD CMPLMNT,8BIT MSG (DORADO),BEEP/LED=06,MIFARE=03,KYPD=09	12.61	ZB	Readers
Y	CC2000-00-01-060Z09	CONFIGURATION: CCI, HTOG, BEEP/LED = 06, MIFARE = Z (SUPPRESSED), KEYPAD = 09 (BUFFER ONE KEY, ADD COMPLIMENT, 8 BIT MESSAGE (DORADO))	12.61	ZB	Readers
Y	CC2000-00-01-06C009	CONFIGURATION: CCI, HTOG, BEEP/LED = 06, MIFARE = 00 (32 BIT), KEYPAD = 09 (BUFFER ONE KEY, ADD COMPLIMENT, 8 BIT MESSAGE (DORADO)), TAMPER ENABLED TOGGLE OC	12.61	ZB	Readers
Y	CC2000-00-01-06CZ09	CONFIGURATION: CCI, BEEP/LED = 06, MIFARE = Z (SUPPRESSED), KEYPAD = 09 , TAMPER ENABLED TOGGLE OC	12.61	ZB	Readers
Y	CC2000-00-03-000000	CONFIGURATION: CCI, HTOG, RP40 STANDARD	12.61	ZB	Credentials
Y	CC2000-00-03-000200	CONFIGURATION: CCI, HTOG, RP40 STANDARD, 26 BIT	12.61	ZB	Credentials
Y	CC2000-00-03-000600	CONFIGURATION: CCI, HTOG, RP40 STANDARD, 56 BIT	12.61	ZB	Credentials
Y	CC2000-00-03-000700	CONFIGURATION: CCI, HTOG, RP40, 200 BIT	12.61	ZB	Credentials
Y	CC2000-00-03-000D00	CONFIGURATION: CCI, HTOG, RP15 & RP40, BEEP/00, CSN 75 BIT	12.61	ZB	Credentials

Y	CC2000-00-03-000K00	CONFIGURATION: CCI, RP15 & RP40 CSN EM4102 26 BIT OUTPUT	12.61	ZB	UNIDENTIFIED
Y	CC2000-00-03-000M00	CONFIGURATION: CCI, RP15 & RP40 EM4102 34 BIT (MIFARE CSN SURPRESSED)	12.61	ZB	UNIDENTIFIED
Y	CC2000-00-03-000N00	CONFIGURATION: CCI, RP15 & RP40 EM4102 40 BIT (MIFARE CSN SURPRESSED)	12.61	ZB	UNIDENTIFIED
Y	CC2000-00-03-000P00	CONFIGURATION: CCI, RP15 & RP40 EM4102 42 BIT OUTPUT (MIFARE CSN SURPRESSED)	12.61	ZB	UNIDENTIFIED
Y	CC2000-00-03-000S00	CONFIGURATION: CCI, RP15 & RP40 CSN EM4102 32 BIT OUTPUT (MIFARE CSN SUPPRESSED), PICO15693-HID APP, PROX-ICLASS PROIRITY	12.61	ZB	Readers
Y	CC2000-00-03-000T00	CONFIGURATION: CCI, RP15 & RP40 CSN EM4102 42 BIT WEIGAND MLF, PARITY ON (MIFARE CSN SUPPRESSED), PICO15693-HID APP, PROX-ICLASS PROIRITY	12.61	ZB	Readers
Y	CC2000-00-03-000U00	CONFIGURATION: CCI, RP15 & RP40 CSN EM4102 34 BIT WEIGAND MLF, PARITY ON OR MIFARE = 03, PICO15693-HID APP, PROX-ICLASS PROIRITY	12.61	ZB	Readers
Y	CC2000-00-03-000V00	CONFIGURATION: CCI, RP15 & RP40 CSN EM4102 34 BIT WEIGAND MLF, PARITY ONOR MIFARE=03, PICO15693-HID APP, PROX-ICLASS PROIRITY	12.61	ZB	Readers
Y	CC2000-00-03-000Z00	CONFIGURATION: CCI, HTOG, RP40, CSN SURPRESSED	12.61	ZB	Credentials
Y	CC2000-00-03-01C000	CONFIGURATION: RP15 & RP40, BEEP/LED=01, MIFARE=00 (32 BIT),PROTO=14443A/PICO15693/PROX; APPS=14443A-CSN/PICO15693-HID/ICLASS PRIORITY, TAMPER ENABLED-OC	12.61	ZB	Credentials
Y	CC2000-00-03-060000	CONFIGURATION: CCI, HTOG,,BEEP/LED=06,MIFARE=00,32BIT,BEEP ON,LED NORM OFF,FLASH RED&GRN BY HOST,ICLASS PRIORITY	12.61	ZB	Readers
Y	CC2000-00-07-000000	CONFIGURATION: CCI, HTOG, RPK40 STANDARD, 32 BIT, KYD 00	12.61	ZB	Credentials
Y	CC2000-00-07-000009	CONFIGURATION: CCI, HTOG, RPK40 STANDARD, BUFFER ONE KEY 8 BIT	12.61	ZB	Credentials
Y	CC2000-00-07-000014	CONFIGURATION: CCI, HTOG,RPK40, BEEP/LED=00 MIFARE=02	12.61	ZB	Readers
Y	CC2000-00-07-000200	CONFIGURATION: CCI, HTOG, BEEP/LED=00 MIFARE=02 W/ PROTOCOLS & APPLICATIONS,ICLASS PRIORITY	12.61	ZB	Readers
Y	CC2000-00-07-000700	CONFIGURATION: CCI, RPK40, LED RED, FLASH GREEN, BUZZER ON, 200 BIT CSN, BUFFER ONE KEY, 4 BIT KEYPAD	12.61	ZB	Credentials
Y	CC2000-00-07-000709	CONFIGURATION: CCI, HTOG, RKP40, PIV 200, 09 KYPD	12.61	ZB	Credentials
Y	CC2000-00-07-000D09	CONFIGURATION: CCI, HTOG, RKP40, 200 BIT, BUFFER ONE KEY, 4 BIT	12.61	ZB	Credentials
Y	CC2000-00-07-000D14	CONFIGURATION: CCI, HTOG, RPK40 CSN 75 BIT, KPD OPTION 14	12.61	ZB	Credentials
Y	CC2000-00-07-000Z00	CONFIGURATION: CCI, HTOG, RPK40 STANDARD, CSN SUPPRESSED, KYD 00	12.61	ZB	Credentials
Y	CC2000-00-07-060209	CONFIGURATION: CCI, HTOG, RPK40, BEEP/LED = 06, MIFARE = 02 (26 BIT), KEYPAD = 09 (BUFFER ONE KEY, ADD COMPLIMENT, 8 BIT MESSAGE (DORADO)), PROTO&APPS =14443A-CSN, PICO 15693 - HID/ICLASS PRIORITY	12.61	ZB	Credentials
Y	CC2000-00-08-000000	CONFIGURATION: CCI, HTOG, CCI, HTOG, BIO REV B, BEEP/LED = 00, KEYPAD = 00	12.61	ZB	Credentials
Y	CC2000-00-08-000014	CONFIGURATION: CCI, HTOG, CCI, HTOG, BIO REV B, BEEP/LED = 00, KEYPAD = 14 (BUFFER 1 TO 5 KEYS, 26 BIT FACILITY CODE ENTERED MANUALLY	12.61	ZB	Credentials
Y	CC2000-00-08-000022	CONFIGURATION: CCI, HTOG, CCI, HTOG, BIO REV B, BEEP/LED = 00, KEYPAD = 22 (LOCAL PIN VERIFY)	12.61	ZB	Credentials
Y	CC2000-00-08-00C009	CONFIGURATION: CCI, HTOG, BEEP/LED = 00, KEYPAD = 09, OPEN COLLECTOR TAMPER ENABLED	12.61	ZB	Credentials
Y	CC2000-00-09-040000	CONFIGURATION: CCI, HTOG, R90 BEEP/LED = 04	12.61	ZB	Credentials
Y	CC2000-00-09-060000	CONFIGURATION: CCI, HTOG, BEEP/LED = 06	12.61	ZB	Credentials
Y	CC2000-00-09-06C000	CONFIGURATION: CCI, HTOG, BEEP/LED = 06, TAMPER ENABLE - OPEN COLLECTOR	12.61	ZB	Credentials
Y	CC2000-00-12-000000	CONFIGURATION: CCI, HTOG, CLOCK & DATA, BEEP/LED = 00, MIFARE = 00 (32 BIT)	12.61	ZB	Credentials
Y	CC2000-00-12-060000	CONFIGURATION: CCI, HTOG, ALL RDRS, CLOCK & DATA, BEEP/LED = 06, MIFARE - 00 (32 BIT)	12.61	ZB	Credentials
Y	CC2000-00-17-000400	CONFIGURATION: CCI, HTOG, RM(P)K40, BEEP/LED=00,MIFARE=00 (32 BIT), KEYPAD OPTION = 00, MAGNETIC OPTION 4 =ABA CREDENTIAL ALL ABA DIGITS, PLUS LEADING	12.61	ZB	Credentials
Y	CC2000-00-17-000500	CONFIGURATION: CCI, HTOG, RM(P)K40, BEEP/LED=00, MIFARE=00 (32 BIT), KEYPAD=00 (BUFFER 1 KEY), MAGNETIC OPTION 5 = ABA CARD, ALL ABA DIGITS, 10 LEAD/10 TRAIL 0'S, WIEGAND OUTPUT	12.61	ZB	Credentials
Y	CC2000-00-18-000000	CONFIGURATION: CCI, HTOG, CCI, HTOG, RM(P)40, BEEP/LED=00, MIFARE=00 (32 BIT), MAGNETIC OPTION 0 = NORTHERN 32 BIT WIEGAND (FC=16 BITS, ID=16 BITS)	12.61	ZB	Credentials
Y	CC2000-00-18-000100	CONFIGURATION: CCI, HTOG, RM(P)40, BEEP/LED=00, MIFARE=00 (32 BIT), MAGNETIC OPTION 1 = ABA CREDENTIAL, ALL BITS RAW DATA V CLOCK-AND-DATA	12.61	ZB	Credentials
Y	CC2000-00-18-000400	CONFIGURATION: CCI, HTOG, RM(P)40, BEEP/LED=00, MIFARE=00 (32 BIT), MAGNETIC OPTION 4 = ABA CREDENTIAL ALL ABA DIGITS, PLUS 10 LEADING & 10 TRAILING 0'S V CLOCK-AND-DATA	12.61	ZB	Credentials
Y	CC2000-00-18-000500	CONFIGURATION: CCI, HTOG, RM(P)40, BEEP/LED=00, MIFARE=00 (32 BIT), MAGNETIC OPTION 5 = ABA CARD, ALL ABA DIGITS, 10 LEAD/10 TRAIL 0'S, WIEGAND OUTPUT	12.61	ZB	Credentials
Y	CC2000-00-18-000600	CONFIGURATION: CCI, HTOG, RM(P)40, BEEP/LED=00, MIFARE=00 (32 BIT), MAGNETIC OPTION 6 = ABA CARD, CONVERT LAST 4 ABA DIGITS IN 1ST FIELD TO BINARY AND OUTPUT AS 26 BIT WIEGAND	12.61	ZB	Credentials
Y	CC2000-00-18-000700	CONFIGURATION: CCI, HTOG, RM(P)40, BEEP/LED=00, MIFARE=00 (32 BIT), MAGNETIC OPTION 7 = ABA CARD, CONVERT LAST 7 ABA DIGITS IN 1ST FIELD TO BINARY AND OUTPUT AS 26 BIT WIEGAND	12.61	ZB	Credentials
Y	CC2000-00-18-000800	CONFIGURATION: CCI, HTOG, RM(P)40, BEEP/LED=00, MIFARE=00 (32 BIT), MAGNETIC OPTION 8 = EMPI CARD TO 26 BIT WIEGAND	12.61	ZB	Credentials
Y	CC2000-00-18-000900	CONFIGURATION: CCI, HTOG, RM(P)40, BEEP/LED=00, MIFARE=00 (32 BIT), MAGNETIC OPTION 9 = EMPI CARD TO 34 BIT WIEGAND	12.61	ZB	Credentials
Y	CC2000-00-18-000A00	CONFIGURATION: CCI, HTOG, RM(P)40, BEEP/LED=00, MIFARE=00 (32 BIT), MAGNETIC OPTION A = ABA CARD, CONVERT LAST 9 ABA DIGITS IN 1ST FIELD TO BINARY AND OUTPUT AS 34 BIT WIEGAND	12.61	ZB	Credentials
Y	CC2000-00-18-000B00	CONFIGURATION: CCI, HTOG,RM(P)40, BEEP/LED=00, MIFARE=00 (32 BIT), MAGNETIC OPTION B = BASIC MS RAW OUPUT, ALL BITS WIEGAND IN ORDER RECEIVED	12.61	ZB	Credentials
Y	CC2000-00-18-000C00	CONFIGURATION: CCI, HTOG, RM(P)40, BEEP/LED=00, MIFARE=00 (32 BIT), MAGNETIC OPTION C = ABA TO 26 BIT WIEGAND (FC=8 BITS, ID=16 BITS)	12.61	ZB	Credentials
Y	CC2000-00-18-000D00	CONFIGURATION: CCI, HTOG, RM(P)40, BEEP/LED=00, MIFARE=00 (32 BIT), MAGNETIC OPTION D = ABA TO 34 BIT WIEGAND (FC=16 BITS, ID=16 BITS)	12.61	ZB	Credentials
Y	CC2000-00-18-000E00	CONFIGURATION: CCI, HTOG, RM(P)40, BEEP/LED=00, MIFARE=00 (32 BIT), MAGNETIC OPTION E = ABA TO 34 BIT WIEGAND (FC=12 BITS, ID=20 BITS)	12.61	ZB	Credentials
Y	CC2000-00-18-000F00	CONFIGURATION: CCI, HTOG, RM(P)40, BEEP/LED=00, MIFARE=00 (32 BIT), MAGNETIC OPTION F = ABA TO 26 BIT WIEGAND	12.61	ZB	Credentials
Y	CC2000-00-18-00C000	CONFIGURATION: CCI, HTOG, RM(P)40, BEEP/LED=00, MIFARE=00 (32 BIT), MAGNETIC OPTION 0 = NORTHERN 32 BIT WIEGAND (FC=16 BITS, ID=16 BITS), TAMPER ENABLED - OPEN COLLECTOR	12.61	ZB	Credentials
Y	CC2000-00-18-010000	CONFIGURATION: CCI, HTOG, RM(P)40, BEEP/LED=01, MIFARE=00 (32 BIT), MAGNETIC OPTION 0 = NORTHERN 32 BIT WIEGAND (FC=16 BITS, ID=16 BITS)	12.61	ZB	Credentials
Y	CC2000-01-00-000000	CONFIGURATION: CCI, HTOG, RESET	12.61	ZB	Product Components
Y	CC2000-01-02-000000	CONFIGURATION: CCI, HTOG, RESET, BIOMETRIC REV A READER ONLY, RESET DEFAULTS FROM CARD	12.61	ZB	Credentials
Y	CC2000-01-03-000001	CONFIGURATION: CCI, HTOG, RESET, RP15 / RP40 INITIALIZATION; PROTOCOLS=14443A-CSN, PICO15693-HID APP,PROX-ICLASS PRIORITY, ANTIPASSBACK=1.5SEC	12.61	ZB	Credentials
Y	CC2000-01-04-000000	CONFIGURATION: CCI, HTOG, RESET, LCD KEYPAD READER ONLY (RWKL550), RESET TO FACTORY DEFAULTS FROM CARD,	12.61	ZB	Credentials
Y	CC2000-01-08-000002	CONFIGURATION: CCI, HTOG, READER/ENROLLER, RESET BACK TO FACTORY DEFAULTS, RESETS ADMINISTRATORS AND CUSTOM TEMPLATES	12.61	ZB	Credentials
Y	CC2000-04-00-000013	CONFIGURATION: CCI, HTOG, ALL RDRS, PROTOCOLS = ISO14443B - CSN	12.61	ZB	Credentials
Y	CC2000-04-00-003003	CONFIGURATION: CCI, HTOG, PROTO & APPS, BLK7, (CSN ONLY); PROTOCOLS = ISO15693 - CSN, 14443A - CSN, 14443B - CSN, PICO15693 - CSN, PROX - ICLASS PRORITY 500MS	12.61	ZB	Readers
Y	CC2000-04-03-000002	CONFIGURATION: CCI, PROTO & APPS, RP40 INITIALIZATION, PROX PREFERRED READ MODE; PROTOCOLS=14443A-PICO15693-PROX; 14443A=CSN; PICO15693=HID; PROX=PROX PRORITY 500MS DELAY, ANTIPASSBACK=2SEC	12.61	ZB	Readers
Y	CC2000-04-03-000003	CONFIGURATION: CCI, HTOG, RP40 INITIALIZATION,ICLASS ONLY, READ MODE	12.61	ZB	Credentials
Y	CC2000-04-03-000004	CONFIGURATION: CCI, HTOG, PROTO & APPS, PROX ONLY READ MODE; PROTOCOLS = PROX; PROX APPS = PROX ONLY	12.61	ZB	Credentials
Y	CC2000-04-03-000008	CONFIGURATION: CCI, HTOG, RP40 INITIALIZATION, PROX PREFERRED; PROTOCOLS=14443A-PICO15693-PROX; 14443A=CSN; PICO15693=HID; PROX=PROX PRORITY 500MS DELAY, ANTIPASSBACK=1.5 SEC	12.61	ZB	Credentials
Y	CC2000-04-03-000010	CONFIGURATION: CCI, HTOG, RP40 INIT CONFIG CARD, ICLASS ONLY MODE	12.61	ZB	Credentials
Y	CC2000-04-03-000011	CONFIGURATION: CCI, PROX ONLY READ MODE; PROTOCOLS = PROX; APPS = PROX ONLY	12.61	ZB	Credentials
Y	CC2000-04-03-000019	CONFIGURATION: CCI, HTOG, PROTO & APPS, RP40 INITIALIZATION CONFIG CARD; PROTO=14443A, PICO15693, PROX; APPS=14443A=CSN, PICO15693=HID APP; PROX=NO PRORITY, ANTIPB=1.5SEC	12.61	ZB	Credentials
Y	CC2000-05-00-000004	CONFIGURATION: CCI, HTOG, PIV, ALL RDRS, FACN ONLY, 200 BIT FORMAT, FLI=1167, FL2=1163 TWID	12.61	ZB	Credentials
Y	CC2000-07-00-000500	CONFIGURATION: CCI, HTOG,, FELICA OR CEPAS, BEEP/LED =00, MIFARE_CSN = 07, FELICA 64 BIT CSN LSB 1ST OR CEPAS 64 BIT CAN LSB 1ST	12.61	ZB	Credentials
Y	CC2000-07-00-000600	CONFIGURATION: CCI, HTOG, FELICA OR CEPAS, BEEP/LED =00, MIFARE_CSN = 07, FELICA 64 BIT CSN LSB 1ST OR CEPAS 64 BIT CSN LSB 1ST	12.61	ZB	Readers
Y	CC2000-07-00-000700	CONFIGURATION: CCI, HTOG, FELICA OR CEPAS, BEEP/LED = 00, MIFARE_CSN = 07, FELICA 64 BIT CSN LSB 1ST OR CEPAS 64 BIT CAN LSB 1ST OR MIFARE 64 BIT CSN LSB 1ST	12.61	ZB	Readers
Y	CC2000-07-00-000800	CONFIGURATION: CCI, HTOG, FELICA OR CEPAS, BEEP/LED = 00, MIFARE_CSN = 07, FELICA 64 BIT CSN LSB 1ST OR CEPAS 64 BIT CAN LSB 1ST OR MIFARE 64 BIT CSN LSB 1ST	12.61	ZB	Readers
Y	CC2000-07-00-000900	CONFIGURATION: CCI, HTOG, FELICA CSN OR CEPAS CAN, MIFARE SURPRESSED, BEEP/LED = 00, 26 BIT (EP+8BIT FC=01+16BIT CSN MSB+OP)	12.61	ZB	Readers
Y	CC2000-07-00-000A00	CONFIGURATION: CCI, HTOG, FELICA CSN OR CEPAS CSN, MIFARE SURPRESSED, BEEP/LED = 00, 26 BIT (EVEN PARITY+24 BIT LSB+ODD PARITY	12.61	ZB	Readers
Y	CC2000-07-00-000B00	CONFIGURATION: CCI, HTOG, FELICA CSN OR CEPAS CAN, MIFARE CSN, BEEP/LED = 00, MIFARE CSN = 02,, 26 BIT (EP+8BIT FC=01+16BIT CSN MSB+OP)	12.61	ZB	Readers
Y	CC2000-07-00-000C00	CONFIGURATION: CCI, HTOG, FELICA CSN OR CEPAS CSN, MIFARE CSN, BEEP/LED = 00, MIFARE CSN = 02,, 26 BIT (EP+8BIT FC=01+16BIT CSN MSB+OP)	12.61	ZB	Readers
Y	CC2000-07-00-000D00	CONFIGURATION: CCI, HTOG, FELICA, BEEP/LED = 00, MIFARE_CSN = 07, 64 BIT CSN LSB 1ST	12.61	ZB	Readers
Y	CC2000-07-00-000E00	CONFIGURATION: CCI, HTOG, FELICA, BEEP/LED = 00, MIFARE = 08, 26 BIT, PR=14443A-15693-FELICA, AP=CSN, 15693-HID	12.61	ZB	Readers
Y	CC2000-07-00-000F00	CONFIGURATION: CCI, HTOG, FELICA, BEEP/LED = 00, MIFARE_CSN=07, 64 BIT CSN LSB 1ST	12.61	ZB	Readers
Y	CC2000-08-00-000009	CONFIGURATION CCI, ALL RDRS, CUSTOM, TAMPER ENABLE, TOGGLE OPEN COLLECTOR	12.61	ZB	Credentials
Y	CC2000-08-00-000038	CONFIGURATION: CCI, ALL RDRS, CUSTOM, TAMPER DISABLED	12.61	IR	Readers
Y	CC2000-08-07-000001	CCI, RPK40, CUSTOM, BEEP/LED = 00, MIFARE = 00 (32 BIT), KEYPAD=09, 14443A-CSN, PICO15693-HID, PROX-ICLASS PRIORITY, BACKLIGHT TRIG BY CARD, BEEP KEY PRESS	12.61	ZB	Credentials

Y	CC2000-08-07-000004	CCI, RPK40, CUSTOM, BEEP/LED = 07, MIFARE = 00 (32 BIT), KEYPAD = 09 (8 BIT-DORADO), 14443A-CSN, PICO15693-HID, PROX-ICLASS PRIORITY, BACKLIGHT TRIG BY CARD, NO BEEP KEY PRESS	12.61	ZB	Credentials
Y	CC2000-08-07-000043	CCI, RPK40, CUSTOM, BEEP/LED = 07, MIFARE = 00 (32 BIT), KEYPAD = 09 (8 BIT-DORADO), 14443A-CSN, PICO15693-HID, PROX-ICLASS PRIORITY, BACKLIGHT TRIG BY CARD, BEEP KEY PRESS	12.61	ZB	Credentials
Y	CC2000-08-08-000032	CONFIGURATION: CCI, HTOG, BIOCLASS REV B, CUSTOM, BFE, DISABLE BIO SENSOR, CARD ONLY, NO FP, NO PIN	12.61	ZB	Credentials
Y	CC2000-08-08-000034	CONFIGURATION: CCI, HTOG, CCI, HTOG, BIO REV B, CUSTOM, BIO SENSOR DISABLE (NOTE: KEYPAD - LOCAL PIN VERIFY IS DISABLED)	12.61	ZB	Credentials
Y	CC2000-08-08-000035	CONFIGURATION: CCI, HTOG, BIOCLASS REV B, CUSTOM, BIO SENSOR ENABLE (NOTE: KEYPAD - LOCAL PIN VERIFY IS DISABLED)	12.61	ZB	Credentials
Y	CC2000-08-08-000044	CCI, RPK40, CCI, BIOCLASS REV B, CUSTOM, BEEP/LED = 00, BIO SENSOR DISABLE, CARD + PIN ONLY (KEYPAD = 22, LOCAL PIN VERIFY)	12.61	ZB	Credentials
Y	CC2000-08-17-000013	CONFIGURATION: CCI, HTOG, RM(P)K40, BEEP/LED=00, PIV 200 BIT, KYD=00, MAG OPTION 5=ABA CARD, ALL ABA DIGITS, 10 LEAD/10 TRAIL 0'S, WEIGAND OUTPUT	12.61	ZB	Credentials
Y	CC2000-10-00-000004	CONFIGURATION: CCI, HTOG, ICLASS, BAUD RATE, 57600, EVEN PARITY, 9 DATA BIT FRAME	12.61	ZB	Readers
Y	CC2000-10-00-000005	CONFIGURATION: CCI, HTOG, ICLASS, BAUD RATE, 115200, EVEN PARITY, 9 DATA BIT FRAME	12.61	ZB	Readers
Y	CC2000-10-00-000037	CONFIGURATION: CCI, HTOG, ALL RDRS, BAUD RATE, 9600, NO PARITY, 8 DATA BIT FRAME	12.61	ZB	Credentials
Y	CC2000-10-00-000044	CONFIGURATION: CCI, HTOG, ALL RDRS, BAUD RATE, 96200, EVEN PARITY, 8 DATA BIT FRAME	12.61	ZB	Credentials
Y	CC2000-13-00-000066	CCI, ALL RDRS, WIEGAND PULSE TIMING = 50US, REV C DFM 1 READERS	12.61	ZB	Credentials
Y	CC2000-13-00-000577	CONFIGURATION: CCI, ALL RDRS, TEST CARD, TAMPLE ENABLE INVERT IM ALIVE INTERVAL=1 MINUTE, IM ALIVE MESSAGE = AA	12.61	IR	Readers
Y	CC2000-14-00-000000	CONFIGURATION: CCI, HTOG, ALL RDRS,CLOCK & DATA,ENABLE	12.61	ZB	Credentials
Y	CC2000-15-00-000000	CONFIGURATION: CCI, HTOG,OSDP ADDRESS 0; BAUD RATE 9600, 8 BIT DATA FRAME SIZE, NO PARITY, NON-LCD	12.61	ZB	Credentials
Y	CC2000-15-00-000001	CONFIGURATION: CCI, HTOG, OSDP ADDRESS 1; BAUD RATE 9600, 8 BIT DATA FRAME SIZE, NO PARITY, NON-LCD	12.61	ZB	Credentials
Y	CC2000-15-00-000002	CONFIGURATION: CCI, HTOG, OSDP ADDRESS 2; BAUD RATE 9600, 8 BIT DATA FRAME SIZE, NO PARITY, NON-LCD	12.61	ZB	Credentials
Y	CC2000-15-00-000003	CONFIGURATION: CCI, HTOG, OSDP ADDRESS 3; BAUD RATE 9600, 8 BIT DATA FRAME SIZE, NO PARITY, NON-LCD	12.61	ZB	Credentials
Y	CC2000-15-00-000004	CONFIGURATION: CCI, HTOG, OSDP ADDRESS 4; BAUD RATE 9600, 8 BIT DATA FRAME SIZE, NO PARITY, NON-LCD	12.61	ZB	Credentials
Y	CC2000-15-00-000005	CONFIGURATION: CCI, HTOG, OSDP ADDRESS 5; BAUD RATE 9600, 8 BIT DATA FRAME SIZE, NO PARITY, NON-LCD	12.61	ZB	Credentials
Y	CC2000-15-00-000006	CONFIGURATION: CCI, HTOG, OSDP ADDRESS 6; BAUD RATE 9600, 8 BIT DATA FRAME SIZE, NO PARITY, NON-LCD	12.61	ZB	Credentials
Y	CC2000-15-00-000007	CONFIGURATION: CCI, HTOG, OSDP ADDRESS 7; BAUD RATE 9600, 8 BIT DATA FRAME SIZE, NO PARITY, NON-LCD	12.61	ZB	Credentials
Y	CC2000-15-00-000008	CONFIGURATION: CCI, HTOG, OSDP ADDRESS 8; BAUD RATE 9600, 8 BIT DATA FRAME SIZE, NO PARITY, NON-LCD	12.61	ZB	Credentials
Y	CC2000-15-00-000009	CONFIGURATION: CCI, HTOG, OSDP ADDRESS 9; BAUD RATE 9600, 8 BIT DATA FRAME SIZE, NO PARITY, NON-LCD	12.61	ZB	Credentials
Y	CC2000-15-05-00P000	CONFIGURATION: CCI, HTOG, LCDKP, BEEP/LED = 00, MIFARE = 00 (32 BIT), KEYPAD = 00, OSDP ADDRESS 0; BAUD RATE 9600, 8 BIT DATA FRAME SIZE, NO PARITY, LCD READER, OSDP TAMPER ENABLE	12.61	ZB	Credentials
Y	CC2000-20-07-000003	CONFIGURATION: CCI, MULTICLASS, MAGNETO, ABA CARD, ALL ABA DIGITS, PLUS 10 LEADING 0'S & 10 TRAILING 0'S - WIEGAND	12.61	ZB	Credentials
Y	CC2000-20-07-000004	CONFIGURATION: CCI, MULTICLASS, MAGNETO, ABA CARD, ALL ABA DIGITS, PLUS 10 LEADING 0'S & 10 TRAILING 0'S - WIEGAND	12.61	ZB	Credentials
Y	CC2000-20-07-000010	CONFIGURATION: CCI, HTOG, MULTICLASS, MAGNETO, BASIC MS OUTPUT, ALL BITS WIEGAND IN ORDER RECEIVED	12.61	ZB	Credentials
Y	CC2000-20-07-000024	CONFIGURATION: CCI, HTOG, MULTICLASS, MAGNETO = AMAG-58 BIT, PIV-58 BIT, KEYPAD OPTION = 09 (8 BIT DORADO), TAMPER ENABLED - OPEN COLLECTOR, PRIORITY DELAY = 300MS, BEEP/LED = 07 (HOST CONTROL)	12.61	ZB	Credentials
Y	CC2000-20-17-000008	CONFIGURATION: CCI, MAGNETO, ABA CARD, ALL ABA DIGITS, PLUS 10 LEADING 0'S & 10 TRAILING 0'S - WIEGAND, PIV-75 BIT BEEP/LED=07, KEYPD=09, TAMPER OPEN COLL, PRIOR DELAY, PROX READ DISABLED	12.61	ZB	Credentials
Y	CC2000-MASTER	CONFIGURATION: XXXXXXXXXXXXXX	12.61	ZB	Credentials
Y	CCE2000-04-03-000003	CONFIGURATION: CCI, ELITE, RP40, ICLASS ONLY MODE, PROTO: 14443A-CSN, PICO15693-HID APP, PROX-DISABLED, ICLASS PRIORITY, APB - 1SEC	13.24	ZB	Credentials
Y	CKEYCFG-0	RDR CONFIG KEYSET, ICLASS SE ENCODER, STANDARD	0.00	ZB	Credentials
Y	CKEYCFG-1	RDR CONFIG KEYSET, ICLASS SE ENCODER, ELITE	0.00	ZB	Credentials
Y	CKEYMED-DES-0	MEDIA KEYSET, ICLASS SE ENCODER, DESFIRE, STANDARD	0.00	ZB	Credentials
Y	CKEYMED-DES-1	MEDIA KEYSET, ICLASS SE ENCODER, DESFIRE, ELITE	0.00	ZB	Credentials
Y	CKEYMED-ICL-0	MEDIA KEYSET, ICLASS SE ENCODER, ICLASS, STANDARD	0.00	ZB	Credentials
Y	CKEYMED-ICL-1	MEDIA KEYSET, ICLASS SE ENCODER, ICLASS, ELITE	0.00	ZB	Credentials
Y	CKEYMED-MIF-0	MEDIA KEYSET, ICLASS SE ENCODER, MIFARE, STANDARD	0.00	ZB	Credentials
Y	CKEYMED-MIF-1	MEDIA KEYSET, ICLASS SE ENCODER, MIFARE, ELITE	0.00	ZB	Credentials
Y	CKEYMED-SEOS-0	MEDIA KEYSET, ICLASS SE ENCODER, SEOS, STANDARD	0.00	ZB	Credentials
Y	CKEYMED-SEOS-1	MEDIA KEYSET, ICLASS SE ENCODER, SEOS, ELITE	0.00	ZB	Credentials
Y	CKEYSIO-0	SIO KEYSET, ICLASS SE ENCODER, STANDARD	0.00	ZB	Credentials
Y	CKEYSIO-1	SIO KEYSET, ICLASS SE ENCODER, ELITE	0.00	ZB	Credentials
Y	CKIT-0-BIOR	CFG CARD KIT, STANDARD SE BIO INITIAL SETUP RESET	76.41	ZB	Credentials
Y	CONFIG-0001	CONFIG CARD PACK, HADP ADDRESSES 0-8, NON-LCD READERS	46.96	ZB	Credentials
Y	CONFIG-0011	CONFIG CARD PACK, OSDP V2 ADDRESSES 0-3, NON-LCD READERS	152.81	ZB	Credentials
Y	CONFIG-0012	CONFIG CARD PACK, OSDP V2 ADDRESSES 0-8, NON-LCD READERS	343.81	ZB	Credentials
Y	CP1000D	CARD PROGRAMMER, SE ENCODER, CP1000	2,000.00	IP	Readers
Y	CRD634ZZ-01342	MOBILE CREDENTIALS; ORGANIZATION SPECIFIC	8.95	IM	Credentials
Y	CRDT-A0	CRDT, ICLASS CREDENTIAL, STD ENCODING	0.00	ZB	Credentials
Y	CRDT-A1	CRDT, ICLASS CREDENTIAL, ELITE ENCODING	0.31	ZB	Credentials
Y	CRDT-A3	CRDT, ICLASS CREDENTIAL, SIO ENCODING	0.00	ZB	Credentials
Y	CRDT-A4	CRDT, ICLASS CREDENTIAL, ELITE SIO ENCODING	0.31	ZB	Credentials
Y	CRDT-A5	CRDT, ICLASS CREDENTIAL, CUSTOM DATA	0.00	ZB	Credentials
Y	CRDT-A6	CRDT, ICLASS CREDENTIAL, KEY ROLLING	0.00	ZB	Credentials
Y	CRDT-B0	CRDT, MIFARE CLASSIC CREDENTIAL, STD ENCODING	0.00	ZB	Credentials
Y	CRDT-B3	CRDT, MIFARE CLASSIC CREDENTIAL, SIO ENCODING	0.00	ZB	Credentials
Y	CRDT-B4	CRDT, MIFARE CLASSIC CREDENTIAL, ELITE SIO ENCODING	0.30	ZB	Credentials
Y	CRDT-B5	CRDT, MIFARE CLASSIC CREDENTIAL, CUSTOM DATA	0.00	ZB	Credentials
Y	CRDT-B6	CRDT, MIFARE CLASSIC CREDENTIAL, KEY ROLLING	0.00	ZB	Credentials
Y	CRDT-C3	CRDT, MIFARE DESFIRE CREDENTIAL, SIO ENCODING	0.00	ZB	Credentials
Y	CRDT-C4	CRDT, MIFARE DESFIRE CREDENTIAL, ELITE SIO ENCODING	0.30	ZB	Credentials
Y	CRDT-C5	CRDT, MIFARE DESFIRE CREDENTIAL, CUSTOM DATA	0.00	ZB	Credentials
Y	CRDT-C6	CRDT, MIFARE DESFIRE CREDENTIAL, KEY ROLLING	0.00	ZB	Credentials
Y	CRDT-D3	CRDT, SEOS CREDENTIAL, SIO ENCODING	0.00	ZB	Credentials
Y	CRDT-D4	CRDT, SEOS CREDENTIAL, ELITE SIO ENCODING	0.30	ZB	Credentials
Y	CRDT-F0	CRDT, MIFARE CLASSIC CREDENTIAL, STD ENCODING, THIRD PART	2.00	ZB	Credentials
Y	CRDT-F3	CRDT, MIFARE CLASSIC CREDENTIAL, SIO ENCODING, THIRD PARTY	2.00	ZB	Credentials
Y	CRDT-F4	CRDT, MIFARE CLASSIC CREDENTIAL, ELITE SIO ENCODING, THIRD PARTY	2.30	ZB	Credentials
Y	CRDT-F5	CRDT, MIFARE CLASSIC CREDENTIAL, CUSTOM DATA, THIRD PARTY	2.00	ZB	Credentials
Y	CRDT-G3	CRDT, MIFARE DESFIRE CREDENTIAL, SIO ENCODING, THIRD PARTY	2.00	ZB	Credentials
Y	CRDT-G4	CRDT, MIFARE DESFIRE CREDENTIAL, ELITE SIO ENCODING, THIRD PARTY	2.30	ZB	Credentials
Y	CRDT-G5	CRDT, MIFARE DESFIRE CREDENTIAL, CUSTOM DATA, THIRD PARTY	0.00	ZB	Credentials
Y	CRDT-H3	CRDT, SEOS CREDENTIAL, SIO ENCODING, THIRD PARTY	3.00	ZB	Credentials
Y	CRDT-H4	CRDT, SEOS CREDENTIAL, ELITE SIO ENCODING, THIRD PARTY	3.30	ZB	Credentials
Y	CRDT-H5	CRDT, SEOS CREDENTIAL, CUSTOM KEYS SIO, THIRD PARTY	2.00	ZB	Readers

Y	CRDT-J0	CRDT, CONFIGURATION CARD CREDENTIAL	0.00	ZB	Credentials
Y	CXCRD-MSSMW-0000	CXCARD, CLAMSHELL W/LOGO, MATCHING #	4.68	LW	Credentials
Y	CXCRD-QSSMW-0000	CXCARD, CLAMSHELL W/LOGO, NON-MATCHING #	4.68	LW	Credentials
Y	CXCRD-SSSKW-0000	CXCRD,CLAMSHELL,W/LOGO	3.74	LW	Credentials
Y	DCID-REF00	SIGNO CFG, NOCHARGE	0.00	IR	Readers
Y	EDP-00186	FNL ASSY, HSI, SUPERVISOR CIRCUIT ONLY	4.46	IR	UNIDENTIFIED
Y	EQM-00608	TOOL, SCTY-SPNR BIT, ENTRYPROX	5.80	ZB	Other Products
Y	FICAM-RETEST	PIVCLASS FICAM PRODUCT UPDATE TESTING SUPPORT, PROFESSIONAL SERVICES	5,250.00	ZB	Services
Y	FICAM-TEST	PROFESSIONAL SERVICES - PIVCLASS FICAM TEST	19,950.00	ZB	Services
Y	FICAM-TEST-KIT	FICAM TEST KIT, PIVCLASS HARDWARE	1,050.00	ZB	Readers
Y	FIPS-140-TEST	PIVCLASS FIPS-140 CERTIFICATION TESTING SUPPORT, PROFESSIONAL SERVICES	10,500.00	ZB	Services
Y	FPCRD-NSSCP-0000	FLEX CARD PRINTABLE W/LOGO	4.10	LW	Credentials
Y	FPCRD-NSSCW-0000	FLEX CARD WHITE W/LOGO	4.10	LW	Credentials
Y	FPCRD-NSSKW-0000	FLEX CARD WHITE W/LOGO	4.10	LW	Credentials
Y	FPCRD-NSSMP-0000	FLEX CARD PRINTABLE W/LOGO	4.10	LW	Credentials
Y	FPCRD-NSSMW-0000	FLEX CARD WHITE W/LOGO	4.10	LW	Credentials
Y	FPCRD-SSSAP-0000	FLEX CARD PRINTABLE W/LOGO	4.10	LW	Credentials
Y	FPCRD-SSSAW-0000	FLEX CARD PRINTABLE W/LOGO	4.10	LW	Credentials
Y	FPCRD-SSSCP-0000	FLEX CARD PRINTABLE W/LOGO	4.10	LW	Credentials
Y	FPCRD-SSSCW-0000	FLEX CARD WHITE W/LOGO	4.10	LW	Credentials
Y	FPCRD-SSSKW-0000	FLEX CARD WHITE W/LOGO	4.10	LW	Credentials
Y	FPCRD-SSSMP-0000	FLEX CARD PRINTABLE,W/LOGO	4.10	LW	Credentials
Y	FPCRD-SSSMW-0000	FLEX CARD WHITE W/LOGO	4.10	LW	Credentials
Y	FPCRD-SSSPW-0000	FLEX CARD WHITE W/LOGO	4.10	LW	Credentials
Y	FPISO-NSSCHA-0000	ISO 30 NO MAGSTRIPE	7.56	LW	Credentials
Y	FPISO-NSSCHB-0000	ISO 30 4000 MAGSTRIPE	7.56	LW	Credentials
Y	FPISO-NSSCNA-0000	ISO 30 NO MAGSTRIPE	7.56	LW	Credentials
Y	FPISO-NSSCNB-0000	ISO 30 4000 MAGSTRIPE	8.08	LW	Credentials
Y	FPISO-NSSCVA-0000	ISO 30 NO MAGSTRIPE	7.56	LW	Credentials
Y	FPISO-NSSCVB-0000	ISO 30 4000 MAGSTRIPE	7.84	LW	Credentials
Y	FPISO-SSSCHA-0000	ISO 30 NO MAGSTRIPE	7.56	LW	Credentials
Y	FPISO-SSSCHB-0000	ISO 30 4000 MAGSTRIPE	7.84	LW	Credentials
Y	FPISO-SSSCNA-0000	ISO 30 NO MAGSTRIPE	7.56	LW	Credentials
Y	FPISO-SSSCNA-110364	ISO 30 NO MAGSTRIPE, PACK IN BOXES OF 50, LASER MARKED	7.14	LW	Credentials
Y	FPISO-SSSCNA-PK100	ISO 30 NO MAGSTRIPE	7.14	LW	Credentials
Y	FPISO-SSSCNB-0000	ISO 30 4000 MAGSTRIPE	8.08	LW	Credentials
Y	FPISO-SSSCVA-0000	ISO, FLEXPASS, PROG, VERT SLOT, NO MAG	7.56	LW	Credentials
Y	FPISO-SSSCVB-0000	ISO 30 4000 MAGSTRIPE	8.08	LW	Credentials
Y	FPIXT-NSSCNA-0000	FLEX ISO XT STANDARD NO MAGSTRIPE	9.99	LW	Credentials
Y	FPIXT-NSSCNB-0000	FLEX ISO XT 4000 MAGSTRIPE	10.06	LW	Credentials
Y	FPIXT-SSSCNA-0000	FLEX ISO XT STANDARD NO MAGSTRIPE	9.99	LW	Credentials
Y	FPIXT-SSSCNB-0000	FLEX ISO XT 4000 MAGSTRIPE	10.06	LW	Credentials
Y	FPIXT-SSSCNH-0000	FLEX ISO XT 300 MAGSTRIPE	9.99	LW	Credentials
Y	FPIXT-SSSCVA-0000	ISO, FLEXPASS XT, PROG, F-GLOSS, B-GLOSS W/INDALA BUG, MATCHING #, VERT SLOT, NO MAGSTRIPE	9.99	LW	Credentials
Y	FPIXT-SSSCVH-0000	FLEX ISO XT 300 MAGSTRIPE, VERT SLOT	9.99	LW	Credentials
Y	FPKEY-NSSS-0000	KEYTAG UNPROGRAMMED	6.99	LW	Credentials
Y	FPKEY-SSSS-0000	KEYTAG PROGRAMMED	6.99	LW	Credentials
Y	FPKEY-SSSS-110364	KEYTAG PROGRAMMED, PACK IN BOXES OF 50, LASER MARKED.	6.66	LW	Credentials
Y	FPKEY-SSSS-A000198	KEYTAG PROGRAMMED, CUSTOM MARKING	6.99	LW	Credentials
Y	FPTAG-NSSS-0002	FLEX TAG GRAY 125KHZ COIL	5.90	LW	Credentials
Y	FPTAG-SSSS-0002	FLEX TAG GREY 125 KHZ COIL, CUSTOM MARKING LOCATION, PLEASE SEE PROOF	5.90	LW	Credentials
Y	FPZ1225A	ENC,BEZEL,LINEAR,SLIM 5 INCH GRAY (21225-002)	7.93	ZB	Readers
Y	FPZ3517H	BEZEL,ARCH,SLIM,5 INCH, BEIGE,HID	24.51	ZB	Readers
Y	FPZ4551A	ENC,BEZEL,LINEAR,MAG/S,5",BLACK (21224-001)	24.51	ZB	Readers
Y	FR-0001	FREIGHT	0.03	ZB	Services
Y	FRMT-J1	FORMAT, ICLASS SE ENCODER, OPEN, NON-TRACKED	0.00	ZB	Credentials
Y	FRMT-J2	FORMAT, ICLASS SE ENCODER, CORPORATE 1000	0.30	ZB	Credentials
Y	IOD-MB-00002	MOBILE CREDENTIAL, ICLASS EMULATION, 16K/2, RESEARCH IN MOTION - ACCESS CREDENTIAL	6.95	IM	Credentials
Y	IP65GSKT-R10	GSKT PACK, IP65, R10 SIZE, ICLASS SE, PACK OF 10 GASKETS	26.23	ZB	Readers
Y	IP65GSKT-R15	GSKT PACK, IP65, R15 SIZE, ICLASS SE, PACK OF 10 GASKETS	26.23	ZB	Readers
Y	IP65GSKT-R30	GSKT PACK, IP65, R30 SIZE, ICLASS SE, PACK OF 10 GASKETS	26.23	ZB	Readers
Y	IP65GSKT-R40	GSKT PACK, IP65, R40 SIZE, ICLASS SE, PACK OF 10 GASKETS	26.23	ZB	Readers
Y	IP65GSKT-RK40	GSKT PACK, IP65, RK40 SIZE, ICLASS SE, PACK OF 10 GASKETS	26.23	ZB	Readers
Y	KIT-AFP1000	KIT,AFP1000,UPGRADE	735.32	LV	Programmers
Y	KSCT0	CRD PFL T0-STD	145.39	IR	Readers
Y	KSCT1	CRD PFL T1-SEOS	38.89	IR	Readers
Y	KSCT2	CRD PFL T2-SMART	92.15	IR	Readers
Y	KSCT3	CRD PFL T3-CSTM	198.65	IR	Readers
Y	LDP-00243	LBL, CUSTOM, SE REV E, HID SEOS LOGO LABEL, NON KPD READER, BLK	4.22	ZB	Readers
Y	LDP-00244	LBL, CUSTOM, SE REV E, HID SEOS LOGO LABEL, KPD READER, BLK	4.22	ZB	Readers
Y	M00000057	USB CABLE FULL SPEED W/O SR (USB A PLUG 72CM LENGTH, BLACK)	150.00	ZB	Product Components
Y	MC-0002	ADV REPLMNT CHG, NON WARR	103.00	ZB	Services
Y	MC-0003	REPAIR CHARGE/EVALUATION, NON WARRANTY	72.10	ZB	Services
Y	MC-0009	REBATE	2.06	ZB	Services
Y	MC-0010	MISC CR	2.06	ZB	Services
Y	MC-0016	MISC CHG, CANCELLATION	2.06	ZB	Services
Y	MC-0017	MISC CHG, CHNG ORD	2.06	ZB	Services

Y	MC-0019	License Fee, Reader	24.00	ZB	UNIDENTIFIED
Y	MC-0023	MISC CHARGE, FIELD PROGRAMMER UPGRADE, DOS TO GUI	412.00	ZB	Services
Y	MC-0036	MISC CHG, ELITE CARD MAINTENANCE FEE	0.35	ZB	Services
Y	MC-0038	REPROGRAMMING FEE FOR PHYSICAL ACCESS ICLASS, HID	34.50	ZB	Services
Y	MC-0039	REPAIR CHARGE, NON WARRANTY	360.50	ZB	Services
Y	MC-0048	MISC CHG FOR TESTING CUSTOMER OWNED CARDS	0.26	ZB	Services
Y	MC-1000	SERVICE FEE: CORPORATE 1000 CARD FORMAT	0.35	ZB	Services
Y	MC-1050AGL00-RENEW	MISC CHG, NON-SHIPPING, PROXPROGRAMMER, HID PROX	2,000.00	ZB	Services
Y	MC-3152-0420-RENEW	MISC CHG, NON-SHIPPING, 420 MAGSTRIPE ENCODER, DORADO	2,000.00	ZB	Services
Y	MC-501-7753-RENEW	MISC CHG, NON-SHIPPING, PROXBURN, SMARTID	2,000.00	ZB	Services
Y	MC-501-7756-RENEW	MISC CHG, NON-SHIPPING, READERTOOLS, SMARTID	2,000.00	ZB	Services
Y	MC-6250BNN00-RENEW	MISC CHG, NON-SHIPPING, CP575A BIOMETRIC, BIOICLASS	2,000.00	ZB	Services
Y	MDP-00038	SUB ASSY, COVER ASSY, EURO, ARCHITECTURAL RDR, GRY/GRY	18.36	ZB	Readers
Y	MDP-00354	MTG PLATE, ICLASS UNIV RDR, R10/RP10 MINI MULLION, BLACK, ROHS COMPLIANT	18.36	ZB	Readers
Y	MDP-04194	CASE, SIGNO 20 DEMO KIT	47.57	ZB	Readers
Y	MISC-AC	MISCELLANEOUS ANTI-COUNTERFEITING CHARGE	1.15	IY	Credentials
Y	MISC-FULFIL	MISCELLANEOUS FULFILLMENT CHARGE	1.15	IY	Credentials
Y	MME-00118	R/RP10 BACKPLATE (2.4GHZ) REFLECTIVE SHIELD INSERT WITH ADHESIVE.	19.67	ZB	Readers
Y	MME-00119	R/RP15 BACKPLATE (2.4GHZ) REFLECTIVE SHIELD INSERT WITH ADHESIVE	19.67	ZB	Readers
Y	MME-00121	R/RP40 BACKPLATE (2.4GHZ) REFLECTIVE SHIELD INSERT WITH ADHESIVE	19.67	ZB	Readers
Y	MME-00122	RK/RPK40 BACKPLATE (2.4GHZ) REFLECTIVE SHIELD INSERT WITH ADHESIVE	19.67	ZB	Readers
Y	OPTICAL-VI	OPTICAL VARIABLE INK PER APPLICATION PER SIDE	1.54	IY	Product Components
Y	ORIGO-TPS-OMI-APIVAL	HID ORIGO MOBILE IDENTITIES INTEGRATION - API VALIDATION	1,500.00	PB	Technical Services
Y	ORIGO-TPS-OMI-BUNDLE01	HID ORIGO MOBILE IDENTITIES INTEGRATION - SERVICE BUNDLE	4,425.00	PB	Technical Services
Y	ORIGO-TPS-OMI-SDKVAL	HID ORIGO MOBILE IDENTITIES INTEGRATION - SDK VALIDATION	2,500.00	PB	Technical Services
Y	ORIGO-TPS-OMI-STARTER	HID ORIGO MOBILE IDENTITIES INTEGRATION - STARTER PACK	725.00	PB	Technical Services
Y	PLUGIN-DEV	PROFESSIONAL SERVICES - IMPLEMENTATION - PIVCLASS PLUGIN DEVELOPMENT	21,000.00	ZB	Services
Y	PROX-ANK14	HID PROX KEYPAD CONFIGURATION CARD, 26-BIT OUTPUT, CARD EMULATION MODE	37.86	ZB	Credentials
Y	PROX-AXK09	HID PROX KEYPAD CONFIGURATION CARD, 8 BIT, BUFFER 1 KEY AND ADD COMPLIMENT (DORADO)	37.86	ZB	Credentials
Y	PROX-AXK10	HID PROX KEYPAD CONFIGURATION CARD, BUFFER 6 KEYS AND ADD PARITY	37.86	ZB	Credentials
Y	PROX-AXK11	HID PROX KEYPAD CONFIGURATION CARD, BUFFER 1 KEY AND ADD PARITY (EDICON, ASMD)	37.86	ZB	Credentials
Y	PROX-AXK12-A	HID PROX CONFIGURATION CARD, CLOCK & DATA CARD 1	37.86	ZB	Credentials
Y	PROX-AXK12-B	HID PROX CONFIGURATION CARD, CLOCK & DATA CARD 2	37.86	ZB	Credentials
Y	PROX-AXN00	HID PROX CONFIGURATION CARD, BEEP ON, LED NORMALLY RED, READER FLASHES GREEN ON READ, SINGLE LINE CONTROL.	37.86	ZB	Credentials
Y	PROX-AXN01	HID PROX CONFIGURATION CARD, BEEP OFF, LED NORMALLY RED, READER FLASHES GREEN ON READ, SINGLE LINE CONTROL.	37.86	ZB	Credentials
Y	PROX-AXN02	HID PROX CONFIGURATION CARD, BEEP ON, LED NORMALLY OFF, READER FLASHES GREEN ON READ, DUAL LINE CONTROL.	37.86	ZB	Credentials
Y	PROX-AXN03	HID PROX CONFIGURATION CARD, BEEP OFF, LED NORMALLY OFF, READER FLASHES GREEN ON READ, DUAL LINE CONTROL.	37.86	ZB	Credentials
Y	PROX-AXN04	HID PROX CONFIGURATION CARD, BEEP ON, LED NORMALLY RED, HOST FLASHES GREEN SINGLE LINE CONTROL.	37.86	ZB	Credentials
Y	PROX-AXN05	HID PROX CONFIGURATION CARD, BEEP OFF, LED NORMALLY RED, HOST FLASHES GREEN, SINGLE LINE CONTROL.	37.86	ZB	Credentials
Y	PROX-AXN06	HID PROX CONFIGURATION CARD, BEEP ON, LED NORMALLY OFF, HOST FLASHES RED AND/OR GREEN	37.86	ZB	Credentials
Y	PROX-AXN07	HID PROX CONFIGURATION CARD, BEEP OFF, LED NORMALLY OFF, HOST FLASHES RED AND/OR GREEN	37.86	ZB	Credentials
Y	PROX-AXS27	HD PROX CONFIGURATION CARD, RESET TO FACTORY DEFAULTS	37.86	ZB	Credentials
Y	PVC-API	PIVCLASS FIPS 201 SDK, DOWNLOAD, OEM ONLY	21,000.00	ZB	Software
Y	PVC-API-MS	PIVCLASS FIPS 201 SDK, STD M&S 8X5 M-F CST, OEM ONLY	3,780.00	ZB	Software
Y	PVC-API-RTL	PIVCLASS FIPS 201 SDK, RUN TIME LICENSE, DOWNLOAD, OEM ONLY	3,150.00	ZB	Software
Y	PVC-API-RTLP-01-00	PIVCLASS FIPS 201 SDK, RUN TIME LICENSE PLUS, SYMMETRY - AMAG, DOWNLOAD	8,400.00	ZB	Software
Y	PVC-API-RTLP-02-00	PIVCLASS FIPS 201 SDK, RUN TIME LICENSE PLUS, WEBRIX - AMT, DOWNLOAD	8,400.00	ZB	Software
Y	PVC-API-RTLP-03-00	PIVCLASS FIPS 201 SDK, RUN TIME LICENSE PLUS, OnSite Server - BRIVO, DOWNLOAD	8,400.00	ZB	Software
Y	PVC-API-RTLP-03-01	PIVCLASS FIPS 201 SDK, RUN TIME LICENSE PLUS, ONAIR FOR GOVERNMENT - BRIVO, DOWNLOAD	8,400.00	ZB	Software
Y	PVC-API-RTLP-04-00	PIVCLASS FIPS 201 SDK, RUN TIME LICENSE PLUS, CA 3000 - CONTINENTAL ACCESS, DOWNLOAD	8,400.00	ZB	Software
Y	PVC-API-RTLP-05-00	PIVCLASS FIPS 201 SDK, RUN TIME LICENSE PLUS, D3000 - DATAWATCH, DOWNLOAD	8,400.00	ZB	Software
Y	PVC-API-RTLP-06-00	PIVCLASS FIPS 201 SDK, RUN TIME LICENSE PLUS, WINDSX - DSX, DOWNLOAD	8,400.00	ZB	Software
Y	PVC-API-RTLP-07-00	PIVCLASS FIPS 201 SDK, RUN TIME LICENSE PLUS, COMMAND CENTRE - GALLAGHER, DOWNLOAD	8,400.00	ZB	Software
Y	PVC-API-RTLP-08-00	PIVCLASS FIPS 201 SDK, RUN TIME LICENSE PLUS, VELOCITY - HIRSCH-IDENTIVE, DOWNLOAD	8,400.00	ZB	Software
Y	PVC-API-RTLP-09-01	PIVCLASS FIPS 201 SDK, RUN TIME LICENSE PLUS, EBI - HONEYWELL, DOWNLOAD	8,400.00	ZB	Software
Y	PVC-API-RTLP-09-02	PIVCLASS FIPS 201 SDK, RUN TIME LICENSE PLUS, PRO-WATCH - HONEYWELL, DOWNLOAD	8,400.00	ZB	Software
Y	PVC-API-RTLP-10-00	PIVCLASS FIPS 201 SDK, RUN TIME LICENSE PLUS, PREMISYS - IDENTICARD, DOWNLOAD	8,400.00	ZB	Software
Y	PVC-API-RTLP-11-00	PIVCLASS FIPS 201 SDK, RUN TIME LICENSE PLUS, P2000 - JOHNSON CONTROLS, DOWNLOAD	8,400.00	ZB	Software
Y	PVC-API-RTLP-12-00	PIVCLASS FIPS 201 SDK, RUN TIME LICENSE PLUS, ENTRAPASS - KANTECH, DOWNLOAD	8,400.00	ZB	Software
Y	PVC-API-RTLP-13-00	PIVCLASS FIPS 201 SDK, RUN TIME LICENSE PLUS, SYSTEM VII - KEYSCAN, DOWNLOAD	8,400.00	ZB	Software
Y	PVC-API-RTLP-14-00	PIVCLASS FIPS 201 SDK, RUN TIME LICENSE PLUS, ONGUARD - LENEL, DOWNLOAD	8,400.00	ZB	Software
Y	PVC-API-RTLP-15-00	PIVCLASS FIPS 201 SDK, RUN TIME LICENSE PLUS, FRONTIER - MATRIX SYSTEMS, DOWNLOAD	8,400.00	ZB	Software
Y	PVC-API-RTLP-16-00	PIVCLASS FIPS 201 SDK, RUN TIME LICENSE PLUS, DNA FUSION - OPEN OPTIONS, DOWNLOAD	8,400.00	ZB	Software
Y	PVC-API-RTLP-17-00	PIVCLASS FIPS 201 SDK, RUN TIME LICENSE PLUS, ACCESSNSITE - QUINTRON, DOWNLOAD	8,400.00	ZB	Software
Y	PVC-API-RTLP-18-00	PIVCLASS FIPS 201 SDK, RUN TIME LICENSE; AVIGILON ACM, DOWNLOAD	8,400.00	ZB	Software
Y	PVC-API-RTLP-19-00	PIVCLASS FIPS 201 SDK, RUN TIME LICENSE PLUS, ACCESS IT - RS2 TECHNOLOGIES, DOWNLOAD	8,400.00	ZB	Software
Y	PVC-API-RTLP-20-00	PIVCLASS FIPS 201 SDK, RUN TIME LICENSE PLUS, NETBOX - S2, DOWNLOAD	8,400.00	ZB	Software
Y	PVC-API-RTLP-21-00	PIVCLASS FIPS 201 SDK, RUN TIME LICENSE PLUS, PINNACLE - SIELOX, DOWNLOAD	8,400.00	ZB	Software
Y	PVC-API-RTLP-22-00	PIVCLASS FIPS 201 SDK, RUN TIME LICENSE PLUS, SIPASS - SIEMENS, DOWNLOAD	8,400.00	ZB	Software
Y	PVC-API-RTLP-23-01	PIVCLASS FIPS 201 SDK, RUN TIME LICENSE PLUS, CCURE 800 - SOFTWARE HOUSE, DOWNLOAD	8,400.00	ZB	Software
Y	PVC-API-RTLP-23-02	PIVCLASS FIPS 201 SDK, RUN TIME LICENSE PLUS, CCURE 9000 - SOFTWARE HOUSE, DOWNLOAD	8,400.00	ZB	Software
Y	PVC-API-RTLP-24-01	PIVCLASS FIPS 201 SDK, RUN TIME LICENSE PLUS, FACILITY COMMANDER WNX - UTC, DOWNLOAD	8,400.00	ZB	Software
Y	PVC-API-RTLP-24-02	PIVCLASS FIPS 201 SDK, RUN TIME LICENSE PLUS, PICTURE PERFECT - UTC, DOWNLOAD	8,400.00	ZB	Software
Y	PVC-API-RTLP-25-00	PIVCLASS FIPS 201 SDK, RUN TIME LICENSE PLUS, AMANONET - AMANO MCGANN, DOWNLOAD	8,400.00	ZB	Software
Y	PVC-API-RTLP-26-00	PIVCLASS FIPS 201 SDK, RUN TIME LICENSE PLUS, MONITOR DYNAMICS - SAFENETFOR FIPS 201 SDK	8,400.00	ZB	Software
Y	PVC-API-RTLP-27-00	PIVCLASS FIPS 201 SDK, RUN TIME LICENSE PLUS, GENETEC - SECURITY CENTER	8,400.00	ZB	Software
Y	PVC-API-RTLP-35-00	PIVCLASS FIPS 201 SDK, RUN TIME LICENSE PLUS, RECONASENSE, DOWNLOAD	8,400.00	ZB	Software

Y	R3110-7802	REPAIR,MAGSTRIPE READER, MODEL 780, RUGGEDIZED W/KEYPAD & HEATER BAR, READ ABA/ANSI/EMPI FORMATS, BA	1,129.46	MS	Readers
Y	R8052	RDR, HID BIOPLUS DESFIRE EV1	1,105.00	IR	Readers
Y	RDRSEU908K00000	RDR, U90, ICLASS, SE REV E, NO PROX, UHF, 865-868 MHZ, STD, WIEGAND, TERM, BLK, STD 1 SECURITY	1,649.04	IR	Readers
Y	RDRSEU908KE0000	RDR, U90, ICLASS, SE REV E, NO PROX, UHF, 865-868 MHZ, STD, WIEGAND, TERM, BLK, ELITE KEYS	1,649.04	IR	Readers
Y	RDRSEU909K00000	RDR, U90, ICLASS, SE REV E, NO PROX, UHF, 902-928 MHZ, STD, WIEGAND, TERM, BLK, STD 1 SECURITY	1,649.04	IR	Readers
Y	RDRSEU909KE0000	RDR, U90, ICLASS, SE REV E, NO PROX, UHF, 902-928 MHZ, STD, WIEGAND, TERM, BLK, ELITE KEYS	1,649.04	IR	Readers
Y	SC00	CRD PFL STD	100.02	IR	Readers
Y	SC01	CRD PFL SEOS	0.00	IR	Readers
Y	SC02	CRD PFL SMART	50.01	IR	Readers
Y	SC03	CRD PFL CSTM	150.02	IR	Readers
Y	SCT0	CRD PFL T0-STD	127.58	IR	Readers
Y	SCT1	CRD PFL T1-SEOS	21.07	IR	Readers
Y	SCT2	CRD PFL T2-SMART	74.32	IR	Readers
Y	SCT3	CRD PFL T3-CSTM	180.82	IR	Readers
Y	SE-DEMO-CARDSET	SE SALES KIT, DEMO CARD SET, 9 DEMO GROUPS	200.00	IR	Readers
Y	SE-OSDP-DTK	FINAL ASSY, HID ICLASS SE OSDP DTK	1,500.00	IR	Readers
Y	SE-SALESKIT-9	SE SALES KIT, CARD DEMO #9	60.00	ZB	Readers
Y	SE-SEOS-2-CRD0	CFG CARD KIT, SE, STD-2, SEOS READERS, ALL AVAILABLE CARDS	534.83	ZB	Credentials
Y	SE-SEOS-2-CRD1	CFG CARD KIT, SE, STD-2, SEOS READERS, PROX AND SEOS CARD SETTINGS	97.02	ZB	Credentials
Y	SE-SEOS-2-CRD2	CFG CARD KIT, SE, STD-2, SEOS READERS, PANEL OUTPUT SETTINGS	72.77	ZB	Credentials
Y	SE-SEOS-2-CRD3	CFG CARD KIT, SE, STD-2, SEOS READERS, AUDIO VISUAL SETTINGS	315.32	ZB	Credentials
Y	SE-SEOS-2-CRD4	CFG CARD KIT, SE, STD-2, SEOS READERS, KEYPAD FORMAT SETTINGS	97.02	ZB	Credentials
Y	SE-SEOS-E-CRD0	CFG CARD KIT, SE, ELITE, SEOS READERS, ALL AVAILABLE CARDS	534.83	ZB	Credentials
Y	SE-SEOS-E-CRD1	CFG CARD KIT, SE, ELITE, SEOS READERS, PROX AND SEOS CARD SETTINGS	97.02	ZB	Credentials
Y	SE-SEOS-E-CRD2	CFG CARD KIT, SE, ELITE, SEOS READERS, PANEL OUTPUT SETTINGS	72.77	ZB	Credentials
Y	SE-SEOS-E-CRD3	CFG CARD KIT, SE, ELITE, SEOS READERS, AUDIO VISUAL SETTINGS	315.32	ZB	Credentials
Y	SE-SEOS-E-CRD4	CFG CARD KIT, SE, ELITE, SEOS READERS, KEYPAD FORMAT SETTINGS	97.02	ZB	Credentials
Y	SEC-AA-CRD-E-CONFIG	CFG CARD, SE, ELITE, CFG PFL, ELITE UPGRADE CARD, UPGARE TO ELITE READER ADMIN KEY	33.99	ZB	Credentials
Y	SEC-AA-CRD-E-MKYD	MOBILE KEY CARD, CFG CARD, SEOS KEYS AND CONFIGURATION	33.99	ZB	Readers
Y	SEC-AA-CRD-E-P000	CFG CARD, SE, ELITE, CFG PFL, ELITE UPGRADE CARD, UPGARE TO ELITE READER ADMIN KEY	33.99	ZB	Credentials
Y	SEC-AA-CRD-E-P001	CFG CARD, SE, ELITE, CFG PFL, ELITE UPGRADE CARD, UPGRADE TO ELITE CREDENTIAL KEYS	33.99	ZB	Credentials
Y	SEC-AA-CRD-E-P002	CFG CARD, SE, ELITE, CFG PFL, ELITE DOWNGRADE CARD, DOWNGRADE TO STANDARD READER ADMIN KEY	33.99	ZB	Credentials
Y	SEC-AA-CRD-E-P003	CFG CARD, SE, STD, CFG PFL, ELITE DOWNGRADE CARD, DOWNGRADE TO STANDARD-1 CREDENTIAL KEYS	33.99	ZB	Credentials
Y	SEC-OK-CRD-E-CONFIG	CFG CARD, SE, ELITE, CFG PFL, ELITE UPGRADE CARD, UPGARE TO ELITE READER ADMIN KEY	33.99	ZB	Credentials
Y	SEC-OK-CRD-E-MKYD	CFG CARD, SE, ELITE, CFG PFL, ELITE UPGRADE CARD, UPGARE TO ELITE READER ADMIN KEY	33.99	ZB	Credentials
Y	SEC-OK-CRD-E-P000	CFG CARD, SE, ELITE, CFG PFL, ELITE UPGRADE CARD, UPGARE TO ELITE READER ADMIN KEY	33.99	ZB	Credentials
Y	SEC-OK-CRD-E-P001	CFG CARD, SE, ELITE, CFG PFL, ELITE UPGRADE CARD, UPGRADE TO ELITE CREDENTIAL KEYS	33.99	ZB	Credentials
Y	SEC-OK-CRD-E-P002	CFG CARD, SE, ELITE, CFG PFL, ELITE DOWNGRADE CARD, DOWNGRADE TO STANDARD READER ADMIN KEY	33.99	ZB	Credentials
Y	SEC-OK-CRD-E-P003	CFG CARD, SE, ELITE, CFG PFL, ELITE DOWNGRADE CARD, DOWNGRADE TO STANDARD-1 CREDENTIAL KEYS	33.99	ZB	Credentials
Y	SEC9X-CRD-0-0000	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0001	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0002	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0003	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0003-TEST	CFG CARD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF (RFD FW R6 AND ABOVE, RPK MODELS), TEST CARD ONLY, USES XML SSEC9-GRPC-0003	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0004	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0005	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0006	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, BCD, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0007	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, IPM OFF, UART ON, WIEG OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0008	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0009	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-000A	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, BCD, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-000B	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, LCD 1F, IPM OFF, UART ON, WIEG OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-000C	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-000F	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, LED OFF, FLSH OFF, BZR OFF, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, FIPS 200-BIT, A/V OFF, KPF, ASCII, BFFRD 1 KEY, IPM OFF, UART OFF, WIEG OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-000G	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, FIPS 200-BIT, A/V OFF, KPF, ASCII, BFFRD 1 KEY, LCD 1F, IPM OFF, UART OFF, WIEG OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-000K	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 26-BIT MSB, IPM OFF (RFD FW R6 AND ABOVE, R MODELS)	39.35	ZB	Readers
Y	SEC9X-CRD-0-000Q	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, LED RED, FLSH GRN, BZR ON, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, FIPS 200-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-000R	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-000T	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, FIPS 200-BIT, A/V OFF, KPF, ASCII, BFFRD 1 KEY, IPM OFF, UART OFF, WIEG OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-000U	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, FIPS 200-BIT, A/V OFF, KPF, ASCII, BFFRD 1 KEY, LCD 1F, IPM OFF, UART OFF, WIEG OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-000V	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0015	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 34-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0016	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, MIF/DES 56-BIT CSN, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0017	CFG CARD, SE, STD, CFG PFL, LF CST, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0018	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, MIF/DES 56-BIT CSN, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-001D	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 26-BIT (W/DEFAULT FC), IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-001F	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR ON, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-001G	CFG CARD, SE, STD, CFG PFL, LF CST, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR ON, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-001H	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH GRN, BZR ON, CSN 40-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-001L	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT LSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-001M	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR ON, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-001Q	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 26-BIT (W/DEFAULT FC), IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-001R	CFG CARD, SE, STD, CFG PFL, LF CST, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-001T	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-001U	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 40-BIT, BCD, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-001V	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-001W	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials

Y	SEC9X-CRD-0-001Y	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, BCD, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0020	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 40-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0021	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR OFF, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0022	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR OFF, CSN 56-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0025	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR OFF, CSN 34-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0026	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0027	CFG CARD, SE, STD, CFG PFL, LF CST, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0028	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/MIFSPR, WIEG, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0029	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH OFF, BZR ON, CSN 26-BIT (W/DEFAULT FC), IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-002B	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR OFF, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-002D	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-002E	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/MIFSPR, WIEG, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-002F	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 37-BIT LSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-002G	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-002H	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-002J	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH OFF, BZR ON, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-002K	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-002N	CFG CARD, SE, STD, CFG PFL, LF CST, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-002P	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 34-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-002Q	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 37-BIT LSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-002R	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-002T	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-002U	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-002V	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT LSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-002W	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-002Y	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, MIF/DES 56-BIT CSN, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0031	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 37-BIT LSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0032	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, RVRS BCD, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0033	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH OFF, BZR ON, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0037	CFG CARD, SE, STD, CFG PFL, RKLB40, ICLASS, SE E, LF OFF, HF STD BIO/SEOS BIO, LCD/BIO, WIEG, TERM, BLK, STD-1, LED RED, FLSH OFF, BEEP ON, BZR ON, LCD 1F, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	39.35	ZB	Readers
Y	SEC9X-CRD-0-0038	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, MIF/DES 56-BIT CSN, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0039	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-003A	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-003C	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-003D	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 37-BIT LSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-003E	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH GRN, BZR ON, CSN 26-BIT (W/DEFAULT FC), IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-003K	CFG CARD, SE, STD, CFG PFL, LF CST, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR OFF, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-003M	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH OFF, BZR OFF, CSN 56-BIT LSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-003N	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 34-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-003P	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 37-BIT LSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-003Q	CFG CARD, SE, STD, CFG PFL, LF CST, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-003R	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-003T	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 40-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-003U	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 40-BIT, BCD, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-003V	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/MIFSPR, WIEG, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-003W	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 TO 6 KEYS, PAR, 26-BIT MSG, IPM OFF	39.35	ZB	Readers
Y	SEC9X-CRD-0-003Y	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, RVRS BCD, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-004	CFG CARD , KPF, BFFRD ONE TO FIVE KEYS, PARITY, USER ENTERED FC, 26-BIT MSG	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0040	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0042	CFG CARD, SE, LF STD, HF STD/SIO/SEOS/MAG, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, MAG, BASIC MS RAW OUTPUT AS RECD, WIEG, IPM OFF	39.35	ZB	Readers
Y	SEC9X-CRD-0-0044	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, BCD, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0046	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0047	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, EM4102 32-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0048	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR OFF, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-004A	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-004C	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-004D	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR OFF, CSN 34-BIT MSB, KPF, BFFRD 1 KEY, PAR, 6-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-004F	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/MIFSPR, WIEG, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN MIF SUPPR, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-004G	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 26-BIT (W/DEFAULT FC), IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-004H	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR OFF, CSN 26-BIT (W/DEFAULT FC), IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-004J	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-004K	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, MIF/DES 56-BIT CSN, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-004L	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/MIFSPR, WIEG, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-004M	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-004P	CFG CARD, SE, STD, CFG PFL, LF CST, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-004Q	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR OFF, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-004R	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, RVRS BCD, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-004T	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 26-BIT (W/DEFAULT FC), IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-004U	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-004V	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 40-BIT, BCD, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-004W	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH OFF, BZR ON, CSN 40-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-004Y	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0050	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0051	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/,MAG, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32 BIT, MAG, ABA ALL DGTS +10 LEAD/TRAIL ZEROS, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0054	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, RVRS BCD, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0056	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0057	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	39.35	ZB	Credentials

Y	SEC9X-CRD-0-0059	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/MIFSPR, WIEG, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-005A	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT LSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-005B	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH OFF, BZR ON, CSN 34-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-005D	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, MIF/DES 56-BIT CSN, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-005E	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, PIG, BLK, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 34-BIT MSB, EM4102 32-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	39.35	ZB	Readers
Y	SEC9X-CRD-0-005F	CFG CARD, SE, STD, CFG PFL, LF CST, HF STD/SIO/SEOS, WIEG, LED RED, FLSH OFF, BZR ON, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-005J	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 56-BIT LSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-005K	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 40-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-005L	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, LOCAL PIN VERIFY, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-005P	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-005Q	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, EM4102 26-BIT, MIFARE CSN SUPPR, WIEG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-005T	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-005W	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, BCD, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-005Y	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR OFF, CSN 26-BIT (W/DEFAULT FC), IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0060	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/MIFSPR, WIEG, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0061	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR ON, CSN 26-BIT (W/DEFAULT FC), IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0062	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0065	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0066	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0068	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-006A	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 37-BIT LSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-006B	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-006C	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH OFF, BZR OFF, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-006F	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, RVRS BCD, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-006G	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 26-BIT (W/DEFAULT FC), IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-006H	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/MAG, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB,ABA ALL DGTS + 10 LEAD/TRAIL ZEROS, WIEG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-006K	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH GRN, BZR ON, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-006M	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR ON, CSN 34-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-006Q	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-006T	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, MIF/DES 56-BIT CSN, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-006V	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, MIF/DES 26-BIT CSN, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-006W	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, RVRS BCD, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-006Y	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR OFF, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0070	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR OFF, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0071	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 34-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0072	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/MIFSPR, WIEG, LED OFF, FLSH OFF, BZR ON, CSN MIF SUPPR, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0073	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, BCD, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0075	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/MAG, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, BASIC MS RAW OUTPUT AS RECD, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0076	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT LSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-007B	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, BCD, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-007C	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/MAG, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, MAG, ABA ALL DGTS + 10 LEAD/TRAIL ZEREOS, WIEG, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-007D	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR OFF, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-007E	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 40-BIT, RVRS BCD, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-007G	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-007J	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, MIF/DES 26-BIT CSN, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-007L	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, PAR, 6-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-007N	CFG CARD, SE, STD, CFG PFL, LF OFF, HF ICLASS SIO/SEOS, WIEG, LED BLUE, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, TEST KEYS, CSN SUPPR, IPM OFF, UART OFF	39.35	ZB	Readers
Y	SEC9X-CRD-0-007Q	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, PAR, 6-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-007R	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-007T	CFG CARD, SE, STD, CFG PFL, LF CST, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-007V	CFG CARD, SE, STD, LF OFF, HF STD/SIO/SEOS, 485HDX, A/V OFF, OSDP, OPT TAMP, OPEN COLL, OSDP TAM ENE KEY, POLL=75MS, CSN 32-BIT MSB, IPM OFF, UART OFF, WEIG, OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-007W	CFG CARD, SE, STD, CFG PFL, LF OFF, HF ICLASS SIO/SEOS, WIEG, LED BLUE, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, TEST KEYS, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, CSN SUPPR, IPM OFF, UART OFF	39.35	ZB	Readers
Y	SEC9X-CRD-0-0080	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH OFF, BZR ON, CSN 32-BIT MSB, EM4102 32-BIT, KPF, BFFRD 6 KEYS, PAR, 26-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0083	CFG CARD, SE, STD, CFG PFL, LF CST, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0088	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, RVRS BCD, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0089	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH OFF, BZR ON, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-008A	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, C&D, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-008B	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, C&D, LED RED, FLSH GRN, BZR ON, CSN 26-BIT (W/DEFAULT FC), IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-008C	CFG CARD, SE, STD, CFG PFL, LF CST, HF STD/SIO/SEOS, C&D, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-008D	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH GRN, BZR ON, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-008E	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR ON, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-008F	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR OFF, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-008J	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH OFF, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-008L	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR ON, CSN 34-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-008P	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-008T	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-008U	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-008X	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, CSN 32-BIT MSB, I'M ALIVE 10SEC, IPM OFF	39.35	ZB	Readers
Y	SEC9X-CRD-0-008Y	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH OFF, BZR ON, CSN 32-BIT LSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0091	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED OFF, FLSH GRN, BZR OFF, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0093	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR OFF, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0095	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/MIFSPR, C&D, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0096	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH OFF, BZR ON, CSN 26-BIT (W/DEFAULT FC), IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0097	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, MIF/DES 26-BIT CSN, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0098	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 26-BIT (W/DEFAULT FC), IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0099	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-009C	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH GRN, BZR ON, CSN 40-BIT MSB, IPM OFF	39.35	ZB	Credentials

Y	SEC9X-CRD-0-009F	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, PAR, 6-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-009G	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, EM4102 32-BIT, MIFARE CSN SUPPR, WIEG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-009P	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR OFF, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-009R	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR ON, CSN 34-BIT MSB, EM4102 34-BIT, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-00AW	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR OFF, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG,, KP BEEP OFF, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-00AY	CFG CARD, SE, STD, LF CST, HF OFF, CUSTOM SETTINGS, PSK ONLY, WIEG, LED BLUE, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-00C6	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/MIGR/MAG, WIEG, LED RED, FLSH GRN, BZR ON, IPM OFF, MAG EVCM2000, GENERIC UNIVERSITY	39.35	ZB	Credentials
Y	SEC9X-CRD-0-00C7	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/MIGR/MAG, WIEG, LED RED, FLSH GRN, BZR ON, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MAG EVCM2000, GENERIC UNIVERSITY	39.35	ZB	Credentials
Y	SEC9X-CRD-0-00D0	CFG CARD, SE, CFG PFL, LF STD, HF STD/SIO/SEOS/MAG, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, MAG, ABA ALL DGTS + 10 LEAD/TRAIL ZEREOS, WIEG, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	39.35	ZB	Readers
Y	SEC9X-CRD-0-00FA	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, 485HDX, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=50MS, CSN 32-BIT MSB, IPM OFF, UART OFF, WIEG OFF	39.35	ZB	Readers
Y	SEC9X-CRD-0-00FB	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, 485HDX, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=50MS, CSN 32-BIT MSB, KPF, ASCII, BFFRD 1 KEY, IPM OFF, UART OFF, WIEG OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-00FC	CFG PFL, LF STD, HF STD/SIO/SEOS, 485HDX, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=50MS, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, UART OFF, WIEG OFF	39.35	ZB	Readers
Y	SEC9X-CRD-0-00FD	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, 485HDX, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=50MS, CSN 32-BIT MSB, EM4102 32-BIT, KPF, ASCII, BFFRD 1 KEY, IPM OFF, UART OFF, WIEG OFF	39.35	ZB	Readers
Y	SEC9X-CRD-0-00HA	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-00HC	CFG CARD, SE, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Readers
Y	SEC9X-CRD-0-00HD	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Readers
Y	SEC9X-CRD-0-00J9	CFG CARD, SE, STD, CFG PFL, LF OFF, HF MIFARE CSN ONLY, WIEG, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, I'M ALIVE 60 SEC, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-00JA	CFG CARD, SE, STD, CFG PFL, LF OFF, HF ICLASS LEGACY ONLY, WIEG, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, I'M ALIVE 60 SEC, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-00JB	CFG CARD, SE, STD, CFG PFL, LF CST, HF OFF, WIEG, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, PSK INDALA, EM4102 32-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, I'M ALIVE 60 SEC, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-00JF	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 56-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-00JK	CFG CARD, SE E, LF STD, HF STD/SIO/SEOS/MAG, 485 HDX, PIG, BLK, C&D, LED RED, FLSH GRN, BZR ON, OPT TMP/OPN COL, CSN 32-BIT MSB, EM4102 32-BIT, MAG, ABA, ALL BITS RAW, TRACK 1, IPM OF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-00MR	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, FIPS 75-BIT, PROX PRIORITY, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-00MT	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 56-BIT MSB REVERSE BYTE, PROX FSK ONLY, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-00NW	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/MAG, C&D, LED RED, FLSH GRN, BZR ON, OPT TAMP, OC, CSN 32-BIT MSB, EM4102 32-BIT, MAG, ABA ALL DGTS + 10 LEAD/TRAIL ZEREOS, CUSTOM C/D, KPF, BFFRD 1 KEY,DOR COMPL,NO PAR,8-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-00R2	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, LED RED, FLSH GRN, BZR ON, KPF, BFFRD 1 KEY, NO PAR, 8-BIT MSG, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Readers
Y	SEC9X-CRD-0-00R3	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, 485HDX, A/V OFF, OSDP V1, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, KPF, ASCII, BFFRD 1 KEY, IPM OFF, UART OFF, WIEG OFF	39.35	ZB	Readers
Y	SEC9X-CRD-0-00RD	CFG CARD, SE, STD, CFG PFL, LF FSK, HF 14443A CSN ONLY, WIEG, LED RED, FLSH ON, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, HID PROX ONLY, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-00RL	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/MIFSPR, WIEG, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN MIF SUPPR, EM4102 32-BIT, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-00RM	CFG CARD, SE, STD, CFG PFL, LF CST, HF STD/SIO/SEOS/MIFSPR, WIEG, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN MIF SUPPR, EM4102 32-BIT, IPM OFF, PSK INDALA	39.35	ZB	Credentials
Y	SEC9X-CRD-0-00TV	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, STD-1, LED BLUE, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Readers
Y	SEC9X-CRD-0-00UN	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/MAG, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, MAG, ABA CNVRT LAST 9 DIG TO 34-BIT, WIEG, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Readers
Y	SEC9X-CRD-0-00Y5	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, DOR COMPL, BFFRD 1 KEY, NO PAR, 8 BIT-MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Readers
Y	SEC9X-CRD-0-00Y6	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, DOR COMPL, BFFRD 1 KEY, NO PAR, 8 BIT-MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Readers
Y	SEC9X-CRD-0-00Y7	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, LED RED, FLSH GRN, BZR ON, FIPS 128-BIT REVERSED, KPF, DOR COMPL, BFFRD 1 KEY, NO PAR, 8 BIT-MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Readers
Y	SEC9X-CRD-0-00YL	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, ALL BZR OFF, CSN 32-BIT MSB, EM4102 32-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Readers
Y	SEC9X-CRD-0-0100	CFG CARD, SE, STD, CFG PFL, LF CST, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0105	CFG CARD, SE, STD, CFG PFL, LF CST, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR OFF, CSN 37-BIT LSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-010W	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, EM4102 34-BIT, WIEG, PAR MOD, MIFARE CSN SUPPR, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0110	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 40-BIT, BCD, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-011D	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 56-BIT LSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-011G	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, MIF/DES 56-BIT CSN, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-011K	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, MIF/DES 56-BIT CSN, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-011T	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 40-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-011V	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, EM4102 32-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-011W	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, EM4102 32-BIT, MIFARE CSN SUPPR, WIEG, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0121	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 128-BIT, FASCN + RMV OVRHD, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0127	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 40-BIT, BCD, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-012B	CFG CARD, SE, STD, CFG PFL, LF CST, HF STD/SIO/SEOS, WIEG, LED RED, FLSH OFF, BZR ON, CSN 26-BIT (W/DEFAULT FC), IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-012D	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, MIF/DES 26-BIT CSN, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-012J	CFG CARD, SE, STD, CFG PFL, LF CST, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 56-BIT LSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-012L	CFG CARD, SE, STD, CFG PFL, LF CST, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-012M	CFG CARD. SE E, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 56-BIT MSB, IPM OFF	39.35	ZB	Readers
Y	SEC9X-CRD-0-012Q	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR ON, CSN 56-BIT LSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-012Y	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH OFF, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0133	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, C&D, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0135	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/MAG, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, MAG, BASIC MS RAW OUTPUT AS RECD, WIEG, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-013E	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED OFF, FLSH OFF, BZR OFF, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-013G	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, BCD, KPF, BFFRD 4 KEYS, PAR, 18-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-013Q	CFG CARD, SE, STD, CFG PFL, LF OFF, HF SIO/SEOS/MIFSPR, WIEG, TERM, BLK, STD, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN SUPPR, IPM OFF	39.35	ZB	Readers
Y	SEC9X-CRD-0-013V	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 40-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-013W	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0140	CFG CARD, SE, STD, CFG PFL, LF OFF, HF SIO/SEOS/MIFSPR, WIEG, TERM, BLK, STD, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN SUPPR, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	39.35	ZB	Readers
Y	SEC9X-CRD-0-0143	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0144	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/MIFSPR, WIEG, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-014G	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/MAG, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, MAG, ABA TO 26-BIT, WIEG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-014N	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 34-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0156	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 34-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-015A	CFG CARD, SE, STD, CFG PFL, LF CST, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH GRN, BZR ON, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-015F	CFG CARD, SE, STD, CFG PFL, LF CST, HF STD/SIO/SEOS, WIEG, LED RED, FLSH OFF, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-015H	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 40-BIT, BCD, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-015P	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/MAG, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, MAG, ABA ALL DGTS + 10 LEAD/TRAIL ZEREOS, WIEG, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	39.35	ZB	Readers
Y	SEC9X-CRD-0-015R	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH OFF, BZR ON, OPT TAMP, OC-I'M ALIVE INVERTED, I'M ALIVE 10 SEC, MSG-AA, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Readers
Y	SEC9X-CRD-0-0164	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/MAG, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, MAG, ABA TO 26-BIT, WIEG, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-017N	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/MAG, WIEG, STD-1, LED RED, FLSH OFF, BZR ON, OPT TAMP, OC-I'M ALIVE INVERTED, I'M ALIVE 10 SEC, MSG-AA, CSN32-BITMSB, MAG, EMPI CARD TO 34-BIT, TRACK1, WIEG, IPM OFF	39.35	ZB	Readers
Y	SEC9X-CRD-0-019D	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, RVRS BCD, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-019K	CFG CRD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, IPM OFF, NO CSN DELAY, APB DISABLED	34.07	ZB	Readers
Y	SEC9X-CRD-0-0203	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED OFF, FLSH OFF, BZR OFF, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF	39.35	ZB	Credentials

Y	SEC9X-CRD-0-020U	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, RVRS BCD, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0210	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-021B	CFG CARD, SE, STD, CFG PFL, LF CST, HF STD/SIO/SEOS/MIFSPR, WIEG, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-021E	CFG CARD,SE, STD,CFG PFL,LF STD, HF STD/SIO/SEOS/MAG,WIEG,LED RED, FLSH GRN, BZR ON, PT TAMP, OC, CSN 32-BIT MSB, EM4102 32-BIT, MAG, ABA TO 26-BIT (FC=8-BIT, ID=16-BIT), WIEG, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0220	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 128-BIT, FASCN + RMV OVRHD, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-023P	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, EM4102 40-BIT(RAW), MIFARE CSN SUPPR, WIEG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0247	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0248	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0249	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, BCD, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-024H	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 TO 11 KEYS, NO PAR, 4- TO 44-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-024J	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-024L	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0255	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, C&D, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0261	CFG CARD, SE, STD, CFG PFL, LF CST, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-026J	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 40-BIT, BCD, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-026L	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, MIF/DES 56-BIT CSN, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-026M	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0272	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR ON, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0274	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-031A	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/MIGR, HF MIGR PFL EVC20210, IPM OFF, NO KPD, NO PROX	39.35	ZB	Readers
Y	SEC9X-CRD-0-031H	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/MIGR, HF MIGR PFL EVC52545, IPM OFF, NO KPD, NO PROX	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0324-E	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/MIGR, HF MIGR PFL EVP00000, IPM OFF, KPD, NO PROX, OSDPV1	39.35	ZB	Credentials
Y	SEC9X-CRD-0-032N	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-032P	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-032Q	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-032T	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-032U	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-032W	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-032Y	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, IPM OFF, UART ON, WIEG OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0330	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 75-BIT, IPM OFF, UART OFF, WIEG OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0332	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 75-BIT, IPM OFF, UART OFF, WIEG OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0333	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0336	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0338	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-033A	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, IPM OFF, UART ON, WIEG OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-033B	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, IPM OFF, UART ON, WIEG OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-033D	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, FIPS 64-BIT, BCD, A/V OFF, KPF, ASCII, BFFRD 1 KEY, IPM OFF, UART OFF, WIEG OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-033E	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-033G	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, FIPS 75-BIT, A/V OFF, KPF, ASCII, BFFRD 1 KEY, IPM OFF, UART OFF, WIEG OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-033J	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-033N	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-033Q	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, BLE SUPPR, 485HDX, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, FIPS 75-BIT, KPF, ASCII, BFFRD 1 KEY, LCD 1F, IPM OFF, UART OFF, WIEG OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-033T	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-034R	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 26-BIT (W/DEFAULT FC), EM4102 26-BIT, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-034Y	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 56-BIT LSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-036A	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-036G	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, UART TO UART, STD-1, LED RED, FLSH GRN, BZR ON, IPM OFF, UART ON, WIEG ON, DEFAULT OEM SETTINGS AND KEYS	39.35	ZB	Credentials
Y	SEC9X-CRD-0-036L	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, LED RED, FLSH GRN, BZR ON, OSDP V1, OPEN COLL, OSDP TAMP DISBLD, TEST KEYS, POLL=75MS, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF, UART OFF, WIEG OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-037E	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, RVRS BCD, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-037G	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, RVRS BCD, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-037H	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, RVRS BCD, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-037K	CFG CARD, SE, STD, CFG PFL, LF CST, HF SIO, LED BLUE	39.35	ZB	Credentials
Y	SEC9X-CRD-0-037P	CFG CARD, SE, STD, CFG PFL, LF OFF, HF SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-037Q	CFG CARD, SE, STD, CFG PFL, LF STD, HF SIO/SEOS/MIFSPR, WIEG, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-037R	CFG CARD, SE, STD, CFG PFL, LF OFF, HF SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-037V	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED MAGENTA, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0385	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, 485HDX, A/V OFF, OSDP V1, OPN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, CSN 32-BIT MSB, KPF, ASCII, BFFRD 1 KEY, IPM OFF, UART OFF, WIEG OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0387	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, 485HDX, A/V OFF, OSDP V1, OPN COL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, UART OFF, WIEG OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-038N	CFG CARD, SE, STD, CFG PFL, LF OFF, HF SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR OFF, OPT TAMP, OPEN COLL, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-038Q	CFG CARD, SE, STD, CFG PFL, LF CST, HF SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-039F	CFG CARD, SE, STD, CFG PFL, LF STD, HF SIO, CUSTOM SETTING, 125KHZ PROX FSK DISABLE PROX PSK & PROX ASK, 13.56MHZ SIO DESFIRE DISABLE MIFARE, DISABLE ICLASS ALL, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-039N	CFG CARD, SE, STD, CFG PFL, LF OFF, HF SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0401	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 34-BIT MSB, EM4102 34-BIT, WIEG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-040D	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD, CUSTOM SETTINGS, FSK ONLY, DISABLE PSK/ASK, ICLASS SIO + ICLASS HID APP, HF PRIORITY DISABLE 14443A-ALL MEDIA OUTPUT, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-040L	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED BLUE, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-040M	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, 485HDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, IPM OFF, UART OFF, WIEG OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-040P	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR OFF CSN 32-BIT MSB, OPT TAMP, LED BLUE FOR ANTIPASSBACK DISABLE, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0430	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, ISO15693 CSN, ISO14443A CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0432	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, ISO15693 CSN, ISO14443A CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0434	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, 14443A 56-BIT MIFARE, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-043H	CFG CARD, SE, STD, CFG PFL, LF OFF, HF SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-043J	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, I'M ALIVE 10SEC, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-043K	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 40-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, PROX PRIORITY, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-043N	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, ISO14443B 32-BIT CSN, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-043T	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, 14443A MIF 56-BIT CSN, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-043U	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAM, OPN COL, FIPS 75-BIT, 14443A MIF 56-BIT CSN, KPF, BFRD 1 KEY, DOR COMP, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-043V	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, 14443A MIF 56-BIT CSN, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials

Y	SEC9X-CRD-0-043W	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, 14443A DES 56-BIT CSN, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-043Y	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, 14443A MIF 56-BIT CSN, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-044A	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, 14443A DES 56-BIT CSN, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0450	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, LED RED, FLSH GRN, BZR ON, FIPS 200-BIT, PROX DELAY 500MS, APB 2SEC, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0451	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 40-BIT, PROX PRIORITY, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0453	CFG CARD, SE, STD, CFG PFL, LF STD, HF OFF, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, EM4102 40-BIT, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0454	CFG CARD, SE, STD, CFG PFL, LF STD, HF OFF, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, EM4102 40-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0455	CFG CARD, SE, STD, CFG PFL, LF STD, HF OFF, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, EM4102 40-BIT, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-045E	CFG CARD, SE, STD, LF OFF, HF STD/SIO/SEOS, WIEG, LED BLUE, FLSH GRN, BZR ON, CSN 32-BIT MSB, IPM OFF, TAMPER OC	39.35	ZB	Credentials
Y	SEC9X-CRD-0-045W	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED BLUE, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0460	CFG CARD, SE, STD, LF STD, HF STD/SIO/SEOS, WIEG, LED BLUE, FLSH GRN, BZR ON, CSN 32-BIT MSB, IPM OFF, TAMPER OC	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0466	CFG CARD, SE, STD, CFG PFL, LF STD, HF OFF, 485FDX, CSN SUPR, STD-1, LED RED, FLSH GRN, BZR ON, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0467	CFG CARD, SE, STD, CFG PFL, LF STD, HF OFF, 485FDX, CSN SUPRESSED, PIG, BLK, STD-1, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-046B	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED BLUE, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 TTO 5 KEYS, PAR, USER ENTERD FC, IPM OFF, OC	39.35	ZB	Credentials
Y	SEC9X-CRD-0-046F	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-046Y	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH OFF, BZR ON, CSN 40-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0470	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-048D	CFG CARD, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL,CSN 34-BIT MSB, EM4102 26 BIT, BFFRD 1 KEY, DOR COMPL, NO PAR, 8 BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0491	CFG CARD, SE, STD, CFG PFL, LF STD, FSK ONLY, ALL HF DISABLED, WEIG, LED RED, FLSH ON, BZR ON, OPT TAMP, OPEN COLL, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-049E	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/MAG, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, MAG, ABA TO 26-BIT (FC=8-BIT, ID=16-BIT), IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-049F	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/MAG, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, MAG, ABA CNVRT LAST 4 DIG TO 26-BIT BIN, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-050X	CFG CARD, SE, STD, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH OFF, BZR ON, OPT TAMP OPEN, CSN MIF SUPPR, FSK PROX, READ ONLY PRIORITY, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0519	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, LED RED, FLSH GRN, BZR ON, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, FIPS 75-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Readers
Y	SEC9X-CRD-0-0523	CFG CARD, SE, STD, CFG PFL, LF CST, HF SIO, LED BLUE, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG	39.35	ZB	Credentials
Y	SEC9X-CRD-0-052X	CFG CARD, SE, STD, CFG PFL, LF STD, PROX ONLY, ALL HF DISABLED, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-052Y	CFG CARD, SE, STD, CFG PFL, LF STD, PROX ONLY, ALL HF DISABLED, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0532	CFG CARD, SE, STD, CFG PFL, LF CST, HF CST LEG/DES SIO/SEOS/HID MIFARE APP/MF CSN SUPPR/MIFARE SIO DISABLED, PROX FSK ONLY, WEIG, LED RED, FLSH GRN, BRZ ON, OPT, OC, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-053L	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR ON, CSN 32 BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-053Q	CFG CARD, SE, STD, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-053R	CFG CARD, SE, STD, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED OFF, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-053T	CFG CARD, SE, STD, CFG PFL, LF OFF, HF MIG, WIEG, ELITE KEY, LED RED, FLSH GRN, BZR ON, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-053U	CFG CARD, SE, STD, CFG PFL, LF CST, HF MIG, WIEG, ELITE KEY, LED RED, FLSH GRN, BZR ON, IPM OFF, PROX FSK	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0540	CFG CARD, SE, STD, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0541	CFG CARD, SE, STD, LF CST, HF STD/SIO/SEOS, WIEG,LED RED, FLSH GRN, BZR ON,OPT TAMP,OPEN COLL,CSN 32 BIT MSB,PROX FSK ONLY,IPM OFF,APB INDICATOR DISABLED, EXXON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0545	CFG CARD, SE, STD, CFG PFL, RC663 REGISTERS, R10E, LOW POWER	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0546	CFG CARD, SE, STD, CFG PFL, RC663 REGISTERS, RP10E, LOW POWER	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0547	CFG CARD, SE, STD, CFG PFL, RC663 REGISTERS, R15E, LOW POWER	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0548	CFG CARD, SE, STD, CFG PFL, RC663 REGISTERS, RP15E, LOW POWER	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0549	CFG CARD, SE, STD, CFG PFL, RC663 REGISTERS, R30E, LOW POWER	39.35	ZB	Credentials
Y	SEC9X-CRD-0-054A	CFG CARD, SE, STD, CFG PFL, RC663 REGISTERS, RP30E, LOW POWER	39.35	ZB	Credentials
Y	SEC9X-CRD-0-054B	CFG CARD, SE, STD, CFG PFL, RC663 REGISTERS, R40E, LOW POWER	39.35	ZB	Credentials
Y	SEC9X-CRD-0-054C	CFG CARD, SE, STD, CFG PFL, RC663 REGISTERS, RP40E, LOW POWER	39.35	ZB	Credentials
Y	SEC9X-CRD-0-054D	CFG CARD, SE, STD, CFG PFL, RC663 REGISTERS, RK40E, LOW POWER	39.35	ZB	Credentials
Y	SEC9X-CRD-0-054E	CFG CARD, SE, STD, CFG PFL, RC663 REGISTERS, RPK40E, LOW POWER	39.35	ZB	Credentials
Y	SEC9X-CRD-0-054K	CFG CARD, SE, STD, LF STD, HF STD, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-054L	CFG CARD, SE, STD, LF STD, HF STD, WIEG, LED OFF, FLSH OFF, BZR OFF, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, KP BK LT TRIG BY CARD, NO KP BEEP	39.35	ZB	Credentials
Y	SEC9X-CRD-0-054M	CFG CARD, SE, STD, LF STD, HF STD, WIEG, LED OFF, FLSH OFF, BZR OFF, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, KP BK LT TRIG BY CARD, KP BEEP	39.35	ZB	Credentials
Y	SEC9X-CRD-0-054N	CFG CARD, SE, STD, LF STD, HF STD, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, KP BK LT TRIG BY CARD, KP BEEP	39.35	ZB	Credentials
Y	SEC9X-CRD-0-054P	CFG CARD, SE, STD, LF STD, HF STD, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, ANTIPASSBACK 1.5 SECONDS, NO PRIORITY, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-054R	CFG CARD, SE, STD, CFG PFL, LF CST, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR OFF OPT TAMP, CSN 32-BIT MSB, LED BLUE FOR ANTIPASSBACK DISABLE, KPF, BFFRD 1 KEY, NO PAR, 4 BIT MSG, IPM OFF, FSK/PSK ENABLED	39.35	ZB	Credentials
Y	SEC9X-CRD-0-054V	CFG CARD, SE, STD, CFG PFL, LF CST, HF STD/SIO/SEOS/MAG, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, PROX FSK ONLY, MAG, ABA CNVRT LAST 9 DIG TO 34-BIT, WIEG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-055L	CFG CARD, SE, STD, LF CST, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 37-BIT LSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0561	CFG CARD, SE, STD, LF STD, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR OFF, OPT TAMPER, OPEN COLL,CSN 26-BIT MSB, EM4102 26-BIT KPF, BFFRD 1 KEY, DOR, NO PAR,8-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0562	CFG CARD, SE, STD, LF STD, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR OFF, OPT TAMPER, OPEN COLL,CSN 34-BIT MSB, EM4102 BIT KPF, BFFRD 1 KEY, DOR, NO PAR,8-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0563	CFG CARD, SE, STD, LF STD, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR OFF, OPT TAMPER, OPEN COLL,CSN 40-BIT MSB, EM4102 BIT KPF, BFFRD 1 KEY, DOR, NO PAR,8-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-056A	CFG CARD, SE, STD, HF STD/SIO/SEOS, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 40-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, PROX PRIORITY, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-056B	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, IPM OFF, IM ALIVE 10 SECONDS, MSG-AA	39.35	ZB	Readers
Y	SEC9X-CRD-0-0570	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR ON, CSN 32 BIT LSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0571	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR ON, CSN 32 BIT LSB, EM4102 BIT, 32 BIT, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0572	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR ON, 32 BIT LSB, KPF BUFFRED 1 KEY, NO PAR, 4 BIT MESG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-0573	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR ON, CSN 32-BIT LSB, EM4102 32 BIT KPF, BFFRD 1 KEY,NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-057D	CFG CARD, SE, PIVCLASS,SE E,LF STD,HF STD/SIO/SEOS/FIPS/CAK,485FDX,PIG,BLK,STD-1, LED RED,FLSH GRN,BZR ON OPT TAMP,OPEN COLL, FIPS 128-BIT,FASCN+RMV OVRHD+RMV PAR,BFFRD 1 KEY,DOR COMPL,NO PAR, 8-BIT MSG,IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-057J	CFG CARD, SE, STD, CFG PFL, LF CSTM, HF CSTM, WIEG, LED AMBER, FLSH GRN, BZR ON, CSN MIF SUPPR, FSK ONLY, ICLASS SIO AND SEOS ONLY, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-057K	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, WIEG, LED RED, FLSH GRN, BZR ON, DESIRE MIFARE CSN 56 BIT MSB, ASCII, XMIT CMPLT, LCD 1F, IPM OFF, UART ON, WIEG OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-057M	CFG CARD,SE, STD, LF STD, HF,LED RED,FLSH GRN,BZR ON, KPF,BFFRD 1 KEY,DOR COMPL,NO PAR, 8-BIT MSG,FIPS 128-BIT,FASCN+RMV OVRHD+RMV PAR,LCD 1F,IPM OFF,UART OFF,WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-0-058A	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, IPM OFF, APB DISABLED	39.35	ZB	Credentials
Y	SEC9X-CRD-0-058C	CFG CARD, SE, STD, CFG PFL, LF OFF, HF SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, IPM OFF, APB DISABLED	39.35	ZB	Credentials
Y	SEC9X-CRD-0-058E	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, IPM OFF, APB DISABLED	39.35	ZB	Credentials
Y	SEC9X-CRD-0-059P	CFG CARD, SE, STD, CFG PFL, LF STD, HF SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, IPM OFF, APB DISABLED	39.35	ZB	Credentials
Y	SEC9X-CRD-0-059T	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/MIFSPR, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN MIF SUPPR, IPM OFF, APB DISABLED	39.35	ZB	Credentials
Y	SEC9X-CRD-0-05A7	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/MIGR, WIEG, LED RED, FLSH OFF, BZR ON, WIEGAND PULSE TIME 100US, IPM OFF, HF MIGR PFL EVCS5164_ICE0378	39.35	ZB	Credentials
Y	SEC9X-CRD-0-05A8	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/MIGR, WIEG, LED RED, FLSH OFF, BZR ON, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, WIEGAND PULSE TIME 100US, IPM OFF, HF MIGR PFL EVCS5164	39.35	ZB	Credentials
Y	SEC9X-CRD-0-05A9	CFG CARD, SE E, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, LED RED, FLSH GRN, BZR ON, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, FIPS 75-BIT, LCD 1F, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Readers
Y	SEC9X-CRD-0-50	CFG, PFL, LF CST, HF OFF, PSK INDALA READ ONLY	39.35	ZB	Credentials
Y	SEC9X-CRD-0-A001	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/MA, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, IPM OFF, NO CUSTOMER SPECIFIC KEYS	39.35	ZB	Readers
Y	SEC9X-CRD-0-A003	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/MA, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, MOBILE-READY	39.35	ZB	Credentials
Y	SEC9X-CRD-0-A007	CFG CARD, SE, STD, LF STD, HF STD/SIO/SEOS/MA, 485HDX, A/V OFF, OSDP V1, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, UART OFF, WIEG OFF, NO CUSTOMER SPECIFIC KEYS	39.35	ZB	Readers

Y	SEC9X-CRD-0-A07F	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/MA, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	39.35	ZB	Credentials
Y	SEC9X-CRD-0-A07H	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/MA/MIFSPR, WIEG, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, IPM OFF, MOBILE-ENABLED-FMT	39.35	ZB	Credentials
Y	SEC9X-CRD-0-D01J	CFG CARD, SE, STD, CFG PFL, IDLE LED, BLUE, NO RFD CARD	39.35	ZB	Credentials
Y	SEC9X-CRD-0-P003	CFG CARD, SE, STD, CFG PFL, ELITE DOWNGRADE CARD, DOWNGRADE TO STANDARD-1 CREDENTIAL KEYS	39.35	ZB	Credentials
Y	SEC9X-CRD-0-P004	CFG CARD, SE, STD, CFG PFL, ELITE DOWNGRADE CARD, DOWNGRADE TO STANDARD-2 CREDENTIAL KEYS	39.35	ZB	Credentials
Y	SEC9X-CRD-0-P009	CFG CARD, SE, STD, CFG, PFL, WIEGAND PULSE TIME 100US, WIEGAND SPACE TIME 2000US	39.35	ZB	Credentials
Y	SEC9X-CRD-0-P00A	CFG CARD, SE, STD, CFG, PFL, EXTERNAL UART, BAUD RATE 38400, PARITY NONE, STOP BIT 1	39.35	ZB	Credentials
Y	SEC9X-CRD-0-P00B	CFG CARD, SE, STD, CFG PFL, DATAMODELS ONLY, LF FSK ONLY, HF LEG/SIO/SEOS/MIG/CHUID, HF ICLASS LEGACY 1000MS DELAY	39.35	ZB	Credentials
Y	SEC9X-CRD-0-P00C	CFG CARD, SE, STD, CFG PFL, DATAMODELS ONLY, LF OFF, HF LEG/SIO/SEOS/MIG/CHUID	39.35	ZB	Credentials
Y	SEC9X-CRD-0-P00D	CFG CARD, SE, STD, CFG, PFL, SE READER SMART MODULE AND SIDECAR RF BOOTLOAD CARD 3, APB = 1 SECOND, CFG CARD TIMEOUT = 30 SECONDS	39.35	ZB	Credentials
Y	SEC9X-CRD-0-P00E	CFG CARD, SE, STD, CFG, PFL, SE READER, DATAMODELS, LF FSK, HF STD/SIO/SEOS/FIPS/CAK//MIG/MIFSPR	39.35	ZB	Credentials
Y	SEC9X-CRD-0-P00F	CFG CARD, SE, STD, CFG, PFL, SE READER, DEFAULT LED BLUE, FLSH GRN	39.35	ZB	Credentials
Y	SEC9X-CRD-0-P00M	CFG CARD, SE, STD, CFG, PFL, SE READER, STD, DATAMODELS, LF PSK INDALA, HF PIV/SEOS ONLY, LED RED, FLSH GRN, HQ-2	39.35	ZB	Credentials
Y	SEC9X-CRD-0-P00N	CFG CARD, SE, STD, CFG, PFL, SE READER, STD, DATAMODELS, LF OFF, HF PIV/SEOS ONLY, LED RED, FLSH GRN, HQ-3	39.35	ZB	Credentials
Y	SEC9X-CRD-0-P00P	CFG CARD, SE, STD, CFG, PFL, SE READER, STD, DATAMODELS, LF OFF, HF PIV/SEOS ONLY, LED OFF, FLSH WHT, HQ-4	39.35	ZB	Credentials
Y	SEC9X-CRD-0-P00Q	CFG CARD, SE, STD, CFG, PFL, SE READER, STD, DATAMODELS, LF PSK INDALA, HF PIV ONLY, LED RED, FLSH GRN, NO PRIORITY TD-1	39.35	ZB	Credentials
Y	SEC9X-CRD-0-P00R	CFG CARD, SE, STD, CFG, PFL, SE READER, STD, DATAMODELS, LF PSK INDALA/FSK HID PROX, HF PIV/SEOS ONLY, LED RED, FLSH GRN, NO PRIORITY TD-2	39.35	ZB	Credentials
Y	SEC9X-CRD-0-P00T	CFG CARD, SE, STD, CFG, PFL, SE READER, STD, DATAMODELS, LF FSK HID PROX, HF PIV/SEOS ONLY, LED OFF, FLSH WHT, NO PRIORITY TD-3	39.35	ZB	Credentials
Y	SEC9X-CRD-0-P00U	CFG CARD, SE, STD, CFG, PFL, SE READER, DATAMODELS, LF FSK HID PROX ONLY, HF OFF, LED OFF, FLSH OFF, BEEP OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-P00V	CFG CARD, SE, STD, CFG PFL, LF HID PROX ONLY, HF STD/SIO/SEOS, WIEG, LED MAGENTA, FLSH GRN, BZR ON, MIFARE CSN 26-BIT (EP+24-BITMSB+OP), KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-0-P00W	CONFIGURATION CARD, ENABLE BOSCH DATA RECORD, ARA-OSDP-BDR, BOSCH ADMIN KEY	39.35	ZB	Credentials
Y	SEC9X-CRD-0-P00X	CFG CARD, SE, STD, CFG PFL, OSDP V2, ADDRESS= 00, RESP TIME= 32MS, UART ON, 9600 BAUD	39.35	ZB	Readers
Y	SEC9X-CRD-0-P00Y	CONFIGURATION CARD, ENABLE CSN, ARA-OSDP-CSN, BOSCH ADMIN KEY	39.35	ZB	Credentials
Y	SEC9X-CRD-0-P010	CFG CARD, SE, DATAMODELS ONLY, LF CSTM, HF OFF, PSK PROX ONLY, (FOR CM OR INTERNAL TEST USE ONLY)	39.35	ZB	Credentials
Y	SEC9X-CRD-0-P011	CFG CARD, SE, DATAMODELS ONLY, LF STD, HF OFF, FSK PROX ONLY, (FOR CM OR INTERNAL TEST USE ONLY)	39.35	ZB	Credentials
Y	SEC9X-CRD-0-P012	CFG CARD, SE, DATAMODELS ONLY, LF STD, HF OFF, ASK PROX ONLY, (FOR CM OR INTERNAL TEST USE ONLY)	39.35	ZB	Credentials
Y	SEC9X-CRD-0-P013	CFG CARD, SE, DATAMODELS ONLY, LF OFF, HF SEOS ONLY, (FOR CM OR INTERNAL TEST USE ONLY)	39.35	ZB	Credentials
Y	SEC9X-CRD-0-P014	CFG CARD, SE, DATAMODELS ONLY, LF OFF, HF DESFIRE SIO ONLY, (FOR CM OR INTERNAL TEST USE ONLY)	39.35	ZB	Credentials
Y	SEC9X-CRD-0-P015	CFG CARD, SE, DATAMODELS ONLY, LF OFF, HF MIFARE SIO ONLY, (FOR CM OR INTERNAL TEST USE ONLY)	39.35	ZB	Credentials
Y	SEC9X-CRD-0-P016	CFG CARD, SE, DATAMODELS ONLY, LF OFF, HF ICLASS SIO ONLY, (FOR CM OR INTERNAL TEST USE ONLY)	39.35	ZB	Credentials
Y	SEC9X-CRD-0-P017	CFG CARD, SE, DATAMODELS ONLY, LF OFF, HF CSTM, ICLASS LEGACY READ ONLY, (FOR CM OR INTERNAL TEST USE ONLY)	39.35	ZB	Credentials
Y	SEC9X-CRD-0-P01N	CFG CARD, SE, STD, DATAMODELS ONLY, LF OFF, HF STD/SIO/SEOS, NO MIFARE CSN DELAY, (RFD FW R8 AND ABOVE, R MODELS)	39.35	ZB	Readers
Y	SEC9X-CRD-0-P01X	CFG CARD, SE, STD, CFG PFL, DATAMODELS ONLY, LF STD, HF MA ONLY	39.35	ZB	Readers
Y	SEC9X-CRD-0-P020	CFG CARD, SE, STD, CFG PFL, APB DISABLED	39.35	ZB	Readers
Y	SEC9X-CRD-0-P021	CFG CARD, SE, STD, CFG PFL, COMMUNICATION PROTOCOL, ENABLE OSDP V2, AV OFF, OSDP TEST KEY, ADDRESS 0, 9600 BAUD, WIEG OFF, UART OFF	39.35	ZB	Readers
Y	SEC9X-CRD-0-P022	CFG CARD, SE, STD, CFG PFL, COMMUNICATION PROTOCOL, ENABLE OSDP V2, AV OFF, OSDP TEST KEY, ADDRESS 0, 9600 BAUD, KPF, ASCII, BFFRD 1 KEY,WIEG OFF, UART OFF	39.35	ZB	Readers
Y	SEC9X-CRD-0-P023	CFG CARD, SE, STD, CFG PFL, COMMUNICATION PROTOCOL, ENABLE WIEGAND, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, WIEG ON	39.35	ZB	Readers
Y	SEC9X-CRD-0-P024	CFG CARD, SE, STD, CFG PFL, COMMUNICATION PROTOCOL, ENABLE WIEGAND, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, WIEG ON	39.35	ZB	Readers
Y	SEC9X-CRD-0-P025	CFG CARD, SE, STD, CFG PFL, COMMUNICATION PROTOCOL, ENABLE WIEGAND, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, DORADO, NO PAR, 8-BIT MSG, WIEG ON	39.35	ZB	Readers
Y	SEC9X-CRD-0-P026	CFG CARD, SE, STD, CFG PFL, WIEGAND PULSE TIME 40US, WIEGAND SPACE TIME 1250US, WIEGAND GUARD TIME 90MS	39.35	ZB	Readers
Y	SEC9X-CRD-0-P027	CFG CARD, SE, STD, CFG PFL, APB DISABLED	39.35	ZB	Readers
Y	SEC9X-CRD-0-P030	CFG CARD, SE, STD, CFG PFL, COMMUNICATION PROTOCOL, ENABLE OSDP V1, AV OFF, ADDRESS 0, 9600 BAUD, WIEG OFF, UART OFF	39.35	ZB	Readers
Y	SEC9X-CRD-0-P031	CFG CARD, SE, STD, CFG PFL, COMMUNICATION PROTOCOL, ENABLE OSDP V1, AV OFF, ADDRESS 0, 9600 BAUD, KPF, ASCII, BFFRD 1 KEY, WIEG OFF, UART OFF	39.35	ZB	Readers
Y	SEC9X-CRD-0-S002	CFG CARD, SE, RDR/ENROLLER, RKLB40, SEOS INTEGRATOR0 KEYS, SEOS GDF INTEGRATOR0 ADMIN CONFIGURATION, HIDSTANDARD	39.35	ZB	Readers
Y	SEC9X-CRD-10-04	CFG CARD, SE READER MODULE, SWITCH TO NORMAL POWER MODE	39.35	ZB	Credentials
Y	SEC9X-CRD-10-05	CFG CARD, SE READER MODULE, SWITCH TO ULTRA LOW POWER MODE	39.35	ZB	Credentials
Y	SEC9X-CRD-2-S000	CFG CARD, SE, STD-2, CFG PFL, SEOS READERS, RESET TO FACTORY DEFAULTS, R/RP/RK/RPK READERS	39.35	ZB	Credentials
Y	SEC9X-CRD-2-S010	CFG CARD, SE, STD-2, CFG PFL, 125KHZ PROX, PROX DISABLE	39.35	ZB	Credentials
Y	SEC9X-CRD-2-S011	CFG CARD, SE, STD-2, CFG PFL, 125KHZ PROX ENABLE (FSK HIGH PRIORITY)	39.35	ZB	Credentials
Y	SEC9X-CRD-2-S012	CFG CARD, SE, STD-2, CFG PFL, 125KHZ PROX ENABLE (SEOS HIGH PRIORITY)	39.35	ZB	Credentials
Y	SEC9X-CRD-2-S020	CFG CARD, SE, STD-2, CFG PFL, COMMUNICATION PROTOCOL, ENABLE WIEGAND	39.35	ZB	Credentials
Y	SEC9X-CRD-2-S021	CFG CARD, SE, STD-2, CFG PFL, COMMUNICATION PROTOCOL, ENABLE OSDP V2	39.35	ZB	Credentials
Y	SEC9X-CRD-2-S030	CFG CARD, SE, STD-2, CFG PFL, IDLE LED COLOR, RED	39.35	ZB	Credentials
Y	SEC9X-CRD-2-S031	CFG CARD, SE, STD-2, CFG PFL, IDLE LED COLOR, GREEN	39.35	ZB	Credentials
Y	SEC9X-CRD-2-S032	CFG CARD, SE, STD-2, CFG PFL, IDLE LED COLOR, BLUE	39.35	ZB	Credentials
Y	SEC9X-CRD-2-S033	CFG CARD, SE, STD-2, CFG PFL, IDLE LED COLOR, CYAN	39.35	ZB	Credentials
Y	SEC9X-CRD-2-S034	CFG CARD, SE, STD-2, CFG PFL, IDLE LED COLOR, AMBER	39.35	ZB	Credentials
Y	SEC9X-CRD-2-S035	CFG CARD, SE, STD-2, CFG PFL, IDLE LED COLOR, MAGENTA	39.35	ZB	Credentials
Y	SEC9X-CRD-2-S036	CFG CARD, SE, STD-2, CFG PFL, IDLE LED COLOR, WHITE	39.35	ZB	Credentials
Y	SEC9X-CRD-2-S037	CFG CARD, SE, STD-2, CFG PFL, IDLE LED COLOR, BLACK (OFF HOST CONTROLLED)	39.35	ZB	Credentials
Y	SEC9X-CRD-2-S040	CFG CARD, SE, STD-2, CFG PFL, FLASH ON CARD READ LED COLOR, GREEN	39.35	ZB	Credentials
Y	SEC9X-CRD-2-S041	CFG CARD, SE, STD-2, CFG PFL, FLASH ON CARD READ LED COLOR, BLACK (OFF, HOST CONTROLLED)	39.35	ZB	Credentials
Y	SEC9X-CRD-2-S050	CFG CARD, SE, STD-2, CFG PFL, BEEP ON CARD READ, ENABLED	39.35	ZB	Credentials
Y	SEC9X-CRD-2-S051	CFG CARD, SE, STD-2, CFG PFL, BEEP ON CARD READ, DISABLED (OFF, HOST CONTROLLED)	39.35	ZB	Credentials
Y	SEC9X-CRD-2-S060	CFG CARD, SE, STD-2, CFG PFL, KEYPAD, OPTION 00, BUFFER ONE KEY, NO PARITY, 4-BIT MSG	39.35	ZB	Credentials
Y	SEC9X-CRD-2-S061	CFG CARD, SE, STD-2, CFG PFL, KEYPAD, OPTION 09, BUFFER ONE KEY, ADD COMPLIMENT, 8-BIT MSG (DORADO)	39.35	ZB	Credentials
Y	SEC9X-CRD-2-S062	CFG CARD, SE, STD-2, CFG PFL, KEYPAD, OPTION 14, BUFFER ONE TO FIVE KEYS, ADD PARITY, 26-BIT MSG, USER ENTERED FC	39.35	ZB	Credentials
Y	SEC9X-CRD-5-51	CFG CARD, SE, CFG, PFL, LF OFF, HF CSTM, ICLASS LEGACY READ ONLY	39.35	ZB	Credentials
Y	SEC9X-CRD-5-52	CFG CARD, SE, LF OFF, HF CSTM, ICLASS LEGACY AND ICLASS SIO READ ONLY	39.35	ZB	Credentials
Y	SEC9X-CRD-5-53	CFG CARD, SE, LF OFF, HF CSTM, ICLASS LEGACY, ICLASS SIO AND ICLASS SEOS READ ONLY	39.35	ZB	Credentials
Y	SEC9X-CRD-5-54	CFG CARD, LF STD, HF CSTM, ICLASS LEGACY, HID PROX AND EM PROX READ ONLY	39.35	ZB	Credentials
Y	SEC9X-CRD-5-55	CFG CARD, LF STD, HF CSTM, ICLASS LEGACY, ICLASS SIO, HID PROX AND EM PROX READ ONLY	39.35	ZB	Credentials
Y	SEC9X-CRD-5-56	CFG CARD, LF STD, HF CSTM, ICLASS LEGACY, ICLASS SIO, ICLASS SEOS, HID PROX AND EM PROX READ ONLY	39.35	ZB	Credentials
Y	SEC9X-CRD-5-57	CFG CARD, LF CSTM, HF CSTM, ICLASS LEGACY AND INDALA READ ONLY	39.35	ZB	Credentials
Y	SEC9X-CRD-5-58	CFG CARD, LF CSTM, HF CSTM, ICLASS LEGACY, ICLASS SIO AND INDALA READ ONLY	39.35	ZB	Credentials
Y	SEC9X-CRD-5-59	CFG CARD, LF CSTM, HF CSTM, ICLASS LEGACY, ICLASS SIO, ICLASS SEOS AND INDALA READ ONLY	39.35	ZB	Credentials
Y	SEC9X-CRD-5-60	CFG CARD, SE, LF OFF, HF CSTM, 14443A - CSN READ ONLY	39.35	ZB	Credentials

Y	SEC9X-CRD-5-92	CFG CARD, SE, LF CSTM, HF OFF, PSK PROX ONLY, (FOR CM OR INTERNAL TEST USE ONLY)	39.35	ZB	Credentials
Y	SEC9X-CRD-5-93	CFG CARD, SE, LF CSTM, HF OFF, PSK PROX ONLY, TURN ON DATAMODEL MODULATIONFSK.PROX ONLY, (FOR CM OR INTERNAL TEST USE ONLY)	39.35	ZB	Credentials
Y	SEC9X-CRD-5-94	CFG CARD, SE, LF STD, HF OFF, ASK PROX ONLY,TURN ON DATAMODEL MODULATIONASK.PROX ONLY, (FOR CM OR INTERNAL TEST USE ONLY)	39.35	ZB	Credentials
Y	SEC9X-CRD-5-95	CFG CARD, SE, LF OFF, HF SEOS ONLY, TURN ON DATAMODEL ISO14443A SECUREOBJECT.SEOS ONLY, (FOR CM OR INTERNAL TEST USE ONLY)	39.35	ZB	Credentials
Y	SEC9X-CRD-5-96	CFG CARD, SE, LF OFF, HF DESFIRE SIO ONLY, TURN ON DATAMODEL ISO14443A SECUREOBJECT DESFIRE ONLY (FOR CM OR INTERNAL TEST USE ONLY)	39.35	ZB	Credentials
Y	SEC9X-CRD-5-97	CFG CARD, SE, LF OFF, HF MIFARE SIO ONLY, TURN ON DATAMODEL ISO14443A SECUREOBJECT MIFARE ONLY, (FOR CM OR INTERNAL TEST USE ONLY)	39.35	ZB	Credentials
Y	SEC9X-CRD-5-98	CFG CARD, SE, LF OFF, HF ICLASS SIO ONLY, TURN ON DATAMODEL PICO15693 SECUREOBJECT ONLY, (FOR CM OR INTERNAL TEST USE ONLY)	39.35	ZB	Credentials
Y	SEC9X-CRD-A-00	CFG CARD, SE READER, OSDP V1 ADDRESS 0	39.35	ZB	Credentials
Y	SEC9X-CRD-A-01	CFG CARD, SE READER, OSDP V1 ADDRESS 1	39.35	ZB	Credentials
Y	SEC9X-CRD-A-02	CFG CARD, SE READER, OSDP V1 ADDRESS 2	39.35	ZB	Credentials
Y	SEC9X-CRD-A-03	CFG CARD, SE READER, OSDP V1 ADDRESS 3	39.35	ZB	Credentials
Y	SEC9X-CRD-A-04	CFG CARD, SE READER, OSDP V1 ADDRESS 4	39.35	ZB	Credentials
Y	SEC9X-CRD-A-09	CFG CARD, SE READER, OSDP V1, ADDRESS 9	39.35	ZB	Credentials
Y	SEC9X-CRD-A-0A	CFG CARD, SE READER, OSDP V1, ADDRESS 10	39.35	ZB	Credentials
Y	SEC9X-CRD-A-0B	CFG CARD, SE READER, OSDP V1, ADDRESS 11	39.35	ZB	Credentials
Y	SEC9X-CRD-A-0C	CFG CARD, SE READER, OSDP V1, ADDRESS 12	39.35	ZB	Credentials
Y	SEC9X-CRD-A-0D	CFG CARD, SE READER, OSDP V1, ADDRESS 13	39.35	ZB	Credentials
Y	SEC9X-CRD-A-0E	CFG CARD, SE READER, OSDP V1, ADDRESS 14	39.35	ZB	Credentials
Y	SEC9X-CRD-A-0F	CFG CARD, SE READER, OSDP V1, ADDRESS 15	39.35	ZB	Credentials
Y	SEC9X-CRD-A-10	CFG CARD, SE READER, OSDP V1, ADDRESS 16	39.35	ZB	Credentials
Y	SEC9X-CRD-B-00	CFG CARD, SE READER, OSDP V2, ADDRESS 0	39.35	ZB	Credentials
Y	SEC9X-CRD-B-01	CFG CARD, SE READER, OSDP V2, ADDRESS 1	39.35	ZB	Credentials
Y	SEC9X-CRD-B-02	CFG CARD, SE READER, OSDP V2, ADDRESS 2	39.35	ZB	Credentials
Y	SEC9X-CRD-B-02-KIT	CFG CARD, SE READER, OSDP V2, ADDRESS 2, KIT	39.35	ZB	Credentials
Y	SEC9X-CRD-B-03	CFG CARD, SE READER, OSDP V2, ADDRESS 3	39.35	ZB	Credentials
Y	SEC9X-CRD-B-04	CFG CARD, SE READER, OSDP V2, ADDRESS 4	39.35	ZB	Credentials
Y	SEC9X-CRD-B-05	CFG CARD, SE READER, OSDP V2, ADDRESS 5	39.35	ZB	Credentials
Y	SEC9X-CRD-B-06	CFG CARD, SE READER, OSDP V2, ADDRESS 6	39.35	ZB	Credentials
Y	SEC9X-CRD-B-07	CFG CARD, SE READER, OSDP V2, ADDRESS 7	39.35	ZB	Credentials
Y	SEC9X-CRD-B-08	CFG CARD, SE READER, OSDP V2, ADDRESS 8	39.35	ZB	Credentials
Y	SEC9X-CRD-B-09	CFG CARD, SE READER, OSDP V2, ADDRESS 9	39.35	ZB	Credentials
Y	SEC9X-CRD-B-0A	CFG CARD, SE READER, OSDP V2, ADDRESS 10	39.35	ZB	Credentials
Y	SEC9X-CRD-B-0B	CFG CARD, SE READER, OSDP V2, ADDRESS 11	39.35	ZB	Credentials
Y	SEC9X-CRD-B-0C	CFG CARD, SE READER, OSDP V2, ADDRESS 12	39.35	ZB	Credentials
Y	SEC9X-CRD-B-0D	CFG CARD, SE READER, OSDP V2, ADDRESS 13	39.35	ZB	Credentials
Y	SEC9X-CRD-B-0E	CFG CARD, SE READER, OSDP V2, ADDRESS 14	39.35	ZB	Credentials
Y	SEC9X-CRD-B-0F	CFG CARD, SE READER, OSDP V2, ADDRESS 15	39.35	ZB	Credentials
Y	SEC9X-CRD-B-10	CFG CARD, SE READER, OSDP V2, ADDRESS 16	39.35	ZB	Credentials
Y	SEC9X-CRD-B-30	CFG CARD, SE, STD, CFG PFL, OSDP V2, ADDRESS 0, BAUD RATE 19200, NO PAR, STOP BIT 1	39.35	ZB	Readers
Y	SEC9X-CRD-B-31	CFG CARD, SE, STD, CFG PFL, OSDP V2, ADDRESS 1, BAUD RATE 19200, NO PAR, STOP BIT 1	39.35	ZB	Readers
Y	SEC9X-CRD-B-FE	CFG CARD, SE READER, OSDP V2, REVERSE CRC ENABLE	39.35	ZB	Credentials
Y	SEC9X-CRD-B-FF	CFG CARD, SE READER, OSDP V2, REVERSE CRC DISABLE	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0000	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0001	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0002	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0003	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0004	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0005	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0006	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, BCD, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0007	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, IPM OFF, UART ON, WIEG OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0008	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0009	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-E-000A	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, BCD, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, LCD 1F, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-E-000B	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, LCD 1F, IPM OFF, UART ON, WIEG OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-000C	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-E-000F	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, LED OFF, FLSH OFF, BZR OFF, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, FIPS 200-BIT, A/V OFF, KPF, ASCII, BFFRD 1 KEY, IPM OFF, UART OFF, WIEG OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-000G	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, FIPS 200-BIT, A/V OFF, KPF, ASCII, BFFRD 1 KEY, LCD 1F, IPM OFF, UART OFF, WIEG OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-000Q	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485FDX, LED RED, FLSH GRN, BZR ON, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, FIPS 200-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-E-000R	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-000T	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, FIPS 200-BIT, A/V OFF, KPF, ASCII, BFFRD 1 KEY, IPM OFF, UART OFF, WIEG OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-000U	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK/PKI, 485HDX, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, FIPS 200-BIT, A/V OFF, KPF, ASCII, BFFRD 1 KEY, LCD 1F, IPM OFF, UART OFF, WIEG OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-000V	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, OSDP V1, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, A/V OFF, FIPS 200-BIT, IPM OFF, UART OFF, WIEG OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-000W	CFG CARD, SE, ELITE, STD, CFG PFL, LF OFF, HF SIO/SEOS, WIEG, A/V OFF, OPT TAMP, OPEN COLL, CSN 56-BIT LSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	39.35	ZB	Readers
Y	SEC9X-CRD-E-0015	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 34-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0016	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, 14443A 56-BIT CSN, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0017	CFG CARD, SE, ELITE, CFG PFL, LF CST, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0018	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, 14443A 56-BIT CSN, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-E-001D	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 26-BIT (W/DEFAULT FC), IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-001F	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR ON, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-001G	CFG CARD, SE, ELITE, CFG PFL, LF CST, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR ON, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-001H	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH GRN, BZR ON, CSN 40-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-001L	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT LSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-001M	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR ON, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-001Q	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 26-BIT (W/DEFAULT FC), IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-001R	CFG CARD, SE, ELITE, CFG PFL, LF CST, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-E-001T	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-E-001U	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 40-BIT, BCD, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials

Y	SEC9X-CRD-E-001V	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-001W	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-001Y	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, BCD, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0020	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 40-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0021	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR OFF, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0022	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR OFF, CSN 56-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0025	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR OFF, CSN 34-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0026	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0027	CFG CARD, SE, ELITE, CFG PFL, LF CST, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0028	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS/MIFSPR, WIEG, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0029	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH OFF, BZR ON, CSN 26-BIT (W/DEFAULT FC), IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-002B	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR OFF, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-002D	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-E-002E	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS/MIFSPR, WIEG, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-002F	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 37-BIT LSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-002G	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-E-002H	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-E-002J	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH OFF, BZR ON, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-002K	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-002N	CFG CARD, SE, ELITE, CFG PFL, LF CST, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-002P	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 34-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-002Q	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 37-BIT LSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-002R	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-002T	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-002U	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-002V	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT LSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-002W	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-002Y	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, 14443A 56-BIT CSN, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0031	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 37-BIT LSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0032	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, RVRS BCD, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0033	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH OFF, BZR ON, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0038	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, 14443A 56-BIT CSN, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0039	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-E-003A	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-003C	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-E-003D	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 37-BIT LSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-003E	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH GRN, BZR ON, CSN 26-BIT (W/DEFAULT FC), IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-003K	CFG CARD, SE, ELITE, CFG PFL, LF CST, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR OFF, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-003M	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH OFF, BZR OFF, CSN 56-BIT LSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-003N	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 34-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-003P	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 37-BIT LSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-003Q	CFG CARD, SE, ELITE, CFG PFL, LF CST, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-E-003R	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-003T	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 40-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-003U	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 40-BIT, BCD, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-E-003V	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS/MIFSPR, WIEG, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-003Y	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, RVRS BCD, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0040	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0042	CFG CARD, SE, ELITE, LF STD, HF STD/SIO/SEOS/MAG, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, MAG, BASIC MS RAW OUTPUT AS RECD, WIEG, IPM OFF	39.35	ZB	Readers
Y	SEC9X-CRD-E-0044	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, BCD, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0046	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0047	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, EM4102 32-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0048	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR OFF, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-004A	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-E-004C	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-004D	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR OFF, CSN 34-BIT MSB, KPF, BFFRD 1 KEY, PAR, 6-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-004F	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS/MIFSPR, WIEG, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN MIF SUPPR, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-004G	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 26-BIT (W/DEFAULT FC), IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-004H	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR OFF, CSN 26-BIT (W/DEFAULT FC), IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-004J	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-004K	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, 14443A 56-BIT CSN, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-E-004L	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS/MIFSPR, WIEG, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-004M	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-E-004P	CFG CARD, SE, ELITE, CFG PFL, LF CST, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-004Q	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR OFF, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-004R	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, RVRS BCD, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-E-004T	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 26-BIT (W/DEFAULT FC), IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-004U	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-004V	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 40-BIT, BCD, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-E-004W	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH OFF, BZR ON, CSN 40-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-004Y	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0050	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0051	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS/MAG, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, MAG, ABA ALL DGTS + 10 LEAD/TRAIL ZEREOS, WIEG, IPM OFF	39.35	ZB	Readers
Y	SEC9X-CRD-E-0054	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, RVRS BCD, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0056	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0057	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0059	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS/MIFSPR, WIEG, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials

Y	SEC9X-CRD-E-005A	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT LSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-005B	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH OFF, BZR ON, CSN 34-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-005D	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, 14443A 56-BIT CSN, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-E-005F	CFG CARD, SE, ELITE, CFG PFL, LF CST, HF STD/SIO/SEOS, WIEG, LED RED, FLSH OFF, BZR ON, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-005J	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 56-BIT LSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-005K	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 40-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-005L	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, LOCAL PIN VERIFY, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-005P	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-E-005Q	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, EM4102 26-BIT, MIFARE CSN SUPPR, WIEG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-005T	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-E-005W	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, BCD, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-E-005Y	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR OFF, CSN 26-BIT (W/DEFAULT FC), IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0060	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS/MIFSPR, WIEG, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0061	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR ON, CSN 26-BIT (W/DEFAULT FC), IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0062	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0065	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 26-BIT (W/DEFAULT FC), KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0066	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0068	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-E-006A	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 37-BIT LSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-006B	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-006C	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH OFF, BZR OFF, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-006F	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 64-BIT, RVRS BCD, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-E-006G	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 26-BIT (W/DEFAULT FC), IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-006J	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS, C&D, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-006K	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH GRN, BZR ON, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-007D	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR OFF, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-00FC	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS, 485HDX, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=50MS, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, UART OFF, WIEG OFF	39.35	ZB	Readers
Y	SEC9X-CRD-E-00FD	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS, 485HDX, A/V OFF, OSDP V2, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=50MS, CSN 32-BIT MSB, EM4102 32-BIT, KPF, ASCII, BFFRD 1 KEY, IPM OFF, UART OFF, WIEG OFF	39.35	ZB	Readers
Y	SEC9X-CRD-E-011D	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 56-BIT LSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-019Y	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, A/V OFF, OSDP V2, OSDP TEST KEY, ADDRESS 0, 9600 BAUD, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, KPF, ASCII, BFFRD 1 KEY, FIPS 200-BIT, IPM OFF	39.35	ZB	Readers
Y	SEC9X-CRD-E-01A0	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485HDX, A/V OFF, OSDP V2, OSDP TEST KEY, ADDRESS 0, 9600 BAUD, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, FIPS 200-BIT, IPM OFF	39.35	ZB	Readers
Y	SEC9X-CRD-E-023F	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 37-BIT LSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-023G	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH GRN, BZR ON, CSN 32-BIT LSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-023H	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED OFF, FLSH GRN, BZR OFF, CSN 26-BIT (W/DEFAULT FC), IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-037P	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-038N	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR OFF, OPT TAMP, OPEN COLL, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-039M	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, DOR COMPL, NO PAR, 8-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-043M	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR OFF, CSN 32-BIT MSB, EM4102 32-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-043T	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, 14443A MIF 56-BIT CSN, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-E-043U	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAM, OPN COL, FIPS 75-BIT, 14443A MIF 56-BIT CSN, KPF, BFRD 1 KEY, DOR COMP, NO PAR, 8-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-E-043V	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, 14443A MIF 56-BIT CSN, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-E-043W	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, 14443A DES 56-BIT CSN, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-E-043Y	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, 14443A MIF 56-BIT CSN, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0449	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, UART, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 75-BIT, IPM OFF, UART ON, UART CSTM, WIEG OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-044A	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS/FIPS/CAK, 485FDX, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, FIPS 200-BIT, 14443A DES 56-BIT CSN, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-E-044G	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, EM4102 40-BIT, IPM OFF, IM ALIVE 20 SECONDS	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0450	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS/FIPS/CAK, LED RED, FLSH GRN, BZR ON, FIPS 200-BIT, PROX DELAY 500MS, APB 2SEC, IPM OFF, UART OFF, WIEG ON	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0451	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 40-BIT, PROX PRIORITY, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0452	CFG CARD, SE, ELITE, CFG PFL, LF CST, HF SIO, WIEG, CUSTOM SETTINGS, CUST PRIORITY, BLK, STD-2, LED OFF, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, EM4102 32-BIT, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0500	CFG CARD, SE, ELITE, CFG PFL, LF CST, HF OFF, CUSTOM SETTINGS, PSK ONLY, WIEG, ELITE KEYS, LED MAGENTA, FLSH OFF, BZR ON, OPT TAMP, OPEN COLL, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0525	CFG CARD, SE, ELITE, CFG PFL, RC663 REGISTERS, R10E, HIGH POWER	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0526	CFG CARD, SE, ELITE, CFG PFL, RC663 REGISTERS, RP10E, HIGH POWER	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0527	CFG CARD, SE, ELITE, CFG PFL, RC663 REGISTERS, R15E, HIGH POWER	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0528	CFG CARD, SE, ELITE, CFG PFL, RC663 REGISTERS, RP15E, HIGH POWER	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0529	CFG CARD, SE, ELITE, CFG PFL, RC663 REGISTERS, R30E, HIGH POWER	39.35	ZB	Credentials
Y	SEC9X-CRD-E-052A	CFG CARD, SE, ELITE, CFG PFL, RC663 REGISTERS, RP30E, HIGH POWER	39.35	ZB	Credentials
Y	SEC9X-CRD-E-052B	CFG CARD, SE, ELITE, CFG PFL, RC663 REGISTERS, R40E, HIGH POWER	39.35	ZB	Credentials
Y	SEC9X-CRD-E-052C	CFG CARD, SE, ELITE, CFG PFL, RC663 REGISTERS, RP40E, HIGH POWER	39.35	ZB	Credentials
Y	SEC9X-CRD-E-052D	CFG CARD, SE, ELITE, CFG PFL, RC663 REGISTERS, RK40E, HIGH POWER	39.35	ZB	Credentials
Y	SEC9X-CRD-E-052E	CFG CARD, SE, ELITE, CFG PFL, RC663 REGISTERS, RPK40E, HIGH POWER	39.35	ZB	Credentials
Y	SEC9X-CRD-E-052F	CFG CARD, SE, ELITE, CFG PFL, RC663 REGISTERS, R95A, HIGH POWER	39.35	ZB	Credentials
Y	SEC9X-CRD-E-052G	CFG CARD, SE, ELITE, CFG PFL, RC663 REGISTERS, R90E, HIGH POWER	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0545	CFG CARD, SE, ELITE, CFG PFL, RC663 REGISTERS, R10E, LOW POWER	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0546	CFG CARD, SE, ELITE, CFG PFL, RC663 REGISTERS, RP10E, LOW POWER	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0547	CFG CARD, SE, ELITE, CFG PFL, RC663 REGISTERS, R15E, LOW POWER	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0548	CFG CARD, SE, ELITE, CFG PFL, RC663 REGISTERS, RP15E, LOW POWER	39.35	ZB	Credentials
Y	SEC9X-CRD-E-0549	CFG CARD, SE, ELITE, CFG PFL, RC663 REGISTERS, R30E, LOW POWER	39.35	ZB	Credentials
Y	SEC9X-CRD-E-054A	CFG CARD, SE, ELITE, CFG PFL, RC663 REGISTERS, RP30E, LOW POWER	39.35	ZB	Credentials
Y	SEC9X-CRD-E-054B	CFG CARD, SE, ELITE, CFG PFL, RC663 REGISTERS, R40E, LOW POWER	39.35	ZB	Credentials
Y	SEC9X-CRD-E-054C	CFG CARD, SE, ELITE, CFG PFL, RC663 REGISTERS, RP40E, LOW POWER	39.35	ZB	Credentials
Y	SEC9X-CRD-E-054D	CFG CARD, SE, ELITE, CFG PFL, RC663 REGISTERS, RK40E, LOW POWER	39.35	ZB	Credentials
Y	SEC9X-CRD-E-054E	CFG CARD, SE, ELITE, CFG PFL, RC663 REGISTERS, RPK40E, LOW POWER	39.35	ZB	Credentials
Y	SEC9X-CRD-E-056B	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, IPM OFF, IM ALIVE 10 SECONDS, MSG-AA	39.35	ZB	Readers
Y	SEC9X-CRD-E-501	CFG CARD, SE, ELITE, CFG PFL, LF CST, HF STD/SIO/SEOS, WIEG, ELITE KEYS, LED MAGENTA, FLSH OFF, BZR ON, CSN 32 BIT MSB, OPT TAMP, OPEN COLL, IPM OFF	39.35	ZB	Credentials
Y	SEC9X-CRD-E-A001	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS/MA, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, IPM OFF, MOBILE-ENABLED-FMT	39.35	ZB	Readers
Y	SEC9X-CRD-E-A002	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS/MA, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	39.35	ZB	Readers
Y	SEC9X-CRD-E-A003	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS/MA, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, MOBILE-ENABLED-FMT	39.35	ZB	Credentials

Y	SEC9X-CRD-E-A004	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS/MA, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	39.35	ZB	Readers
Y	SEC9X-CRD-E-A005	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS/MA, 485HDX, A/V OFF, OSDP V1, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, IPM OFF, UART OFF, WIEG OFF, MOBILE-ENABLED-FMT	39.35	ZB	Readers
Y	SEC9X-CRD-E-A006	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS/MA, 485HDX, A/V OFF, OSDP V1, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, KPF, ASCII, BFFRD 1 KEY, CSN 32-BIT MSB, IPM OFF, UART OFF, WIEG OFF, MOBILE-ENABLED-FMT	39.35	ZB	Readers
Y	SEC9X-CRD-E-A007	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS/MA, 485HDX, A/V OFF, OSDP V1, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, UART OFF, WIEG OFF, MOBILE-ENABLED-FMT	39.35	ZB	Readers
Y	SEC9X-CRD-E-A008	CFG CARD, SE,ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS/MA, 485HDX, A/V OFF, OSDP V1, OPT TAMP, OPEN COLL,OSDP TAMP ENBLD,TEST KEY,POLL=75MS, CSN 32-BIT MSB, EM4102 32-BIT, KPF,ASCII, BFFRD 1 KEY, IPM OFF, UART OFF, WIEG OFF, MOBILE-ENABLED-FM	39.35	ZB	Readers
Y	SEC9X-CRD-E-A02X	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS/MA, WIEG, LED BLUE, FLSH GRN, BZR ON, CSN 40-BIT LSB, KPF, PCSC, IPM OFF, MOBILE-ENABLED-FMT	39.35	ZB	Readers
Y	SEC9X-CRD-E-A04P	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS/MA, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, EM4102 32-BIT, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF	39.35	ZB	Readers
Y	SEC9X-CRD-E-A06E	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS/MA, WIEG, LED OFF, FLSH OFF, BZR OFF, CSN 32-BIT MSB, IPM OFF, MOBILE-ENABLED-FMT	39.35	ZB	Readers
Y	SEC9X-CRD-E-A06J	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS/MA/MIFSPR, WIEG, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, IPM OFF, MOBILE-ENABLED-FMT	39.35	ZB	Readers
Y	SEC9X-CRD-E-A06R	CFG CARD, SE, ELITE, CFG PFL,LF OFF, HF STD/SIO/SEOS/MA, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, DORADO COMPL, NO PAR, 8-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	39.35	ZB	Readers
Y	SEC9X-CRD-E-A06Y	CFG CARD, SE, ELITE, LF OFF, HF STD/SIO/SEOS/MA, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	39.35	ZB	Readers
Y	SEC9X-CRD-E-A098	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS/MA, WIEG, LED RED, FLSH GRN, BZR OFF, CSN 32-BIT MSB, IPM OFF, MOBILE-ENABLED-FMT	39.35	ZB	Readers
Y	SEC9X-CRD-E-A0AV	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS/MA, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, EM4102 32-BIT, KPF, BFFRD 1 KEY, DORADO COMPL, NO PAR, 8-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	39.35	ZB	Readers
Y	SEC9X-CRD-E-A0FH	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS/MA, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, I'M ALIVE 10SEC, IPM OFF, NO CUSTOMER SPECIFIC KEYS	39.35	ZB	Readers
Y	SEC9X-CRD-E-A0FJ	CFG CARD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS/MA, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, I'M ALIVE 10SEC, IPM OFF, NO CUSTOMER SPECIFIC KEYS	39.35	ZB	Readers
Y	SEC9X-CRD-E-A0L1	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS/MA, 485HDX, PIG, BLK, A/V OFF, OSDP V2, OPT TAMP, OPN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN SUPPR, EM4102 32-BIT, IPM OFF, MOBILE-ENABLED-FMT	39.35	ZB	Readers
Y	SEC9X-CRD-E-A0LL	CFG CARD, SE, ELITE, CFG PFL, LF STD, HF STD/SIO/SEOS/MA, 485HDX, PIG, BLK, A/V OFF, OSDP V2, OPT TAMP, OPN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN SUPPR, EM4102 32-BIT, KPF, ASCII, BFFRD 1 KEY, IPM OFF, MOBILE-ENABLED-FMT	39.35	ZB	Readers
Y	SEC9X-CRD-E-A0N0	CFG CRD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS/MA/MIFSPR, WIEG, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, IPM OFF, MOBILE-ENABLED-FMT	39.35	ZB	Readers
Y	SEC9X-CRD-E-A0N1	CFG CRD, SE, ELITE, CFG PFL, LF OFF, HF STD/SIO/SEOS/MA/MIFSPR, WIEG, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-ENABLED-FMT	39.35	ZB	Readers
Y	SEC9X-CRD-E-D01J	CFG CARD, SE, ELITE, CFG PFL,IDLE LED, BLUE, NO RFD CARD	39.35	ZB	Credentials
Y	SEC9X-CRD-E-FE	CFG CARD, SE READER, ELITE, OSDP V2, REVERSE CRC ENABLE	39.35	ZB	Credentials
Y	SEC9X-CRD-E-FF	CFG CARD, SE READER, ELITE, OSDP V2, REVERSE CRC DISABLE	39.35	ZB	Credentials
Y	SEC9X-CRD-E-MKYD	MOBILE KEY CARD, CFG CARD, SEOS KEYS AND CONFIGURATION	37.47	IM	Readers
Y	SEC9X-CRD-E-P000	CFG CARD, SE, ELITE, CFG PFL, ELITE UPGRADE CARD, UPGARE TO ELITE READER ADMIN KEY	39.35	ZB	Credentials
Y	SEC9X-CRD-E-P000-KIT	CFG CARD, SE, ELITE, CFG PFL, ELITE UPGRADE CARD, UPGRADE TO ELITE READER ADMIN KEY	39.35	IR	Credentials
Y	SEC9X-CRD-E-P001	CFG CARD, SE, ELITE, CFG PFL, ELITE UPGRADE CARD, UPGRADE TO ELITE CREDENTIAL KEYS	39.35	ZB	Credentials
Y	SEC9X-CRD-E-P002	CFG CARD, SE, ELITE, CFG PFL, ELITE DOWNGRADE CARD, DOWNGRADE TO STANDARD READER ADMIN KEY	39.35	ZB	Credentials
Y	SEC9X-CRD-E-P002-KIT	CFG CARD, SE, ELITE, CFG PFL, ELITE DOWNGRADE CARD, DOWNGRADE TO STANDARD READER ADMIN KEY	39.35	IR	Credentials
Y	SEC9X-CRD-E-P003	CFG CARD, SE, ELITE, CFG PFL, ELITE DOWNGRADE CARD, DOWNGRADE TO STANDARD-1 CREDENTIAL KEYS	39.35	ZB	Credentials
Y	SEC9X-CRD-E-P009	CFG CARD, SE, ELITE, CFG, PFL, WIEGAND PULSE TIME 100US, WIEGAND SPACE TIME 2000US	39.35	ZB	Credentials
Y	SEC9X-CRD-E-P00D	CFG CARD, SE, ELITE, CFG, PFL, SE READER SMART MODULE AND SIDECAR RF BOOTLOAD CARD 3, APB = 1 SECOND, CFG CARD TIMEOUT = 30 SECONDS	39.35	ZB	Credentials
Y	SEC9X-CRD-E-P00F	CFG CARD, SE, ELITE, CFG, PFL, SE READER, DEFAULT LED BLUE, FLSH GRN	39.35	ZB	Credentials
Y	SEC9X-CRD-E-P00H	CFG CARD, SE, ELITE, CFG, PFL, SE READER, DATAMODELS, LF OFF, HF SEOS/MA ONLY, ELITE ICE0661 MEDIA KEYS	39.35	ZB	Credentials
Y	SEC9X-CRD-E-P00J	CFG CARD, SE, ELITE, CFG, PFL, SE READER, ELITE, DATAMODELS, LF OFF, HF PIV/SEOS ONLY, 18 ACRES-1	39.35	ZB	Credentials
Y	SEC9X-CRD-E-P00K	CFG CARD, SE, ELITE, CFG, PFL, SE READER, ELITE, DATAMODELS, LF PSK INDALA, HF PIV/SEOS ONLY, 18 ACRES-2	39.35	ZB	Credentials
Y	SEC9X-CRD-E-P00X	CFG CARD, SE, ELITE, CFG PFL, OSDP V2, ADDRESS= 00, RESP TIME= 32MS, UART ON, 9600 BAUD	39.35	ZB	Readers
Y	SEC9X-CRD-E-P01H	CFG CARD, SE, ELITE, CFG, PFL, SE READER, ELITE, CSN 56-BIT MSB	39.35	ZB	Credentials
Y	SEC9X-CRD-E-P01J	CFG CARD, SE, ELITE, CFG, PFL, SE READER, ELITE, CSN 32-BIT MSB	39.35	ZB	Credentials
Y	SEC9X-CRD-E-P01K-KIT	CFG CARD, ELITE, SE BIO INITIAL SETUP RESET CARD 1	39.35	IR	Credentials
Y	SEC9X-CRD-E-P01L-KIT	CFG CARD, ELITE, SE BIO INITIAL SETUP RESET CARD 2	39.35	IR	Credentials
Y	SEC9X-CRD-E-P021	CFG CARD, SE, ELITE, CFG PFL, COMMUNICATION PROTOCOL, ENABLE OSDP V2, AV OFF, OSDP TEST KEY, ADDRESS 0, 9600 BAUD, WIEG OFF, UART OFF	39.35	ZB	Readers
Y	SEC9X-CRD-E-P022	CFG CARD, SE, ELITE, CFG PFL, COMMUNICATION PROTOCOL, ENABLE OSDP V2, AV OFF, OSDP TEST KEY, ADDRESS 0, 9600 BAUD, KPF, ASCII, BFFRD 1 KEY,WIEG OFF, UART OFF	39.35	ZB	Readers
Y	SEC9X-CRD-E-P023	CFG CARD, SE, ELITE, CFG PFL, COMMUNICATION PROTOCOL, ENABLE WIEGAND, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, WIEG ON	39.35	ZB	Readers
Y	SEC9X-CRD-E-P024	CFG CARD, SE, ELITE, CFG PFL, COMMUNICATION PROTOCOL, ENABLE WIEGAND, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, WIEG ON	39.35	ZB	Readers
Y	SEC9X-CRD-E-P025	CFG CARD, SE, ELITE, CFG PFL, COMMUNICATION PROTOCOL, ENABLE WIEGAND, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, KPF, BFFRD 1 KEY, DORADO, NO PAR, 8-BIT MSG, WIEG ON	39.35	ZB	Readers
Y	SEC9X-CRD-E-P030	CFG CARD, SE, ELITE, CFG PFL, COMMUNICATION PROTOCOL, ENABLE OSDP V1, AV OFF, ADDRESS 0, 9600 BAUD, WIEG OFF, UART OFF	39.35	ZB	Readers
Y	SEC9X-CRD-E-P031	CFG CARD, SE, ELITE, CFG PFL, COMMUNICATION PROTOCOL, ENABLE OSDP V1, AV OFF, ADDRESS 0, 9600 BAUD, KPF, ASCII, BFFRD 1 KEY, WIEG OFF, UART OFF	39.35	ZB	Readers
Y	SEC9X-CRD-E-S000	CFG CARD, SE, ELITE, CFG PFL, SEOS READERS, RESET TO FACTORY DEFAULTS, R/RP/RK/RPK READERS	39.35	ZB	Credentials
Y	SEC9X-CRD-E-S010	CFG CARD, SE, ELITE, CFG PFL, 125KHZ PROX DISABLE	39.35	ZB	Credentials
Y	SEC9X-CRD-E-S011	CFG CARD, SE, ELITE, CFG PFL, 125KHZ PROX ENABLE (FSK HIGH PRIORITY)	39.35	ZB	Credentials
Y	SEC9X-CRD-E-S012	CFG CARD, SE, ELITE, CFG PFL, 125KHZ PROX ENABLE (SEOS HIGH PRIORITY)	39.35	ZB	Credentials
Y	SEC9X-CRD-E-S020	CFG CARD, SE, ELITE, CFG PFL, COMMUNICATION PROTOCOL, ENABLE WIEGAND	39.35	ZB	Credentials
Y	SEC9X-CRD-E-S021	CFG CARD, SE, ELITE, CFG PFL, COMMUNICATION PROTOCOL, ENABLE OSDP V2	39.35	ZB	Credentials
Y	SEC9X-CRD-E-S030	CFG CARD, SE, ELITE, CFG PFL, IDLE LED COLOR, RED	39.35	ZB	Credentials
Y	SEC9X-CRD-E-S031	CFG CARD, SE, ELITE, CFG PFL, IDLE LED COLOR, GREEN	39.35	ZB	Credentials
Y	SEC9X-CRD-E-S032	CFG CARD, SE, ELITE, CFG PFL, IDLE LED COLOR, BLUE	39.35	ZB	Credentials
Y	SEC9X-CRD-E-S033	CFG CARD, SE, ELITE, CFG PFL, IDLE LED COLOR, CYAN	39.35	ZB	Credentials
Y	SEC9X-CRD-E-S034	CFG CARD, SE, ELITE, CFG PFL, IDLE LED COLOR, AMBER	39.35	ZB	Credentials
Y	SEC9X-CRD-E-S035	CFG CARD, SE, ELITE, CFG PFL, IDLE LED COLOR, MAGENTA	39.35	ZB	Credentials
Y	SEC9X-CRD-E-S036	CFG CARD, SE, ELITE, CFG PFL, IDLE LED COLOR, WHITE	39.35	ZB	Credentials
Y	SEC9X-CRD-E-S037	CFG CARD, SE, ELITE, CFG PFL, IDLE LED COLOR, BLACK (OFF HOST CONTROLLED)	39.35	ZB	Credentials
Y	SEC9X-CRD-E-S040	CFG CARD, SE, ELITE, CFG PFL, FLASH ON CARD READ LED COLOR, GREEN	39.35	ZB	Credentials
Y	SEC9X-CRD-E-S041	CFG CARD, SE, ELITE, CFG PFL, FLASH ON CARD READ LED COLOR, BLACK (OFF, HOST CONTROLLED)	39.35	ZB	Credentials
Y	SEC9X-CRD-E-S050	CFG CARD, SE, ELITE, CFG PFL, BEEP ON CARD READ, ENABLED	39.35	ZB	Credentials
Y	SEC9X-CRD-E-S051	CFG CARD, SE, ELITE, CFG PFL, BEEP ON CARD READ, DISABLED (OFF, HOST CONTROLLED)	39.35	ZB	Credentials
Y	SEC9X-CRD-E-S060	CFG CARD, SE, ELITE, CFG PFL, KEYPAD, OPTION 00, BUFFER ONE KEY, NO PARITY, 4-BIT MSG	39.35	ZB	Credentials
Y	SEC9X-CRD-E-S061	CFG CARD, SE, ELITE, CFG PFL, KEYPAD, OPTION 09, BUFFER ONE KEY, ADD COMPLIMENT, 8-BIT MSG (DORADO)	39.35	ZB	Credentials
Y	SEC9X-CRD-E-S062	CFG CARD, SE, ELITE, CFG PFL, KEYPAD, OPTION 14, BUFFER ONE TO FIVE KEYS, ADD PARITY, 26-BIT MSG, USER ENTERED FC	39.35	ZB	Credentials
Y	SEC9X-CRD-M-A002	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/MA, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-READY	39.35	ZB	Readers
Y	SEC9X-CRD-M-A003	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/MA, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, MOBILE-READY	39.35	ZB	Readers
Y	SEC9X-CRD-M-A004	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/MA, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-READY	39.35	ZB	Readers
Y	SEC9X-CRD-M-A005	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/MA, 485HDX, A/V OFF, OSDP V1, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, IPM OFF, UART OFF, WIEG OFF, NO CUSTOMER SPECIFIC KEYS	39.35	ZB	Readers
Y	SEC9X-CRD-M-A006	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/MA, 485HDX, A/V OFF, OSDP V1, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, KPF, ASCII, BFFRD 1 KEY, CSN 32-BIT MSB, IPM OFF, UART OFF, WIEG OFF, MOBILE-READY	39.35	ZB	Readers
Y	SEC9X-CRD-M-A007	CFG PFL, LF STD, HF STD/SIO/SEOS/MA, 485HDX, A/V OFF, OSDP V1, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEY, POLL=75MS, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, UART OFF, WIEG OFF, NO CUSTOMER SPECIFIC KEYS	39.35	ZB	Readers
Y	SEC9X-CRD-M-A008	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/MA, 485HDX, A/V OFF, OSDP V1, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD,TEST KEY, POLL=75MS, CSN 32-BIT MSB, EM4102 32-BIT, KPF, ASCII, BFFRD 1 KEY, IPM OFF, UART OFF, WIEG OFF, MOBILE-READY	39.35	ZB	Readers
Y	SEC9X-CRD-M-A00U	CFG CARD, SE, STD, CFG PFL, LF OFF, HF SIO/SEOS/MA, WIEG, LED BLUE, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN SUPPRESSED, IPM OFF, MOBILE-READY	39.35	ZB	Readers
Y	SEC9X-CRD-M-A024	CFG CARD, SE, STD, CFG PFL, LF STD, HF LEG/SIO/SEOS/MA, WIEG, LED BLUE, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, IPM OFF, STD/ICE0235/MOB0001/MOB0022 KEYS MOBILE ENABLED, TAP/TWIST N GO ENABLED, ECP V2	39.35	ZB	Credentials

Y	SEC9X-CRD-M-A04P	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/MA, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, EM4102 32-BIT, KPF, BFFRD 1 TO 5 KEYS, PAR, USER ENTRD FC, 26-BIT MSG, IPM OFF	39.35	ZB	Readers
Y	SEC9X-CRD-M-A06J	CFG CARD, SE E, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/MA/MIFSPR, WIEG, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, IPM OFF, MOBILE READY	39.35	ZB	Readers
Y	SEC9X-CRD-M-A0A7	CFG CARD, SE, STD, CFG PFL, LF STD, HF LEG/SIO/SEOS/MA, 485HDX, A/V OFF, OSDP V1, OPT TAMP, OPEN COLL, OSDP TAMP ENBLD, TEST KEYS, POLL=75MS, CSN 32-BIT MSB, IPM OFF, UART OFF, WIEG OFF, STD/ICE0235/MOB0001/MOB0022 KEYS MOBILE ENBL, ECP V2	39.35	ZB	Credentials
Y	SEC9X-CRD-M-A0AB	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/MA/MIFSPR, WIEG, LED BLUE, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN MIF SUPPR, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-READY	39.35	ZB	Readers
Y	SEC9X-CRD-M-A0AV	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/MA, WIEG, LED RED, FLSH GRN, BZR ON, CSN 32-BIT MSB, EM4102 32-BIT, KPF, BFFRD 1 KEY, DORADO COMPL, NO PAR, 8-BIT MSG, IPM OFF, MOBILE-READY	39.35	ZB	Readers
Y	SEC9X-CRD-M-A0BE	CFG CARD, SE, STD, CFG PFL, LF STD, HF LEG/SIO/SEOS/MA, WIEG, LED BLUE, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, S2 CUSTOM KEYPAD, 26-BIT MSG, IPM OFF, STD/ICE0235/MOB0001/MOB0022 KEYS MOBILE ENABLED, ECP V2	39.35	ZB	Credentials
Y	SEC9X-CRD-M-A0CG	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, LED BLUE, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, MOBILE-READY	39.35	ZB	Readers
Y	SEC9X-CRD-M-A0CH	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/MA, WIEG, LED BLUE, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, IPM OFF, MOBILE-READY	39.35	ZB	Readers
Y	SEC9X-CRD-M-A0CJ	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/MA, WIEG, PIG, BLK, LED BLUE, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-READY	39.35	ZB	Readers
Y	SEC9X-CRD-M-A0CK	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/MA, WIEG, TERM, BLK, LED BLUE, FLSH GRN, BZR ON, CSN 32-BIT MSB, EM4102 32-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE READY	39.35	ZB	Readers
Y	SEC9X-CRD-M-A0E2	CFG CARD, SE, STD, CFG PFL, LF OFF, HF SIO/SEOS/MIFSPR/MA, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, IPM OFF, STD/MOB0502, MOBILE-ENABLED, ECP V2	39.35	ZB	Credentials
Y	SEC9X-CRD-M-A0E9	CFG CARD, SE, STD, CFG, PFL, DATAMODELS, LF STD, HF STD/SIO/SEOS/MA, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, EM4102 32-BIT, IPM OFF, PROX PRIORITY	39.35	ZB	Credentials
Y	SEC9X-CRD-M-A0FH	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/MA, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, I'M ALIVE 10SEC, IPM OFF, NO CUSTOMER SPECIFIC KEYS	39.35	ZB	Readers
Y	SEC9X-CRD-M-A0FJ	CFG CARD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/MA, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN 32-BIT MSB, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, I'M ALIVE 10SEC, IPM OFF, NO CUSTOMER SPECIFIC KEYS	39.35	ZB	Readers
Y	SEC9X-CRD-M-A0LY	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/MA, WIEG, LED RED, FLSH GRN, BZR ON, OPT TAMP, OPEN COLL, CSN RAW REVERSED, ISO15693 CSN, EM4102 32-BIT, IPM OFF, NO CUSTOMER SPECIFIC KEYS, GE VICINITY	39.35	ZB	Readers
Y	SEC9X-CRD-M-A0M0	CFG CARD, SE, STD, CFG PFL, LF STD, HF STD/SIO/SEOS/MA, WIEG, LED RED, FLSH GRN, BZR ON, CSN RAW REVERSED, ISO15693 CSN, EM4102 32-BIT, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, NO CUSTOMER SPECIFIC KEYS, GE VICINITY	39.35	ZB	Readers
Y	SEC9X-CRD-M-A0N0	CFG CRD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/MA/MIFSPR, WIEG, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, IPM OFF, MOBILE-READY	39.35	ZB	Readers
Y	SEC9X-CRD-M-A0N1	CFG CRD, SE, STD, CFG PFL, LF OFF, HF STD/SIO/SEOS/MA/MIFSPR, WIEG, LED RED, FLSH GRN, BZR ON, CSN MIF SUPPR, KPF, BFFRD 1 KEY, NO PAR, 4-BIT MSG, IPM OFF, MOBILE-READY	39.35	ZB	Readers
Y	SEC9X-CRD-MAD-0001	MOBILE ADMIN CARD; ORGANIZATION SPECIFIC	40.00	IM	Credentials
Y	SEC9X-CRD-MAD-0022	MOBILE ADMIN CARD; ORGANIZATION SPECIFIC	40.00	IM	Credentials
Y	SEC9X-CRD-MAD-1142	MOBILE ADMIN CARD; ORGANIZATION SPECIFIC	40.00	IM	Credentials
Y	SEC9X-CRD-MADD	MOBILE ADMIN CARD; ORGANIZATION SPECIFIC	40.00	IM	Credentials
Y	SEC9X-CRD-MKY-DEMO	CFG CARD, SE, STD,ICE0235/MOB0001/MOB0022 MOBILE KEYS ONLY, FOR DEMO READERS	39.35	ZB	Credentials
Y	SEC9XNNXAUXXXX	SECURITY UPGRADE CARD, INTERPRETERS: LF OFF, HF SIO, PNL N/A, STD 2 SECURITY	39.35	ZB	Credentials
Y	SEC9XPTNA00000	READER PROGRAMMING CARD: CONFIGURATION: SE, LF STD, HF STD, PNL WIEG, LED RED, FLASH GRN, BZR ON, IPM OFF, 32 BIT, KPF 4	39.35	ZB	Credentials
Y	SEC9XXXXA00001	READER PROGRAMMING CARD - CONFIGURATION: LED RED, FLASH GRN, BZR ON, IPM OFF, KPF 8 BIT DORADO	39.35	ZB	Credentials
Y	SEC9XXXXA00008	READER PROGRAMMING CARD CONFIGURATION: LED RED, FLASH OFF, BZR ON, IPM OFF, KPF 4 BIT	39.35	ZB	Credentials
Y	SEC9XXXXA0000C	READER PROGRAMMING CARD CONFIGURATION: LED OFF, FLASH OFF, BZR ON, IPM OFF, KPF 4 BIT	39.35	ZB	Credentials
Y	SEC9XXXXA0000G	READER PROGRAMMING CARD CONFIGURATION: LED OFF, FLASH OFF, BZR OFF, IPM OFF, KPF 4 BIT	39.35	ZB	Credentials
Y	SEC9XXXXXA0000V	READER PROGRAMMING CARD CONFIGURATION: LED RED, FLASH OFF BZR ON	39.35	ZB	Credentials
Y	SIGNO-B-USB	HID SIGNO™ Single Finger Biometric Reader, Multispectral Imaging Technology, USB Desktop Reader, match on host, IP52	199.50	IR	Readers
Y	SIGNO-DEMO-KIT-20K	SIGNO READER DEMONSTRATION KIT, 20K DEMO	750.08	ZB	Readers
Y	SNR-00058	MSO-1300E3 USB FINGER PRINT SENSOR	510.00	ZB	Readers
Y	TECHSUPPORT-B	PROFESSIONAL SERVICES - PIVCLASS TECHSUPPORT SERVICES - BASIC	403.20	ZB	Services
Y	TP01-PACS	TECHNOLOGY PARTNER MEMBERSHIP SUBSCRIPTION	1.03	PB	Technical Services
Y	TP02-PACS	TECHNOLOGY PARTNER STARTER PACK	1.03	PB	Technical Services
Y	TPSCTRL01	SUBSCRIPTION MEMBERSHIP FOR HID PACS CONTROLLERS INTEGRATION SERVICE	7,725.00	PB	Technical Services
Y	TPSCTRLR01	RENEWAL SUBSCRIPTION MEMBERSHIP FOR HID PACS CONTROLLERS INTEGRATION SERVICE	5,000.00	PB	Technical Services
Y	TPSORIGOUS01	SUBSCRIPTION MEMBERSHIP FOR HID ORIGO INTEGRATION SERVICEUS REGION	7,725.00	PB	Technical Services
Y	TPSORIGOUSPSTE	TRAVEL AND EXPENSES FOR ONSITE TRAINING AT $2500	2,575.00	PB	Technical Services
Y	TPSORIGOUSR01	RENEWAL ON END USER MEMBERSHIP FOR HID ORIGO INTEGRATION SERVICE US REGION	5,000.00	PB	Technical Services
Y	WSHLDMT-BLU	CARD HOLDER PACK, WINDSHIELD MOUNT, BLUE, PACK OF 10 CARD HOLDERS	86.52	ZB	Credentials
Y	WSHLDMT-CLR	CARD HOLDER PACK, WINDSHIELD MOUNT, CLEAR, PACK OF 10 CARD HOLDERS	86.52	ZB	Credentials
Y	WSHLDMT-CUPS	KIT, SUCTION CUP (200), WINDSHIELD CARD HOLDER	216.30	ZB	Credentials
Y	WSHLDMT-WHT	CARD HOLDER PACK, WINDSHIELD MOUNT, WHITE, PACK OF 10 CARD HOLDERS	86.52	ZB	Credentials
Y	WSHLDMT-WHT-BULK	CARD HOLDER BULK PACK, WINDSHIELD MOUNT, WHITE, 250 BAGGED	1,946.70	ZB	Credentials
	20HNKS-03-0004XR	SIGNO 20 PIV,BLK/SLVR,PIG,CRD PFL CSTM,FIPS200BIT,BLE:OFF,OSDP,V2,TM,CSN SUPR,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF	487.58	IR	Readers
	20HNKS-03-00057K	SIGNO 20 PIV,BLK/SLVR,PIG,CRD PFL CSTM,FIPS75BIT,BLE:OFF,WIEG,56-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF	487.58	IR	Readers
	20HNKS-03-000583	SIGNO 20 PIV,BLK/SLVR,PIG,CRD PFL CSTM,FIPS200BIT,BLE:OFF,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF	487.58	IR	Readers
	20HNKS-03-00059X	SIGNO 20 PIV,BLK/SLVR,PIG,CRD PFL CSTM,FIPS200BIT,BLE:OFF,OSDP,V2,TM,CSN SUPR,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF	487.58	IR	Readers
	20HNKS-03-0005DE	SIGNO 20 PIV,BLK/SLVR,PIG,CRD PFL CSTM,FIPS200BIT,BLE:OFF,OSDP,V2,TM,CSN SUPR,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF	487.58	IR	Readers
	20HNKS-03-0005MA	SIGNO 20 PIV,BLK/SLVR,PIG,CRD PFL CSTM,FIPS200BIT,BLE:OFF,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF	487.58	IR	Readers
	20HNKS-03-0005N2	SIGNO 20 PIV,BLK/SLVR,PIG,CRD PFL CSTM,FIPS75BIT,BLE:OFF,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF	487.58	IR	Readers
	20HTKS-03-0004XR	SIGNO 20 PIV,BLK/SLVR,TERM,CRD PFL CSTM,FIPS200BIT,BLE:OFF,OSDP,V2,TM,CSN SUPR,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF	487.58	IR	Readers
	20HTKS-03-00055J	SIGNO 20 PIV,BLK/SLVR,TERM,CRD PFL CSTM,FIPS75BIT,BLE:OFF,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF	487.58	IR	Readers
	20HTKS-03-00059X	SIGNO 20 PIV,BLK/SLVR,TERM,CRD PFL CSTM,FIPS200BIT,BLE:OFF,OSDP,V2,TM,CSN SUPR,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF	487.58	IR	Readers
	20HTKS-03-0005A8	SIGNO 20 PIV,BLK/SLVR,TERM,CRD PFL CSTM,FIPS128BIT REV,BLE:OFF,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF	487.58	IR	Readers
	20HTKS-03-0005B9	SIGNO 20 PIV,BLK/SLVR,TERM,CRD PFL CSTM,FIPS200BIT,BLE:OFF,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF	487.58	IR	Readers
	20HTKS-03-0005N2	SIGNO 20 PIV,BLK/SLVR,TERM,CRD PFL CSTM,FIPS75BIT,BLE:OFF,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF	487.58	IR	Readers
	20HTKS-03-004XMB	SIGNO 20 PIV,BLK/SLVR,TERM,CRD PFL CSTM,FIPS128BIT REV,BLE:OFF,OSDP,V2,TM,CSN SUPR,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF	487.58	IR	Readers
	20KHNKS-03-0004XR	SIGNO 20K PIV,BLK/SLVR,PIG,CRD PFL CSTM,FIPS200BIT,BLE:OFF,OSDP,V2,TM,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	775.14	IR	Readers
	20KHNKS-03-00059X	SIGNO 20K PIV,BLK/SLVR,PIG,CRD PFL CSTM,FIPS200BIT,BLE:OFF,OSDP,V2,TM,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	775.14	IR	Readers
	20KHNKS-03-0005B9	SIGNO 20K PIV,BLK/SLVR,PIG,CRD PFL CSTM,FIPS200BIT,BLE:OFF,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	775.14	IR	Readers
	20KHTKS-03-0004XR	SIGNO 20K PIV,BLK/SLVR,TERM,CRD PFL CSTM,FIPS200BIT,BLE:OFF,OSDP,V2,TM,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	775.14	IR	Readers
	20KHTKS-03-00055J	SIGNO 20K PIV,BLK/SLVR,TERM,CRD PFL CSTM,FIPS75BIT,BLE:OFF,WIEG,CSN SUPR,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	775.14	IR	Readers
	20KHTKS-03-00059X	SIGNO 20K PIV,BLK/SLVR,TERM,CRD PFL CSTM,FIPS200BIT,BLE:OFF,OSDP,V2,TM,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	775.14	IR	Readers
	20KHTKS-03-0005A8	SIGNO 20K PIV,BLK/SLVR,TERM,CRD PFL CSTM,FIPS128BIT REV,BLE:OFF,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	775.14	IR	Readers
	20KHTKS-03-0005B9	SIGNO 20K PIV,BLK/SLVR,TERM,CRD PFL CSTM,FIPS200BIT,BLE:OFF,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	775.14	IR	Readers
	20KHTKS-03-0005MA	SIGNO 20K PIV,BLK/SLVR,TERM,CRD PFL CSTM,FIPS200BIT,BLE:OFF,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	775.14	IR	Readers
	20KHTKS-03-0005N1	SIGNO 20K PIV,BLK/SLVR,TERM,CRD PFL CSTM,FIPS200BIT,BLE:OFF,WIEG,CSN SUPR,EACH,8-B DOR,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	775.14	IR	Readers
	20KHTKS-03-0005N2	SIGNO 20K PIV,BLK/SLVR,TERM,CRD PFL CSTM,FIPS75BIT,BLE:OFF,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	775.14	IR	Readers
	20KHTKS-03-004XMB	SIGNO 20K PIV,BLK/SLVR,TERM,CRD PFL CSTM,FIPS128BIT REV,BLE:OFF,OSDP,V2,TM,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	775.14	IR	Readers
	20KNKS-00-00001Q	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,OSDP,V2,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
	20KNKS-00-00003B	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,OSDP,V2,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
	20KNKS-00-00004K	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
	20KNKS-00-00004M	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
	20KNKS-00-00018J	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,OSDP,V1,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers

20KNKS-00-00019P	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,INCL:FMT,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-0001GS	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,34-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:OFF,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-0001H3	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,INCL:FMT,BLE:ON,WIEG,CSN SUPR,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-0001KF	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,26-B FC1,CPLT,26-B MSG,PAR,LEN:5,FC:UEC,EM:32-B,LED:OFF,FLSH:OFF,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-0001L6	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0006,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-0001SA	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0006,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-0001U7	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,40-B MSB,CPLT,PAR,LEN:4,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-0001WK	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA17G,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-000217	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,CPLT,PAR,LEN:4,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-00025H	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:OFF,FLSH:OFF,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-0002BP	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,OSDP,V1,32-B MSB,EACH,ASCII,NOPAR,LEN:13,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-00032J	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:26-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-00033T	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,FMT:10073,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-00038K	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,FMT:14966,BLE:ON,WIEG,32-B MSB,EACH,8-B DOR,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-000393	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA3AK,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-00039H	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,OSDP,V2,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,APB:OFF	700.14	IR	Readers
20KNKS-00-00043J	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA3KM,FMT:18686,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:BLU,FLSH:GRN,BZR,KBD:BLU,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	700.14	IR	Readers
20KNKS-00-00044H	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0001,FMT:ASP10022,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:BLU,FLSH:GRN,BZR,KBD:BLU,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	700.14	IR	Readers
20KNKS-00-0005R6	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,FMT:17191,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-0005TK	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0059,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-0005UX	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0022,FMT:ASP10022,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-00066J	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA3NW,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:BLU,FLSH:GRN,BZR,KBD:BLU,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	700.14	IR	Readers
20KNKS-00-0008M2	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0028,FMT:1026X,BLE:ON,WIEG,CSN SUPR,EACH,8-B DOR,NOPAR,LEN:13,LED:OFF,FLSH:OFF,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-0008UF	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,FMT:16632,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-00099F	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0028,FMT:ASP1771X,BLE:ON,WIEG,CSN SUPR,EACH,8-B DOR,NOPAR,LEN:13,LED:OFF,FLSH:OFF,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-000B08	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:BLU,FLSH:GRN,BZR,KBD:BLU,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-000CEG	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:26-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	700.14	IR	Readers
20KNKS-00-000CEJ	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,CPLT,4TO44-B MSG,NOPAR,FC:0,EM:26-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	700.14	IR	Readers
20KNKS-00-000J2V	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA3W5,FMT:10251,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-000JAW	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,FMT:ASP10022,BLE:ON,WIEG,26-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:26-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-000JBV	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EACH,8-B DOR,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-000L5G	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,34-B MSB,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-000LYU	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,FMT:18740,BLE:ON,WIEG,CSN SUPR,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-000TG5	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA2WE,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	700.14	IR	Readers
20KNKS-00-000U1W	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0946,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-0012KL	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1405,FMT:ASP10022,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:BLU,FLSH:RED,BZR,KBD:BLU,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-00147C	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,FMT:ASP10022,BLE:ON,OSDP,V2,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-0014JF	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0644,BLE:ON,OSDP,V2,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-0015RR	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,CSN SUPR,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-00192X	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,OSDP,V2,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-0019AK	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,FMT:11207,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	700.14	IR	Readers
20KNKS-00-001C6D	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA4LZ,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-001CT4	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0054,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	700.14	IR	Readers
20KNKS-00-001FP6	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0210,FMT:ASP10022,BLE:ON,OSDP,V2,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-001HKV	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0889,BLE:ON,OSDP,V2,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,APB:OFF	700.14	IR	Readers
20KNKS-00-001HN3	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1602,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	700.14	IR	Readers
20KNKS-00-001NYM	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1279,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,CPLT,26-B MSG,PAR,LEN:5,FC:UEC,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-001PD1	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0148,FMT:ASP10022,BLE:ON,OSDP,V2,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	700.14	IR	Readers
20KNKS-00-001TCX	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-001TDR	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA24D,FMT:11207,BLE:ON,OSDP,V2,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-001THW	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,FMT:10200,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-001UX4	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,INCL:FMT,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-001YK8	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0001,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-0028F6	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA537,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-00294K	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA0AG,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-002MRK	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0257,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-002XHX	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0773,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-003MQG	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA0QZ,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-003NWV	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA2XR,FMT:ASP10022,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-003VYN	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0495,FMT:1026X,BLE:ON,WIEG,34-B MSB,EACH,8-B DOR,NOPAR,LEN:13,FC:0,EM:40-B,LED:OFF,FLSH:OFF,BZR,KBD:OFF,KBZR,VIS:ON,SRF:ON,VEL:OFF,TWS	700.14	IR	Readers
20KNKS-00-0042BB	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA5ZW,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	700.14	IR	Readers
20KNKS-00-0042LT	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,FMT:10022,BLE:ON,WIEG,CSN SUPR,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-004HQP	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA43Z,BLE:ON,OSDP,V2,56-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-004HYF	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1038,FMT:15296,BLE:ON,OSDP,V2,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:BLU,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-005AFD	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,BLE:OFF,WIEG,32-B MSB,EACH,26-B MSG,PAR,LEN:13,FC:242,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	700.14	IR	Readers
20KNKS-00-0063HH	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,INCL:KEY,BLE:ON,OSDP,V2,32-B MSB,EACH,ASCII,NOPAR,LEN:13,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-006LNR	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA73G,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-006RL9	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA4CT,BLE:ON,OSDP,V2,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-007L6T	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0006,BLE:ON,OSDP,V2,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-007MUX	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0006,BLE:ON,OSDP,V2,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-00D9YX	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA1D2,FMT:ASP10022,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:BLU,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-00-00EXQX	SIGNO 20K,BLK/SLVR,PIG,CRD PFL STD,FMT:10197,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KNKS-01-00067B	SIGNO 20K,BLK/SLVR,PIG,CRD PFL SEOS,BLE:ON,WIEG,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	600.12	IR	Readers
20KNKS-01-000P0D	SIGNO 20K,BLK/SLVR,PIG,CRD PFL SEOS,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	600.12	IR	Readers
20KNKS-01-000WJ5	SIGNO 20K,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOBA2R8,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	600.12	IR	Readers
20KNKS-01-001UXB	SIGNO 20K,BLK/SLVR,PIG,CRD PFL SEOS,INCL:KEY,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	600.12	IR	Readers
20KNKS-01-004M6N	SIGNO 20K,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOBA67B,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	600.12	IR	Readers

20KNKS-01-005LRM	SIGNO 20K,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOBA6KQ,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	600.12	IR	Readers
20KNKS-01-006BH8	SIGNO 20K,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOBA6XH,BLE:ON,OSDP,V1,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	600.12	IR	Readers
20KNKS-02-00043L	SIGNO 20K,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA24D,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
20KNKS-02-0005TL	SIGNO 20K,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOB0059,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
20KNKS-02-0005V0	SIGNO 20K,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA3PV,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
20KNKS-02-000679	SIGNO 20K,BLK/SLVR,PIG,CRD PFL SMART,BLE:ON,WIEG,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
20KNKS-02-000E94	SIGNO 20K,BLK/SLVR,PIG,CRD PFL SMART,BLE:ON,WIEG,CPLT,26-B MSG,PAR,LEN:6,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
20KNKS-02-000NG8	SIGNO 20K,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA47Y,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:BLU,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
20KNKS-02-000QPL	SIGNO 20K,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOB1241,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
20KNKS-02-000YP7	SIGNO 20K,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA144,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
20KNKS-02-0015R1	SIGNO 20K,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOB1077,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
20KNKS-02-0016N6	SIGNO 20K,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA37D,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
20KNKS-02-00192T	SIGNO 20K,BLK/SLVR,PIG,CRD PFL SMART,BLE:ON,OSDP,V1,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
20KNKS-02-001UXD	SIGNO 20K,BLK/SLVR,PIG,CRD PFL SMART,INCL:KEY,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
20KNKS-02-0023E4	SIGNO 20K,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOB0803,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
20KNKS-02-002H71	SIGNO 20K,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA58T,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	650.13	IR	Readers
20KNKS-02-0038R4	SIGNO 20K,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA5N6,BLE:OFF,OSDP,V1,RAW,EACH,ASCII,NOPAR,LEN:13,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	650.13	IR	Readers
20KNKS-02-0054R8	SIGNO 20K,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA07J,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
20KNKS-02-005CLL	SIGNO 20K,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOB0144,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
20KNKS-02-005NTU	SIGNO 20K,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA07J,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
20KNKS-02-00DC97	SIGNO 20K,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA2ZN,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
20KNKS-03-0001D2	SIGNO 20K,BLK/SLVR,PIG,CRD PFL CSTM,MA ENB,MOB0695,BLE:ON,WIEG,64-B LSB,EACH,4-B MSG,NOPAR,LEN:13,FELICA:64-B LSB,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	750.14	IR	Readers
20KNKS-03-0004YC	SIGNO 20K,BLK/SLVR,PIG,CRD PFL CSTM,BLE:ON,WIEG,64-B LSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,FELICA:64-B LSB,CEPAS:CAN,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	750.14	IR	Readers
20KNKS-03-000584	SIGNO 20K,BLK/SLVR,PIG,CRD PFL CSTM,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,MAP1:DF,DEFAULT,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	750.14	IR	Readers
20KNKS-03-0005E0	SIGNO 20K,BLK/SLVR,PIG,CRD PFL CSTM,BLE:ON,WIEG,64-B LSB,CPLT,4T044-B MSG,NOPAR,FC:0,EM:32-B,FELICA:64-B LSB,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	750.14	IR	Readers
20KNKS-03-0005KF	SIGNO 20K,BLK/SLVR,PIG,CRD PFL CSTM,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,MAP1:DF,DEFAULT,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	750.14	IR	Readers
20KNKS-03-0005M3	SIGNO 20K,BLK/SLVR,PIG,CRD PFL CSTM,INCL:KEY,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,MAP1:DF,DEFAULT,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	750.14	IR	Readers
20KNKS-03-001JQB	SIGNO 20K,BLK/SLVR,PIG,CRD PFL CSTM,MA ENB,MOBA4YJ,BLE:ON,OSDP,V1,56-B MSB,EACH,ASCII,NOPAR,LEN:13,MAP1:DF,DEFAULT,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	750.14	IR	Readers
20KNKS-03-002KBL	SIGNO 20K,BLK/SLVR,PIG,CRD PFL CSTM,BLE:ON,WIEG,64-B LSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,FELICA:64-B LSB,CEPAS:CAN,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	750.14	IR	Readers
20KNKS-03-003QCQ	SIGNO 20K,BLK/SLVR,PIG,CRD PFL CSTM,MA ENB,MOBA2BG,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,MAP1:DF,DEFAULT,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	750.14	IR	Readers
20KNKS-T0-000036	SIGNO 20K,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
20KNKS-T0-00003R	SIGNO 20K,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,WIEG,26-B FC1,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:RED,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
20KNKS-T0-00003W	SIGNO 20K,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,WIEG,32-B MSB,CPLT,26-B MSG,PAR,LEN:5,FC:UEC,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
20KNKS-T0-0001U7	SIGNO 20K,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,WIEG,40-B MSB,CPLT,PAR,LEN:4,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
20KNKS-T0-00026M	SIGNO 20K,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,WIEG,56-B LSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
20KNKS-T0-00038P	SIGNO 20K,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOB0771,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	745.51	IR	Readers
20KNKS-T0-0012XD	SIGNO 20K,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA2AV,BLE:ON,OSDP,V2,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:BLU,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
20KNKS-T0-0015RR	SIGNO 20K,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,WIEG,CSN SUPR,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
20KNKS-T0-00192X	SIGNO 20K,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,OSDP,V2,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
20KNKS-T0-001TCX	SIGNO 20K,BLK/SLVR,PIG,CRD PFL T0-STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
20KNKS-T0-001UV4	SIGNO 20K,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,WIEG,32-B MSB,EACH,8-B DOR,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
20KNKS-T0-0023XN	SIGNO 20K,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOB1629,BLE:ON,OSDP,V2,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
20KNKS-T0-006CGP	SIGNO 20K,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA6Y7,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
20KNKS-T0-006RL9	SIGNO 20K,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA4CT,BLE:ON,OSDP,V2,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
20KNKS-T0-0092DQ	SIGNO 20K,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA2G2,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
20KNKS-T1-00001H	SIGNO 20K,BLK/SLVR,PIG,CRD PFL T1-SEOS,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	639.01	IR	Readers
20KNKS-T1-000NGA	SIGNO 20K,BLK/SLVR,PIG,CRD PFL T1-SEOS,MA ENB,MOBA47Y,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	639.01	IR	Readers
20KNKS-T1-00183L	SIGNO 20K,BLK/SLVR,PIG,CRD PFL T1-SEOS,MA ENB,MOBA4PB,BLE:ON,OSDP,V2,EACH,4-B MSG,NOPAR,LEN:13,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	639.01	IR	Readers
20KNKS-T1-00192V	SIGNO 20K,BLK/SLVR,PIG,CRD PFL T1-SEOS,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	639.01	IR	Readers
20KNKS-T1-006BH8	SIGNO 20K,BLK/SLVR,PIG,CRD PFL T1-SEOS,MA ENB,MOBA6XH,BLE:ON,OSDP,V1,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	639.01	IR	Readers
20KNKS-T1-00BD9X	SIGNO 20K,BLK/SLVR,PIG,CRD PFL T1-SEOS,MA ENB,MOBA95Q,BLE:ON,OSDP,V2,EACH,4-B MSG,NOPAR,LEN:13,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	639.01	IR	Readers
20KNKS-T2-0001MX	SIGNO 20K,BLK/SLVR,PIG,CRD PFL T2-SMART,INCL:KEY,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
20KNKS-T2-0005V0	SIGNO 20K,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA3PV,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
20KNKS-T2-000679	SIGNO 20K,BLK/SLVR,PIG,CRD PFL T2-SMART,BLE:ON,WIEG,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
20KNKS-T2-00192W	SIGNO 20K,BLK/SLVR,PIG,CRD PFL T2-SMART,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
20KNKS-T2-001AL9	SIGNO 20K,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA4RF,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	692.27	IR	Readers
20KNKS-T2-001HL0	SIGNO 20K,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOB0889,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,APB:OFF	692.27	IR	Readers
20KNKS-T2-001UXD	SIGNO 20K,BLK/SLVR,PIG,CRD PFL T2-SMART,INCL:KEY,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
20KNKS-T2-0023E4	SIGNO 20K,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOB0803,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
20KNKS-T2-002H71	SIGNO 20K,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA58T,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	692.27	IR	Readers
20KNKS-T2-002J4C	SIGNO 20K,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA5A5,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
20KNKS-T2-002MRN	SIGNO 20K,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOB0257,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
20KNKS-T2-0067Q7	SIGNO 20K,BLK/SLVR,PIG,CRD PFL T2-SMART,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:WHT,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
20KNKS-T2-007AFX	SIGNO 20K,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA7H4,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:OFF,VEL:OFF,TAP	692.27	IR	Readers
20KNKS-T2-008B9Y	SIGNO 20K,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA1WY,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
20KNKS-T2-008X9M	SIGNO 20K,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA89R,BLE:ON,WIEG,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	692.27	IR	Readers
20KNKS-T2-0093F0	SIGNO 20K,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA3AV,BLE:ON,OSDP,V2,EACH,4-B MSG,NOPAR,LEN:13,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	692.27	IR	Readers
20KNKS-T2-0095FH	SIGNO 20K,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA8AM,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
20KNKS-T3-0001D2	SIGNO 20K,BLK/SLVR,PIG,CRD PFL T3-CSTM,MA ENB,MOB0695,BLE:ON,WIEG,64-B LSB,EACH,4-B MSG,NOPAR,LEN:13,FELICA:64-B LSB,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	798.77	IR	Readers
20KNKS-T3-00058Q	SIGNO 20K,BLK/SLVR,PIG,CRD PFL T3-CSTM,FIPS200BIT,BLE:OFF,WIEG,CSN SUPR,EACH,8-B DOR,NOPAR,LEN:13,FC:0,EM:32-B,MAP1:DF,CUS,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	798.77	IR	Readers
20KNKS-T3-0005BW	SIGNO 20K,BLK/SLVR,PIG,CRD PFL T3-CSTM,BLE:ON,C&D,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,MAP1:DF,ICE0595,MAP2:MF,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	798.77	IR	Readers
20KNKS-T3-0005C8	SIGNO 20K,BLK/SLVR,PIG,CRD PFL T3-CSTM,BLE:ON,WIEG,64-B LSB,EACH,4-B MSG,NOPAR,LEN:13,FELICA:64-B LSB,CEPAS:CAN,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	798.77	IR	Readers
20KNKS-T3-0005CW	SIGNO 20K,BLK/SLVR,PIG,CRD PFL T3-CSTM,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FELICA:64-B LSB,CEPAS:CSN,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	798.77	IR	Readers
20KNKS-T3-0005KF	SIGNO 20K,BLK/SLVR,PIG,CRD PFL T3-CSTM,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,MAP1:DF,DEFAULT,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	798.77	IR	Readers
20KNKS-T3-001JQB	SIGNO 20K,BLK/SLVR,PIG,CRD PFL T3-CSTM,MA ENB,MOBA4YJ,BLE:ON,OSDP,V1,56-B MSB,EACH,ASCII,NOPAR,LEN:13,MAP1:DF,DEFAULT,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	798.77	IR	Readers
20KNKS-T3-00GCBG	SIGNO 20K,BLK/SLVR,PIG,CRD PFL T3-CSTM,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,MAP1:DF,DEFAULT,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	798.77	IR	Readers
20KTKS-00-000036	SIGNO 20K,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers

20KTKS-00-000038	SIGNO 20K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0025,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KTKS-00-00004K	SIGNO 20K,BLK/SLVR,TERM,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KTKS-00-00004M	SIGNO 20K,BLK/SLVR,TERM,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KTKS-00-00018J	SIGNO 20K,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,OSDP,V1,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KTKS-00-0001L6	SIGNO 20K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0006,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KTKS-00-0001LH	SIGNO 20K,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:RED,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KTKS-00-0001U7	SIGNO 20K,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,WIEG,40-B MSB,CPLT,PAR,LEN:4,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KTKS-00-0001UE	SIGNO 20K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0006,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KTKS-00-00022R	SIGNO 20K,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,OSDP,V1,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KTKS-00-0002BP	SIGNO 20K,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,OSDP,V1,32-B MSB,EACH,ASCII,NOPAR,LEN:13,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KTKS-00-0002BR	SIGNO 20K,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,OSDP,V2,32-B MSB,EACH,ASCII,NOPAR,LEN:13,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KTKS-00-00033M	SIGNO 20K,BLK/SLVR,TERM,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KTKS-00-000375	SIGNO 20K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA2HV,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,LED:BLU,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KTKS-00-00039L	SIGNO 20K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA32P,BLE:ON,WIEG,32-B MSB,EACH,8-B DOR,NOPAR,LEN:13,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KTKS-00-0003PV	SIGNO 20K,BLK/SLVR,TERM,CRD PFL STD,FMT:1625X,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KTKS-00-00044H	SIGNO 20K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0001,FMT:ASP10022,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:BLU,FLSH:GRN,BZR,KBD:BLU,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	700.14	IR	Readers
20KTKS-00-0005RA	SIGNO 20K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0028,FMT:1026X,BLE:ON,WIEG,CSN SUPR,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KTKS-00-0005RB	SIGNO 20K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0028,FMT:ASP1771X,BLE:ON,WIEG,CSN SUPR,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KTKS-00-00066J	SIGNO 20K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA3NW,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:BLU,FLSH:GRN,BZR,KBD:BLU,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	700.14	IR	Readers
20KTKS-00-000B08	SIGNO 20K,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:BLU,FLSH:GRN,BZR,KBD:BLU,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KTKS-00-000CA6	SIGNO 20K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA1VJ,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:OFF,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KTKS-00-000CAB	SIGNO 20K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA1VJ,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,CPLT,26-B MSG,PAR,LEN:5,FC:UEC,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:OFF,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KTKS-00-000JBV	SIGNO 20K,BLK/SLVR,TERM,CRD PFL STD,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EACH,8-B DOR,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KTKS-00-001692	SIGNO 20K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0034,FMT:ASP10022,BLE:ON,WIEG,32-B LSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	700.14	IR	Readers
20KTKS-00-00192X	SIGNO 20K,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,OSDP,V2,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KTKS-00-001TCX	SIGNO 20K,BLK/SLVR,TERM,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KTKS-00-001U5R	SIGNO 20K,BLK/SLVR,TERM,CRD PFL STD,FMT:15024,BLE:ON,WIEG,32-B MSB,EACH,8-B DOR,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KTKS-00-001UX8	SIGNO 20K,BLK/SLVR,TERM,CRD PFL STD,INCL:KEY&FMT,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KTKS-00-0021XL	SIGNO 20K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA4W4,BLE:OFF,WIEG,32-B MSB,EACH,8-B DOR,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KTKS-00-0023YE	SIGNO 20K,BLK/SLVR,TERM,CRD PFL STD,FMT:ASP10022,BLE:ON,WIEG,26-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:26-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KTKS-00-002558	SIGNO 20K,BLK/SLVR,TERM,CRD PFL STD,FMT:ASP10022,BLE:ON,OSDP,V2,56-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KTKS-00-002MRK	SIGNO 20K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0257,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KTKS-00-002V7E	SIGNO 20K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA51K,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,LED:BLU,FLSH:GRN,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KTKS-00-0045HD	SIGNO 20K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA5WV,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KTKS-00-0058Y7	SIGNO 20K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA0CF,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KTKS-00-005PKK	SIGNO 20K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0644,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	700.14	IR	Readers
20KTKS-00-006G8Q	SIGNO 20K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA2HB,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KTKS-00-007L6T	SIGNO 20K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0006,BLE:ON,OSDP,V2,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KTKS-00-007MUX	SIGNO 20K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0006,BLE:ON,OSDP,V2,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KTKS-00-00JBQJ	SIGNO 20K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0022,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
20KTKS-01-0001QS	SIGNO 20K,BLK/SLVR,TERM,CRD PFL SEOS,INCL:KEY,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	600.12	IR	Readers
20KTKS-01-000BYJ	SIGNO 20K,BLK/SLVR,TERM,CRD PFL SEOS,MA ENB,MOB0145,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	600.12	IR	Readers
20KTKS-01-000NGA	SIGNO 20K,BLK/SLVR,TERM,CRD PFL SEOS,MA ENB,MOBA47Y,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	600.12	IR	Readers
20KTKS-01-0016J2	SIGNO 20K,BLK/SLVR,TERM,CRD PFL SEOS,MA ENB,MOBA1EN,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	600.12	IR	Readers
20KTKS-01-003D8V	SIGNO 20K,BLK/SLVR,TERM,CRD PFL SEOS,MA ENB,MOBA5FL,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	600.12	IR	Readers
20KTKS-02-0001MX	SIGNO 20K,BLK/SLVR,TERM,CRD PFL SMART,INCL:KEY,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
20KTKS-02-00039A	SIGNO 20K,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOB5080,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	650.13	IR	Readers
20KTKS-02-0009UL	SIGNO 20K,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOBA28C,BLE:ON,WIEG,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
20KTKS-02-0009WJ	SIGNO 20K,BLK/SLVR,TERM,CRD PFL SMART,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
20KTKS-02-000DDF	SIGNO 20K,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOBA2BG,BLE:ON,OSDP,V2,EACH,4-B MSG,NOPAR,LEN:13,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
20KTKS-02-0015R1	SIGNO 20K,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOB1077,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
20KTKS-02-001UXD	SIGNO 20K,BLK/SLVR,TERM,CRD PFL SMART,INCL:KEY,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
20KTKS-02-0025PL	SIGNO 20K,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOB0001,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
20KTKS-02-005NTU	SIGNO 20K,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOBA07J,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
20KTKS-02-007BUV	SIGNO 20K,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOB1382,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
20KTKS-03-0004XR	SIGNO 20K,BLK/SLVR,TERM,CRD PFL CSTM,FIPS200BIT,BLE:OFF,OSDP,V2,TM,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	750.14	IR	Readers
20KTKS-03-00059X	SIGNO 20K,BLK/SLVR,TERM,CRD PFL CSTM,FIPS200BIT,BLE:OFF,OSDP,V2,TM,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	750.14	IR	Readers
20KTKS-03-0005KF	SIGNO 20K,BLK/SLVR,TERM,CRD PFL CSTM,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,MAP1:DF,DEFAULT,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	750.14	IR	Readers
20KTKS-03-001WGN	SIGNO 20K,BLK/SLVR,TERM,CRD PFL CSTM,MA ENB,MOBA50H,FIPS200BIT,BLE:OFF,OSDP,V2,TM,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,MAP1:DF,DEFAULT,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	750.14	IR	Readers
20KTKS-03-003CDX	SIGNO 20K,BLK/SLVR,TERM,CRD PFL CSTM,BLE:ON,OSDP,V2,TM,56-B MSB,EACH,ASCII,NOPAR,LEN:13,EM:32-B,MAP1:DF,DEFAULT,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	750.14	IR	Readers
20KTKS-T0-000015	SIGNO 20K,BLK/SLVR,TERM,CRD PFL T0-STD,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
20KTKS-T0-00003C	SIGNO 20K,BLK/SLVR,TERM,CRD PFL T0-STD,BLE:ON,WIEG,32-B MSB,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
20KTKS-T0-00004K	SIGNO 20K,BLK/SLVR,TERM,CRD PFL T0-STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
20KTKS-T0-0001LH	SIGNO 20K,BLK/SLVR,TERM,CRD PFL T0-STD,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:RED,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
20KTKS-T0-0001Z9	SIGNO 20K,BLK/SLVR,TERM,CRD PFL T0-STD,INCL:KEY,BLE:ON,OSDP,V1,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
20KTKS-T0-00192X	SIGNO 20K,BLK/SLVR,TERM,CRD PFL T0-STD,BLE:ON,OSDP,V2,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
20KTKS-T0-001TCX	SIGNO 20K,BLK/SLVR,TERM,CRD PFL T0-STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
20KTKS-T0-002M0Y	SIGNO 20K,BLK/SLVR,TERM,CRD PFL T0-STD,MA ENB,MOBA5BQ,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
20KTKS-T0-004TGN	SIGNO 20K,BLK/SLVR,TERM,CRD PFL T0-STD,MA ENB,MOBA218,BLE:ON,OSDP,V1,32-B LSB,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
20KTKS-T0-006AWT	SIGNO 20K,BLK/SLVR,TERM,CRD PFL T0-STD,MA ENB,MOBA6U7,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TWS	745.51	IR	Readers
20KTKS-T0-009810	SIGNO 20K,BLK/SLVR,TERM,CRD PFL T0-STD,MA ENB,MOB0044,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
20KTKS-T0-00CL86	SIGNO 20K,BLK/SLVR,TERM,CRD PFL T0-STD,MA ENB,MOB0044,BLE:ON,WIEG,56-B MSB,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
20KTKS-T0-00DLHQ	SIGNO 20K,BLK/SLVR,TERM,CRD PFL T0-STD,MA ENB,MOBA9KH,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
20KTKS-T1-00001H	SIGNO 20K,BLK/SLVR,TERM,CRD PFL T1-SEOS,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	639.01	IR	Readers
20KTKS-T1-00018C	SIGNO 20K,BLK/SLVR,TERM,CRD PFL T1-SEOS,INCL:KEY,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	639.01	IR	Readers
20KTKS-T1-0001LM	SIGNO 20K,BLK/SLVR,TERM,CRD PFL T1-SEOS,BLE:ON,OSDP,V2,EACH,4-B MSG,NOPAR,LEN:13,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	639.01	IR	Readers
20KTKS-T1-001R7K	SIGNO 20K,BLK/SLVR,TERM,CRD PFL T1-SEOS,MA ENB,MOBA3AV,BLE:ON,WIEG,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:BLU,FLSH:GRN,BZR,KBD:BLU,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	639.01	IR	Readers

	20KTKS-T1-0063HK	SIGNO 20K,BLK/SLVR,TERM,CRD PFL T1-SEOS,INCL:KEY,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	639.01	IR	Readers
	20KTKS-T1-00HJ34	SIGNO 20K,BLK/SLVR,TERM,CRD PFL T1-SEOS,MA ENB,MOBA3A9,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	639.01	IR	Readers
	20KTKS-T2-0001MX	SIGNO 20K,BLK/SLVR,TERM,CRD PFL T2-SMART,INCL:KEY,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
	20KTKS-T2-0009WJ	SIGNO 20K,BLK/SLVR,TERM,CRD PFL T2-SMART,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
	20KTKS-T2-00192W	SIGNO 20K,BLK/SLVR,TERM,CRD PFL T2-SMART,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
	20KTKS-T2-001CT7	SIGNO 20K,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOB0257,BLE:ON,OSDP,V2,EACH,4-B MSG,NOPAR,LEN:13,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
	20KTKS-T2-0034AH	SIGNO 20K,BLK/SLVR,TERM,CRD PFL T2-SMART,BLE:ON,OSDP,V2,EACH,4-B MSG,NOPAR,LEN:13,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
	20KTKS-T2-005NTU	SIGNO 20K,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA07J,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
	20KTKS-T2-0069DV	SIGNO 20K,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA6T7,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
	20KTKS-T2-00DC97	SIGNO 20K,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA2ZN,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
	20KTKS-T3-0005KF	SIGNO 20K,BLK/SLVR,TERM,CRD PFL T3-CSTM,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,MAP1:DF,DEFAULT,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	798.77	IR	Readers
	20KTKS-T3-003CDX	SIGNO 20K,BLK/SLVR,TERM,CRD PFL T3-CSTM,BLE:ON,OSDP,V2,TM,56-B MSB,EACH,ASCII,NOPAR,LEN:13,EM:32-B,MAP1:DF,DEFAULT,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	798.77	IR	Readers
Y	20NKK	SIGNO 20,BLK/BLK,TERM,CRD PFL STD,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	336.38	IV	Readers
	20NKS-00-00000U	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-00000V	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,OSDP,V1,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-000017	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,OSDP,V1,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-00001C	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-00001W	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,EM:26-B,LED:OFF,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-00002W	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-000036	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-00003E	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-00003F	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-00003X	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,LED:OFF,FLSH:OFF,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-00004C	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,INCL:FMT,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-00004J	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-00004K	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-00004M	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-00004P	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,LED:OFF,FLSH:OFF,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-00004S	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA0RZ,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-00005G	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0863,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-00019J	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-00019M	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-00019W	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-0001A9	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,OSDP,V1,56-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-0001AU	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,OSDP,V1,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-0001B4	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-0001CH	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-0001FP	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-0001GA	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-0001GY	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-0001HC	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-0001HS	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB INV,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-0001I0	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,26-B FC1,EM:26-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-0001IH	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:RED,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-0001J1	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,26-B MSB,EM:26-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-0001JP	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0495,BLE:ON,WIEG,CSN SUPR,LED:OFF,FLSH:OFF,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-0001L6	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0006,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-0001LH	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:RED,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-0001MJ	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-0001PZ	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,OSDP,V2,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-0001Q1	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:OFF,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-0001R7	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,34-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-0001RL	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-0001UC	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,OSDP,V1,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-0001UV	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-0001V9	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-0001VJ	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0023,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-0001VT	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,INCL:KEY,BLE:ON,OSDP,V1,CSN SUPR,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-0001WW	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0066,BLE:ON,WIEG,32-B MSB,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-0001WZ	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0059,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-0001XA	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,34-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-0001XY	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-0001YB	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-0001Z9	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,INCL:KEY,BLE:ON,OSDP,V1,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-00021B	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,EM:40-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-00021G	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,OSDP,V2,CSN SUPR,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-00021P	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,INCL:FMT,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-000243	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,INCL:KEY,BLE:ON,OSDP,V2,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-00024D	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,OSDP,V1,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-00025H	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-00026G	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-00026M	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,56-B LSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-00027M	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-00031J	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B LSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-000320	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-00032J	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,EM:26-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20NKS-00-00032U	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,40-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers

20NKS-00-00033A	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,INCL:FMT,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00033M	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00033T	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:10073,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00033V	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:15296,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00037M	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:10251,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-000383	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:17639,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00039Q	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:17620,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-0003GT	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA3CU,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00041U	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0184,FMT:ASP10022,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	412.58	IV	Readers
20NKS-00-00044C	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:11207,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00044J	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0022,FMT:ASP10022,BLE:ON,WIEG,CSN SUPR,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	412.58	IV	Readers
20NKS-00-00044T	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1008,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00045N	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:10219,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-0005R5	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:17191,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-0005V3	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA3PX,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:CYN,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00066J	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA3NW,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	412.58	IV	Readers
20NKS-00-0006K2	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:16012,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-0007VU	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:10286,BLE:ON,OSDP,V2,CSN SUPR,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-0007VV	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:10286,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-0007VY	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0069,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-0008M2	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0028,FMT:1026X,BLE:ON,WIEG,CSN SUPR,LED:OFF,FLSH:OFF,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-0008UF	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:16632,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00099F	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0028,FMT:ASP1771X,BLE:ON,WIEG,CSN SUPR,LED:OFF,FLSH:OFF,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-000ARH	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0103,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	412.58	IV	Readers
20NKS-00-000B08	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,CSN SUPR,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-000CEG	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,EM:26-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	412.58	IV	Readers
20NKS-00-000DFT	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA31H,FMT:ASP10022,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-000F72	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA0UT,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-000FQ1	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA362,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	412.58	IV	Readers
20NKS-00-000HF4	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA3WY,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-000J2V	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA3W5,FMT:10251,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-000KBP	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1507,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-000KDN	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:10723,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-000KR5	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA2E9,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,TWS	412.58	IV	Readers
20NKS-00-000LG5	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA40L,FMT:17922,BLE:ON,OSDP,V1,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-000LG7	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0698,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-000LYU	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:18740,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-000MMU	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1382,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-000MPC	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1022,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	412.58	IV	Readers
20NKS-00-000P1W	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA2DY,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	412.58	IV	Readers
20NKS-00-000QAM	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1629,FMT:ASP10022,BLE:ON,OSDP,V1,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-000RHJ	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1570,FMT:ASP10022,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-000TG5	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA2WE,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	412.58	IV	Readers
20NKS-00-000U1W	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0946,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-000UH5	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:15512,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-000UWR	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:17671,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-000V9G	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA010,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-000VKF	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA3HW,FMT:ASP10022,BLE:ON,OSDP,V1,CSN SUPR,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,TWS	412.58	IV	Readers
20NKS-00-000VYP	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA34Z,FMT:ASP10022,BLE:ON,OSDP,V2,CSN SUPR,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-000W3V	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0241,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-000WHX	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA133,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-000WJ2	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:ASP17736,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-000X4Y	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:15032,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-000XMX	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA445,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	412.58	IV	Readers
20NKS-00-0011QG	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA1MH,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-0012KL	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1405,FMT:ASP10022,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:BLU,FLSH:RED,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-0012NB	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA2UA,BLE:ON,OSDP,V2,CSN SUPR,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-0012WD	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA4KB,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00147C	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:ASP10022,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-0014JF	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0644,BLE:ON,OSDP,V2,CSN SUPR,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-0015PV	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA3TS,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-0015TX	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA4M0,FMT:ASP10022,BLE:ON,OSDP,V1,CSN SUPR,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-0017FD	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA4P9,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-0018CQ	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,34-B MSB INV,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00192X	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-0019CV	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0613,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-001B5R	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA4GF,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:ON,TAP,TWS	412.58	IV	Readers
20NKS-00-001BYQ	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA37K,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-001C6D	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA4LZ,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-001CT3	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0054,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	412.58	IV	Readers
20NKS-00-001DDW	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0022,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-001DRP	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA3Q0,FMT:ASP10022,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-001DV8	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA1D2,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	412.58	IV	Readers
20NKS-00-001F86	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA4QL,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-001FP6	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0210,FMT:ASP10022,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-001GDU	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:18007,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-001HKV	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0889,BLE:ON,OSDP,V2,CSN SUPR,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,APB:OFF	412.58	IV	Readers

20NKS-00-001HMA	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA319,BLE:ON,WIEG,CSN SUPR,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	412.58	IV	Readers
20NKS-00-001KLU	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA3X4,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-001NYM	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1279,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-001T6U	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:ASP10022,BLE:ON,OSDP,V2,56-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-001TAU	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA4SH,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-001TCX	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-001TDR	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA24D,FMT:11207,BLE:ON,OSDP,V2,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-001TF6	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0022,BLE:ON,WIEG,32-B MSB,LED:OFF,FLSH:OFF,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-001TLV	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA50G,FMT:1009X,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-001URA	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA1UG,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-001UX4	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,INCL:FMT,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-001UX8	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,INCL:KEY&FMT,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-001XG4	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0243,BLE:ON,WIEG,34-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	412.58	IV	Readers
20NKS-00-001XXN	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA1QL,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-001YK8	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0001,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-001YR4	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:18708,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00213L	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA4ZT,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-0021UT	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA2MW,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-0021VY	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0531,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	412.58	IV	Readers
20NKS-00-0022G2	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-0023A1	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0766,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-0023CC	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:ASP10022,BLE:ON,OSDP,V2,56-B LSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-0023XN	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1629,FMT:ASP10022,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-0025HG	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA0RD,BLE:ON,OSDP,V2,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-0028BQ	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA3K5,FMT:ASP10022,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-0028ET	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0748,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-002BBC	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:1026X,BLE:ON,WIEG,32-B MSB,EM:40-B,LED:OFF,FLSH:OFF,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-002BGW	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA59C,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-002BLD	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA0D6,BLE:ON,OSDP,V1,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-002C1W	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:ASP18287,BLE:ON,WIEG,CSN SUPR,LED:OFF,FLSH:OFF,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-002C1Y	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:ASP18287,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:OFF,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-002C21	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:ASP18287,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-002C6R	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:15555,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-002CJP	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,EM:26-B,LED:OFF,FLSH:GRN,BZR,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-002CLJ	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA30C,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-002CLV	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA57G,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-002CMM	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA578,FMT:ASP10022,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-002E7C	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA1GZ,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-002ELV	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA0T4,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-002FRX	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:16039,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-002HB8	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA2Z1,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-002HG0	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA51C,FMT:ASP10022,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-002HHJ	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA5BY,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-002HNF	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:ASP18901,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-002J11	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:AMB,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-002J47	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA4S1,BLE:ON,OSDP,V2,CSN SUPR,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,TWS	412.58	IV	Readers
20NKS-00-002K3G	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA1Q3,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-002K3Q	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0700,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-002L48	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:ASP10022,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-002LPT	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA2XC,BLE:ON,OSDP,V2,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-002M0Y	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA5BQ,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-002MRK	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0257,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-002MYG	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA1VT,FMT:ASP10022,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-002RPJ	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,C&D,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-002TP3	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:17183,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-002UJ3	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-002VE4	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1166,FMT:15024,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	412.58	IV	Readers
20NKS-00-002WPH	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1529,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	412.58	IV	Readers
20NKS-00-002WYP	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA5KE,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-002XHX	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0773,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-0030G9	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA3JE,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-0034NR	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:15296,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00351A	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1165,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:OFF,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00391J	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA0R3,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-0039H3	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA5NY,BLE:ON,OSDP,V2,CSN SUPR,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,APB:OFF	412.58	IV	Readers
20NKS-00-0039HP	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA5NY,BLE:ON,OSDP,V2,CSN SUPR,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,APB:OFF	412.58	IV	Readers
20NKS-00-003BR1	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-003C8W	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA5BM,BLE:ON,WIEG,CSN SUPR,EM:42-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-003DPF	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0291,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-003DVE	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0326,FMT:ASP10022,BLE:ON,WIEG,CSN SUPR,EM:40-B,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-003E7C	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0613,FMT:ASP10022,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-003HR9	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA5TB,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-003K77	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA5S8,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-003M2A	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA5FC,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-003MQG	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA0QZ,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-003NWV	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA2XR,FMT:ASP10022,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-003Q7X	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:10197,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers

20NKS-00-003TV6	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA4Q6,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-003VDC	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:10227,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-003VYG	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0495,FMT:1026X,BLE:ON,WIEG,34-B MSB,EM:40-B,LED:OFF,FLSH:OFF,BZR,SRF:ON,VEL:OFF,TWS	412.58	IV	Readers
20NKS-00-00401U	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA1SP,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00407G	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0495,FMT:1026X,BLE:ON,WIEG,CSN SUPR,EM:40-B,LED:OFF,FLSH:OFF,BZR,SRF:ON,VEL:OFF,TWS	412.58	IV	Readers
20NKS-00-0044UP	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA2X5,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-0045HD	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA5WV,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-0047TF	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA3K8,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-004D2P	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA60C,FMT:ASP10022,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-004FGR	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,OSDP,V2,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-004HQP	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA43Z,BLE:ON,OSDP,V2,56-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-004J41	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:16039,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-004JXT	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA2X6,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-004QL5	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1102,BLE:ON,OSDP,V2,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-004UCW	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA63X,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00562T	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA29Q,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00569E	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA0RD,BLE:ON,OSDP,V2,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-005AFD	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:OFF,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF	412.58	IV	Readers
20NKS-00-005DQP	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-005GHF	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:10251,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-005VPX	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0423,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-005YHN	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA25X,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-0064W9	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0399,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-0066Y5	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA02E,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-0068U0	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA3QA,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-006C62	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA5PQ,FMT:18708,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-006CGP	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA6Y7,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-006CGR	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA6GS,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-006E7Y	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:16039,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-006EE1	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA6ZF,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	412.58	IV	Readers
20NKS-00-006GRP	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA143,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-006HAK	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA6F9,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-006JV5	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA54A,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-006JV9	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1475,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-006QU4	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA0AA,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-006QY5	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA3K8,FMT:ASP10022,BLE:ON,OSDP,V2,CSN SUPR,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,TWS	412.58	IV	Readers
20NKS-00-006RL9	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA4CT,BLE:ON,OSDP,V2,CSN SUPR,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-006RQK	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1557,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-006W8D	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0001,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-006WT2	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA2M0,BLE:ON,WIEG,32-B MSB,EM:40-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-007156	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:1009X,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-0074KA	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA71C,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-007AHE	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-007C2P	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:10545,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-007HTT	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:ASP10022,BLE:ON,OSDP,V2,CSN SUPR,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-007L6T	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0006,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-007LFE	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:17116,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-007MUX	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0006,BLE:ON,OSDP,V2,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-007N40	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA379,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-007T3E	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA3EX,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-007XGN	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA180,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-0086KT	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA218,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-008A35	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA058,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-008PNQ	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA87A,BLE:ON,OSDP,V2,CSN SUPR,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-009R4X	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA4BF,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00AK3R	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00B62E	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA91W,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	412.58	IV	Readers
20NKS-00-00C2Y8	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA4YX,FMT:ASP10022,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00C8QG	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA25K,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00CJDT	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:10219,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00CL5X	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0023,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,TWS	412.58	IV	Readers
20NKS-00-00CL86	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0044,BLE:ON,WIEG,56-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00CLGR	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA2FA,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00D4CU	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:15385,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00D9YX	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA1D2,FMT:ASP10022,BLE:ON,WIEG,CSN SUPR,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00DC9F	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA9TS,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	412.58	IV	Readers
20NKS-00-00DMCB	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:10987,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00DQG0	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA9V3,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00E2TQ	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00EGQM	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00EHDV	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA8K0,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00EXQX	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:10197,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00FAEH	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:14613,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00FNQN	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00FP7K	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:11037,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00FTV4	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0414,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00FW58	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:10251,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers

20NKS-00-00FWU3	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0414,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00G42W	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00GB0K	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:10073,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00GD12	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:15296,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00GDHY	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:16039,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00GP8B	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBAABS,FMT:14966,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00GQ09	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA5S8,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00H2P7	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA2RZ,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00H6N1	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA9D1,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00HMVJ	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00HW25	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA7XA,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00J5RL	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00J8AU	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA6X1,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	412.58	IV	Readers
20NKS-00-00J8GN	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBAB0B,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	412.58	IV	Readers
20NKS-00-00JE6L	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:11037,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00JGLN	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:12513,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00JPJE	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA3EQ,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-00-00K02P	SIGNO 20,BLK/SLVR,PIG,CRD PFL STD,FMT:10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20NKS-01-00018C	SIGNO 20,BLK/SLVR,PIG,CRD PFL SEOS,INCL:KEY,BLE:ON,WIEG,LED:RED,FLSH:GRN,NOBZR,SRF:ON,VEL:OFF,TAP	312.56	IV	Readers
20NKS-01-0003A6	SIGNO 20,BLK/SLVR,PIG,CRD PFL SEOS,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,APB:OFF	312.56	IV	Readers
20NKS-01-00043Q	SIGNO 20,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOB0074,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	312.56	IV	Readers
20NKS-01-000APR	SIGNO 20,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOBA2PY,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	312.56	IV	Readers
20NKS-01-000NGA	SIGNO 20,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOBA47Y,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	312.56	IV	Readers
20NKS-01-000NNN	SIGNO 20,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOBA43Q,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:ON,TAP,TWS	312.56	IV	Readers
20NKS-01-000P0D	SIGNO 20,BLK/SLVR,PIG,CRD PFL SEOS,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	312.56	IV	Readers
20NKS-01-000WJ5	SIGNO 20,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOBA2R8,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	312.56	IV	Readers
20NKS-01-00142A	SIGNO 20,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOBA2BZ,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	312.56	IV	Readers
20NKS-01-00183L	SIGNO 20,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOBA4PB,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	312.56	IV	Readers
20NKS-01-00192V	SIGNO 20,BLK/SLVR,PIG,CRD PFL SEOS,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	312.56	IV	Readers
20NKS-01-001TLG	SIGNO 20,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOBA50G,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	312.56	IV	Readers
20NKS-01-001UUY	SIGNO 20,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOB0912,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	312.56	IV	Readers
20NKS-01-001UXB	SIGNO 20,BLK/SLVR,PIG,CRD PFL SEOS,INCL:KEY,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	312.56	IV	Readers
20NKS-01-00221V	SIGNO 20,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOBA4NK,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	312.56	IV	Readers
20NKS-01-002CMH	SIGNO 20,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOBA59L,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	312.56	IV	Readers
20NKS-01-002JWU	SIGNO 20,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOBA4Z1,BLE:ON,WIEG,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	312.56	IV	Readers
20NKS-01-0034G5	SIGNO 20,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOBA5NJ,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	312.56	IV	Readers
20NKS-01-00353Y	SIGNO 20,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOBA5MZ,BLE:ON,WIEG,LED:RED,FLSH:GRN,NOBZR,SRF:ON,VEL:OFF,TAP	312.56	IV	Readers
20NKS-01-003U6C	SIGNO 20,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOBA2R1,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	312.56	IV	Readers
20NKS-01-005LRM	SIGNO 20,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOBA6KQ,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	312.56	IV	Readers
20NKS-01-00705D	SIGNO 20,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOB0084,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	312.56	IV	Readers
20NKS-01-008GUB	SIGNO 20,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOB0084,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	312.56	IV	Readers
20NKS-02-00003I	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20NKS-02-0001MX	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,INCL:KEY,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20NKS-02-00024Z	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,INCL:KEY,BLE:ON,OSDP,V1,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20NKS-02-00026J	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,BLE:ON,OSDP,V1,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20NKS-02-00043L	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA24D,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20NKS-02-0005RH	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOB0540,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20NKS-02-0005TL	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOB0059,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20NKS-02-0005UJ	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA1FV,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20NKS-02-0005V0	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA3PV,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20NKS-02-0008G3	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20NKS-02-000G6P	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA40G,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20NKS-02-000GDM	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA0XA,BLE:ON,OSDP,V1,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,TWS	362.57	IV	Readers
20NKS-02-000KE7	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA2KD,BLE:ON,WIEG,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20NKS-02-000NG6	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA47Y,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20NKS-02-000NG8	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA47Y,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20NKS-02-000NYL	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA1K0,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20NKS-02-000QPL	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOB1241,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20NKS-02-000TFY	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA0A0,BLE:ON,OSDP,V1,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20NKS-02-000YP7	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA144,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20NKS-02-00104M	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA2MT,BLE:ON,WIEG,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20NKS-02-0015R1	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOB1077,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20NKS-02-0016N6	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA37D,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20NKS-02-00192T	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,BLE:ON,OSDP,V1,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20NKS-02-00192W	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20NKS-02-001AL9	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA4RF,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,TWS	362.57	IV	Readers
20NKS-02-001DTX	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOB5173,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20NKS-02-001FWM	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA34E,BLE:ON,WIEG,LED:RED,FLSH:OFF,BZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20NKS-02-001HME	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA2GR,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20NKS-02-001NK6	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA4Y5,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,TWS	362.57	IV	Readers
20NKS-02-001UXD	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,INCL:KEY,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20NKS-02-001YEL	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA148,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20NKS-02-0023E4	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOB0803,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20NKS-02-0029XA	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOB0660,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:ON,TAP	362.57	IV	Readers
20NKS-02-002EGQ	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA078,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	362.57	IV	Readers
20NKS-02-002G93	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20NKS-02-002H71	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA58T,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	362.57	IV	Readers

20NKS-02-002MRN	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOB0257,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20NKS-02-002N3F	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA5BQ,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20NKS-02-0030GM	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA390,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20NKS-02-0031LH	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA5KR,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20NKS-02-0031LR	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA5E9,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20NKS-02-0034AH	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20NKS-02-003BLL	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA35H,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20NKS-02-00472B	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA61X,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20NKS-02-004MN1	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOB1008,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20NKS-02-005ARR	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA07J,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20NKS-02-005BKJ	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA6EA,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20NKS-02-005NTU	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA07J,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20NKS-02-0067Q7	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20NKS-02-006BVN	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA6X1,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20NKS-02-008A0X	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOB1596,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,TWS	362.57	IV	Readers
20NKS-02-00AUD3	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA925,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20NKS-02-00BG90	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA7KU,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20NKS-02-00DC97	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA2ZN,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20NKS-02-00JEPE	SIGNO 20,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBAB20,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20NKS-03-0001D2	SIGNO 20,BLK/SLVR,PIG,CRD PFL CSTM,MA ENB,MOB0695,BLE:ON,WIEG,64-B LSB,FELICA:64-B LSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	462.58	IV	Readers
20NKS-03-0004YC	SIGNO 20,BLK/SLVR,PIG,CRD PFL CSTM,BLE:ON,WIEG,64-B LSB,EM:32-B,FELICA:64-B LSB,CEPAS:CAN,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	462.58	IV	Readers
20NKS-03-000577	SIGNO 20,BLK/SLVR,PIG,CRD PFL CSTM,BLE:ON,WIEG,64-B LSB,FELICA:64-B LSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	462.58	IV	Readers
20NKS-03-000584	SIGNO 20,BLK/SLVR,PIG,CRD PFL CSTM,BLE:ON,WIEG,CSN SUPR,EM:32-B,MAP1:DF,DEFAULT,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	462.58	IV	Readers
20NKS-03-00058U	SIGNO 20,BLK/SLVR,PIG,CRD PFL CSTM,MA ENB,MOB0044,BLE:ON,OSDP,V2,56-B MSB,MAP1:DF,DEFAULT,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	462.58	IV	Readers
20NKS-03-000598	SIGNO 20,BLK/SLVR,PIG,CRD PFL CSTM,BLE:ON,WIEG,64-B LSB,EM:32-B,FELICA:64-B LSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	462.58	IV	Readers
20NKS-03-0005BW	SIGNO 20,BLK/SLVR,PIG,CRD PFL CSTM,BLE:ON,C&D,CSN SUPR,MAP1:DF,ICE0595,MAP2:MF,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	462.58	IV	Readers
20NKS-03-0005D1	SIGNO 20,BLK/SLVR,PIG,CRD PFL CSTM,INCL:KEY,BLE:ON,WIEG,CSN SUPR,MAP1:DF,DEFAULT,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	462.58	IV	Readers
20NKS-03-0005F5	SIGNO 20,BLK/SLVR,PIG,CRD PFL CSTM,BLE:ON,WIEG,CSN SUPR,MAP1:MF,ICE0326,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	462.58	IV	Readers
20NKS-03-0005JT	SIGNO 20,BLK/SLVR,PIG,CRD PFL CSTM,BLE:ON,OSDP,V2,64-B LSB,FELICA:64-B LSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	462.58	IV	Readers
20NKS-03-0005K8	SIGNO 20,BLK/SLVR,PIG,CRD PFL CSTM,BLE:ON,WIEG,64-B LSB,FELICA:64-B LSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	462.58	IV	Readers
20NKS-03-0005KF	SIGNO 20,BLK/SLVR,PIG,CRD PFL CSTM,BLE:ON,WIEG,32-B MSB,EM:32-B,MAP1:DF,DEFAULT,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	462.58	IV	Readers
20NKS-03-0005N4	SIGNO 20,BLK/SLVR,PIG,CRD PFL CSTM,BLE:ON,WIEG,32-B MSB,MAP1:DF,DEFAULT,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	462.58	IV	Readers
20NKS-03-0005PU	SIGNO 20,BLK/SLVR,PIG,CRD PFL CSTM,BLE:ON,WIEG,CSN SUPR,EM:32-B,MAP1:DF,DEFAULT,FELICA:32-B MSB,CEPAS:CAN,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	462.58	IV	Readers
20NKS-03-0015BL	SIGNO 20,BLK/SLVR,PIG,CRD PFL CSTM,BLE:ON,OSDP,V2,CSN SUPR,EM:32-B,MAP1:DF,DEFAULT,FELICA:32-B MSB,CEPAS:CAN,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	462.58	IV	Readers
20NKS-03-001JD1	SIGNO 20,BLK/SLVR,PIG,CRD PFL CSTM,BLE:ON,WIEG,CSN SUPR,MAP1:DF,DEFAULT,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	462.58	IV	Readers
20NKS-03-001JQB	SIGNO 20,BLK/SLVR,PIG,CRD PFL CSTM,MA ENB,MOBA4YJ,BLE:ON,OSDP,V1,56-B MSB,MAP1:DF,DEFAULT,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	462.58	IV	Readers
20NKS-03-002UE6	SIGNO 20,BLK/SLVR,PIG,CRD PFL CSTM,INCL:KEY,BLE:ON,OSDP,V1,CSN SUPR,EM:32-B,MAP1:DF,DEFAULT,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	462.58	IV	Readers
20NKS-03-0031XM	SIGNO 20,BLK/SLVR,PIG,CRD PFL CSTM,MA ENB,ICE0318,BLE:ON,OSDP,V1,CSN SUPR,EM:32-B,MAP1:DF,DEFAULT,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	462.58	IV	Readers
20NKS-03-00353R	SIGNO 20,BLK/SLVR,PIG,CRD PFL CSTM,MA ENB,MOB0828,BLE:ON,WIEG,CSN SUPR,MAP1:DF,ICE1467,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	462.58	IV	Readers
20NKS-03-0039J0	SIGNO 20,BLK/SLVR,PIG,CRD PFL CSTM,MA ENB,MOB0470,BLE:ON,WIEG,64-B LSB,FELICA:64-B LSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	462.58	IV	Readers
20NKS-03-0046W8	SIGNO 20,BLK/SLVR,PIG,CRD PFL CSTM,BLE:ON,WIEG,32-B MSB,EM:40-B,MAP1:DF,DEFAULT,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	462.58	IV	Readers
20NKS-03-006L04	SIGNO 20,BLK/SLVR,PIG,CRD PFL CSTM,MA ENB,MOBA2XC,BLE:ON,WIEG,CSN SUPR,MAP1:DF,DEFAULT,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	462.58	IV	Readers
20NKS-03-00B945	SIGNO 20,BLK/SLVR,PIG,CRD PFL CSTM,BLE:ON,OSDP,V2,TM,CSN SUPR,EM:32-B,MAP1:DF,DEFAULT,FELICA:32-B MSB,CEPAS:CAN,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	462.58	IV	Readers
20NKS-03-00B94A	SIGNO 20,BLK/SLVR,PIG,CRD PFL CSTM,INCL:KEY,BLE:ON,OSDP,V2,TM,CSN SUPR,EM:32-B,MAP1:DF,DEFAULT,FELICA:32-B MSB,CEPAS:CAN,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	462.58	IV	Readers
20NKS-03-00BMLT	SIGNO 20,BLK/SLVR,PIG,CRD PFL CSTM,MA ENB,MOB0022,BLE:ON,OSDP,V2,TM,CSN SUPR,EM:32-B,MAP1:DF,DEFAULT,FELICA:32-B MSB,CEPAS:CAN,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	462.58	IV	Readers
20NKS-T0-00000V	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,OSDP,V1,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20NKS-T0-00002H	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,WIEG,26-B FC1,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20NKS-T0-00003R	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,WIEG,26-B FC1,LED:RED,FLSH:RED,BZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20NKS-T0-00004K	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20NKS-T0-00004M	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20NKS-T0-0001DL	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,INCL:KEY,BLE:ON,OSDP,V2,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20NKS-T0-0001LH	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:RED,BZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20NKS-T0-0001T9	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOB0066,BLE:ON,WIEG,32-B MSB,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20NKS-T0-0001YB	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20NKS-T0-0001Z9	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,INCL:KEY,BLE:ON,OSDP,V1,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20NKS-T0-000243	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,INCL:KEY,BLE:ON,OSDP,V2,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20NKS-T0-00024V	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,WIEG,34-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20NKS-T0-0002BR	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20NKS-T0-000328	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA0BV,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20NKS-T0-00038P	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOB0771,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	439.32	IV	Readers
20NKS-T0-0003HP	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,OSDP,V2,56-B LSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20NKS-T0-0005V3	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA3PX,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:CYN,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20NKS-T0-00066J	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA3NW,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	439.32	IV	Readers
20NKS-T0-000F72	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA0UT,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20NKS-T0-000LG7	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOB0698,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20NKS-T0-000U1W	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOB0946,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20NKS-T0-0012NB	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA2UA,BLE:ON,OSDP,V2,CSN SUPR,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20NKS-T0-0012XD	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA2AV,BLE:ON,OSDP,V2,CSN SUPR,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20NKS-T0-00192X	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20NKS-T0-001HKV	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOB0889,BLE:ON,OSDP,V2,CSN SUPR,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,APB:OFF	439.32	IV	Readers
20NKS-T0-001NF5	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOB1471,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20NKS-T0-001QYC	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOB1038,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20NKS-T0-001TCX	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20NKS-T0-0023XN	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOB1629,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20NKS-T0-002CLJ	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA30C,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20NKS-T0-002LPT	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA2XC,BLE:ON,OSDP,V2,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20NKS-T0-002M0Y	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA5BQ,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers

20NKS-T0-002MC6	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOB5117,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20NKS-T0-003DVE	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOB0326,BLE:ON,WIEG,CSN SUPR,EM:40-B,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20NKS-T0-003E7C	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOB0613,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20NKS-T0-004HQP	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA43Z,BLE:ON,OSDP,V2,56-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20NKS-T0-006AWT	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA6U7,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TWS	439.32	IV	Readers
20NKS-T0-006CGP	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA6Y7,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20NKS-T0-006NC1	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA72J,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20NKS-T0-007KNJ	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA218,BLE:ON,OSDP,V1,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20NKS-T0-007PFA	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOB1102,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20NKS-T0-007QRY	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA218,BLE:ON,OSDP,V1,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20NKS-T0-00ACRC	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOB1418,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20NKS-T0-00AM7W	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA2DP,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20NKS-T0-00B8JQ	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA0RD,BLE:ON,OSDP,V2,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20NKS-T0-00BLXF	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20NKS-T0-00C8J6	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA3GF,BLE:ON,OSDP,V2,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20NKS-T0-00CUNW	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA656,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20NKS-T0-00D9NA	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA1AU,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20NKS-T0-00DLNT	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA9HF,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20NKS-T0-00DQUA	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOB0210,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20NKS-T0-00F3X8	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA218,BLE:ON,OSDP,V1,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20NKS-T0-00GD88	SIGNO 20,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA218,BLE:ON,OSDP,V1,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20NKS-T1-00001H	SIGNO 20,BLK/SLVR,PIG,CRD PFL T1-SEOS,BLE:ON,WIEG,LED:RED,FLSH:GRN,NOBZR,SRF:ON,VEL:OFF,TAP	332.81	IV	Readers
20NKS-T1-00018C	SIGNO 20,BLK/SLVR,PIG,CRD PFL T1-SEOS,INCL:KEY,BLE:ON,WIEG,LED:RED,FLSH:GRN,NOBZR,SRF:ON,VEL:OFF,TAP	332.81	IV	Readers
20NKS-T1-00043Q	SIGNO 20,BLK/SLVR,PIG,CRD PFL T1-SEOS,MA ENB,MOB0074,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	332.81	IV	Readers
20NKS-T1-00192Q	SIGNO 20,BLK/SLVR,PIG,CRD PFL T1-SEOS,BLE:ON,OSDP,V1,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	332.81	IV	Readers
20NKS-T1-00192V	SIGNO 20,BLK/SLVR,PIG,CRD PFL T1-SEOS,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	332.81	IV	Readers
20NKS-T1-001UXB	SIGNO 20,BLK/SLVR,PIG,CRD PFL T1-SEOS,INCL:KEY,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	332.81	IV	Readers
20NKS-T1-0034G5	SIGNO 20,BLK/SLVR,PIG,CRD PFL T1-SEOS,MA ENB,MOBA5NJ,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	332.81	IV	Readers
20NKS-T1-00353Y	SIGNO 20,BLK/SLVR,PIG,CRD PFL T1-SEOS,MA ENB,MOBA5MZ,BLE:ON,WIEG,LED:RED,FLSH:GRN,NOBZR,SRF:ON,VEL:OFF,TAP	332.81	IV	Readers
20NKS-T1-0065H8	SIGNO 20,BLK/SLVR,PIG,CRD PFL T1-SEOS,INCL:KEY,BLE:ON,OSDP,V1,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	332.81	IV	Readers
20NKS-T1-006C70	SIGNO 20,BLK/SLVR,PIG,CRD PFL T1-SEOS,MA ENB,MOBA4KW,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	332.81	IV	Readers
20NKS-T1-008GUB	SIGNO 20,BLK/SLVR,PIG,CRD PFL T1-SEOS,MA ENB,MOB0084,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	332.81	IV	Readers
20NKS-T1-008UAR	SIGNO 20,BLK/SLVR,PIG,CRD PFL T1-SEOS,MA ENB,MOB0824,BLE:ON,OSDP,V1,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	332.81	IV	Readers
20NKS-T1-00AAQF	SIGNO 20,BLK/SLVR,PIG,CRD PFL T1-SEOS,MA ENB,MOBA8UN,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	332.81	IV	Readers
20NKS-T1-00AHM6	SIGNO 20,BLK/SLVR,PIG,CRD PFL T1-SEOS,MA ENB,MOBA5NR,BLE:ON,WIEG,LED:WHT,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	332.81	IV	Readers
20NKS-T1-00BL6T	SIGNO 20,BLK/SLVR,PIG,CRD PFL T1-SEOS,MA ENB,MOBA0XS,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	332.81	IV	Readers
20NKS-T1-00EN0G	SIGNO 20,BLK/SLVR,PIG,CRD PFL T1-SEOS,MA ENB,MOBA951,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	332.81	IV	Readers
20NKS-T1-00FFBY	SIGNO 20,BLK/SLVR,PIG,CRD PFL T1-SEOS,MA ENB,MOB5117,BLE:ON,WIEG,LED:RED,FLSH:GRN,NOBZR,SRF:ON,VEL:OFF,TAP	332.81	IV	Readers
20NKS-T2-0001MX	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,INCL:KEY,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20NKS-T2-000278	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20NKS-T2-0002BL	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20NKS-T2-00039A	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOB5080,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	386.07	IV	Readers
20NKS-T2-0003A7	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,APB:OFF	386.07	IV	Readers
20NKS-T2-00043L	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA24D,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20NKS-T2-0005V0	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA3PV,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20NKS-T2-000GDM	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA0XA,BLE:ON,OSDP,V1,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,TWS	386.07	IV	Readers
20NKS-T2-000TFY	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA0A0,BLE:ON,OSDP,V1,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20NKS-T2-000YP7	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA144,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20NKS-T2-00104M	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA2MT,BLE:ON,WIEG,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20NKS-T2-00192W	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20NKS-T2-001AL9	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA4RF,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,TWS	386.07	IV	Readers
20NKS-T2-001FMV	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA0EA,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20NKS-T2-001FWM	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA34E,BLE:ON,WIEG,LED:RED,FLSH:OFF,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20NKS-T2-001HL0	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOB0889,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,APB:OFF	386.07	IV	Readers
20NKS-T2-001HME	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA2GR,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20NKS-T2-001NK6	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA4Y5,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,TWS	386.07	IV	Readers
20NKS-T2-001UXD	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,INCL:KEY,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20NKS-T2-0023E4	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOB0803,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20NKS-T2-002J4C	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA5A5,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20NKS-T2-002MRN	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOB0257,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20NKS-T2-0031LH	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA5KR,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20NKS-T2-0031LR	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA5E9,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20NKS-T2-0038R4	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA5N6,BLE:OFF,OSDP,V1,RAW,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF	386.07	IV	Readers
20NKS-T2-003LF5	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA5SA,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20NKS-T2-00472B	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA61X,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20NKS-T2-004F45	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA641,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20NKS-T2-004KXG	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA133,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20NKS-T2-004MN1	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOB1008,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20NKS-T2-005BKJ	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA6EA,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20NKS-T2-005NTU	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA07J,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20NKS-T2-0063HL	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,INCL:KEY,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20NKS-T2-0067Q7	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20NKS-T2-006HR4	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA5YF,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20NKS-T2-0076RA	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA7G9,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,TWS	386.07	IV	Readers
20NKS-T2-007AFX	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA7H4,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:OFF,VEL:OFF,TAP	386.07	IV	Readers
20NKS-T2-007M15	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA3CU,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20NKS-T2-007RJV	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers

	20NKS-T2-007T8D	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOB1153,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
	20NKS-T2-0087KD	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA2PK,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
	20NKS-T2-008965	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA7LD,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
	20NKS-T2-0089W5	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOB0069,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
	20NKS-T2-008B9Y	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA1WY,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
	20NKS-T2-008DAH	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA814,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
	20NKS-T2-008JV1	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA2UA,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
	20NKS-T2-008RD2	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOB0075,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
	20NKS-T2-0092ED	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA684,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	386.07	IV	Readers
	20NKS-T2-0093F0	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA3AV,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,TWS	386.07	IV	Readers
	20NKS-T2-0097MG	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA6XH,BLE:ON,OSDP,V1,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
	20NKS-T2-009DW1	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA8HK,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,TWS	386.07	IV	Readers
	20NKS-T2-00AGYH	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA0RD,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
	20NKS-T2-00ANMF	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA84D,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
	20NKS-T2-00ATBE	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOB1270,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
	20NKS-T2-00AUD3	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA925,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
	20NKS-T2-00AVP8	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA0BV,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
	20NKS-T2-00BEP3	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA5YF,BLE:OFF,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF	386.07	IV	Readers
	20NKS-T2-00BG90	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA7KU,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
	20NKS-T2-00BTAR	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA8LV,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	386.07	IV	Readers
	20NKS-T2-00C3T1	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA97C,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	386.07	IV	Readers
	20NKS-T2-00CCC3	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA9GW,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
	20NKS-T2-00DC97	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA2ZN,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
	20NKS-T2-00DKJ0	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA9VK,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
	20NKS-T2-00DPNL	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA9XZ,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
	20NKS-T2-00DXH2	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOB0748,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
	20NKS-T2-00EAJX	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOB0766,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
	20NKS-T2-00EPMY	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA9HF,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
	20NKS-T2-00EUQX	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBAA68,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
	20NKS-T2-00FW0K	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBAACY,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,TWS	386.07	IV	Readers
	20NKS-T2-00GGA7	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA9HA,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
	20NKS-T2-00JWEK	SIGNO 20,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA133,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
	20NKS-T3-0001D2	SIGNO 20,BLK/SLVR,PIG,CRD PFL T3-CSTM,MA ENB,MOB0695,BLE:ON,WIEG,64-B LSB,FELICA:64-B LSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	492.57	IV	Readers
	20NKS-T3-000598	SIGNO 20,BLK/SLVR,PIG,CRD PFL T3-CSTM,BLE:ON,WIEG,64-B LSB,EM:32-B,FELICA:64-B LSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	492.57	IV	Readers
	20NKS-T3-0005BR	SIGNO 20,BLK/SLVR,PIG,CRD PFL T3-CSTM,BLE:ON,WIEG,CSN SUPR,MAP1:DF,DEFAULT,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	492.57	IV	Readers
	20NKS-T3-0005CP	SIGNO 20,BLK/SLVR,PIG,CRD PFL T3-CSTM,FIPS200BIT,BLE:OFF,OSDP,V1,CSN SUPR,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF	492.57	IV	Readers
	20NKS-T3-0005F5	SIGNO 20,BLK/SLVR,PIG,CRD PFL T3-CSTM,BLE:ON,WIEG,CSN SUPR,MAP1:MF,ICE0326,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	492.57	IV	Readers
	20NKS-T3-0005HB	SIGNO 20,BLK/SLVR,PIG,CRD PFL T3-CSTM,FIPS200BIT,BLE:OFF,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF	492.57	IV	Readers
	20NKS-T3-0015BL	SIGNO 20,BLK/SLVR,PIG,CRD PFL T3-CSTM,BLE:ON,OSDP,V2,CSN SUPR,EM:32-B,MAP1:DF,DEFAULT,FELICA:32-B MSB,CEPAS:CAN,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	492.57	IV	Readers
	20NKS-T3-001JD1	SIGNO 20,BLK/SLVR,PIG,CRD PFL T3-CSTM,BLE:ON,WIEG,CSN SUPR,MAP1:DF,DEFAULT,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	492.57	IV	Readers
	20NKS-T3-001JQB	SIGNO 20,BLK/SLVR,PIG,CRD PFL T3-CSTM,MA ENB,MOBA4YJ,BLE:ON,OSDP,V1,56-B MSB,MAP1:DF,DEFAULT,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	492.57	IV	Readers
	20NKS-T3-002KBL	SIGNO 20,BLK/SLVR,PIG,CRD PFL T3-CSTM,BLE:ON,WIEG,64-B LSB,EM:32-B,FELICA:64-B LSB,CEPAS:CAN,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	492.57	IV	Readers
	20NKS-T3-002UE6	SIGNO 20,BLK/SLVR,PIG,CRD PFL T3-CSTM,INCL:KEY,BLE:ON,OSDP,V1,CSN SUPR,EM:32-B,MAP1:DF,DEFAULT,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	492.57	IV	Readers
	20NKS-T3-003WPM	SIGNO 20,BLK/SLVR,PIG,CRD PFL T3-CSTM,MA ENB,MOBA5WH,BLE:ON,WIEG,CSN SUPR,MAP1:DF,DEFAULT,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	492.57	IV	Readers
	20NKS-T3-006AQM	SIGNO 20,BLK/SLVR,PIG,CRD PFL T3-CSTM,BLE:ON,WIEG,CSN SUPR,MAP1:DF,DEFAULT,FELICA:32-B MSB,CEPAS:CAN,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	492.57	IV	Readers
	20NKS-T3-007CAV	SIGNO 20,BLK/SLVR,PIG,CRD PFL T3-CSTM,MA ENB,ICE0318,BLE:ON,OSDP,V1,CSN SUPR,EM:32-B,MAP1:DF,DEFAULT,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	492.57	IV	Readers
	20NKS-T3-00B6U6	SIGNO 20,BLK/SLVR,PIG,CRD PFL T3-CSTM,BLE:ON,WIEG,CSN SUPR,MAP1:DF,DEFAULT,FELICA:64-B LSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	492.57	IV	Readers
	20NKS-T3-00GCBG	SIGNO 20,BLK/SLVR,PIG,CRD PFL T3-CSTM,BLE:ON,WIEG,32-B MSB,EM:32-B,MAP1:DF,DEFAULT,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	492.57	IV	Readers
Y	20TKK	SIGNO 20,BLK/BLK,TERM,CRD PFL STD,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,IPM:OFF,VEL:OFF,TAP	336.38	IV	Readers
	20TKK-00-000037	HID SIGNO READER 20, BLK/BLK,TERM,CRD PFL STD,BLE:ON,OSDP,V2,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	436.40	IV	Readers
	20TKS-00-00001Z	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20TKS-00-000025	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20TKS-00-000026	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,OSDP,V1,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20TKS-00-00003F	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20TKS-00-000040	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20TKS-00-00004C	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,INCL:FMT,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20TKS-00-00004K	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20TKS-00-00004M	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20TKS-00-00005G	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0863,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20TKS-00-00019J	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20TKS-00-0001DC	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,OSDP,V1,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20TKS-00-0001FB	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,34-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20TKS-00-0001GY	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20TKS-00-0001HC	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20TKS-00-0001HR	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20TKS-00-0001I0	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,WIEG,26-B FC1,EM:26-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20TKS-00-0001L6	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0006,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20TKS-00-0001LH	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:RED,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20TKS-00-0001PQ	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20TKS-00-0001Q1	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:OFF,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20TKS-00-0001T9	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0066,BLE:ON,WIEG,32-B MSB,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20TKS-00-0001UC	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,OSDP,V1,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20TKS-00-0001UE	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0006,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20TKS-00-0001UH	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20TKS-00-0001YB	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20TKS-00-00021B	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,WIEG,32-B MSB,EM:40-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
	20TKS-00-000243	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,INCL:KEY,BLE:ON,OSDP,V2,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers

20TKS-00-00024D	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,OSDP,V1,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-000330	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,WIEG,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-00033E	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0005,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-00038K	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,FMT:14966,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-00039L	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA32P,BLE:ON,WIEG,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-0003MU	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	412.58	IV	Readers
20TKS-00-0003PV	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,FMT:1625X,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-00041U	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0184,FMT:ASP10022,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	412.58	IV	Readers
20TKS-00-00044J	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0022,FMT:ASP10022,BLE:ON,WIEG,CSN SUPR,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	412.58	IV	Readers
20TKS-00-0005U9	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA2X4,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	412.58	IV	Readers
20TKS-00-0006K2	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,FMT:16012,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-000ARH	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0103,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	412.58	IV	Readers
20TKS-00-000B08	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,WIEG,CSN SUPR,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-000CAB	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA1VJ,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-000CAC	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA1VJ,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-000FCY	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA35U,BLE:ON,OSDP,V2,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-000G3Q	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA32F,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	412.58	IV	Readers
20TKS-00-000KDN	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,FMT:10723,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-000LLJ	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,FMT:16047,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-000MMU	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB1382,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-000VKF	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA3HW,FMT:ASP10022,BLE:ON,OSDP,V1,CSN SUPR,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,TWS	412.58	IV	Readers
20TKS-00-000WJ2	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,FMT:ASP17736,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-000XMX	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA445,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	412.58	IV	Readers
20TKS-00-0010E2	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA4FR,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-0013KR	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA23P,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	412.58	IV	Readers
20TKS-00-0015V6	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA01G,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-0017FD	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA4P9,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-00192X	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-001BG3	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0257,FMT:ASP10022,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-001C6D	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA4LZ,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-001FEU	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA3M7,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-001GWJ	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA3M7,FMT:ASP10022,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-001MQ0	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA3AV,FMT:15024,BLE:ON,WIEG,CSN SUPR,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-001TA1	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA3AV,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-001TCX	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-001TLV	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA50G,FMT:1009X,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-001U5R	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,FMT:15024,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-001UX4	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,INCL:FMT,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-0023A1	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0766,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-0023YD	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,WIEG,26-B FC1,EM:26-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-0024FL	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA379,FMT:ASP10022,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-002BLD	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA0D6,BLE:ON,OSDP,V1,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-002CLJ	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA30C,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-002J47	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA4S1,BLE:ON,OSDP,V2,CSN SUPR,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,TWS	412.58	IV	Readers
20TKS-00-002JHE	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,FMT:ASP10022,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-002L48	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,FMT:ASP10022,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-002M0Y	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA5BQ,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-002MHA	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB5158,FMT:ASP10022,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-002MRK	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0257,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-002RTB	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA2FA,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-002TP3	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,FMT:17183,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-002V7E	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA51K,BLE:ON,WIEG,CSN SUPR,LED:BLU,FLSH:GRN,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-0031BA	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA5FG,BLE:ON,OSDP,V2,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-00351A	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB1165,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:OFF,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-003CR9	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA1M0,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-003DVE	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0326,FMT:ASP10022,BLE:ON,WIEG,CSN SUPR,EM:40-B,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-003FVH	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA5QX,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-003LG1	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA5TV,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-0047TC	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,FMT:17531,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-004HYF	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB1038,FMT:15296,BLE:ON,OSDP,V2,CSN SUPR,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-004QVA	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA288,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-005BNR	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA5SV,FMT:ASP10022,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-005BNV	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA5SV,FMT:ASP10022,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-005BPM	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA5SV,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-005PKK	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0644,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	412.58	IV	Readers
20TKS-00-0068G6	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA1EN,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-006AWT	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA6U7,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TWS	412.58	IV	Readers
20TKS-00-006CXW	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0542,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-006EE1	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA6ZF,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	412.58	IV	Readers
20TKS-00-006G8Q	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA2HB,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-006QY5	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA3K8,FMT:ASP10022,BLE:ON,OSDP,V2,CSN SUPR,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,TWS	412.58	IV	Readers
20TKS-00-0070C1	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA15P,BLE:ON,WIEG,34-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-007L6T	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0006,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-00AK3R	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,FMT:10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-00CL86	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0044,BLE:ON,WIEG,56-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-00CLGR	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA2FA,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-00E7RN	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,FMT:10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers

20TKS-00-00G5D9	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,FMT:15083,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-00H38R	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBAAMQ,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-00H9MD	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBAASE,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-00-00JBQH	SIGNO 20,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0001,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	412.58	IV	Readers
20TKS-01-0001Y6	SIGNO 20,BLK/SLVR,TERM,CRD PFL SEOS,INCL:KEY,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	312.56	IV	Readers
20TKS-01-00060M	SIGNO 20,BLK/SLVR,TERM,CRD PFL SEOS,MA ENB,MOBA3R9,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	312.56	IV	Readers
20TKS-01-00060P	SIGNO 20,BLK/SLVR,TERM,CRD PFL SEOS,MA ENB,MOBA3R9,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	312.56	IV	Readers
20TKS-01-000MPJ	SIGNO 20,BLK/SLVR,TERM,CRD PFL SEOS,MA ENB,MOBA3KL,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	312.56	IV	Readers
20TKS-01-000NGA	SIGNO 20,BLK/SLVR,TERM,CRD PFL SEOS,MA ENB,MOBA47Y,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	312.56	IV	Readers
20TKS-01-0016J2	SIGNO 20,BLK/SLVR,TERM,CRD PFL SEOS,MA ENB,MOBA1EN,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	312.56	IV	Readers
20TKS-01-00192V	SIGNO 20,BLK/SLVR,TERM,CRD PFL SEOS,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	312.56	IV	Readers
20TKS-01-001BB7	SIGNO 20,BLK/SLVR,TERM,CRD PFL SEOS,MA ENB,MOBA4RU,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	312.56	IV	Readers
20TKS-01-001UXB	SIGNO 20,BLK/SLVR,TERM,CRD PFL SEOS,INCL:KEY,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	312.56	IV	Readers
20TKS-01-002CMH	SIGNO 20,BLK/SLVR,TERM,CRD PFL SEOS,MA ENB,MOBA59L,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	312.56	IV	Readers
20TKS-01-002QXF	SIGNO 20,BLK/SLVR,TERM,CRD PFL SEOS,MA ENB,MOBA5GP,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	312.56	IV	Readers
20TKS-01-003D8V	SIGNO 20,BLK/SLVR,TERM,CRD PFL SEOS,MA ENB,MOBA5FL,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,TWS	312.56	IV	Readers
20TKS-01-004UCH	SIGNO 20,BLK/SLVR,TERM,CRD PFL SEOS,MA ENB,MOBA66Z,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	312.56	IV	Readers
20TKS-02-0001MX	SIGNO 20,BLK/SLVR,TERM,CRD PFL SMART,INCL:KEY,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20TKS-02-00039N	SIGNO 20,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOBA32P,BLE:ON,WIEG,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20TKS-02-0008G3	SIGNO 20,BLK/SLVR,TERM,CRD PFL SMART,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20TKS-02-0009UL	SIGNO 20,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOBA28C,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20TKS-02-0009WJ	SIGNO 20,BLK/SLVR,TERM,CRD PFL SMART,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20TKS-02-000KE8	SIGNO 20,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOBA1T7,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	362.57	IV	Readers
20TKS-02-000QPN	SIGNO 20,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOB1241,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20TKS-02-00104M	SIGNO 20,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOBA2MT,BLE:ON,WIEG,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20TKS-02-0015R1	SIGNO 20,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOB1077,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20TKS-02-0018HH	SIGNO 20,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOBA1T7,BLE:ON,WIEG,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20TKS-02-0018HR	SIGNO 20,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOBA1T7,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20TKS-02-00192T	SIGNO 20,BLK/SLVR,TERM,CRD PFL SMART,BLE:ON,OSDP,V1,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20TKS-02-00192W	SIGNO 20,BLK/SLVR,TERM,CRD PFL SMART,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20TKS-02-001HME	SIGNO 20,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOBA2GR,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20TKS-02-0022HM	SIGNO 20,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOBA4PT,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20TKS-02-0029XA	SIGNO 20,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOB0660,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:ON,TAP	362.57	IV	Readers
20TKS-02-002BD6	SIGNO 20,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOBA28C,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20TKS-02-002K5Y	SIGNO 20,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOBA02D,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20TKS-02-002MRN	SIGNO 20,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOB0257,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20TKS-02-002RV3	SIGNO 20,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOBA4RW,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20TKS-02-002XBD	SIGNO 20,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOBA44T,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20TKS-02-004CTN	SIGNO 20,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOB0022,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20TKS-02-00564R	SIGNO 20,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOBA12C,BLE:ON,OSDP,V1,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20TKS-02-00586G	SIGNO 20,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOB0445,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20TKS-02-005MJQ	SIGNO 20,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOBA12C,BLE:ON,OSDP,V1,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20TKS-02-005NTU	SIGNO 20,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOBA07J,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20TKS-02-0069DV	SIGNO 20,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOBA6T7,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20TKS-02-006CHH	SIGNO 20,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOBA2WR,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,TWS	362.57	IV	Readers
20TKS-02-007BUV	SIGNO 20,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOB1382,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20TKS-02-00JWAN	SIGNO 20,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOBA1VJ,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	362.57	IV	Readers
20TKS-03-0004XR	SIGNO 20,BLK/SLVR,TERM,CRD PFL CSTM,FIPS200BIT,BLE:OFF,OSDP,V2,TM,CSN SUPR,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF	462.58	IV	Readers
20TKS-03-00055V	SIGNO 20,BLK/SLVR,TERM,CRD PFL CSTM,BLE:ON,WIEG,CSN SUPR,MAP1:DF,CUS,MAP2:MF,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	462.58	IV	Readers
20TKS-03-00059X	SIGNO 20,BLK/SLVR,TERM,CRD PFL CSTM,FIPS200BIT,BLE:OFF,OSDP,V2,TM,CSN SUPR,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF	462.58	IV	Readers
20TKS-03-0005BR	SIGNO 20,BLK/SLVR,TERM,CRD PFL CSTM,BLE:ON,WIEG,CSN SUPR,MAP1:DF,DEFAULT,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	462.58	IV	Readers
20TKS-03-0005CU	SIGNO 20,BLK/SLVR,TERM,CRD PFL CSTM,BLE:ON,WIEG,32-B MSB,EM:32-B,MAP1:DF,DEFAULT,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	462.58	IV	Readers
20TKS-03-0005D1	SIGNO 20,BLK/SLVR,TERM,CRD PFL CSTM,INCL:KEY,BLE:ON,WIEG,CSN SUPR,MAP1:DF,DEFAULT,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	462.58	IV	Readers
20TKS-03-0005FK	SIGNO 20,BLK/SLVR,TERM,CRD PFL CSTM,BLE:ON,OSDP,V1,32-B MSB,MAP1:DF,DEFAULT,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	462.58	IV	Readers
20TKS-03-0005KF	SIGNO 20,BLK/SLVR,TERM,CRD PFL CSTM,BLE:ON,WIEG,32-B MSB,EM:32-B,MAP1:DF,DEFAULT,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	462.58	IV	Readers
20TKS-03-0005MP	SIGNO 20,BLK/SLVR,TERM,CRD PFL CSTM,BLE:ON,OSDP,V2,56-B MSB,MAP1:DF,DEFAULT,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	462.58	IV	Readers
20TKS-03-0005MU	SIGNO 20,BLK/SLVR,TERM,CRD PFL CSTM,BLE:ON,WIEG,32-B MSB,MAP1:DF,DEFAULT,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	462.58	IV	Readers
20TKS-03-0005PU	SIGNO 20,BLK/SLVR,TERM,CRD PFL CSTM,BLE:ON,WIEG,CSN SUPR,EM:32-B,MAP1:DF,DEFAULT,FELICA:32-B MSB,CEPAS:CAN,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	462.58	IV	Readers
20TKS-03-0007W6	SIGNO 20,BLK/SLVR,TERM,CRD PFL CSTM,MA ENB,ICE0318,BLE:ON,WIEG,CSN SUPR,MAP1:DF,DEFAULT,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	462.58	IV	Readers
20TKS-03-001JQB	SIGNO 20,BLK/SLVR,TERM,CRD PFL CSTM,MA ENB,MOBA4YJ,BLE:ON,OSDP,V1,56-B MSB,MAP1:DF,DEFAULT,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	462.58	IV	Readers
20TKS-03-003CDX	SIGNO 20,BLK/SLVR,TERM,CRD PFL CSTM,BLE:ON,OSDP,V2,TM,56-B MSB,EM:32-B,MAP1:DF,DEFAULT,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	462.58	IV	Readers
20TKS-03-0046W8	SIGNO 20,BLK/SLVR,TERM,CRD PFL CSTM,BLE:ON,WIEG,32-B MSB,EM:40-B,MAP1:DF,DEFAULT,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	462.58	IV	Readers
20TKS-03-00B945	SIGNO 20,BLK/SLVR,TERM,CRD PFL CSTM,BLE:ON,OSDP,V2,TM,CSN SUPR,EM:32-B,MAP1:DF,DEFAULT,FELICA:32-B MSB,CEPAS:CAN,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	462.58	IV	Readers
20TKS-T0-000016	SIGNO 20,BLK/SLVR,TERM,CRD PFL T0-STD,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20TKS-T0-00004C	SIGNO 20,BLK/SLVR,TERM,CRD PFL T0-STD,INCL:FMT,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20TKS-T0-00004K	SIGNO 20,BLK/SLVR,TERM,CRD PFL T0-STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20TKS-T0-00005G	SIGNO 20,BLK/SLVR,TERM,CRD PFL T0-STD,MA ENB,MOB0863,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20TKS-T0-0001B8	SIGNO 20,BLK/SLVR,TERM,CRD PFL T0-STD,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20TKS-T0-0001DC	SIGNO 20,BLK/SLVR,TERM,CRD PFL T0-STD,BLE:ON,OSDP,V1,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20TKS-T0-0001DL	SIGNO 20,BLK/SLVR,TERM,CRD PFL T0-STD,INCL:KEY,BLE:ON,OSDP,V2,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20TKS-T0-0001FB	SIGNO 20,BLK/SLVR,TERM,CRD PFL T0-STD,INCL:KEY,BLE:ON,WIEG,34-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20TKS-T0-0001LH	SIGNO 20,BLK/SLVR,TERM,CRD PFL T0-STD,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:RED,BZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20TKS-T0-0001T9	SIGNO 20,BLK/SLVR,TERM,CRD PFL T0-STD,MA ENB,MOB0066,BLE:ON,WIEG,32-B MSB,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20TKS-T0-0001Z9	SIGNO 20,BLK/SLVR,TERM,CRD PFL T0-STD,INCL:KEY,BLE:ON,OSDP,V1,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20TKS-T0-00024D	SIGNO 20,BLK/SLVR,TERM,CRD PFL T0-STD,BLE:ON,OSDP,V1,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20TKS-T0-0002BR	SIGNO 20,BLK/SLVR,TERM,CRD PFL T0-STD,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20TKS-T0-000330	SIGNO 20,BLK/SLVR,TERM,CRD PFL T0-STD,BLE:ON,WIEG,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers

20TKS-T0-000375	SIGNO 20,BLK/SLVR,TERM,CRD PFL T0-STD,MA ENB,MOBA2HV,BLE:ON,WIEG,CSN SUPR,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20TKS-T0-0005U9	SIGNO 20,BLK/SLVR,TERM,CRD PFL T0-STD,MA ENB,MOBA2X4,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	439.32	IV	Readers
20TKS-T0-000CAC	SIGNO 20,BLK/SLVR,TERM,CRD PFL T0-STD,MA ENB,MOBA1VJ,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20TKS-T0-00192X	SIGNO 20,BLK/SLVR,TERM,CRD PFL T0-STD,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20TKS-T0-001TCX	SIGNO 20,BLK/SLVR,TERM,CRD PFL T0-STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20TKS-T0-0023CC	SIGNO 20,BLK/SLVR,TERM,CRD PFL T0-STD,BLE:ON,OSDP,V2,56-B LSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20TKS-T0-002J9F	SIGNO 20,BLK/SLVR,TERM,CRD PFL T0-STD,MA ENB,MOBA15Y,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20TKS-T0-002LPT	SIGNO 20,BLK/SLVR,TERM,CRD PFL T0-STD,MA ENB,MOBA2XC,BLE:ON,OSDP,V2,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20TKS-T0-002M0Y	SIGNO 20,BLK/SLVR,TERM,CRD PFL T0-STD,MA ENB,MOBA5BQ,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20TKS-T0-003DVE	SIGNO 20,BLK/SLVR,TERM,CRD PFL T0-STD,MA ENB,MOB0326,BLE:ON,WIEG,CSN SUPR,EM:40-B,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20TKS-T0-0070C1	SIGNO 20,BLK/SLVR,TERM,CRD PFL T0-STD,MA ENB,MOBA15P,BLE:ON,WIEG,34-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20TKS-T0-007CAW	SIGNO 20,BLK/SLVR,TERM,CRD PFL T0-STD,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20TKS-T0-0088M2	SIGNO 20,BLK/SLVR,TERM,CRD PFL T0-STD,MA ENB,MOBA7J3,BLE:ON,WIEG,56-B LSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20TKS-T0-008QH5	SIGNO 20,BLK/SLVR,TERM,CRD PFL T0-STD,MA ENB,MOBA218,BLE:ON,OSDP,V1,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20TKS-T0-009810	SIGNO 20,BLK/SLVR,TERM,CRD PFL T0-STD,MA ENB,MOB0044,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20TKS-T0-00C8J6	SIGNO 20,BLK/SLVR,TERM,CRD PFL T0-STD,MA ENB,MOBA3GF,BLE:ON,OSDP,V2,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20TKS-T0-00D9Q7	SIGNO 20,BLK/SLVR,TERM,CRD PFL T0-STD,MA ENB,MOBA41G,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	439.32	IV	Readers
20TKS-T0-00FQAV	SIGNO 20,BLK/SLVR,TERM,CRD PFL T0-STD,BLE:OFF,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF	439.32	IV	Readers
20TKS-T1-00018C	SIGNO 20,BLK/SLVR,TERM,CRD PFL T1-SEOS,INCL:KEY,BLE:ON,WIEG,LED:RED,FLSH:GRN,NOBZR,SRF:ON,VEL:OFF,TAP	332.81	IV	Readers
20TKS-T1-0001Y6	SIGNO 20,BLK/SLVR,TERM,CRD PFL T1-SEOS,INCL:KEY,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	332.81	IV	Readers
20TKS-T1-00060M	SIGNO 20,BLK/SLVR,TERM,CRD PFL T1-SEOS,MA ENB,MOBA3R9,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	332.81	IV	Readers
20TKS-T1-00185F	SIGNO 20,BLK/SLVR,TERM,CRD PFL T1-SEOS,MA ENB,MOBA333,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	332.81	IV	Readers
20TKS-T1-00192V	SIGNO 20,BLK/SLVR,TERM,CRD PFL T1-SEOS,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	332.81	IV	Readers
20TKS-T1-001CT6	SIGNO 20,BLK/SLVR,TERM,CRD PFL T1-SEOS,MA ENB,MOB0257,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	332.81	IV	Readers
20TKS-T1-001R7K	SIGNO 20,BLK/SLVR,TERM,CRD PFL T1-SEOS,MA ENB,MOBA3AV,BLE:ON,WIEG,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	332.81	IV	Readers
20TKS-T1-001UXB	SIGNO 20,BLK/SLVR,TERM,CRD PFL T1-SEOS,INCL:KEY,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	332.81	IV	Readers
20TKS-T1-002CMH	SIGNO 20,BLK/SLVR,TERM,CRD PFL T1-SEOS,MA ENB,MOBA59L,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	332.81	IV	Readers
20TKS-T1-0063HK	SIGNO 20,BLK/SLVR,TERM,CRD PFL T1-SEOS,INCL:KEY,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	332.81	IV	Readers
20TKS-T1-009AHA	SIGNO 20,BLK/SLVR,TERM,CRD PFL T1-SEOS,MA ENB,MOBA30Q,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	332.81	IV	Readers
20TKS-T1-009RYE	SIGNO 20,BLK/SLVR,TERM,CRD PFL T1-SEOS,MA ENB,MOB0257,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	332.81	IV	Readers
20TKS-T1-00AHM6	SIGNO 20,BLK/SLVR,TERM,CRD PFL T1-SEOS,MA ENB,MOBA5NR,BLE:ON,WIEG,LED:WHT,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	332.81	IV	Readers
20TKS-T1-00HJ34	SIGNO 20,BLK/SLVR,TERM,CRD PFL T1-SEOS,MA ENB,MOBA3A9,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	332.81	IV	Readers
20TKS-T2-0001FG	SIGNO 20,BLK/SLVR,TERM,CRD PFL T2-SMART,BLE:ON,OSDP,V1,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20TKS-T2-0001L5	SIGNO 20,BLK/SLVR,TERM,CRD PFL T2-SMART,INCL:KEY,BLE:ON,WIEG,LED:OFF,FLSH:OFF,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20TKS-T2-0001MX	SIGNO 20,BLK/SLVR,TERM,CRD PFL T2-SMART,INCL:KEY,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20TKS-T2-0001ZS	SIGNO 20,BLK/SLVR,TERM,CRD PFL T2-SMART,BLE:ON,OSDP,V1,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20TKS-T2-0002BL	SIGNO 20,BLK/SLVR,TERM,CRD PFL T2-SMART,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20TKS-T2-000381	SIGNO 20,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOB0025,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20TKS-T2-00039A	SIGNO 20,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOB5080,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	386.07	IV	Readers
20TKS-T2-00043L	SIGNO 20,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA24D,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20TKS-T2-0009WJ	SIGNO 20,BLK/SLVR,TERM,CRD PFL T2-SMART,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20TKS-T2-000KE7	SIGNO 20,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA2KD,BLE:ON,WIEG,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20TKS-T2-000NG6	SIGNO 20,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA47Y,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20TKS-T2-000QPN	SIGNO 20,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOB1241,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20TKS-T2-00104M	SIGNO 20,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA2MT,BLE:ON,WIEG,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20TKS-T2-0015R1	SIGNO 20,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOB1077,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20TKS-T2-0016N6	SIGNO 20,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA37D,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20TKS-T2-00192W	SIGNO 20,BLK/SLVR,TERM,CRD PFL T2-SMART,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20TKS-T2-001CT7	SIGNO 20,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOB0257,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20TKS-T2-001FMV	SIGNO 20,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA0EA,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20TKS-T2-001UXD	SIGNO 20,BLK/SLVR,TERM,CRD PFL T2-SMART,INCL:KEY,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20TKS-T2-0023E4	SIGNO 20,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOB0803,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20TKS-T2-0025BH	SIGNO 20,BLK/SLVR,TERM,CRD PFL T2-SMART,BLE:OFF,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20TKS-T2-002BD6	SIGNO 20,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA28C,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20TKS-T2-002MRN	SIGNO 20,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOB0257,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20TKS-T2-0034AH	SIGNO 20,BLK/SLVR,TERM,CRD PFL T2-SMART,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20TKS-T2-003LF5	SIGNO 20,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA5SA,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20TKS-T2-003PR2	SIGNO 20,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOB1418,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20TKS-T2-00564R	SIGNO 20,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA12C,BLE:ON,OSDP,V1,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20TKS-T2-00586G	SIGNO 20,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOB0445,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20TKS-T2-005MJQ	SIGNO 20,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA12C,BLE:ON,OSDP,V1,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20TKS-T2-0069DV	SIGNO 20,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA6T7,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20TKS-T2-006CHH	SIGNO 20,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA2WR,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,TWS	386.07	IV	Readers
20TKS-T2-006HR4	SIGNO 20,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA5YF,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20TKS-T2-0076JB	SIGNO 20,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA4SH,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	386.07	IV	Readers
20TKS-T2-007BUV	SIGNO 20,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOB1382,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20TKS-T2-007W9Y	SIGNO 20,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA3AV,BLE:ON,WIEG,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20TKS-T2-0086EC	SIGNO 20,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOB0291,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20TKS-T2-0088KT	SIGNO 20,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOB0291,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20TKS-T2-008965	SIGNO 20,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA7LD,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20TKS-T2-008LW3	SIGNO 20,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA85Y,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20TKS-T2-008TLQ	SIGNO 20,BLK/SLVR,TERM,CRD PFL T2-SMART,BLE:ON,WIEG,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20TKS-T2-00ANMF	SIGNO 20,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA84D,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20TKS-T2-00ATBE	SIGNO 20,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOB1270,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20TKS-T2-00AUD3	SIGNO 20,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA925,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20TKS-T2-00AW30	SIGNO 20,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA92F,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20TKS-T2-00BL17	SIGNO 20,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA977,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers

20TKS-T2-00D4DY	SIGNO 20,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA9QF,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20TKS-T2-00DC97	SIGNO 20,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA2ZN,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	386.07	IV	Readers
20TKS-T3-000577	SIGNO 20,BLK/SLVR,TERM,CRD PFL T3-CSTM,BLE:ON,WIEG,64-B LSB,FELICA:64-B LSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	492.57	IV	Readers
20TKS-T3-0005KF	SIGNO 20,BLK/SLVR,TERM,CRD PFL T3-CSTM,BLE:ON,WIEG,32-B MSB,EM:32-B,MAP1:DF,DEFAULT,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	492.57	IV	Readers
20TKS-T3-0005MP	SIGNO 20,BLK/SLVR,TERM,CRD PFL T3-CSTM,BLE:ON,OSDP,V2,56-B MSB,MAP1:DF,DEFAULT,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	492.57	IV	Readers
20TKS-T3-0005NB	SIGNO 20,BLK/SLVR,TERM,CRD PFL T3-CSTM,FIPS75BIT,BLE:OFF,WIEG,CSN SUPR,LED:OFF,FLSH:OFF,BZR,SRF:ON,VEL:OFF	492.57	IV	Readers
20TKS-T3-002KBL	SIGNO 20,BLK/SLVR,TERM,CRD PFL T3-CSTM,BLE:ON,WIEG,64-B LSB,EM:32-B,FELICA:64-B LSB,CEPAS:CAN,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	492.57	IV	Readers
20TKS-T3-002UE6	SIGNO 20,BLK/SLVR,TERM,CRD PFL T3-CSTM,INCL:KEY,BLE:ON,OSDP,V1,CSN SUPR,EM:32-B,MAP1:DF,DEFAULT,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	492.57	IV	Readers
20TKS-T3-003CDX	SIGNO 20,BLK/SLVR,TERM,CRD PFL T3-CSTM,BLE:ON,OSDP,V2,TM,56-B MSB,EM:32-B,MAP1:DF,DEFAULT,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	492.57	IV	Readers
20TKS-T3-006AQM	SIGNO 20,BLK/SLVR,TERM,CRD PFL T3-CSTM,BLE:ON,WIEG,CSN SUPR,MAP1:DF,DEFAULT,FELICA:32-B MSB,CEPAS:CAN,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	492.57	IV	Readers
20TKS-T3-007CAV	SIGNO 20,BLK/SLVR,TERM,CRD PFL T3-CSTM,MA ENB,ICE0318,BLE:ON,OSDP,V1,CSN SUPR,EM:32-B,MAP1:DF,DEFAULT,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	492.57	IV	Readers
20TKS-T3-00B945	SIGNO 20,BLK/SLVR,TERM,CRD PFL T3-CSTM,BLE:ON,OSDP,V2,TM,CSN SUPR,EM:32-B,MAP1:DF,DEFAULT,FELICA:32-B MSB,CEPAS:CAN,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	492.57	IV	Readers
40HNKS-03-0004XR	SIGNO 40 PIV,BLK/SLVR,PIG,CRD PFL CSTM,FIPS200BIT,BLE:OFF,OSDP,V2,TM,CSN SUPR,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF	500.09	IR	Readers
40HNKS-03-00052V	SIGNO 40 PIV,BLK/SLVR,PIG,CRD PFL CSTM,FIPS75BIT,BLE:OFF,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF	500.09	IR	Readers
40HNKS-03-000540	SIGNO 40 PIV,BLK/SLVR,PIG,CRD PFL CSTM,FIPS200BIT,BLE:OFF,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF	500.09	IR	Readers
40HNKS-03-00055J	SIGNO 40 PIV,BLK/SLVR,PIG,CRD PFL CSTM,FIPS75BIT,BLE:OFF,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF	500.09	IR	Readers
40HNKS-03-000563	SIGNO 40 PIV,BLK/SLVR,PIG,CRD PFL CSTM,FIPS75BIT,BLE:OFF,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF	500.09	IR	Readers
40HNKS-03-000583	SIGNO 40 PIV,BLK/SLVR,PIG,CRD PFL CSTM,FIPS200BIT,BLE:OFF,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF	500.09	IR	Readers
40HNKS-03-00059H	SIGNO 40 PIV,BLK/SLVR,PIG,CRD PFL CSTM,FIPS64BIT,BLE:OFF,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF	500.09	IR	Readers
40HNKS-03-00059X	SIGNO 40 PIV,BLK/SLVR,PIG,CRD PFL CSTM,FIPS200BIT,BLE:OFF,OSDP,V2,TM,CSN SUPR,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF	500.09	IR	Readers
40HNKS-03-0005A9	SIGNO 40 PIV,BLK/SLVR,PIG,CRD PFL CSTM,FIPS128BIT REV,BLE:OFF,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF	500.09	IR	Readers
40HNKS-03-0005AE	SIGNO 40 PIV,BLK/SLVR,PIG,CRD PFL CSTM,FIPS200BIT,BLE:OFF,WIEG,56-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF	500.09	IR	Readers
40HNKS-03-0005B9	SIGNO 40 PIV,BLK/SLVR,PIG,CRD PFL CSTM,FIPS200BIT,BLE:OFF,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF	500.09	IR	Readers
40HNKS-03-0005BE	SIGNO 40 PIV,BLK/SLVR,PIG,CRD PFL CSTM,FIPS200BIT,BLE:OFF,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF	500.09	IR	Readers
40HNKS-03-0005DX	SIGNO 40 PIV,BLK/SLVR,PIG,CRD PFL CSTM,BLE:OFF,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF	500.09	IR	Readers
40HNKS-03-0005L5	SIGNO 40 PIV,BLK/SLVR,PIG,CRD PFL CSTM,FIPS128BIT,BLE:OFF,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF	500.09	IR	Readers
40HNKS-03-0005MA	SIGNO 40 PIV,BLK/SLVR,PIG,CRD PFL CSTM,FIPS200BIT,BLE:OFF,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF	500.09	IR	Readers
40HNKS-03-0005MJ	SIGNO 40 PIV,BLK/SLVR,PIG,CRD PFL CSTM,FIPS200BIT,BLE:OFF,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF	500.09	IR	Readers
40HNKS-03-0005N1	SIGNO 40 PIV,BLK/SLVR,PIG,CRD PFL CSTM,FIPS200BIT,BLE:OFF,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF	500.09	IR	Readers
40HNKS-03-0005N2	SIGNO 40 PIV,BLK/SLVR,PIG,CRD PFL CSTM,FIPS75BIT,BLE:OFF,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF	500.09	IR	Readers
40HNKS-03-0005NB	SIGNO 40 PIV,BLK/SLVR,PIG,CRD PFL CSTM,FIPS75BIT,BLE:OFF,WIEG,CSN SUPR,LED:OFF,FLSH:OFF,BZR,SRF:ON,VEL:OFF	500.09	IR	Readers
40HTKS-03-0004XR	SIGNO 40 PIV,BLK/SLVR,TERM,CRD PFL CSTM,FIPS200BIT,BLE:OFF,OSDP,V2,TM,CSN SUPR,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF	500.09	IR	Readers
40HTKS-03-00055J	SIGNO 40 PIV,BLK/SLVR,TERM,CRD PFL CSTM,FIPS75BIT,BLE:OFF,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF	500.09	IR	Readers
40HTKS-03-00059X	SIGNO 40 PIV,BLK/SLVR,TERM,CRD PFL CSTM,FIPS200BIT,BLE:OFF,OSDP,V2,TM,CSN SUPR,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF	500.09	IR	Readers
40HTKS-03-0005B9	SIGNO 40 PIV,BLK/SLVR,TERM,CRD PFL CSTM,FIPS200BIT,BLE:OFF,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF	500.09	IR	Readers
40HTKS-03-0005N2	SIGNO 40 PIV,BLK/SLVR,TERM,CRD PFL CSTM,FIPS75BIT,BLE:OFF,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF	500.09	IR	Readers
40HTKS-03-004XRH	SIGNO 40 PIV,BLK/SLVR,TERM,CRD PFL CSTM,FIPS128BIT,BLE:OFF,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF	500.09	IR	Readers
40KHNKS-03-0004XR	SIGNO 40K PIV,BLK/SLVR,PIG,CRD PFL CSTM,FIPS200BIT,BLE:OFF,OSDP,V2,TM,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	775.14	IR	Readers
40KHNKS-03-00052V	SIGNO 40K PIV,BLK/SLVR,PIG,CRD PFL CSTM,FIPS75BIT,BLE:OFF,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	775.14	IR	Readers
40KHNKS-03-00057D	SIGNO 40K PIV,BLK/SLVR,PIG,CRD PFL CSTM,FIPS128BIT,BLE:OFF,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	775.14	IR	Readers
40KHNKS-03-00059H	SIGNO 40K PIV,BLK/SLVR,PIG,CRD PFL CSTM,FIPS64BIT,BLE:OFF,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	775.14	IR	Readers
40KHNKS-03-00059X	SIGNO 40K PIV,BLK/SLVR,PIG,CRD PFL CSTM,FIPS200BIT,BLE:OFF,OSDP,V2,TM,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	775.14	IR	Readers
40KHNKS-03-0005A9	SIGNO 40K PIV,BLK/SLVR,PIG,CRD PFL CSTM,FIPS128BIT REV,BLE:OFF,WIEG,CSN SUPR,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	775.14	IR	Readers
40KHNKS-03-0005B9	SIGNO 40K PIV,BLK/SLVR,PIG,CRD PFL CSTM,FIPS200BIT,BLE:OFF,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	775.14	IR	Readers
40KHNKS-03-0005H5	SIGNO 40K PIV,BLK/SLVR,PIG,CRD PFL CSTM,BLE:OFF,WIEG,CSN SUPR,EACH,8-B DOR,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	775.14	IR	Readers
40KHNKS-03-0005HU	SIGNO 40K PIV,BLK/SLVR,PIG,CRD PFL CSTM,FIPS75BIT,BLE:OFF,WIEG,CSN SUPR,CPLT,26-B MSG,PAR,LEN:5,FC:UEC,EM:32-B,LED:RED,FLSH:RED,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	775.14	IR	Readers
40KHNKS-03-0005L5	SIGNO 40K PIV,BLK/SLVR,PIG,CRD PFL CSTM,FIPS128BIT,BLE:OFF,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	775.14	IR	Readers
40KHNKS-03-0005MA	SIGNO 40K PIV,BLK/SLVR,PIG,CRD PFL CSTM,FIPS200BIT,BLE:OFF,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	775.14	IR	Readers
40KHNKS-03-0005MW	SIGNO 40K PIV,BLK/SLVR,PIG,CRD PFL CSTM,FIPS75BIT,BLE:OFF,WIEG,CSN SUPR,EACH,8-B DOR,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	775.14	IR	Readers
40KHNKS-03-0005N1	SIGNO 40K PIV,BLK/SLVR,PIG,CRD PFL CSTM,FIPS200BIT,BLE:OFF,WIEG,CSN SUPR,EACH,8-B DOR,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	775.14	IR	Readers
40KHNKS-03-0005N2	SIGNO 40K PIV,BLK/SLVR,PIG,CRD PFL CSTM,FIPS75BIT,BLE:OFF,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	775.14	IR	Readers
40KHTKS-03-0004XR	SIGNO 40K PIV,BLK/SLVR,TERM,CRD PFL CSTM,FIPS200BIT,BLE:OFF,OSDP,V2,TM,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	775.14	IR	Readers
40KHTKS-03-000501	SIGNO 40K PIV,BLK/SLVR,TERM,CRD PFL CSTM,FIPS75BIT,BLE:OFF,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,LED:OFF,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	775.14	IR	Readers
40KHTKS-03-00055J	SIGNO 40K PIV,BLK/SLVR,TERM,CRD PFL CSTM,FIPS75BIT,BLE:OFF,WIEG,CSN SUPR,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	775.14	IR	Readers
40KHTKS-03-00059X	SIGNO 40K PIV,BLK/SLVR,TERM,CRD PFL CSTM,FIPS200BIT,BLE:OFF,OSDP,V2,TM,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	775.14	IR	Readers
40KHTKS-03-0005B9	SIGNO 40K PIV,BLK/SLVR,TERM,CRD PFL CSTM,FIPS200BIT,BLE:OFF,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	775.14	IR	Readers
40KHTKS-03-0005GR	SIGNO 40K PIV,BLK/SLVR,TERM,CRD PFL CSTM,FIPS75BIT,BLE:OFF,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	775.14	IR	Readers
40KHTKS-03-0005MA	SIGNO 40K PIV,BLK/SLVR,TERM,CRD PFL CSTM,FIPS200BIT,BLE:OFF,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	775.14	IR	Readers
40KHTKS-03-0005MM	SIGNO 40K PIV,BLK/SLVR,TERM,CRD PFL CSTM,FIPS200BIT,BLE:OFF,WIEG,CSN SUPR,EACH,8-B DOR,NOPAR,LEN:13,FC:0,EM:32-B,MAP1:DF,CUS,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	775.14	IR	Readers
40KHTKS-03-0005MW	SIGNO 40K PIV,BLK/SLVR,TERM,CRD PFL CSTM,FIPS75BIT,BLE:OFF,WIEG,CSN SUPR,EACH,8-B DOR,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	775.14	IR	Readers
40KHTKS-03-0005N1	SIGNO 40K PIV,BLK/SLVR,TERM,CRD PFL CSTM,FIPS200BIT,BLE:OFF,WIEG,CSN SUPR,EACH,8-B DOR,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	775.14	IR	Readers
40KHTKS-03-0005N2	SIGNO 40K PIV,BLK/SLVR,TERM,CRD PFL CSTM,FIPS75BIT,BLE:OFF,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	775.14	IR	Readers
40KHTKS-03-007CP5	SIGNO 40K PIV,BLK/SLVR,TERM,CRD PFL CSTM,BLE:OFF,CSN SUPR,CPLT,ASCII,NOPAR,LEN:13,EM:32-B,MAP1:DF,DEFAULT,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,PAM:ON	775.14	IR	Readers
40KNKS-00-000015	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-000017	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,OSDP,V1,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-00002W	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-000039	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,EACH,6-B MSG,PAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-00003C	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-00003N	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-00003U	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,26-B FC1,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-00004C	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,INCL:FMT,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-00004K	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-00004M	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-00018S	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,OSDP,V1,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-00018T	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,OSDP,V1,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-000192	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,LED:BLU,FLSH:GRN,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-00019A	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,EACH,8-B DOR,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:OFF,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers

40KNKS-00-00019M	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-0001BR	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,OSDP,V2,56-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-0001EY	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,CPLT,26-B MSG,PAR,LEN:5,FC:UEC,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-0001GP	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,INCL:KEY,BLE:ON,OSDP,V1,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-0001H3	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,INCL:FMT,BLE:ON,WIEG,CSN SUPR,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-0001HS	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB INV,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-0001JP	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0495,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,LED:OFF,FLSH:OFF,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-0001KF	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,26-B FC1,CPLT,26-B MSG,PAR,LEN:5,FC:UEC,EM:32-B,LED:OFF,FLSH:OFF,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-0001L6	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0006,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-0001LD	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,INCL:FMT,BLE:ON,WIEG,32-B MSB,EACH,8-B DOR,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-0001LF	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,OSDP,V2,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-0001P5	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,34-B MSB,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-0001Q8	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,OSDP,V2,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-0001RX	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,CPLT,26-B MSG,PAR,LEN:5,FC:96,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-0001S9	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,INCL:KEY&FMT,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,LED:OFF,FLSH:OFF,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-0001SA	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0006,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-0001SD	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,INCL:KEY&FMT,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-0001TL	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,CPLT,PAR,LEN:13,FC:0,EM:32-B,LED:BLU,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-0001U0	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-0001U7	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,40-B MSB,CPLT,PAR,LEN:4,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-0001V0	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,CPLT,PAR,LEN:6,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-0001WK	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA17G,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-0001XI	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,56-B LSB,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-000205	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-00020W	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,CSN SUPR,EACH,8-B DOR,NOPAR,LEN:13,FC:0,EM:26-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-000218	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:BLU,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-00021B	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:40-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-00021E	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,26-B FC1,CPLT,26-B MSG,PAR,LEN:5,FC:UEC,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-00021P	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,INCL:FMT,BLE:ON,OSDP,V2,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-00023P	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,INCL:KEY,BLE:ON,OSDP,V1,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-00024S	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,CPLT,26-B MSG,PAR,LEN:5,FC:UEC,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-00025F	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,INCL:FMT,BLE:ON,WIEG,32-B MSB,EACH,8-B DOR,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-00025H	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:OFF,FLSH:OFF,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-00026M	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,56-B LSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-00026U	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,CPLT,26-B MSG,PAR,LEN:5,FC:UEC,EM:32-B,LED:BLU,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-000279	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,INCL:KEY&FMT,BLE:ON,WIEG,32-B MSB,EACH,8-B DOR,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-00027E	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,OSDP,V2,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-00031L	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,EACH,6-B MSG,PAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-00032J	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:26-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-00033T	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,FMT:10073,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-00033W	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,FMT:17558,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-00038P	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0771,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	700.14	IR	Readers
40KNKS-00-00039V	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,FMT:16020,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-0003GT	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA3CU,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-0003NQ	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-00041U	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0184,FMT:ASP10022,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:BLU,FLSH:GRN,BZR,KBD:BLU,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	700.14	IR	Readers
40KNKS-00-00044C	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,FMT:11207,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-00044T	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1008,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-0005TK	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0059,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-0006J	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA3NW,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:BLU,FLSH:GRN,BZR,KBD:BLU,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	700.14	IR	Readers
40KNKS-00-0006K2	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,FMT:16012,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-0007VY	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0069,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-0008M2	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0028,FMT:1026X,BLE:ON,WIEG,CSN SUPR,EACH,8-B DOR,NOPAR,LEN:13,LED:OFF,FLSH:OFF,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-0008UF	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,FMT:16632,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-00099F	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0028,FMT:ASP1771X,BLE:ON,WIEG,CSN SUPR,EACH,8-B DOR,NOPAR,LEN:13,LED:OFF,FLSH:OFF,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-000B08	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:BLU,FLSH:GRN,BZR,KBD:BLU,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-000DFT	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA31H,FMT:ASP10022,BLE:ON,OSDP,V2,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-000F72	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA0UT,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-000FCY	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA35U,BLE:ON,OSDP,V2,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-000FQ1	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA362,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	700.14	IR	Readers
40KNKS-00-000GHU	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,FMT:10103,BLE:ON,WIEG,32-B MSB,EACH,8-B DOR,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-000HF4	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA3WY,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-000J2V	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA3W5,FMT:10251,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-000JBV	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EACH,8-B DOR,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-000KBP	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1507,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-000KDN	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,FMT:10723,BLE:ON,WIEG,32-B MSB,EACH,8-B DOR,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-000KVB	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA435,FMT:ASP10022,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	700.14	IR	Readers
40KNKS-00-000KW3	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA3CU,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EACH,8-B DOR,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	700.14	IR	Readers
40KNKS-00-000L5F	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,FMT:ASP10022,BLE:ON,WIEG,34-B MSB,EACH,8-B DOR,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-000L5G	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,34-B MSB,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-000LYU	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,FMT:18740,BLE:ON,WIEG,CSN SUPR,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-000MMU	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1382,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-000MPC	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1022,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	700.14	IR	Readers
40KNKS-00-000P1W	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA2DY,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	700.14	IR	Readers
40KNKS-00-000QAM	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1629,FMT:ASP10022,BLE:ON,OSDP,V1,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-000RHJ	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1570,FMT:ASP10022,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-000RWG	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0184,FMT:ASP10022,BLE:ON,OSDP,V2,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:BLU,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	700.14	IR	Readers

40KNKS-00-000TG5	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA2WE,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	700.14	IR	Readers
40KNKS-00-000U1W	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0946,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-000V9G	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA010,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:BLU,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-000W3V	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0241,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-000WBR	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,FMT:17493,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-000XMX	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA445,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	700.14	IR	Readers
40KNKS-00-001225	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA3LG,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-0012KL	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1405,FMT:ASP10022,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:BLU,FLSH:RED,BZR,KBD:BLU,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-0012XD	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA2AV,BLE:ON,OSDP,V2,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:BLU,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-0015PV	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA3TS,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-0015RR	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,CSN SUPR,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-0015TX	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA4M0,FMT:ASP10022,BLE:ON,OSDP,V1,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-0015V6	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA01G,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EACH,8-B DOR,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-00192U	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,OSDP,V1,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-00192X	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,OSDP,V2,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-0019AK	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,FMT:11207,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	700.14	IR	Readers
40KNKS-00-001C6D	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA4LZ,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-001CAF	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA4M7,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-001DDW	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0022,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-001DV8	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA1D2,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	700.14	IR	Readers
40KNKS-00-001FP6	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0210,FMT:ASP10022,BLE:ON,OSDP,V2,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-001HMA	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA319,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:BLU,FLSH:GRN,BZR,KBD:WHT,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	700.14	IR	Readers
40KNKS-00-001NYM	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1279,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,CPLT,26-B MSG,PAR,LEN:5,FC:UEC,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-001PD1	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0148,FMT:ASP10022,BLE:ON,OSDP,V2,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	700.14	IR	Readers
40KNKS-00-001QYC	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1038,FMT:15296,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-001TCX	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-001TDR	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA24D,FMT:11207,BLE:ON,OSDP,V2,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-001TLV	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA50G,FMT:1009X,BLE:ON,WIEG,CSN SUPR,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-001UV4	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EACH,8-B DOR,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-001UX4	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,INCL:FMT,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-001VFM	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA2AV,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:BLU,FLSH:GRN,BZR,KBD:BLU,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-001YK8	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0001,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-00213L	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA4ZT,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-00219P	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA1K0,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-0021UT	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA2MW,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-0021XL	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA4W4,BLE:OFF,WIEG,32-B MSB,EACH,8-B DOR,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-0022FX	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,FMT:10022,BLE:ON,WIEG,32-B MSB,EACH,8-B DOR,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-0023XN	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1629,FMT:ASP10022,BLE:ON,OSDP,V2,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-0024CR	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA557,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-00252C	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,FMT:10022,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-002CLJ	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA30C,BLE:ON,WIEG,CSN SUPR,EACH,8-B DOR,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-002CLV	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA57G,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-002E7C	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA1GZ,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-002EQD	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA5A5,FMT:ASP17795,BLE:ON,OSDP,V2,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-002FRX	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,FMT:16039,BLE:ON,OSDP,V2,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-002HG0	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA51C,FMT:ASP10022,BLE:ON,OSDP,V2,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-002HHJ	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA5BY,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-002J47	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA4S1,BLE:ON,OSDP,V2,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:BLU,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	700.14	IR	Readers
40KNKS-00-002JHE	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,FMT:ASP10022,BLE:ON,OSDP,V2,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-002L48	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,FMT:ASP10022,BLE:ON,OSDP,V2,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-002M0Y	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA5BQ,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-002MC6	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB5117,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-002MYG	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA1VT,FMT:ASP10022,BLE:ON,OSDP,V2,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-002TD8	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,BLE:OFF,OSDP,V1,32-B MSB,EACH,ASCII,NOPAR,LEN:13,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-002TP3	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,FMT:17183,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-002XHX	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0773,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-002Y9V	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA15Y,FMT:ASP10022,BLE:ON,WIEG,56-B LSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-003DPF	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0291,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-003FPX	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA218,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-003K79	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0920,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-003MQG	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA0QZ,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-003NWV	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA2XR,FMT:ASP10022,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-003NWW	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA2XR,FMT:ASP10022,BLE:ON,OSDP,V2,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-003PRE	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA5SB,FMT:ASP10022,BLE:ON,OSDP,V2,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-003V8E	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1598,FMT:ASP10022,BLE:ON,OSDP,V2,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-003VYN	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0495,FMT:1026X,BLE:ON,WIEG,34-B MSB,EACH,8-B DOR,NOPAR,LEN:13,FC:0,EM:40-B,LED:OFF,FLSH:OFF,BZR,KBD:OFF,KBZR,VIS:ON,SRF:ON,VEL:OFF,TWS	700.14	IR	Readers
40KNKS-00-00401W	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA5VK,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-00402E	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,BLE:OFF,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	700.14	IR	Readers
40KNKS-00-00407G	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0495,FMT:1026X,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,EM:40-B,LED:OFF,FLSH:OFF,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TWS	700.14	IR	Readers
40KNKS-00-0042LT	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,FMT:10022,BLE:ON,WIEG,CSN SUPR,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-0045HD	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA5WV,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-004DXR	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,BLE:OFF,WIEG,CSN SUPR,EACH,8-B DOR,NOPAR,LEN:13,EM:40-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	700.14	IR	Readers
40KNKS-00-004FGR	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,OSDP,V2,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-004HQP	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA43Z,BLE:ON,OSDP,V2,56-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-004HYF	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1038,FMT:15296,BLE:ON,OSDP,V2,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:BLU,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-005AFD	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,BLE:OFF,WIEG,32-B MSB,EACH,26-B MSG,PAR,LEN:13,FC:242,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	700.14	IR	Readers
40KNKS-00-005DQP	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers

40KNKS-00-005PKK	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0644,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	700.14	IR	Readers
40KNKS-00-005TQG	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,FMT:11207,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-005YHN	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA25X,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-0062AR	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA6QX,FMT:ASP10022,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	700.14	IR	Readers
40KNKS-00-0066Y5	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA02E,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-006GRP	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA143,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-006LKD	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA6QW,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-006RL9	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA4CT,BLE:ON,OSDP,V2,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-006YGN	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,FMT:ASP18910,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-007F1C	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA7CB,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-007L6T	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0006,BLE:ON,OSDP,V2,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-0091P7	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA7CB,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-009N2H	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,FMT:18465,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-009P78	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1475,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-00AK3R	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,FMT:10022,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-00C3GD	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,FMT:1785X,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-00CL86	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0044,BLE:ON,WIEG,56-B MSB,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-00D9YX	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA1D2,FMT:ASP10022,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:BLU,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-00DVH6	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,FMT:10022,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-00EEW3	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBAA19,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-00EHDV	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA8K0,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-00EKWB	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA8TY,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:OFF,VEL:OFF,TAP,TWS	700.14	IR	Readers
40KNKS-00-00F12V	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0495,FMT:1026X,BLE:ON,WIEG,CSN SUPR,EACH,8-B DOR,NOPAR,LEN:13,EM:40-B,LED:OFF,FLSH:OFF,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TWS	700.14	IR	Readers
40KNKS-00-00GRQT	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBAABK,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-00H2P7	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA2RZ,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-00HM6J	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,FMT:1026X,BLE:ON,WIEG,32-B MSB,EACH,8-B DOR,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-00HXGG	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,FMT:11207K01,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-00JJC6	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,FMT:18198,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-00-00JWGP	SIGNO 40K,BLK/SLVR,PIG,CRD PFL STD,FMT:10022,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KNKS-01-00067B	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SEOS,BLE:ON,WIEG,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	600.12	IR	Readers
40KNKS-01-000NNN	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOBA43Q,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:ON,TAP,TWS	600.12	IR	Readers
40KNKS-01-000WJ5	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOBA2R8,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	600.12	IR	Readers
40KNKS-01-001TLG	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOBA50G,BLE:ON,WIEG,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	600.12	IR	Readers
40KNKS-01-002CMH	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOBA59L,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	600.12	IR	Readers
40KNKS-01-002JWU	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOBA4Z1,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:BLU,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	600.12	IR	Readers
40KNKS-01-002XMK	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOBA5KP,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	600.12	IR	Readers
40KNKS-01-0034G5	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOBA5NJ,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	600.12	IR	Readers
40KNKS-01-004M6N	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOBA67B,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	600.12	IR	Readers
40KNKS-01-00H37C	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOBA17G,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:BLU,FLSH:GRN,BZR,KBD:BLU,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	600.12	IR	Readers
40KNKS-02-0001YZ	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SMART,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KNKS-02-0003A7	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SMART,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,APB:OFF	650.13	IR	Readers
40KNKS-02-00043L	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA24D,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KNKS-02-0005RH	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOB0540,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KNKS-02-0005TL	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOB0059,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KNKS-02-000679	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SMART,BLE:ON,WIEG,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KNKS-02-0009UH	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA3UG,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:BLU,FLSH:GRN,BZR,KBD:BLU,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	650.13	IR	Readers
40KNKS-02-000GDM	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA0XA,BLE:ON,OSDP,V1,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	650.13	IR	Readers
40KNKS-02-000KE7	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA2KD,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:BLU,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KNKS-02-000KGM	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA37D,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KNKS-02-000NYL	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA1K0,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KNKS-02-000QPN	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOB1241,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KNKS-02-000TFY	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA0A0,BLE:ON,OSDP,V1,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KNKS-02-000YP7	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA144,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KNKS-02-0016N6	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA37D,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KNKS-02-001AL9	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA4RF,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	650.13	IR	Readers
40KNKS-02-001DTX	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOB5173,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KNKS-02-001FWM	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA34E,BLE:ON,WIEG,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:RED,FLSH:OFF,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KNKS-02-001NK6	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA4Y5,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	650.13	IR	Readers
40KNKS-02-001UXD	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SMART,INCL:KEY,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KNKS-02-001X0V	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOB5173,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KNKS-02-00207N	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA47A,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KNKS-02-0022HM	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA4PT,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KNKS-02-0023E4	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOB0803,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KNKS-02-002CM2	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA59S,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:WHT,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KNKS-02-002H71	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA58T,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	650.13	IR	Readers
40KNKS-02-002J4C	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA5A5,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KNKS-02-002MRN	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOB0257,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KNKS-02-0031LR	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA5E9,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KNKS-02-00472B	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA61X,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KNKS-02-005ARR	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA07J,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KNKS-02-005BKJ	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA6EA,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KNKS-02-005CLL	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOB0144,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KNKS-02-005NTU	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA07J,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KNKS-02-0063HX	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA0AA,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KNKS-02-0067Q7	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SMART,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:WHT,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KNKS-02-0069DV	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA6T7,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KNKS-02-007PB6	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA7MW,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers

40KNKS-02-008RD2	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOB0075,BLE:ON,OSDP,V2,EACH,4-B MSG,NOPAR,LEN:13,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KNKS-02-009VU2	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA8QY,BLE:ON,WIEG,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KNKS-02-00JMJF	SIGNO 40K,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOB0203,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KNKS-03-0001D2	SIGNO 40K,BLK/SLVR,PIG,CRD PFL CSTM,MA ENB,MOB0695,BLE:ON,WIEG,64-B LSB,EACH,4-B MSG,NOPAR,LEN:13,FELICA:64-B LSB,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	750.14	IR	Readers
40KNKS-03-0004XR	SIGNO 40K,BLK/SLVR,PIG,CRD PFL CSTM,FIPS200BIT,BLE:OFF,OSDP,V2,TM,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	750.14	IR	Readers
40KNKS-03-0004YC	SIGNO 40K,BLK/SLVR,PIG,CRD PFL CSTM,BLE:ON,WIEG,64-B LSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,FELICA:64-B LSB,CEPAS:CAN,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	750.14	IR	Readers
40KNKS-03-000545	SIGNO 40K,BLK/SLVR,PIG,CRD PFL CSTM,BLE:ON,WIEG,64-B LSB,EACH,4-B MSG,NOPAR,LEN:13,FELICA:64-B LSB,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	750.14	IR	Readers
40KNKS-03-00054B	SIGNO 40K,BLK/SLVR,PIG,CRD PFL CSTM,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,MAP1:DF,DEFAULT,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	750.14	IR	Readers
40KNKS-03-000598	SIGNO 40K,BLK/SLVR,PIG,CRD PFL CSTM,BLE:ON,WIEG,64-B LSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,FELICA:64-B LSB,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	750.14	IR	Readers
40KNKS-03-0005BT	SIGNO 40K,BLK/SLVR,PIG,CRD PFL CSTM,FIPS75BIT,BLE:OFF,OSDP,V1,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	750.14	IR	Readers
40KNKS-03-0005E0	SIGNO 40K,BLK/SLVR,PIG,CRD PFL CSTM,BLE:ON,WIEG,64-B LSB,CPLT,4TO44-B MSG,NOPAR,FC:0,EM:32-B,FELICA:64-B LSB,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	750.14	IR	Readers
40KNKS-03-0005EW	SIGNO 40K,BLK/SLVR,PIG,CRD PFL CSTM,BLE:ON,WIEG,64-B LSB,EACH,8-B DOR,NOPAR,LEN:13,FC:0,EM:32-B,FELICA:64-B LSB,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	750.14	IR	Readers
40KNKS-03-0005KF	SIGNO 40K,BLK/SLVR,PIG,CRD PFL CSTM,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,MAP1:DF,DEFAULT,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	750.14	IR	Readers
40KNKS-03-0013X7	SIGNO 40K,BLK/SLVR,PIG,CRD PFL CSTM,BLE:ON,OSDP,V2,64-B LSB,EACH,ASCII,NOPAR,LEN:13,FC:0,MAP1:DF,DEFAULT,FELICA:64-B LSB,CEPAS:CAN,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	750.14	IR	Readers
40KNKS-03-001JQB	SIGNO 40K,BLK/SLVR,PIG,CRD PFL CSTM,MA ENB,MOBA4YJ,BLE:ON,OSDP,V1,56-B MSB,EACH,ASCII,NOPAR,LEN:13,MAP1:DF,DEFAULT,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	750.14	IR	Readers
40KNKS-03-001WGN	SIGNO 40K,BLK/SLVR,PIG,CRD PFL CSTM,MA ENB,MOBA50H,FIPS200BIT,BLE:OFF,OSDP,V2,TM,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,MAP1:DF,DEFAULT,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	750.14	IR	Readers
40KNKS-03-002KBL	SIGNO 40K,BLK/SLVR,PIG,CRD PFL CSTM,BLE:ON,WIEG,64-B LSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,FELICA:64-B LSB,CEPAS:CAN,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	750.14	IR	Readers
40KNKS-03-003YXM	SIGNO 40K,BLK/SLVR,PIG,CRD PFL CSTM,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,EM:34-B,MAP1:DF,DEFAULT,FELICA:64-B LSB,CEPAS:CAN,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	750.14	IR	Readers
40KNKS-03-00CYEU	SIGNO 40K,BLK/SLVR,PIG,CRD PFL CSTM,MA ENB,MOBA2XR,FMT:ASP10022,BLE:ON,OSDP,V2,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,MAP1:DF,DEFAULT,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	750.14	IR	Readers
40KNKS-T0-00001Q	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,OSDP,V2,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
40KNKS-T0-000036	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
40KNKS-T0-00003C	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,WIEG,32-B MSB,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
40KNKS-T0-00003W	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,WIEG,32-B MSB,CPLT,26-B MSG,PAR,LEN:5,FC:UEC,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
40KNKS-T0-0001LF	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,OSDP,V2,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
40KNKS-T0-0001U7	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,WIEG,40-B MSB,CPLT,PAR,LEN:4,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
40KNKS-T0-0001V0	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,WIEG,32-B MSB,CPLT,PAR,LEN:6,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
40KNKS-T0-0001WK	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA17G,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
40KNKS-T0-000217	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T0-STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,CPLT,PAR,LEN:4,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
40KNKS-T0-00026M	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,WIEG,56-B LSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
40KNKS-T0-00027E	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,OSDP,V2,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
40KNKS-T0-0002BR	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,OSDP,V2,32-B MSB,EACH,ASCII,NOPAR,LEN:13,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
40KNKS-T0-000320	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,OSDP,V2,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
40KNKS-T0-00038P	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOB0771,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	745.51	IR	Readers
40KNKS-T0-00039P	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA2X4,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	745.51	IR	Readers
40KNKS-T0-00066J	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA3NW,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:BLU,FLSH:GRN,BZR,KBD:BLU,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	745.51	IR	Readers
40KNKS-T0-000L5G	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,WIEG,34-B MSB,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
40KNKS-T0-0012XD	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA2AV,BLE:ON,OSDP,V2,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:BLU,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
40KNKS-T0-0015RR	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,WIEG,CSN SUPR,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
40KNKS-T0-00192X	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,OSDP,V2,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
40KNKS-T0-001NF5	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOB1471,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
40KNKS-T0-001QYC	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOB1038,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
40KNKS-T0-001TCX	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T0-STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
40KNKS-T0-001UV4	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,WIEG,32-B MSB,EACH,8-B DOR,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
40KNKS-T0-001VFM	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA2AV,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:BLU,FLSH:GRN,BZR,KBD:BLU,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
40KNKS-T0-0023XN	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOB1629,BLE:ON,OSDP,V2,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
40KNKS-T0-0024CR	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA557,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
40KNKS-T0-002J9F	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA15Y,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
40KNKS-T0-002M0Y	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA5BQ,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
40KNKS-T0-002Y9V	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA15Y,BLE:ON,WIEG,56-B LSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
40KNKS-T0-0031BA	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA5FG,BLE:ON,OSDP,V2,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
40KNKS-T0-004HQP	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA43Z,BLE:ON,OSDP,V2,56-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
40KNKS-T0-004TGN	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA218,BLE:ON,OSDP,V1,32-B LSB,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
40KNKS-T0-006AWT	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA6U7,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TWS	745.51	IR	Readers
40KNKS-T0-006NC1	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA72J,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
40KNKS-T0-006RL9	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA4CT,BLE:ON,OSDP,V2,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
40KNKS-T0-0088M2	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA7J3,BLE:ON,WIEG,56-B LSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
40KNKS-T0-009BUF	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA5N6,BLE:OFF,OSDP,V1,32-B MSB INV,RAW,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	745.51	IR	Readers
40KNKS-T0-00DQUA	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOB0210,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
40KNKS-T0-00E5U9	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA9WC,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
40KNKS-T0-00FCV5	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOB0920,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	745.51	IR	Readers
40KNKS-T1-00001H	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T1-SEOS,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	639.01	IR	Readers
40KNKS-T1-00023Q	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T1-SEOS,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	639.01	IR	Readers
40KNKS-T1-00192Q	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T1-SEOS,BLE:ON,OSDP,V1,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	639.01	IR	Readers
40KNKS-T1-001UUY	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T1-SEOS,MA ENB,MOB0912,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	639.01	IR	Readers
40KNKS-T1-001UXB	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T1-SEOS,INCL:KEY,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	639.01	IR	Readers
40KNKS-T1-0034G5	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T1-SEOS,MA ENB,MOBA5NJ,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	639.01	IR	Readers
40KNKS-T1-008GUB	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T1-SEOS,MA ENB,MOB0084,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	639.01	IR	Readers
40KNKS-T1-00AAQF	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T1-SEOS,MA ENB,MOBA8UN,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	639.01	IR	Readers
40KNKS-T1-00B9RK	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T1-SEOS,MA ENB,MOBA8Y1,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	639.01	IR	Readers
40KNKS-T1-00BD9X	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T1-SEOS,MA ENB,MOBA95Q,BLE:ON,OSDP,V2,EACH,4-B MSG,NOPAR,LEN:13,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	639.01	IR	Readers
40KNKS-T1-00F9MF	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T1-SEOS,MA ENB,MOB0912,BLE:ON,OSDP,V2,EACH,4-B MSG,NOPAR,LEN:13,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	639.01	IR	Readers
40KNKS-T2-0001YZ	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T2-SMART,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KNKS-T2-000278	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T2-SMART,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KNKS-T2-0002BL	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T2-SMART,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KNKS-T2-000679	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T2-SMART,BLE:ON,WIEG,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KNKS-T2-000GDM	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA0XA,BLE:ON,OSDP,V1,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	692.27	IR	Readers
40KNKS-T2-00104M	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA2MT,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:BLU,FLSH:GRN,BZR,KBD:BLU,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers

40KNKS-T2-0015R1	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOB1077,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KNKS-T2-00192W	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T2-SMART,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KNKS-T2-001AL9	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA4RF,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	692.27	IR	Readers
40KNKS-T2-001CT7	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOB0257,BLE:ON,OSDP,V2,EACH,4-B MSG,NOPAR,LEN:13,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KNKS-T2-001FWM	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA34E,BLE:ON,WIEG,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:RED,FLSH:OFF,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KNKS-T2-001NK6	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA4Y5,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	692.27	IR	Readers
40KNKS-T2-001UXD	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T2-SMART,INCL:KEY,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KNKS-T2-0023E4	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOB0803,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KNKS-T2-002CM2	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA59S,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:WHT,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KNKS-T2-002H71	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA58T,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	692.27	IR	Readers
40KNKS-T2-002J4C	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA5A5,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KNKS-T2-002MRN	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOB0257,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KNKS-T2-0031LR	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA5E9,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KNKS-T2-0038R4	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA5N6,BLE:OFF,OSDP,V1,RAW,EACH,ASCII,NOPAR,LEN:13,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	692.27	IR	Readers
40KNKS-T2-004MN1	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOB1008,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KNKS-T2-005NTU	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA07J,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KNKS-T2-00658H	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOB0363,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KNKS-T2-0067Q7	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T2-SMART,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:WHT,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KNKS-T2-0076RA	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA7G9,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	692.27	IR	Readers
40KNKS-T2-007AFX	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA7H4,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:OFF,VEL:OFF,TAP	692.27	IR	Readers
40KNKS-T2-007M15	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA3CU,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KNKS-T2-0086G1	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA77K,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KNKS-T2-0087KD	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA2PK,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KNKS-T2-008965	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA7LD,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KNKS-T2-008B9Y	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA1WY,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KNKS-T2-008RD2	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOB0075,BLE:ON,OSDP,V2,EACH,4-B MSG,NOPAR,LEN:13,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KNKS-T2-008VFL	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA408,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KNKS-T2-0092ED	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA684,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	692.27	IR	Readers
40KNKS-T2-0093F0	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA3AV,BLE:ON,OSDP,V2,EACH,4-B MSG,NOPAR,LEN:13,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	692.27	IR	Readers
40KNKS-T2-0095FH	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA8AM,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KNKS-T2-0097MG	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA6XH,BLE:ON,OSDP,V1,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KNKS-T2-009KD7	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA8KC,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	692.27	IR	Readers
40KNKS-T2-009VU2	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA8QY,BLE:ON,WIEG,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KNKS-T2-00BG90	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA7KU,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:BLU,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KNKS-T2-00D4DY	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA9QF,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KNKS-T2-00DC97	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA2ZN,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KNKS-T2-00DPNL	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA9XZ,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KNKS-T2-00EAJX	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOB0766,BLE:ON,OSDP,V2,EACH,4-B MSG,NOPAR,LEN:13,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KNKS-T3-0004YC	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T3-CSTM,BLE:ON,WIEG,64-B LSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,FELICA:64-B LSB,CEPAS:CAN,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	798.77	IR	Readers
40KNKS-T3-00058Q	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T3-CSTM,FIPS200BIT,BLE:OFF,WIEG,CSN SUPR,EACH,8-B DOR,NOPAR,LEN:13,FC:0,EM:32-B,MAP1:DF,CUS,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	798.77	IR	Readers
40KNKS-T3-000598	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T3-CSTM,BLE:ON,WIEG,64-B LSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,FELICA:64-B LSB,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	798.77	IR	Readers
40KNKS-T3-0005B9	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T3-CSTM,FIPS200BIT,BLE:OFF,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	798.77	IR	Readers
40KNKS-T3-0005BR	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T3-CSTM,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,MAP1:DF,DEFAULT,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	798.77	IR	Readers
40KNKS-T3-0005KF	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T3-CSTM,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,MAP1:DF,DEFAULT,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	798.77	IR	Readers
40KNKS-T3-001JQB	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T3-CSTM,MA ENB,MOBA4YJ,BLE:ON,OSDP,V1,56-B MSB,EACH,ASCII,NOPAR,LEN:13,MAP1:DF,DEFAULT,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	798.77	IR	Readers
40KNKS-T3-001WGN	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T3-CSTM,MA ENB,MOBA50H,FIPS200BIT,BLE:OFF,OSDP,V2,TM,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,MAP1:DF,DEFAULT,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	798.77	IR	Readers
40KNKS-T3-002KBL	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T3-CSTM,BLE:ON,WIEG,64-B LSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,FELICA:64-B LSB,CEPAS:CAN,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	798.77	IR	Readers
40KNKS-T3-003WPM	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T3-CSTM,MA ENB,MOBA5WH,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,MAP1:DF,DEFAULT,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	798.77	IR	Readers
40KNKS-T3-0041G5	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T3-CSTM,BLE:ON,OSDP,V2,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,EM:32-B,MAP1:DF,DEFAULT,FELICA:32-B MSB,CEPAS:CSN,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	798.77	IR	Readers
40KNKS-T3-00GCBG	SIGNO 40K,BLK/SLVR,PIG,CRD PFL T3-CSTM,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,MAP1:DF,DEFAULT,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	798.77	IR	Readers
40KTKS-00-00001J	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,OSDP,V1,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-00001Z	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:BLU,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-00002I	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,OSDP,V1,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-00003P	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,WIEG,32-B MSB,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-000040	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,WIEG,32-B MSB,EACH,8-B DOR,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-00004C	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,INCL:FMT,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-00004K	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-00004M	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-00018J	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,OSDP,V1,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-00018P	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-00018S	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,OSDP,V1,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-00018T	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,OSDP,V1,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-0001B1	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,EACH,8-B DOR,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-0001BU	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,OSDP,V1,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-0001EX	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,OSDP,V1,56-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-0001I6	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,OSDP,V1,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-0001L6	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0006,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-0001LD	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,INCL:FMT,BLE:ON,WIEG,32-B MSB,EACH,8-B DOR,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-0001Q8	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,OSDP,V2,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-0001SA	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0006,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-0001U7	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,WIEG,40-B MSB,CPLT,PAR,LEN:4,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-0001UC	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,OSDP,V1,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-0001UE	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0006,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-0001UK	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,CPLT,26-B MSG,PAR,LEN:5,FC:UEC,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-0001XM	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,CSN SUPR,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-0001ZW	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,OSDP,V1,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-00021B	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:40-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers

40KTKS-00-00022Y	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,WIEG,32-B MSB,EACH,6-B MSG,PAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-00026K	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,OSDP,V1,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-0002BK	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-0002BP	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,OSDP,V1,32-B MSB,EACH,ASCII,NOPAR,LEN:13,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-000330	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-000375	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA2HV,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,LED:BLU,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-00041P	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0145,FMT:1026X,BLE:ON,WIEG,CSN SUPR,EACH,8-B DOR,NOPAR,LEN:13,EM:32-B,LED:OFF,FLSH:OFF,BZR,KBD:BLU,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-00041Q	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA30U,BLE:ON,OSDP,V2,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,LED:OFF,FLSH:OFF,NOBZR,KBD:BLU,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-00041R	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0145,FMT:1026X,BLE:ON,OSDP,V2,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,LED:OFF,FLSH:OFF,NOBZR,KBD:BLU,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-00044H	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0001,FMT:ASP10022,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:BLU,FLSH:GRN,BZR,KBD:BLU,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	700.14	IR	Readers
40KTKS-00-0005UX	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0022,FMT:ASP10022,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-0008M2	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0028,FMT:1026X,BLE:ON,WIEG,CSN SUPR,EACH,8-B DOR,NOPAR,LEN:13,LED:OFF,FLSH:OFF,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-00099F	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0028,FMT:ASP1771X,BLE:ON,WIEG,CSN SUPR,EACH,8-B DOR,NOPAR,LEN:13,LED:OFF,FLSH:OFF,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-000B08	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:BLU,FLSH:GRN,BZR,KBD:BLU,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-000CA6	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA1VJ,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:OFF,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-000CAB	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA1VJ,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,CPLT,26-B MSG,PAR,LEN:5,FC:UEC,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:OFF,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-000CAC	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA1VJ,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-000E10	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA32P,FMT:1026X,BLE:ON,OSDP,V2,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-000FCY	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA35U,BLE:ON,OSDP,V2,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-000KDN	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,FMT:10723,BLE:ON,WIEG,32-B MSB,EACH,8-B DOR,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-000L5G	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,WIEG,34-B MSB,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-000MMU	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB1382,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-000MPC	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB1022,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	700.14	IR	Readers
40KTKS-00-000RP5	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,FMT:17744,BLE:ON,WIEG,32-B MSB,EACH,8-B DOR,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-000VKF	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA3HW,FMT:ASP10022,BLE:ON,OSDP,V1,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	700.14	IR	Readers
40KTKS-00-000XMX	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA445,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	700.14	IR	Readers
40KTKS-00-0012XD	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA2AV,BLE:ON,OSDP,V2,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:BLU,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-0014JF	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0644,BLE:ON,OSDP,V2,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-00192X	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,OSDP,V2,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-001BG3	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0257,FMT:ASP10022,BLE:ON,OSDP,V2,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-001C6D	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA4LZ,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-001LKD	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,FMT:11207,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-001TA1	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA3AV,BLE:ON,WIEG,CSN SUPR,EACH,8-B DOR,NOPAR,LEN:13,FC:0,EM:32-B,LED:BLU,FLSH:GRN,BZR,KBD:BLU,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-001TCX	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-001U5R	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,FMT:15024,BLE:ON,WIEG,32-B MSB,EACH,8-B DOR,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-001UV4	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EACH,8-B DOR,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-001UX4	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,INCL:FMT,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-00213L	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA4ZT,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-0021XL	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA4W4,BLE:OFF,WIEG,32-B MSB,EACH,8-B DOR,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-0024UT	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA522,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-002558	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,FMT:ASP10022,BLE:ON,OSDP,V2,56-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-002BLD	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA0D6,BLE:ON,OSDP,V1,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-002CLV	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA57G,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-002D49	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,WIEG,CSN SUPR,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-002M0Y	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA5BQ,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-002MC6	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB5117,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-002MRK	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0257,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-002RTB	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA2FA,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-002TD8	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,BLE:OFF,OSDP,V1,32-B MSB,EACH,ASCII,NOPAR,LEN:13,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-002TP3	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,FMT:17183,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-002Y12	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA2HB,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-003E8G	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA5RU,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EACH,8-B DOR,NOPAR,LEN:13,FC:0,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-003MQG	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA0QZ,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-003Q99	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA1S7,BLE:ON,WIEG,32-B MSB,CPLT,26-B MSG,PAR,LEN:5,FC:UEC,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-004HYF	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB1038,FMT:15296,BLE:ON,OSDP,V2,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:BLU,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-0059QD	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB5144,BLE:ON,WIEG,32-B MSB,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-006AWT	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA6U7,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TWS	700.14	IR	Readers
40KTKS-00-006G8Q	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA2HB,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-007L6T	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0006,BLE:ON,OSDP,V2,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-00B62E	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA91W,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	700.14	IR	Readers
40KTKS-00-00C3G7	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA2HB,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-00CE6T	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA9F4,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-00CL86	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0044,BLE:ON,WIEG,56-B MSB,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-00DTYV	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA2HB,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-00JBPN	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA6R1,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-00-00JH20	SIGNO 40K,BLK/SLVR,TERM,CRD PFL STD,FMT:16632,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	700.14	IR	Readers
40KTKS-01-0001QS	SIGNO 40K,BLK/SLVR,TERM,CRD PFL SEOS,INCL:KEY,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	600.12	IR	Readers
40KTKS-01-000BYJ	SIGNO 40K,BLK/SLVR,TERM,CRD PFL SEOS,MA ENB,MOB0145,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	600.12	IR	Readers
40KTKS-01-000NGA	SIGNO 40K,BLK/SLVR,TERM,CRD PFL SEOS,MA ENB,MOBA47Y,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	600.12	IR	Readers
40KTKS-01-00192V	SIGNO 40K,BLK/SLVR,TERM,CRD PFL SEOS,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	600.12	IR	Readers
40KTKS-01-001UXB	SIGNO 40K,BLK/SLVR,TERM,CRD PFL SEOS,INCL:KEY,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	600.12	IR	Readers
40KTKS-01-002CMH	SIGNO 40K,BLK/SLVR,TERM,CRD PFL SEOS,MA ENB,MOBA59L,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	600.12	IR	Readers
40KTKS-01-003D8V	SIGNO 40K,BLK/SLVR,TERM,CRD PFL SEOS,MA ENB,MOBA5FL,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	600.12	IR	Readers
40KTKS-01-00805T	SIGNO 40K,BLK/SLVR,TERM,CRD PFL SEOS,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:CYN,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	600.12	IR	Readers
40KTKS-01-00805V	SIGNO 40K,BLK/SLVR,TERM,CRD PFL SEOS,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:CYN,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	600.12	IR	Readers
40KTKS-01-00805X	SIGNO 40K,BLK/SLVR,TERM,CRD PFL SEOS,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:CYN,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	600.12	IR	Readers
40KTKS-01-00805Y	SIGNO 40K,BLK/SLVR,TERM,CRD PFL SEOS,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:CYN,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	600.12	IR	Readers

40KTKS-01-008061	SIGNO 40K,BLK/SLVR,TERM,CRD PFL SEOS,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:CYN,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	600.12	IR	Readers
40KTKS-01-008063	SIGNO 40K,BLK/SLVR,TERM,CRD PFL SEOS,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:CYN,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	600.12	IR	Readers
40KTKS-01-008065	SIGNO 40K,BLK/SLVR,TERM,CRD PFL SEOS,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:CYN,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	600.12	IR	Readers
40KTKS-01-008066	SIGNO 40K,BLK/SLVR,TERM,CRD PFL SEOS,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:CYN,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	600.12	IR	Readers
40KTKS-01-008067	SIGNO 40K,BLK/SLVR,TERM,CRD PFL SEOS,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:CYN,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	600.12	IR	Readers
40KTKS-01-008069	SIGNO 40K,BLK/SLVR,TERM,CRD PFL SEOS,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:CYN,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	600.12	IR	Readers
40KTKS-01-00HMBL	SIGNO 40K,BLK/SLVR,TERM,CRD PFL SEOS,BLE:ON,WIEG,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	600.12	IR	Readers
40KTKS-02-0001MX	SIGNO 40K,BLK/SLVR,TERM,CRD PFL SMART,INCL:KEY,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KTKS-02-00039N	SIGNO 40K,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOBA32P,BLE:ON,WIEG,EACH,8-B DOR,NOPAR,LEN:13,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KTKS-02-000679	SIGNO 40K,BLK/SLVR,TERM,CRD PFL SMART,BLE:ON,WIEG,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KTKS-02-000944	SIGNO 40K,BLK/SLVR,TERM,CRD PFL SMART,BLE:ON,OSDP,V1,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KTKS-02-0009WJ	SIGNO 40K,BLK/SLVR,TERM,CRD PFL SMART,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KTKS-02-000YP7	SIGNO 40K,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOBA144,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KTKS-02-00104M	SIGNO 40K,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOBA2MT,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:BLU,FLSH:GRN,BZR,KBD:BLU,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KTKS-02-0015R1	SIGNO 40K,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOB1077,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KTKS-02-0016N6	SIGNO 40K,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOBA37D,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KTKS-02-0018HH	SIGNO 40K,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOBA1T7,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:BLU,FLSH:GRN,BZR,KBD:BLU,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KTKS-02-00192W	SIGNO 40K,BLK/SLVR,TERM,CRD PFL SMART,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KTKS-02-001UXD	SIGNO 40K,BLK/SLVR,TERM,CRD PFL SMART,INCL:KEY,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KTKS-02-002BD6	SIGNO 40K,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOBA28C,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KTKS-02-002K5Y	SIGNO 40K,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOBA02D,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KTKS-02-0033FJ	SIGNO 40K,BLK/SLVR,TERM,CRD PFL SMART,BLE:OFF,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	650.13	IR	Readers
40KTKS-02-00353J	SIGNO 40K,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOB5173,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KTKS-02-00412Y	SIGNO 40K,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOBA603,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KTKS-02-00472B	SIGNO 40K,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOBA61X,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KTKS-02-00586G	SIGNO 40K,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOB0445,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KTKS-02-005MJQ	SIGNO 40K,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOBA12C,BLE:ON,OSDP,V1,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KTKS-02-0069DV	SIGNO 40K,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOBA6T7,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KTKS-02-007BUV	SIGNO 40K,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOB1382,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	650.13	IR	Readers
40KTKS-03-0004XR	SIGNO 40K,BLK/SLVR,TERM,CRD PFL CSTM,FIPS200BIT,BLE:OFF,OSDP,V2,TM,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	750.14	IR	Readers
40KTKS-03-00054K	SIGNO 40K,BLK/SLVR,TERM,CRD PFL CSTM,BLE:ON,OSDP,V2,56-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,MAP1:DF,DEFAULT,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	750.14	IR	Readers
40KTKS-03-00056C	SIGNO 40K,BLK/SLVR,TERM,CRD PFL CSTM,BLE:ON,OSDP,V1,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,FC:0,MAP1:DF,DEFAULT,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	750.14	IR	Readers
40KTKS-03-00059X	SIGNO 40K,BLK/SLVR,TERM,CRD PFL CSTM,FIPS200BIT,BLE:OFF,OSDP,V2,TM,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	750.14	IR	Readers
40KTKS-03-0005KF	SIGNO 40K,BLK/SLVR,TERM,CRD PFL CSTM,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,MAP1:DF,DEFAULT,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	750.14	IR	Readers
40KTKS-03-0005MQ	SIGNO 40K,BLK/SLVR,TERM,CRD PFL CSTM,MA ENB,MOB0044,BLE:ON,OSDP,V2,56-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,MAP1:DF,DEFAULT,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	750.14	IR	Readers
40KTKS-03-001JQB	SIGNO 40K,BLK/SLVR,TERM,CRD PFL CSTM,MA ENB,MOBA4YJ,BLE:ON,OSDP,V1,56-B MSB,EACH,ASCII,NOPAR,LEN:13,MAP1:DF,DEFAULT,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	750.14	IR	Readers
40KTKS-03-001WGN	SIGNO 40K,BLK/SLVR,TERM,CRD PFL CSTM,MA ENB,MOBA50H,FIPS200BIT,BLE:OFF,OSDP,V2,TM,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,MAP1:DF,DEFAULT,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	750.14	IR	Readers
40KTKS-03-003CDX	SIGNO 40K,BLK/SLVR,TERM,CRD PFL CSTM,BLE:ON,OSDP,V2,TM,56-B MSB,EACH,ASCII,NOPAR,LEN:13,EM:32-B,MAP1:DF,DEFAULT,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	750.14	IR	Readers
40KTKS-03-00B945	SIGNO 40K,BLK/SLVR,TERM,CRD PFL CSTM,BLE:ON,OSDP,V2,TM,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,EM:32-B,MAP1:DF,DEFAULT,FELICA:32-B MSB,CEPAS:CAN,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	750.14	IR	Readers
40KTKS-T0-000016	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T0-STD,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
40KTKS-T0-000025	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T0-STD,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
40KTKS-T0-000028	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T0-STD,BLE:ON,WIEG,CSN SUPR,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
40KTKS-T0-00003U	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T0-STD,BLE:ON,WIEG,26-B FC1,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
40KTKS-T0-00004M	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T0-STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
40KTKS-T0-00018P	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T0-STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
40KTKS-T0-00024N	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T0-STD,BLE:ON,OSDP,V1,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
40KTKS-T0-00032D	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T0-STD,BLE:ON,OSDP,V2,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
40KTKS-T0-0005U9	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T0-STD,MA ENB,MOBA2X4,BLE:ON,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	745.51	IR	Readers
40KTKS-T0-000CAC	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T0-STD,MA ENB,MOBA1VJ,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
40KTKS-T0-00192X	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T0-STD,BLE:ON,OSDP,V2,32-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
40KTKS-T0-002M0Y	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T0-STD,MA ENB,MOBA5BQ,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
40KTKS-T0-0059QD	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T0-STD,MA ENB,MOB5144,BLE:ON,WIEG,32-B MSB,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
40KTKS-T0-006RL9	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T0-STD,MA ENB,MOBA4CT,BLE:ON,OSDP,V2,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
40KTKS-T0-00CE6T	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T0-STD,MA ENB,MOBA9F4,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	745.51	IR	Readers
40KTKS-T1-00001H	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T1-SEOS,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	639.01	IR	Readers
40KTKS-T1-000NGA	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T1-SEOS,MA ENB,MOBA47Y,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	639.01	IR	Readers
40KTKS-T1-00185F	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T1-SEOS,MA ENB,MOBA333,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	639.01	IR	Readers
40KTKS-T1-001R7K	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T1-SEOS,MA ENB,MOBA3AV,BLE:ON,WIEG,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:BLU,FLSH:GRN,BZR,KBD:BLU,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	639.01	IR	Readers
40KTKS-T1-001UXB	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T1-SEOS,INCL:KEY,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	639.01	IR	Readers
40KTKS-T1-002CMH	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T1-SEOS,MA ENB,MOBA59L,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	639.01	IR	Readers
40KTKS-T1-00BD9X	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T1-SEOS,MA ENB,MOBA95Q,BLE:ON,OSDP,V2,EACH,4-B MSG,NOPAR,LEN:13,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	639.01	IR	Readers
40KTKS-T2-0002BL	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T2-SMART,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KTKS-T2-000381	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOB0025,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KTKS-T2-00039N	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA32P,BLE:ON,WIEG,EACH,8-B DOR,NOPAR,LEN:13,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KTKS-T2-0003A2	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T2-SMART,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:OFF,FLSH:OFF,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KTKS-T2-000679	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T2-SMART,BLE:ON,WIEG,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KTKS-T2-0009WJ	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T2-SMART,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KTKS-T2-00104M	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA2MT,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:BLU,FLSH:GRN,BZR,KBD:BLU,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KTKS-T2-0015R1	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOB1077,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KTKS-T2-001CT7	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOB0257,BLE:ON,OSDP,V2,EACH,4-B MSG,NOPAR,LEN:13,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KTKS-T2-001UXD	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T2-SMART,INCL:KEY,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KTKS-T2-0023E4	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOB0803,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KTKS-T2-002BD6	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA28C,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KTKS-T2-002MRN	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOB0257,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KTKS-T2-0033FJ	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T2-SMART,BLE:OFF,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	692.27	IR	Readers
40KTKS-T2-003LF5	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA5SA,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KTKS-T2-00472B	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA61X,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers

40KTKS-T2-00564R	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA12C,BLE:ON,OSDP,V1,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KTKS-T2-00586G	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOB0445,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KTKS-T2-0076RA	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA7G9,BLE:ON,OSDP,V2,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP,TWS	692.27	IR	Readers
40KTKS-T2-007W9Y	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA3AV,BLE:ON,WIEG,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:BLU,FLSH:GRN,BZR,KBD:BLU,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KTKS-T2-0086G1	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA77K,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KTKS-T2-008LW3	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA85Y,BLE:ON,WIEG,EACH,8-B DOR,NOPAR,LEN:13,FC:0,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KTKS-T2-008RX3	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA1EG,BLE:ON,WIEG,EACH,4-B MSG,NOPAR,LEN:13,LED:BLU,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	692.27	IR	Readers
40KTKS-T3-0004XR	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T3-CSTM,FIPS200BIT,BLE:OFF,OSDP,V2,TM,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,FC:0,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	798.77	IR	Readers
40KTKS-T3-0004XW	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T3-CSTM,INCL:KEY,FIPS75BIT,BLE:OFF,WIEG,CSN SUPR,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	798.77	IR	Readers
40KTKS-T3-0004XY	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T3-CSTM,FIPS200BIT,BLE:OFF,OSDP,V1,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	798.77	IR	Readers
40KTKS-T3-00054K	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T3-CSTM,BLE:ON,OSDP,V2,56-B MSB,EACH,ASCII,NOPAR,LEN:13,FC:0,MAP1:DF,DEFAULT,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	798.77	IR	Readers
40KTKS-T3-00059X	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T3-CSTM,FIPS200BIT,BLE:OFF,OSDP,V2,TM,CSN SUPR,EACH,ASCII,NOPAR,LEN:13,FC:0,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF	798.77	IR	Readers
40KTKS-T3-0005KF	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T3-CSTM,BLE:ON,WIEG,32-B MSB,EACH,4-B MSG,NOPAR,LEN:13,EM:32-B,MAP1:DF,DEFAULT,LED:RED,FLSH:GRN,BZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	798.77	IR	Readers
40KTKS-T3-003CDX	SIGNO 40K,BLK/SLVR,TERM,CRD PFL T3-CSTM,BLE:ON,OSDP,V2,TM,56-B MSB,EACH,ASCII,NOPAR,LEN:13,EM:32-B,MAP1:DF,DEFAULT,LED:OFF,FLSH:OFF,NOBZR,KBD:RED,KBZR,VIS:ON,SRF:ON,VEL:OFF,TAP	798.77	IR	Readers
40NKS-00-00002C	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00002H	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,26-B FC1,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00002Q	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,34-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00002W	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00003F	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00003K	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00003Q	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,34-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00004C	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,INCL:FMT,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00004I	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:10162,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00004J	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00004K	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00004M	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00005G	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0863,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00006W	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0263,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-000192	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,CSN SUPR,LED:BLU,FLSH:GRN,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00019J	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00019M	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00019P	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,INCL:FMT,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0001B4	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0001BA	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0001CN	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA17G,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0001E7	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0001EN	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,56-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0001FP	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0001HC	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0001HS	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB INV,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0001IA	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0001JJ	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,INCL:FMT,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0001JP	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0495,BLE:ON,WIEG,CSN SUPR,LED:OFF,FLSH:OFF,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0001L6	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0006,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0001MJ	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0001MW	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0001NP	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,INCL:FMT,BLE:ON,WIEG,37-B LSB,EM:32-B,LED:RED,FLSH:GRN,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0001NY	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0001PS	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,INCL:FMT,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0001RL	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0001S9	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,INCL:KEY&FMT,BLE:ON,WIEG,CSN SUPR,LED:OFF,FLSH:OFF,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0001T9	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0066,BLE:ON,WIEG,32-B MSB,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0001U0	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0001UC	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,OSDP,V1,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0001VJ	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0023,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0001WK	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA17G,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0001WW	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0066,BLE:ON,WIEG,32-B MSB,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0001XA	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,34-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0001YB	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0001Z9	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,INCL:KEY,BLE:ON,OSDP,V1,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00020B	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,LED:OFF,FLSH:OFF,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00020U	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0089,BLE:ON,WIEG,CSN SUPR,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00021G	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,OSDP,V2,CSN SUPR,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00021P	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,INCL:FMT,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-000243	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,INCL:KEY,BLE:ON,OSDP,V2,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-000249	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B LSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00024A	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,INCL:FMT,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00024C	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0035,BLE:ON,WIEG,CSN SUPR,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00024D	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,OSDP,V1,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-000251	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,INCL:FMT,BLE:ON,WIEG,34-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-000255	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00025C	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,INCL:FMT,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00025H	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00026F	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,OSDP,V1,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00026M	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,56-B LSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00026U	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00027E	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,OSDP,V2,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers

40NKS-00-000320	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-000328	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA0BV,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00032J	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,32-B MSB,EM:26-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00033A	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,INCL:FMT,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00033G	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00033T	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:10073,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00039V	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:16020,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00041U	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0184,FMT:ASP10022,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	425.08	IR	Readers
40NKS-00-00043J	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA3KM,FMT:18686,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	425.08	IR	Readers
40NKS-00-00044C	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:11207,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00044H	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0001,FMT:ASP10022,BLE:ON,WIEG,CSN SUPR,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	425.08	IR	Readers
40NKS-00-00044T	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1008,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00045N	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:10219,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0005R6	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:17191,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0005TK	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0059,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0005V3	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA3PX,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:CYN,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00066J	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA3NW,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	425.08	IR	Readers
40NKS-00-0006K2	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:16012,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0008UF	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:16632,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-000AYV	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:1785X,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	425.08	IR	Readers
40NKS-00-000AYW	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:16306,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	425.08	IR	Readers
40NKS-00-000B08	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,CSN SUPR,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-000C3W	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1102,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-000CA8	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA3SN,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-000CLR	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA3W1,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	425.08	IR	Readers
40NKS-00-000DFT	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA31H,FMT:ASP10022,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-000F72	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA0UT,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-000FCY	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA35U,BLE:ON,OSDP,V2,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-000FQ1	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA362,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	425.08	IR	Readers
40NKS-00-000HF4	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA3WY,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-000J2V	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA3W5,FMT:10251,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-000KBP	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1507,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-000KDN	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:10723,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-000KR5	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA2E9,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,TWS	425.08	IR	Readers
40NKS-00-000KVB	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA435,FMT:ASP10022,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	425.08	IR	Readers
40NKS-00-000L5G	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,34-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-000LG5	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA40L,FMT:17922,BLE:ON,OSDP,V1,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-000LG7	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0698,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-000LYU	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:18740,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-000MMU	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1382,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-000MPC	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1022,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	425.08	IR	Readers
40NKS-00-000P1W	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA2DY,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	425.08	IR	Readers
40NKS-00-000PF7	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0001,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-000QAM	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1629,FMT:ASP10022,BLE:ON,OSDP,V1,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-000RHJ	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1570,FMT:ASP10022,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-000RWG	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0184,FMT:ASP10022,BLE:ON,OSDP,V2,CSN SUPR,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,TWS	425.08	IR	Readers
40NKS-00-000TG5	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA2WE,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	425.08	IR	Readers
40NKS-00-000U1W	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0946,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-000V9E	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0423,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-000V9G	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA010,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-000VKF	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA3HW,FMT:ASP10022,BLE:ON,OSDP,V1,CSN SUPR,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,TWS	425.08	IR	Readers
40NKS-00-000VYP	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA34Z,FMT:ASP10022,BLE:ON,OSDP,V2,CSN SUPR,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-000W3V	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0241,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-000WBR	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:17493,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-000WHX	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA133,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-000WJ2	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:ASP17736,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-000XMX	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA445,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	425.08	IR	Readers
40NKS-00-001225	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA3LG,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0012KL	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1405,FMT:ASP10022,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:BLU,FLSH:RED,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0012NB	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA2UA,BLE:ON,OSDP,V2,CSN SUPR,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0012XD	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA2AV,BLE:ON,OSDP,V2,CSN SUPR,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0013YJ	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:15385,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0014JF	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0644,BLE:ON,OSDP,V2,CSN SUPR,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0015PV	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA3TS,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0015RR	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0015TX	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA4M0,FMT:ASP10022,BLE:ON,OSDP,V1,CSN SUPR,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0015V6	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA01G,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0017FD	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA4P9,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0018CQ	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,34-B MSB INV,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0018K1	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA1RA,FMT:11207,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00192U	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,OSDP,V1,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00192X	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0019AK	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:11207,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	425.08	IR	Readers
40NKS-00-0019CV	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0613,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-001BYQ	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA37K,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-001C6D	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA4LZ,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-001CAF	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA4M7,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers

40NKS-00-001DV8	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA1D2,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	425.08	IR	Readers
40NKS-00-001DVP	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA42T,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	425.08	IR	Readers
40NKS-00-001F86	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA4QL,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-001FP6	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0210,FMT:ASP10022,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-001HMA	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA319,BLE:ON,WIEG,CSN SUPR,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	425.08	IR	Readers
40NKS-00-001KLU	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA3X4,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-001MYU	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA4UF,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	425.08	IR	Readers
40NKS-00-001NJJ	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:ASP10022,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-001NYM	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1279,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-001QYC	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1038,FMT:15296,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-001TCX	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-001TDR	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA24D,FMT:11207,BLE:ON,OSDP,V2,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-001TLV	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA50G,FMT:1009X,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-001URA	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA1UG,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-001UUN	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:11207,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-001UX4	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,INCL:FMT,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-001UX8	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,INCL:KEY&FMT,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-001VFM	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA2AV,BLE:ON,WIEG,CSN SUPR,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-001X10	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:10219,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-001XG4	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0243,BLE:ON,WIEG,34-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	425.08	IR	Readers
40NKS-00-001XXN	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA1QL,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-001YK8	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0001,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00207G	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0990,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0020B2	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA4UY,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00213L	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA4ZT,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00219P	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA1K0,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0021MT	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:17299,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0021UT	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA2MW,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0022FN	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:10022,BLE:ON,WIEG,37-B LSB,EM:32-B,LED:RED,FLSH:GRN,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0023A1	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0766,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0023D8	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA4SQ,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0023XN	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1629,FMT:ASP10022,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0024CR	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA557,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0025HG	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA0RD,BLE:ON,OSDP,V2,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0028BQ	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA3K5,FMT:ASP10022,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0029TP	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:16039,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-002BGW	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA59C,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-002BLD	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA0D6,BLE:ON,OSDP,V1,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-002C1W	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:ASP18287,BLE:ON,WIEG,CSN SUPR,LED:OFF,FLSH:OFF,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-002C1Y	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:ASP18287,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:OFF,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-002CLJ	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA30C,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-002CLV	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA57G,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-002CMM	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA578,FMT:ASP10022,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-002E7C	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA1GZ,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-002ELV	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA0T4,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-002EQD	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA5A5,FMT:ASP17795,BLE:ON,OSDP,V2,CSN SUPR,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-002FRX	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:16039,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-002H6G	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1279,FMT:ASP10022,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-002HB8	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA2Z1,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-002HFV	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA51C,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-002HG0	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA51C,FMT:ASP10022,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-002HHJ	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA5BY,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-002HNQ	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0178,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-002J11	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:AMB,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-002J47	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA4S1,BLE:ON,OSDP,V2,CSN SUPR,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,TWS	425.08	IR	Readers
40NKS-00-002JHD	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA5AN,FMT:ASP10022,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-002JHE	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:ASP10022,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-002K3G	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA1Q3,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-002K3Q	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0700,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-002L48	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:ASP10022,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-002M0Y	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA5BQ,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-002MEV	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA09E,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-002MRK	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0257,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-002MYG	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA1VT,FMT:ASP10022,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-002RTR	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,C&D,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-002RTV	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA4P5,BLE:ON,C&D,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-002RYU	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-002TP3	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:17183,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-002UTL	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0291,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-002VE4	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1166,FMT:15024,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	425.08	IR	Readers
40NKS-00-002WBV	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA5JJ,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-002WPH	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1529,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	425.08	IR	Readers
40NKS-00-002WUL	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:15555,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-002XHX	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0773,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-002Y9V	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA15Y,FMT:ASP10022,BLE:ON,WIEG,56-B LSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0030G9	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA3JE,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0031QC	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA5BE,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers

40NKS-00-0031RE	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA58W,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00332N	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1091,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0034BQ	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA5MH,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	425.08	IR	Readers
40NKS-00-0034NR	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:15296,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0037FT	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA1M8,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0038M2	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:10022,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00391J	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA0R3,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-003CJL	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-003DPF	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0291,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-003E7C	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0613,FMT:ASP10022,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-003EE5	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:14869,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-003HR9	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA5TB,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-003K79	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0920,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-003K7B	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA2X0,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-003M2A	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA5FC,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-003MQG	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA0QZ,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-003NWV	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA2XR,FMT:ASP10022,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-003Q7X	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:10197,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-003V7G	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA067,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-003V8E	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1598,FMT:ASP10022,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-003WWE	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA32U,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00401U	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA1SP,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00401W	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA5VK,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00402E	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,BLE:OFF,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF	425.08	IR	Readers
40NKS-00-00407G	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0495,FMT:1026X,BLE:ON,WIEG,CSN SUPR,EM:40-B,LED:OFF,FLSH:OFF,BZR,SRF:ON,VEL:OFF,TWS	425.08	IR	Readers
40NKS-00-004176	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0044UP	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA2X5,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0045HD	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA5WV,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00462L	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1556,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-004ALW	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:15385,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-004D16	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA5YG,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-004D2P	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA60C,FMT:ASP10022,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-004FGR	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,OSDP,V2,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-004HQP	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA43Z,BLE:ON,OSDP,V2,56-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-004HYF	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1038,FMT:15296,BLE:ON,OSDP,V2,CSN SUPR,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-004J41	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:16039,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-004LY7	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:ASP10022,BLE:ON,WIEG,34-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-004PMY	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA01V,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-004UCW	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA63X,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-004WYQ	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA3CC,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0051MV	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:10022,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00533E	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0001,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0053A7	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0208,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0053GK	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1153,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00569E	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA0RD,BLE:ON,OSDP,V2,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-005AFD	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,BLE:OFF,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF	425.08	IR	Readers
40NKS-00-005C6T	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0180,BLE:ON,WIEG,32-B MSB,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-005CTL	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA3VG,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-005DQP	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-005GY2	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:10022,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-005KUF	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA6K2,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-005MJJ	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA6FP,FMT:10251,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	425.08	IR	Readers
40NKS-00-005PKK	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0644,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	425.08	IR	Readers
40NKS-00-005V6N	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA1H3,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-005YHN	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA25X,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0063HH	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,INCL:KEY,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0064W9	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0399,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-006557	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA6DR,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0066Y5	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA02E,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0068U0	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA3QA,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0069WD	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA2R3,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-006CGP	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA6Y7,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-006CGR	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA6GS,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-006E7Y	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:16039,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-006GRP	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA143,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-006HAK	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA6F9,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-006HFE	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:16101,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-006HFK	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:ASP10014K01,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-006LKD	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA6QW,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-006NUX	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0180,BLE:ON,WIEG,32-B MSB,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-006PCW	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA12B,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-006QU4	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA0AA,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-006QXU	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0738,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-006QY5	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA3K8,FMT:ASP10022,BLE:ON,OSDP,V2,CSN SUPR,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,TWS	425.08	IR	Readers
40NKS-00-006RQK	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1557,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-006RR5	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA6ZY,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-006WT2	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA2M0,BLE:ON,WIEG,32-B MSB,EM:40-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers

40NKS-00-006YGN	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:ASP18910,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-007156	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:1009X,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00728K	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA31L,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0074KA	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA71C,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00766J	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-007F1C	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA7CB,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-007K7B	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:14214,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-007L6T	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0006,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-007Q4K	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0633,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-007T3E	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA3EX,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0087T3	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA7Y2,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00885U	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA1FE,FMT:ASP10022,BLE:ON,OSDP,V1,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-008AT7	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:10022,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-008JVW	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1279,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-008PNQ	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA87A,BLE:ON,OSDP,V2,CSN SUPR,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-0091P7	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA7CB,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-009N2H	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:18465,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00A1MW	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1557,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00ACA7	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA25X,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00AK3R	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00B62E	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA91W,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	425.08	IR	Readers
40NKS-00-00BA18	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1557,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00BK0Q	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1091,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00CJDT	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:10219,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00CL5X	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0023,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,TWS	425.08	IR	Readers
40NKS-00-00CLGR	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA2FA,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00D4CU	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:15385,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00D5U0	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0415,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00D9YX	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA1D2,FMT:ASP10022,BLE:ON,WIEG,CSN SUPR,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00DC0U	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:17086,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00DERJ	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA9RM,FMT:ASP10022,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00DMCB	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:10987,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00DNHP	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:17922,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00DQG0	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA9V3,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00DQVW	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA35X,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00EEW3	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBAA19,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00EGQM	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00ETCJ	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1384,BLE:ON,WIEG,CSN SUPR,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00F2P1	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:15652,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00F5FV	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00FJV4	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00FV3C	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:11207,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00G92B	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:10200,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00GKQF	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA71V,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00GN54	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00GP8B	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBAABS,FMT:14966,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00GRQT	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBAABK,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00GT4H	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:17523,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00GWP1	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA9YD,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00GXCD	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0263,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00H1TV	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB0927,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00H4L1	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:17329,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00H6N1	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA9D1,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00HEMU	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:15342,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00HGER	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:10022,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00HR6Q	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA1EN,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00HW25	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA7XA,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00HXGG	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:11207K01,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00J45F	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBAAMB,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00J5RL	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00J8AU	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA6X1,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	425.08	IR	Readers
40NKS-00-00J8GN	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBAB0B,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	425.08	IR	Readers
40NKS-00-00JE33	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:17892,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00JGNF	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBA9D1,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00JKCY	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:18260,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00JPCQ	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOBAB4W,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00JPCY	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,MA ENB,MOB1545,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00JXP1	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:10251,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00JXTB	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:10251,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-00-00K02P	SIGNO 40,BLK/SLVR,PIG,CRD PFL STD,FMT:10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40NKS-01-0001LM	SIGNO 40,BLK/SLVR,PIG,CRD PFL SEOS,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	325.06	IR	Readers
40NKS-01-00023Q	SIGNO 40,BLK/SLVR,PIG,CRD PFL SEOS,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	325.06	IR	Readers
40NKS-01-00043Q	SIGNO 40,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOB0074,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	325.06	IR	Readers
40NKS-01-0005QT	SIGNO 40,BLK/SLVR,PIG,CRD PFL SEOS,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	325.06	IR	Readers
40NKS-01-000APR	SIGNO 40,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOBA2PY,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	325.06	IR	Readers
40NKS-01-000GV9	SIGNO 40,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOB0070,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	325.06	IR	Readers
40NKS-01-000NGA	SIGNO 40,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOBA47Y,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	325.06	IR	Readers

40NKS-01-000NNN	SIGNO 40,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOBA43Q,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:ON,TAP,TWS	325.06	IR	Readers
40NKS-01-000WJ5	SIGNO 40,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOBA2R8,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	325.06	IR	Readers
40NKS-01-00142A	SIGNO 40,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOBA2BZ,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	325.06	IR	Readers
40NKS-01-00192V	SIGNO 40,BLK/SLVR,PIG,CRD PFL SEOS,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	325.06	IR	Readers
40NKS-01-001C6P	SIGNO 40,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOBA4P5,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	325.06	IR	Readers
40NKS-01-001NYK	SIGNO 40,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOB1279,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	325.06	IR	Readers
40NKS-01-001TLG	SIGNO 40,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOBA50G,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	325.06	IR	Readers
40NKS-01-001UUY	SIGNO 40,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOB0912,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	325.06	IR	Readers
40NKS-01-001UXB	SIGNO 40,BLK/SLVR,PIG,CRD PFL SEOS,INCL:KEY,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	325.06	IR	Readers
40NKS-01-00221V	SIGNO 40,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOBA4NK,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	325.06	IR	Readers
40NKS-01-002CMH	SIGNO 40,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOBA59L,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	325.06	IR	Readers
40NKS-01-002JWU	SIGNO 40,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOBA4Z1,BLE:ON,WIEG,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	325.06	IR	Readers
40NKS-01-002QXF	SIGNO 40,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOBA5GP,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	325.06	IR	Readers
40NKS-01-002XMK	SIGNO 40,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOBA5KP,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	325.06	IR	Readers
40NKS-01-0034G5	SIGNO 40,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOBA5NJ,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	325.06	IR	Readers
40NKS-01-0034J5	SIGNO 40,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOBA5GR,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	325.06	IR	Readers
40NKS-01-004M6N	SIGNO 40,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOBA67B,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	325.06	IR	Readers
40NKS-01-006BH8	SIGNO 40,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOBA6XH,BLE:ON,OSDP,V1,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	325.06	IR	Readers
40NKS-01-006UGM	SIGNO 40,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOBA70B,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	325.06	IR	Readers
40NKS-01-00H37C	SIGNO 40,BLK/SLVR,PIG,CRD PFL SEOS,MA ENB,MOBA17G,BLE:ON,WIEG,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	325.06	IR	Readers
40NKS-02-00003I	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-0001YV	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-0001YZ	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-00025M	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-00039A	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOB5080,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	375.07	IR	Readers
40NKS-02-00043L	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA24D,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-0005RH	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOB0540,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-0005TL	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOB0059,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-0008G3	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-0009UH	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA3UG,BLE:ON,WIEG,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	375.07	IR	Readers
40NKS-02-000G6P	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA40G,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-000KE7	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA2KD,BLE:ON,WIEG,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-000KGM	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA37D,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-000NG6	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA47Y,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-000NG8	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA47Y,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-000NYL	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA1K0,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-000QPN	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOB1241,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-000TFY	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA0A0,BLE:ON,OSDP,V1,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-000YP7	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA144,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-00104M	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA2MT,BLE:ON,WIEG,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-0012W3	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA4HR,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:ON,TAP,TWS	375.07	IR	Readers
40NKS-02-0015R1	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOB1077,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-0016N6	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA37D,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-0018HH	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA1T7,BLE:ON,WIEG,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-00192W	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-001AL9	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA4RF,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,TWS	375.07	IR	Readers
40NKS-02-001DTX	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOB5173,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-001FWM	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA34E,BLE:ON,WIEG,LED:RED,FLSH:OFF,BZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-001HME	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA2GR,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-001NK6	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA4Y5,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,TWS	375.07	IR	Readers
40NKS-02-001UXD	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,INCL:KEY,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-001X0V	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOB5173,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-00207N	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA47A,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-0022HM	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA4PT,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-0022LV	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA1K0,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-0023E4	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOB0803,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-002CD5	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA3C5,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	375.07	IR	Readers
40NKS-02-002EGQ	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA078,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	375.07	IR	Readers
40NKS-02-002J4C	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA5A5,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-002MRN	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOB0257,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-002N3F	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA5BQ,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-0030GM	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA390,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-0031LH	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA5KR,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-0031LR	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA5E9,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-00330G	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA07J,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-0038R4	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA5N6,BLE:OFF,OSDP,V1,RAW,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF	375.07	IR	Readers
40NKS-02-003BLL	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA35H,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-00472B	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA61X,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-004F45	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA641,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-004KXG	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA133,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-004MN1	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOB1008,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-005ARR	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA07J,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-005BKJ	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA6EA,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-005NTU	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA07J,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-005YJM	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA05R,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-00658H	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOB0363,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-0067Q7	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers

40NKS-02-006BVN	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA6X1,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-008B9Y	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA1WY,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-008RD2	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOB0075,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-009VU2	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA8QY,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-00AUD3	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA925,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-00BG90	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOBA7KU,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-02-00JMJF	SIGNO 40,BLK/SLVR,PIG,CRD PFL SMART,MA ENB,MOB0203,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40NKS-03-0001D2	SIGNO 40,BLK/SLVR,PIG,CRD PFL CSTM,MA ENB,MOB0695,BLE:ON,WIEG,64-B LSB,FELICA:64-B LSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	475.08	IR	Readers
40NKS-03-0004Y6	SIGNO 40,BLK/SLVR,PIG,CRD PFL CSTM,BLE:ON,WIEG,CSN SUPR,MAP1:DF,DEFAULT,LED:OFF,FLSH:OFF,BZR,SRF:ON,VEL:OFF,TAP	475.08	IR	Readers
40NKS-03-000577	SIGNO 40,BLK/SLVR,PIG,CRD PFL CSTM,BLE:ON,WIEG,64-B LSB,FELICA:64-B LSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	475.08	IR	Readers
40NKS-03-000584	SIGNO 40,BLK/SLVR,PIG,CRD PFL CSTM,BLE:ON,WIEG,CSN SUPR,EM:32-B,MAP1:DF,DEFAULT,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	475.08	IR	Readers
40NKS-03-000589	SIGNO 40,BLK/SLVR,PIG,CRD PFL CSTM,BLE:ON,WIEG,CSN SUPR,FELICA:64-B LSB,CEPAS:CAN,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	475.08	IR	Readers
40NKS-03-00058Q	SIGNO 40,BLK/SLVR,PIG,CRD PFL CSTM,FIPS200BIT,BLE:OFF,WIEG,CSN SUPR,EM:32-B,MAP1:DF,CUS,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF	475.08	IR	Readers
40NKS-03-00058U	SIGNO 40,BLK/SLVR,PIG,CRD PFL CSTM,MA ENB,MOB0044,BLE:ON,OSDP,V2,56-B MSB,MAP1:DF,DEFAULT,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	475.08	IR	Readers
40NKS-03-000598	SIGNO 40,BLK/SLVR,PIG,CRD PFL CSTM,BLE:ON,WIEG,64-B LSB,EM:32-B,FELICA:64-B LSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	475.08	IR	Readers
40NKS-03-0005A6	SIGNO 40,BLK/SLVR,PIG,CRD PFL CSTM,BLE:ON,WIEG,CSN SUPR,FELICA:64-B LSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	475.08	IR	Readers
40NKS-03-0005AR	SIGNO 40,BLK/SLVR,PIG,CRD PFL CSTM,BLE:ON,WIEG,CSN SUPR,EM:32-B,FELICA:32-B LSB,CEPAS:CAN,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	475.08	IR	Readers
40NKS-03-0005BT	SIGNO 40,BLK/SLVR,PIG,CRD PFL CSTM,FIPS75BIT,BLE:OFF,OSDP,V1,CSN SUPR,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF	475.08	IR	Readers
40NKS-03-0005C8	SIGNO 40,BLK/SLVR,PIG,CRD PFL CSTM,BLE:ON,WIEG,64-B LSB,FELICA:64-B LSB,CEPAS:CAN,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	475.08	IR	Readers
40NKS-03-0005CU	SIGNO 40,BLK/SLVR,PIG,CRD PFL CSTM,BLE:ON,WIEG,32-B MSB,EM:32-B,MAP1:DF,DEFAULT,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	475.08	IR	Readers
40NKS-03-0005JT	SIGNO 40,BLK/SLVR,PIG,CRD PFL CSTM,BLE:ON,OSDP,V2,64-B LSB,FELICA:64-B LSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	475.08	IR	Readers
40NKS-03-0005KF	SIGNO 40,BLK/SLVR,PIG,CRD PFL CSTM,BLE:ON,WIEG,32-B MSB,EM:32-B,MAP1:DF,DEFAULT,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	475.08	IR	Readers
40NKS-03-0005NB	SIGNO 40,BLK/SLVR,PIG,CRD PFL CSTM,FIPS75BIT,BLE:OFF,WIEG,CSN SUPR,LED:OFF,FLSH:OFF,BZR,SRF:ON,VEL:OFF	475.08	IR	Readers
40NKS-03-0019L9	SIGNO 40,BLK/SLVR,PIG,CRD PFL CSTM,BLE:ON,WIEG,CSN SUPR,EM:32-B,MAP1:DF,DEFAULT,FELICA:32-B MSB,CEPAS:CAN,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	475.08	IR	Readers
40NKS-03-001JQB	SIGNO 40,BLK/SLVR,PIG,CRD PFL CSTM,MA ENB,MOBA4YJ,BLE:ON,OSDP,V1,56-B MSB,MAP1:DF,DEFAULT,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	475.08	IR	Readers
40NKS-03-001WGN	SIGNO 40,BLK/SLVR,PIG,CRD PFL CSTM,MA ENB,MOBA50H,FIPS200BIT,BLE:OFF,OSDP,V2,TM,CSN SUPR,MAP1:DF,DEFAULT,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	475.08	IR	Readers
40NKS-03-00353R	SIGNO 40,BLK/SLVR,PIG,CRD PFL CSTM,MA ENB,MOB0828,BLE:ON,WIEG,CSN SUPR,MAP1:DF,ICE1467,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	475.08	IR	Readers
40NKS-03-003WPM	SIGNO 40,BLK/SLVR,PIG,CRD PFL CSTM,MA ENB,MOBA5WH,BLE:ON,WIEG,CSN SUPR,MAP1:DF,DEFAULT,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	475.08	IR	Readers
40NKS-03-003YXM	SIGNO 40,BLK/SLVR,PIG,CRD PFL CSTM,BLE:ON,WIEG,CSN SUPR,EM:34-B,MAP1:DF,DEFAULT,FELICA:64-B LSB,CEPAS:CAN,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	475.08	IR	Readers
40NKS-03-0041G5	SIGNO 40,BLK/SLVR,PIG,CRD PFL CSTM,BLE:ON,OSDP,V2,CSN SUPR,EM:32-B,MAP1:DF,DEFAULT,FELICA:32-B MSB,CEPAS:CSN,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	475.08	IR	Readers
40NKS-03-00CYEU	SIGNO 40,BLK/SLVR,PIG,CRD PFL CSTM,MA ENB,MOBA2XR,FMT:ASP10022,BLE:ON,OSDP,V2,CSN SUPR,EM:32-B,MAP1:DF,DEFAULT,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	475.08	IR	Readers
40NKS-T0-00002H	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,WIEG,26-B FC1,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-00002V	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-00002W	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-000036	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,NOBZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-000037	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,OSDP,V2,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-00003B	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-00003R	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,WIEG,26-B FC1,LED:RED,FLSH:RED,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-00004K	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-0001BA	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-0001DL	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,INCL:KEY,BLE:ON,OSDP,V2,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-0001T9	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOB0066,BLE:ON,WIEG,32-B MSB,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-0001WK	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA17G,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-00021G	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,OSDP,V2,CSN SUPR,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-000249	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,WIEG,32-B LSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-00024D	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,OSDP,V1,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-00026M	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,WIEG,56-B LSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-00027E	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,OSDP,V2,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-0002BR	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-000328	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA0BV,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-00038P	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOB0771,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	452.64	IR	Readers
40NKS-T0-00041U	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOB0184,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	452.64	IR	Readers
40NKS-T0-0005V3	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA3PX,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:CYN,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-00066J	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA3NW,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	452.64	IR	Readers
40NKS-T0-000F72	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA0UT,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-000L5G	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,WIEG,34-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-000LG7	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOB0698,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-0012NB	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA2UA,BLE:ON,OSDP,V2,CSN SUPR,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-0012XD	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA2AV,BLE:ON,OSDP,V2,CSN SUPR,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-0015RR	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-00192X	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-0019AK	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	452.64	IR	Readers
40NKS-T0-001DRP	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA3Q0,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-001FP6	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOB0210,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-001HMA	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA319,BLE:ON,WIEG,CSN SUPR,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	452.64	IR	Readers
40NKS-T0-001NF5	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOB1471,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-001QYC	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOB1038,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-001TCX	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-001VFM	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA2AV,BLE:ON,WIEG,CSN SUPR,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-0023XN	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOB1629,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-0024CR	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA557,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-002HHJ	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA5BY,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-002J9F	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA15Y,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-002M0Y	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA5BQ,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-002MYG	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA1VT,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-002Y9V	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA15Y,BLE:ON,WIEG,56-B LSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-0037FT	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA1M8,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers

40NKS-T0-003E7C	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOB0613,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-003V8E	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOB1598,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-004HQP	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA43Z,BLE:ON,OSDP,V2,56-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-004HYF	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOB1038,BLE:ON,OSDP,V2,CSN SUPR,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-004TGN	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA218,BLE:ON,OSDP,V1,32-B LSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-005C6T	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOB0180,BLE:ON,WIEG,32-B MSB,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-006CGP	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA6Y7,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-006NC1	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA72J,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-008685	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOB0920,BLE:ON,WIEG,34-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-0088M2	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA7J3,BLE:ON,WIEG,56-B LSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-0088MD	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA62T,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-009BUF	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA5N6,BLE:OFF,OSDP,V1,32-B MSB INV,RAW,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF	452.64	IR	Readers
40NKS-T0-009K3U	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA8FU,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-00B59U	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOB0180,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-00CL5X	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOB0023,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,TWS	452.64	IR	Readers
40NKS-T0-00CUNW	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA656,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-00D9NA	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA1AU,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-00DLNT	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA9HF,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-00DPHM	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOBA3EQ,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-00DQUA	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOB0210,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-00FCV5	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOB0920,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	452.64	IR	Readers
40NKS-T0-00JA99	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOB1106,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T0-00JKGN	SIGNO 40,BLK/SLVR,PIG,CRD PFL T0-STD,MA ENB,MOB0771,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40NKS-T1-00001H	SIGNO 40,BLK/SLVR,PIG,CRD PFL T1-SEOS,BLE:ON,WIEG,LED:RED,FLSH:GRN,NOBZR,SRF:ON,VEL:OFF,TAP	346.13	IR	Readers
40NKS-T1-00023Q	SIGNO 40,BLK/SLVR,PIG,CRD PFL T1-SEOS,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	346.13	IR	Readers
40NKS-T1-00043Q	SIGNO 40,BLK/SLVR,PIG,CRD PFL T1-SEOS,MA ENB,MOB0074,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	346.13	IR	Readers
40NKS-T1-000MPJ	SIGNO 40,BLK/SLVR,PIG,CRD PFL T1-SEOS,MA ENB,MOBA3KL,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	346.13	IR	Readers
40NKS-T1-00192Q	SIGNO 40,BLK/SLVR,PIG,CRD PFL T1-SEOS,BLE:ON,OSDP,V1,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	346.13	IR	Readers
40NKS-T1-00192V	SIGNO 40,BLK/SLVR,PIG,CRD PFL T1-SEOS,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	346.13	IR	Readers
40NKS-T1-001TLG	SIGNO 40,BLK/SLVR,PIG,CRD PFL T1-SEOS,MA ENB,MOBA50G,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	346.13	IR	Readers
40NKS-T1-001UXB	SIGNO 40,BLK/SLVR,PIG,CRD PFL T1-SEOS,INCL:KEY,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	346.13	IR	Readers
40NKS-T1-002CMH	SIGNO 40,BLK/SLVR,PIG,CRD PFL T1-SEOS,MA ENB,MOBA59L,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	346.13	IR	Readers
40NKS-T1-002XMK	SIGNO 40,BLK/SLVR,PIG,CRD PFL T1-SEOS,MA ENB,MOBA5KP,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	346.13	IR	Readers
40NKS-T1-0034G5	SIGNO 40,BLK/SLVR,PIG,CRD PFL T1-SEOS,MA ENB,MOBA5NJ,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	346.13	IR	Readers
40NKS-T1-005LRN	SIGNO 40,BLK/SLVR,PIG,CRD PFL T1-SEOS,MA ENB,MOBA6KQ,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	346.13	IR	Readers
40NKS-T1-006BH8	SIGNO 40,BLK/SLVR,PIG,CRD PFL T1-SEOS,MA ENB,MOBA6XH,BLE:ON,OSDP,V1,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	346.13	IR	Readers
40NKS-T1-006C70	SIGNO 40,BLK/SLVR,PIG,CRD PFL T1-SEOS,MA ENB,MOBA4KW,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	346.13	IR	Readers
40NKS-T1-008DAV	SIGNO 40,BLK/SLVR,PIG,CRD PFL T1-SEOS,BLE:ON,WIEG,LED:OFF,FLSH:OFF,BZR,SRF:ON,VEL:OFF,TAP	346.13	IR	Readers
40NKS-T1-0099YJ	SIGNO 40,BLK/SLVR,PIG,CRD PFL T1-SEOS,MA ENB,MOBA03T,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	346.13	IR	Readers
40NKS-T1-00AAQF	SIGNO 40,BLK/SLVR,PIG,CRD PFL T1-SEOS,MA ENB,MOBA8UN,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	346.13	IR	Readers
40NKS-T1-00AD19	SIGNO 40,BLK/SLVR,PIG,CRD PFL T1-SEOS,MA ENB,MOBA0XG,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	346.13	IR	Readers
40NKS-T1-00B9RK	SIGNO 40,BLK/SLVR,PIG,CRD PFL T1-SEOS,MA ENB,MOBA8Y1,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	346.13	IR	Readers
40NKS-T1-00DTYC	SIGNO 40,BLK/SLVR,PIG,CRD PFL T1-SEOS,MA ENB,MOBA9R0,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	346.13	IR	Readers
40NKS-T1-00EN0G	SIGNO 40,BLK/SLVR,PIG,CRD PFL T1-SEOS,MA ENB,MOBA951,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	346.13	IR	Readers
40NKS-T1-00F334	SIGNO 40,BLK/SLVR,PIG,CRD PFL T1-SEOS,MA ENB,MOB1439,BLE:ON,WIEG,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	346.13	IR	Readers
40NKS-T1-00G959	SIGNO 40,BLK/SLVR,PIG,CRD PFL T1-SEOS,MA ENB,MOBA5NR,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	346.13	IR	Readers
40NKS-T2-0001YZ	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-0001ZS	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,BLE:ON,OSDP,V1,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-000278	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-0002BL	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-00039A	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOB5080,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	399.38	IR	Readers
40NKS-T2-00043L	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA24D,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-0008G3	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-000KE7	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA2KD,BLE:ON,WIEG,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-000NG6	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA47Y,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-000NG8	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA47Y,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-000TFY	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA0A0,BLE:ON,OSDP,V1,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-000YP7	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA144,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-00104M	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA2MT,BLE:ON,WIEG,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-0015R1	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOB1077,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-0018HH	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA1T7,BLE:ON,WIEG,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-00192W	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-001AL9	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA4RF,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,TWS	399.38	IR	Readers
40NKS-T2-001DTX	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOB5173,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-001FMV	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA0EA,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-001FWM	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA34E,BLE:ON,WIEG,LED:RED,FLSH:OFF,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-001HME	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA2GR,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-001NK6	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA4Y5,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,TWS	399.38	IR	Readers
40NKS-T2-001UXD	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,INCL:KEY,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-0023E4	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOB0803,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-002J4C	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA5A5,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-002MRN	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOB0257,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-0031LH	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA5KR,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-0031LR	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA5E9,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-0038R4	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA5N6,BLE:OFF,OSDP,V1,RAW,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF	399.38	IR	Readers
40NKS-T2-00472B	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA61X,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-004F45	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA641,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers

40NKS-T2-004KXG	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA133,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-004MN1	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOB1008,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-005BKJ	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA6EA,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-005NTU	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA07J,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-0063HL	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,INCL:KEY,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-00658H	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOB0363,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-0067Q7	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-0069DV	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA6T7,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-0076JB	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA4SH,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	399.38	IR	Readers
40NKS-T2-0076RA	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA7G9,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,TWS	399.38	IR	Readers
40NKS-T2-007AFX	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA7H4,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:OFF,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-007M15	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA3CU,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-007T8D	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOB1153,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-007TRG	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA2PY,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	399.38	IR	Readers
40NKS-T2-007WJR	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOB1556,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-0081NY	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOB1007,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-0086G1	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA77K,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-008965	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA7LD,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-008B9Y	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA1WY,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-008JV1	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA2UA,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-008RD2	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOB0075,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-0091H4	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA133,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-0092ED	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA684,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	399.38	IR	Readers
40NKS-T2-0093F0	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA3AV,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,TWS	399.38	IR	Readers
40NKS-T2-0097MG	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA6XH,BLE:ON,OSDP,V1,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-009DW1	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA8HK,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,TWS	399.38	IR	Readers
40NKS-T2-009KD7	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA8KC,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,TWS	399.38	IR	Readers
40NKS-T2-009T4B	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA1K0,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-009XVY	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA133,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-00AAQV	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA0DW,BLE:ON,WIEG,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	399.38	IR	Readers
40NKS-T2-00AGYH	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA0RD,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-00AHLR	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOB1725,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-00AVP8	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA0BV,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-00BQ1C	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA51C,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-00BTAR	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA8LV,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	399.38	IR	Readers
40NKS-T2-00C3TJ	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA99K,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	399.38	IR	Readers
40NKS-T2-00C5D9	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA973,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-00CCC3	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA9GW,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-00CVNR	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA92F,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	399.38	IR	Readers
40NKS-T2-00D4DY	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA9QF,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-00DC97	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA2ZN,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-00DKJ0	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA9VK,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-00DPNL	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA9XZ,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-00DXH2	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOB0748,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-00E1WV	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBAA10,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-00EAJX	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOB0766,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-00EPMY	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA9HF,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-00F81D	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA113,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-00G4D8	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBAAJW,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-00GGA7	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA9HA,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T2-00JWEK	SIGNO 40,BLK/SLVR,PIG,CRD PFL T2-SMART,MA ENB,MOBA133,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40NKS-T3-0004XR	SIGNO 40,BLK/SLVR,PIG,CRD PFL T3-CSTM,FIPS200BIT,BLE:OFF,OSDP,V2,TM,CSN SUPR,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF	505.88	IR	Readers
40NKS-T3-0004XW	SIGNO 40,BLK/SLVR,PIG,CRD PFL T3-CSTM,INCL:KEY,FIPS75BIT,BLE:OFF,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF	505.88	IR	Readers
40NKS-T3-0004Y6	SIGNO 40,BLK/SLVR,PIG,CRD PFL T3-CSTM,BLE:ON,WIEG,CSN SUPR,MAP1:DF,DEFAULT,LED:OFF,FLSH:OFF,BZR,SRF:ON,VEL:OFF,TAP	505.88	IR	Readers
40NKS-T3-0004YC	SIGNO 40,BLK/SLVR,PIG,CRD PFL T3-CSTM,BLE:ON,WIEG,64-B LSB,EM:32-B,FELICA:64-B LSB,CEPAS:CAN,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	505.88	IR	Readers
40NKS-T3-000584	SIGNO 40,BLK/SLVR,PIG,CRD PFL T3-CSTM,BLE:ON,WIEG,CSN SUPR,EM:32-B,MAP1:DF,DEFAULT,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	505.88	IR	Readers
40NKS-T3-00058Q	SIGNO 40,BLK/SLVR,PIG,CRD PFL T3-CSTM,FIPS200BIT,BLE:OFF,WIEG,CSN SUPR,EM:32-B,MAP1:DF,CUS,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF	505.88	IR	Readers
40NKS-T3-000598	SIGNO 40,BLK/SLVR,PIG,CRD PFL T3-CSTM,BLE:ON,WIEG,64-B LSB,EM:32-B,FELICA:64-B LSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	505.88	IR	Readers
40NKS-T3-0005A6	SIGNO 40,BLK/SLVR,PIG,CRD PFL T3-CSTM,BLE:ON,WIEG,CSN SUPR,FELICA:64-B LSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	505.88	IR	Readers
40NKS-T3-0005MP	SIGNO 40,BLK/SLVR,PIG,CRD PFL T3-CSTM,BLE:ON,OSDP,V2,56-B MSB,MAP1:DF,DEFAULT,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	505.88	IR	Readers
40NKS-T3-001JQB	SIGNO 40,BLK/SLVR,PIG,CRD PFL T3-CSTM,MA ENB,MOBA4YJ,BLE:ON,OSDP,V1,56-B MSB,MAP1:DF,DEFAULT,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	505.88	IR	Readers
40NKS-T3-002KBL	SIGNO 40,BLK/SLVR,PIG,CRD PFL T3-CSTM,BLE:ON,WIEG,64-B LSB,EM:32-B,FELICA:64-B LSB,CEPAS:CAN,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	505.88	IR	Readers
40NKS-T3-003WPM	SIGNO 40,BLK/SLVR,PIG,CRD PFL T3-CSTM,MA ENB,MOBA5WH,BLE:ON,WIEG,CSN SUPR,MAP1:DF,DEFAULT,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	505.88	IR	Readers
40NKS-T3-0041G5	SIGNO 40,BLK/SLVR,PIG,CRD PFL T3-CSTM,BLE:ON,OSDP,V2,CSN SUPR,EM:32-B,MAP1:DF,DEFAULT,FELICA:32-B MSB,CEPAS:CSN,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	505.88	IR	Readers
40NKS-T3-00B6U6	SIGNO 40,BLK/SLVR,PIG,CRD PFL T3-CSTM,BLE:ON,WIEG,CSN SUPR,MAP1:DF,DEFAULT,FELICA:64-B LSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	505.88	IR	Readers
40NKS-T3-00GCBG	SIGNO 40,BLK/SLVR,PIG,CRD PFL T3-CSTM,BLE:ON,WIEG,32-B MSB,EM:32-B,MAP1:DF,DEFAULT,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	505.88	IR	Readers
40TKS-00-00000V	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,OSDP,V1,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-00001Z	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-000026	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,OSDP,V1,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-00002V	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-000037	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,OSDP,V2,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-00003F	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-00003Q	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,WIEG,34-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-00004C	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,INCL:FMT,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-00004J	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-00004M	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-00005G	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0863,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers

40TKS-00-00019J	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-0001DC	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,OSDP,V1,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-0001E7	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-0001GA	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-0001HC	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-0001I0	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,WIEG,26-B FC1,EM:26-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-0001L6	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0006,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-0001T9	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0066,BLE:ON,WIEG,32-B MSB,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-0001U7	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,WIEG,40-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-0001U9	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,WIEG,32-B LSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-0001UC	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,OSDP,V1,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-0001XM	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,CSN SUPR,LED:OFF,FLSH:OFF,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-0001YB	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-000205	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-000228	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,OSDP,V1,CSN SUPR,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-00024Q	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,WIEG,CSN SUPR,LED:BLU,FLSH:OFF,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-00026F	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,OSDP,V1,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-00027E	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,OSDP,V2,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-0002BP	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,OSDP,V1,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-000320	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-00033A	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,INCL:FMT,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-00038K	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,FMT:14966,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-00044H	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0001,FMT:ASP10022,BLE:ON,WIEG,CSN SUPR,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	425.08	IR	Readers
40TKS-00-00044J	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0022,FMT:ASP10022,BLE:ON,WIEG,CSN SUPR,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	425.08	IR	Readers
40TKS-00-0005U9	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA2X4,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	425.08	IR	Readers
40TKS-00-000B08	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,WIEG,CSN SUPR,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-000CAB	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA1VJ,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-000CAC	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA1VJ,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-000FCY	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA35U,BLE:ON,OSDP,V2,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-000FQ1	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA362,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	425.08	IR	Readers
40TKS-00-000G3Q	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA32F,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	425.08	IR	Readers
40TKS-00-000HF4	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA3WY,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-000KDN	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,FMT:10723,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-000KVB	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA435,FMT:ASP10022,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	425.08	IR	Readers
40TKS-00-000L5F	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,FMT:ASP10022,BLE:ON,WIEG,34-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-000MMU	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB1382,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-000RWG	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0184,FMT:ASP10022,BLE:ON,OSDP,V2,CSN SUPR,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,TWS	425.08	IR	Readers
40TKS-00-000VKF	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA3HW,FMT:ASP10022,BLE:ON,OSDP,V1,CSN SUPR,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,TWS	425.08	IR	Readers
40TKS-00-000VYP	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA34Z,FMT:ASP10022,BLE:ON,OSDP,V2,CSN SUPR,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-000WJ2	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,FMT:ASP17736,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-000XMX	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA445,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	425.08	IR	Readers
40TKS-00-0010E2	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA4FR,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-0014JF	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0644,BLE:ON,OSDP,V2,CSN SUPR,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-0015PV	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA3TS,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-001692	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0034,FMT:ASP10022,BLE:ON,WIEG,32-B LSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	425.08	IR	Readers
40TKS-00-0017FD	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA4P9,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-00192U	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,OSDP,V1,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-00192X	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-001BG3	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0257,FMT:ASP10022,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-001C6D	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA4LZ,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-001FEU	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA3M7,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-001GWJ	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA3M7,FMT:ASP10022,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-001HMA	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA319,BLE:ON,WIEG,CSN SUPR,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	425.08	IR	Readers
40TKS-00-001LKD	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,FMT:11207,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-001MQ0	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA3AV,FMT:15024,BLE:ON,WIEG,CSN SUPR,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-001QYC	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB1038,FMT:15296,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-001TA1	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA3AV,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-001TAU	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA4SH,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-001TCX	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-001THQ	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,FMT:10200,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-001THR	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-001TLV	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA50G,FMT:1009X,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-001U5R	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,FMT:15024,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-001UX4	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,INCL:FMT,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-0021XL	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA4W4,BLE:OFF,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-0023XN	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB1629,FMT:ASP10022,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-0028VF	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,FMT:17426,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-0029TP	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,FMT:16039,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-002BGW	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA59C,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-002BLD	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA0D6,BLE:ON,OSDP,V1,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-002CLJ	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA30C,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-002CLV	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA57G,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-002D49	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-002FRX	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,FMT:16039,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-002J11	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:AMB,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-002JHE	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,FMT:ASP10022,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-002M0Y	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA5BQ,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers

40TKS-00-002MHA	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB5158,FMT:ASP10022,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-002MRK	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0257,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-002N3L	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA122,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-002RTB	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA2FA,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-002TD8	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,BLE:OFF,OSDP,V1,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-002TP3	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,FMT:17183,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-002VE4	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB1166,FMT:15024,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	425.08	IR	Readers
40TKS-00-00391J	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA0R3,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-003939	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA5G0,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-0039HW	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-003BLN	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA0V4,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-003EE5	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,FMT:14869,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-003FVH	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA5QX,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-003GXN	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB5049,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-003HR9	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA5TB,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-003MQG	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA0QZ,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-00401U	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA1SP,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-0044NW	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB1008,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-004HYF	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB1038,FMT:15296,BLE:ON,OSDP,V2,CSN SUPR,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-004QVA	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA288,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-004UCW	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA63X,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-005PKK	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0644,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	425.08	IR	Readers
40TKS-00-006AWT	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA6U7,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TWS	425.08	IR	Readers
40TKS-00-006CXW	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0542,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-006EE1	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA6ZF,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	425.08	IR	Readers
40TKS-00-006G8Q	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA2HB,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-006GEC	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA1EN,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-006GRP	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA143,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-00758W	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA1EN,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-007L6T	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOB0006,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-0080BP	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA6R4,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-00AK3R	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,FMT:10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-00ALTA	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA53U,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,NOBZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-00B62E	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA91W,FMT:ASP10022,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	425.08	IR	Readers
40TKS-00-00C3G7	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA2HB,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-00C3GD	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,FMT:1785X,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-00CLGR	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA2FA,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-00DERJ	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA9RM,FMT:ASP10022,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-00DTYV	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA2HB,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-00H9MD	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBAASE,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-00-00JBPM	SIGNO 40,BLK/SLVR,TERM,CRD PFL STD,MA ENB,MOBA6U7,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	425.08	IR	Readers
40TKS-01-0001LM	SIGNO 40,BLK/SLVR,TERM,CRD PFL SEOS,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	325.06	IR	Readers
40TKS-01-000MPJ	SIGNO 40,BLK/SLVR,TERM,CRD PFL SEOS,MA ENB,MOBA3KL,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	325.06	IR	Readers
40TKS-01-000NGA	SIGNO 40,BLK/SLVR,TERM,CRD PFL SEOS,MA ENB,MOBA47Y,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	325.06	IR	Readers
40TKS-01-0016J2	SIGNO 40,BLK/SLVR,TERM,CRD PFL SEOS,MA ENB,MOBA1EN,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	325.06	IR	Readers
40TKS-01-00183L	SIGNO 40,BLK/SLVR,TERM,CRD PFL SEOS,MA ENB,MOBA4PB,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	325.06	IR	Readers
40TKS-01-00192V	SIGNO 40,BLK/SLVR,TERM,CRD PFL SEOS,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	325.06	IR	Readers
40TKS-01-001C6P	SIGNO 40,BLK/SLVR,TERM,CRD PFL SEOS,MA ENB,MOBA4P5,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	325.06	IR	Readers
40TKS-01-001CT6	SIGNO 40,BLK/SLVR,TERM,CRD PFL SEOS,MA ENB,MOB0257,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	325.06	IR	Readers
40TKS-01-001R7K	SIGNO 40,BLK/SLVR,TERM,CRD PFL SEOS,MA ENB,MOBA3AV,BLE:ON,WIEG,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	325.06	IR	Readers
40TKS-01-001TLG	SIGNO 40,BLK/SLVR,TERM,CRD PFL SEOS,MA ENB,MOBA50G,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	325.06	IR	Readers
40TKS-01-0024VD	SIGNO 40,BLK/SLVR,TERM,CRD PFL SEOS,MA ENB,MOB1376,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,TWS	325.06	IR	Readers
40TKS-01-002CMH	SIGNO 40,BLK/SLVR,TERM,CRD PFL SEOS,MA ENB,MOBA59L,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	325.06	IR	Readers
40TKS-01-003D8V	SIGNO 40,BLK/SLVR,TERM,CRD PFL SEOS,MA ENB,MOBA5FL,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,TWS	325.06	IR	Readers
40TKS-02-0001MX	SIGNO 40,BLK/SLVR,TERM,CRD PFL SMART,INCL:KEY,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40TKS-02-00026J	SIGNO 40,BLK/SLVR,TERM,CRD PFL SMART,BLE:ON,OSDP,V1,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40TKS-02-0008G3	SIGNO 40,BLK/SLVR,TERM,CRD PFL SMART,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40TKS-02-0009WJ	SIGNO 40,BLK/SLVR,TERM,CRD PFL SMART,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40TKS-02-000KE8	SIGNO 40,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOBA1T7,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	375.07	IR	Readers
40TKS-02-000QPN	SIGNO 40,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOB1241,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40TKS-02-00104M	SIGNO 40,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOBA2MT,BLE:ON,WIEG,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40TKS-02-0015R1	SIGNO 40,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOB1077,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40TKS-02-0018HH	SIGNO 40,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOBA1T7,BLE:ON,WIEG,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40TKS-02-0018HR	SIGNO 40,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOBA1T7,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40TKS-02-00192W	SIGNO 40,BLK/SLVR,TERM,CRD PFL SMART,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40TKS-02-001CT7	SIGNO 40,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOB0257,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40TKS-02-001HME	SIGNO 40,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOBA2GR,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40TKS-02-001UXD	SIGNO 40,BLK/SLVR,TERM,CRD PFL SMART,INCL:KEY,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40TKS-02-0022HM	SIGNO 40,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOBA4PT,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40TKS-02-0029XA	SIGNO 40,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOB0660,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:ON,TAP	375.07	IR	Readers
40TKS-02-002MRN	SIGNO 40,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOB0257,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40TKS-02-0033FJ	SIGNO 40,BLK/SLVR,TERM,CRD PFL SMART,BLE:OFF,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF	375.07	IR	Readers
40TKS-02-003BLL	SIGNO 40,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOBA35H,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40TKS-02-003LF5	SIGNO 40,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOBA5SA,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40TKS-02-00412Y	SIGNO 40,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOBA603,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40TKS-02-00472B	SIGNO 40,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOBA61X,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40TKS-02-00564R	SIGNO 40,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOBA12C,BLE:ON,OSDP,V1,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers

40TKS-02-00586G	SIGNO 40,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOB0445,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40TKS-02-005MJQ	SIGNO 40,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOBA12C,BLE:ON,OSDP,V1,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40TKS-02-005NTU	SIGNO 40,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOBA07J,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40TKS-02-0069DV	SIGNO 40,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOBA6T7,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40TKS-02-006BVN	SIGNO 40,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOBA6X1,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40TKS-02-006HR4	SIGNO 40,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOBA5YF,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40TKS-02-007BUV	SIGNO 40,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOB1382,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40TKS-02-00BBUE	SIGNO 40,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOBA12C,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40TKS-02-00H278	SIGNO 40,BLK/SLVR,TERM,CRD PFL SMART,MA ENB,MOBAASJ,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	375.07	IR	Readers
40TKS-03-0004XR	SIGNO 40,BLK/SLVR,TERM,CRD PFL CSTM,FIPS200BIT,BLE:OFF,OSDP,V2,TM,CSN SUPR,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF	475.08	IR	Readers
40TKS-03-000584	SIGNO 40,BLK/SLVR,TERM,CRD PFL CSTM,BLE:ON,WIEG,CSN SUPR,EM:32-B,MAP1:DF,DEFAULT,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	475.08	IR	Readers
40TKS-03-00059X	SIGNO 40,BLK/SLVR,TERM,CRD PFL CSTM,FIPS200BIT,BLE:OFF,OSDP,V2,TM,CSN SUPR,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF	475.08	IR	Readers
40TKS-03-0005BR	SIGNO 40,BLK/SLVR,TERM,CRD PFL CSTM,BLE:ON,WIEG,CSN SUPR,MAP1:DF,DEFAULT,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	475.08	IR	Readers
40TKS-03-0005HB	SIGNO 40,BLK/SLVR,TERM,CRD PFL CSTM,FIPS200BIT,BLE:OFF,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF	475.08	IR	Readers
40TKS-03-0005KF	SIGNO 40,BLK/SLVR,TERM,CRD PFL CSTM,BLE:ON,WIEG,32-B MSB,EM:32-B,MAP1:DF,DEFAULT,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	475.08	IR	Readers
40TKS-03-0005N1	SIGNO 40,BLK/SLVR,TERM,CRD PFL CSTM,FIPS200BIT,BLE:OFF,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF	475.08	IR	Readers
40TKS-03-001JQB	SIGNO 40,BLK/SLVR,TERM,CRD PFL CSTM,MA ENB,MOBA4YJ,BLE:ON,OSDP,V1,56-B MSB,MAP1:DF,DEFAULT,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	475.08	IR	Readers
40TKS-03-003CDX	SIGNO 40,BLK/SLVR,TERM,CRD PFL CSTM,BLE:ON,OSDP,V2,TM,56-B MSB,EM:32-B,MAP1:DF,DEFAULT,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	475.08	IR	Readers
40TKS-T0-00002V	SIGNO 40,BLK/SLVR,TERM,CRD PFL T0-STD,BLE:ON,WIEG,32-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40TKS-T0-00003Q	SIGNO 40,BLK/SLVR,TERM,CRD PFL T0-STD,BLE:ON,WIEG,34-B MSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40TKS-T0-00004M	SIGNO 40,BLK/SLVR,TERM,CRD PFL T0-STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40TKS-T0-00005G	SIGNO 40,BLK/SLVR,TERM,CRD PFL T0-STD,MA ENB,MOB0863,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40TKS-T0-0001DC	SIGNO 40,BLK/SLVR,TERM,CRD PFL T0-STD,BLE:ON,OSDP,V1,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40TKS-T0-0001DL	SIGNO 40,BLK/SLVR,TERM,CRD PFL T0-STD,INCL:KEY,BLE:ON,OSDP,V2,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40TKS-T0-0001PZ	SIGNO 40,BLK/SLVR,TERM,CRD PFL T0-STD,BLE:ON,OSDP,V2,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40TKS-T0-0001Q9	SIGNO 40,BLK/SLVR,TERM,CRD PFL T0-STD,INCL:KEY,BLE:ON,OSDP,V1,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40TKS-T0-0001U9	SIGNO 40,BLK/SLVR,TERM,CRD PFL T0-STD,BLE:ON,WIEG,32-B LSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40TKS-T0-00021G	SIGNO 40,BLK/SLVR,TERM,CRD PFL T0-STD,BLE:ON,OSDP,V2,CSN SUPR,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40TKS-T0-00024D	SIGNO 40,BLK/SLVR,TERM,CRD PFL T0-STD,BLE:ON,OSDP,V1,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40TKS-T0-000275	SIGNO 40,BLK/SLVR,TERM,CRD PFL T0-STD,BLE:ON,OSDP,V1,CSN SUPR,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40TKS-T0-000320	SIGNO 40,BLK/SLVR,TERM,CRD PFL T0-STD,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40TKS-T0-000375	SIGNO 40,BLK/SLVR,TERM,CRD PFL T0-STD,MA ENB,MOBA2HV,BLE:ON,WIEG,CSN SUPR,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40TKS-T0-000CAC	SIGNO 40,BLK/SLVR,TERM,CRD PFL T0-STD,MA ENB,MOBA1VJ,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40TKS-T0-0010E2	SIGNO 40,BLK/SLVR,TERM,CRD PFL T0-STD,MA ENB,MOBA4FR,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40TKS-T0-00192X	SIGNO 40,BLK/SLVR,TERM,CRD PFL T0-STD,BLE:ON,OSDP,V2,32-B MSB,EM:32-B,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40TKS-T0-001TCX	SIGNO 40,BLK/SLVR,TERM,CRD PFL T0-STD,INCL:KEY,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40TKS-T0-002J9F	SIGNO 40,BLK/SLVR,TERM,CRD PFL T0-STD,MA ENB,MOBA15Y,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40TKS-T0-002M0Y	SIGNO 40,BLK/SLVR,TERM,CRD PFL T0-STD,MA ENB,MOBA5BQ,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40TKS-T0-006AWT	SIGNO 40,BLK/SLVR,TERM,CRD PFL T0-STD,MA ENB,MOBA6U7,BLE:ON,WIEG,CSN SUPR,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TWS	452.64	IR	Readers
40TKS-T0-006W8D	SIGNO 40,BLK/SLVR,TERM,CRD PFL T0-STD,MA ENB,MOB0001,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40TKS-T0-007PFA	SIGNO 40,BLK/SLVR,TERM,CRD PFL T0-STD,MA ENB,MOB1102,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40TKS-T0-0088M2	SIGNO 40,BLK/SLVR,TERM,CRD PFL T0-STD,MA ENB,MOBA7J3,BLE:ON,WIEG,56-B LSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40TKS-T0-00AFRA	SIGNO 40,BLK/SLVR,TERM,CRD PFL T0-STD,MA ENB,MOBA3C1,BLE:ON,OSDP,V1,32-B MSB,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40TKS-T0-00D9Q7	SIGNO 40,BLK/SLVR,TERM,CRD PFL T0-STD,MA ENB,MOBA41G,BLE:ON,WIEG,32-B MSB,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40TKS-T0-00DKPG	SIGNO 40,BLK/SLVR,TERM,CRD PFL T0-STD,MA ENB,MOBA7RT,BLE:ON,WIEG,CSN SUPR,EM:32-B,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	452.64	IR	Readers
40TKS-T1-00001H	SIGNO 40,BLK/SLVR,TERM,CRD PFL T1-SEOS,BLE:ON,WIEG,LED:RED,FLSH:GRN,NOBZR,SRF:ON,VEL:OFF,TAP	346.13	IR	Readers
40TKS-T1-00018C	SIGNO 40,BLK/SLVR,TERM,CRD PFL T1-SEOS,INCL:KEY,BLE:ON,WIEG,LED:RED,FLSH:GRN,NOBZR,SRF:ON,VEL:OFF,TAP	346.13	IR	Readers
40TKS-T1-000NGA	SIGNO 40,BLK/SLVR,TERM,CRD PFL T1-SEOS,MA ENB,MOBA47Y,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	346.13	IR	Readers
40TKS-T1-00185F	SIGNO 40,BLK/SLVR,TERM,CRD PFL T1-SEOS,MA ENB,MOBA333,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	346.13	IR	Readers
40TKS-T1-00192V	SIGNO 40,BLK/SLVR,TERM,CRD PFL T1-SEOS,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	346.13	IR	Readers
40TKS-T1-001C6P	SIGNO 40,BLK/SLVR,TERM,CRD PFL T1-SEOS,MA ENB,MOBA4P5,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	346.13	IR	Readers
40TKS-T1-001CT6	SIGNO 40,BLK/SLVR,TERM,CRD PFL T1-SEOS,MA ENB,MOB0257,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	346.13	IR	Readers
40TKS-T1-001R7K	SIGNO 40,BLK/SLVR,TERM,CRD PFL T1-SEOS,MA ENB,MOBA3AV,BLE:ON,WIEG,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	346.13	IR	Readers
40TKS-T1-001TLG	SIGNO 40,BLK/SLVR,TERM,CRD PFL T1-SEOS,MA ENB,MOBA50G,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	346.13	IR	Readers
40TKS-T1-001UXB	SIGNO 40,BLK/SLVR,TERM,CRD PFL T1-SEOS,INCL:KEY,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	346.13	IR	Readers
40TKS-T1-0024VD	SIGNO 40,BLK/SLVR,TERM,CRD PFL T1-SEOS,MA ENB,MOB1376,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,TWS	346.13	IR	Readers
40TKS-T1-002CMH	SIGNO 40,BLK/SLVR,TERM,CRD PFL T1-SEOS,MA ENB,MOBA59L,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	346.13	IR	Readers
40TKS-T1-008DAV	SIGNO 40,BLK/SLVR,TERM,CRD PFL T1-SEOS,BLE:ON,WIEG,LED:OFF,FLSH:OFF,BZR,SRF:ON,VEL:OFF,TAP	346.13	IR	Readers
40TKS-T1-00BD9X	SIGNO 40,BLK/SLVR,TERM,CRD PFL T1-SEOS,MA ENB,MOBA95Q,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	346.13	IR	Readers
40TKS-T1-00C1W3	SIGNO 40,BLK/SLVR,TERM,CRD PFL T1-SEOS,MA ENB,MOBA3AV,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	346.13	IR	Readers
40TKS-T1-00G8N2	SIGNO 40,BLK/SLVR,TERM,CRD PFL T1-SEOS,MA ENB,MOBAAHT,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	346.13	IR	Readers
40TKS-T2-000278	SIGNO 40,BLK/SLVR,TERM,CRD PFL T2-SMART,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40TKS-T2-0002BL	SIGNO 40,BLK/SLVR,TERM,CRD PFL T2-SMART,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40TKS-T2-000381	SIGNO 40,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOB0025,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40TKS-T2-00039A	SIGNO 40,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOB5080,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	399.38	IR	Readers
40TKS-T2-000KE7	SIGNO 40,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA2KD,BLE:ON,WIEG,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40TKS-T2-000NG6	SIGNO 40,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA47Y,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40TKS-T2-000QPN	SIGNO 40,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOB1241,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40TKS-T2-00104M	SIGNO 40,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA2MT,BLE:ON,WIEG,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40TKS-T2-0015R1	SIGNO 40,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOB1077,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40TKS-T2-0016N6	SIGNO 40,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA37D,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40TKS-T2-0018HH	SIGNO 40,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA1T7,BLE:ON,WIEG,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40TKS-T2-001CT7	SIGNO 40,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOB0257,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40TKS-T2-001UXD	SIGNO 40,BLK/SLVR,TERM,CRD PFL T2-SMART,INCL:KEY,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40TKS-T2-0025BH	SIGNO 40,BLK/SLVR,TERM,CRD PFL T2-SMART,BLE:OFF,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40TKS-T2-002K5Y	SIGNO 40,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA02D,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40TKS-T2-002MRN	SIGNO 40,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOB0257,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers

40TKS-T2-0031LR	SIGNO 40,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA5E9,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40TKS-T2-0033FJ	SIGNO 40,BLK/SLVR,TERM,CRD PFL T2-SMART,BLE:OFF,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF	399.38	IR	Readers
40TKS-T2-003LF5	SIGNO 40,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA5SA,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40TKS-T2-00472B	SIGNO 40,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA61X,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40TKS-T2-00564R	SIGNO 40,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA12C,BLE:ON,OSDP,V1,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40TKS-T2-00586G	SIGNO 40,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOB0445,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40TKS-T2-005MJQ	SIGNO 40,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA12C,BLE:ON,OSDP,V1,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40TKS-T2-0069DV	SIGNO 40,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA6T7,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40TKS-T2-006CHH	SIGNO 40,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA2WR,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,TWS	399.38	IR	Readers
40TKS-T2-006HR4	SIGNO 40,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA5YF,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40TKS-T2-0076RA	SIGNO 40,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA7G9,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,TWS	399.38	IR	Readers
40TKS-T2-007BUV	SIGNO 40,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOB1382,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40TKS-T2-007RCU	SIGNO 40,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA7RT,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40TKS-T2-007W9Y	SIGNO 40,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA3AV,BLE:ON,WIEG,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40TKS-T2-0086EC	SIGNO 40,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOB0291,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40TKS-T2-0086G1	SIGNO 40,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA77K,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40TKS-T2-008A0X	SIGNO 40,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOB1596,BLE:ON,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP,TWS	399.38	IR	Readers
40TKS-T2-008LW3	SIGNO 40,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA85Y,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40TKS-T2-008RX3	SIGNO 40,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA1EG,BLE:ON,WIEG,LED:BLU,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40TKS-T2-00AW30	SIGNO 40,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA92F,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40TKS-T2-00BEP3	SIGNO 40,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA5YF,BLE:OFF,OSDP,V2,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF	399.38	IR	Readers
40TKS-T2-00BG90	SIGNO 40,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA7KU,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40TKS-T2-00CVNR	SIGNO 40,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA92F,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	399.38	IR	Readers
40TKS-T2-00GHMM	SIGNO 40,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA2X4,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP,TWS	399.38	IR	Readers
40TKS-T2-00GNMU	SIGNO 40,BLK/SLVR,TERM,CRD PFL T2-SMART,MA ENB,MOBA21M,BLE:ON,WIEG,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	399.38	IR	Readers
40TKS-T3-0001D2	SIGNO 40,BLK/SLVR,TERM,CRD PFL T3-CSTM,MA ENB,MOB0695,BLE:ON,WIEG,64-B LSB,FELICA:64-B LSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	505.88	IR	Readers
40TKS-T3-000598	SIGNO 40,BLK/SLVR,TERM,CRD PFL T3-CSTM,BLE:ON,WIEG,64-B LSB,EM:32-B,FELICA:64-B LSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	505.88	IR	Readers
40TKS-T3-00059X	SIGNO 40,BLK/SLVR,TERM,CRD PFL T3-CSTM,FIPS200BIT,BLE:OFF,OSDP,V2,TM,CSN SUPR,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF	505.88	IR	Readers
40TKS-T3-0005CU	SIGNO 40,BLK/SLVR,TERM,CRD PFL T3-CSTM,BLE:ON,WIEG,32-B MSB,EM:32-B,MAP1:DF,DEFAULT,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	505.88	IR	Readers
40TKS-T3-001JQB	SIGNO 40,BLK/SLVR,TERM,CRD PFL T3-CSTM,MA ENB,MOBA4YJ,BLE:ON,OSDP,V1,56-B MSB,MAP1:DF,DEFAULT,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	505.88	IR	Readers
40TKS-T3-003CDX	SIGNO 40,BLK/SLVR,TERM,CRD PFL T3-CSTM,BLE:ON,OSDP,V2,TM,56-B MSB,EM:32-B,MAP1:DF,DEFAULT,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	505.88	IR	Readers
40TKS-T3-007CAV	SIGNO 40,BLK/SLVR,TERM,CRD PFL T3-CSTM,MA ENB,ICE0318,BLE:ON,OSDP,V1,CSN SUPR,EM:32-B,MAP1:DF,DEFAULT,LED:OFF,FLSH:OFF,NOBZR,SRF:ON,VEL:OFF,TAP	505.88	IR	Readers
40TKS-T3-00D2BD	SIGNO 40,BLK/SLVR,TERM,CRD PFL T3-CSTM,MA ENB,MOBA9JW,BLE:ON,WIEG,64-B LSB,FELICA:64-B LSB,LED:RED,FLSH:GRN,BZR,SRF:ON,VEL:OFF,TAP	505.88	IR	Readers